



### BOW SIGHTS

NEW COVERTTM PRO 04-05
COVERTTM SINGLE-PIN 06
COVERTTM FOUR-PIN 07
ATTITUDETM SERIES 08-09
ACCU•STRIKETM 10-11
xs series
TUNDRATM SERIES 12

### QUIVERS

GAMECHANGER™ 14
REACTOR™ 15
REACTOR™ LTE 16
ACCU•STRIKE™ 17

#### STABILIZERS

NEW END•GAME™ 19
COVERT™ 20
CARBON•CORE™ 21
ACCU•STRIKE™ PRO 22
OUTPOST™ 23
DUAL STABILIZER MOUNT
ATTITUDE™ BOW SLING 23

#### ARROW RESTS

NEW COVERT™25ATTITUDE™26ACCU•STRIKE™26



### NEW COVERTT PRO SERIES

Go pinless. APEX<sup>TM</sup> GEAR is proud to continue to advance the most powerful and versatile single-pin sights on the market – still without the pin. COVERT<sup>TM</sup> PRO maintains all of the advantages of a long-range sliding sight, but with unique PWR•DOT<sup>TM</sup> Center•Dot LED technology. Tactile push-button brightness controls simplify use in the field, and a gear-drive elevation dial provides more control with smooth and precise adjustment. This year, the favorite COVERT<sup>TM</sup> PRO is now available with the new DOUBLE•DOT dual LED aperture. The red LED acts as a secondary pin when the green LED is set to 20 yards, or provides a point of aim for extreme distances beyond the range of the yardage tape.







#### **NEW FOR 2018**


The COVERT™ PRO DOUBLE•DOT Reticle (AG2302GB) provides an additional red LED reference point that can be used for extreme long-range (shooting beyond the calibrated tape) or approximating holdover without dialing. When the green dot is dialed to 20 yards, the red dot will be near 50 yards on most modern bows.

- Ultra-smooth easy one-hand adjustments. Includes over 120 pre-marked yardage tapes to simplify setup.
- > GRAVITY-LINE™ rotational adjustment aligns pin movement with gravity.


ALSO INCLUDES: NEOPRENE APERTURE COVER.

- > Rear-facing, easy-to-see yardage tape location.
- > Tactile push-button brightness control.
- > Perfect for any light condition.
- > Adjustable 2nd and 3rd axis.

- > Quick and easy setup.
- Improved adjustable yardage pointer and end-of-travel elevation stop.
- > Adjustable for left and right-handed users.
- > Approximately 700-hour battery life.
- Automatically turns off after 4 hours without adjustment.
- > Patented.



AG2302GB







PRODUCT FINISH:

В	L	A	C	Κ	

								1.0		
	MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	LEFT / RIGHT HANDED	TRU•TOUCH™
NEW	AG2302GB	2 (adjustable green and red LED)						Windage: Micro-adjustable Elevation:	Left-hand	
	AG2301GB	1 (adjustable	Black	Precision machined aluminum	PWR•DOT Illuminated Center•Dot	Adjustable 2nd & 3rd axis	1.8 in.	Geared slider system with control wheel	convertible	No
	AG2310B (Aperture only)	green LED)						_	<del>1-</del> 0	







AG2301RT Replacement Sight Tapes

AG902A
Spare batteries
pg. 29















### COVERT SINGLE-PIN

With micro-adjustable windage, over 120 pre-printed yardage tapes for precise calibration, VERSA•PIN™ technology, an available detachable bracket and a gear-drive elevation control for smooth adjustment, fewer pins means more power than ever before.



- > Ultra-smooth easy one-hand adjustments.
- > GRAVITY-LINE™ rotational adjustment aligns pin movement with gravity.
- > Includes over 120 pre-marked yardage tapes to simplify setup.
- > On models AG2311B and AG2311BD, VERSA•PIN allows easy changing of pin color and pin size with out changing fibers.
- > Model AG2321B features a green .019" pin with a full meter of fiber for increased brightness.

- > Rear-facing, easy-to-see yardage tape location.
- > Perfect for any light condition.
- > Adjustable 2nd and 3rd axis.
- Quick and easy setup.
- > Bracket incorporates dampened end-of-travel stops.

**EVERSA-PIN** 


- > Adjustable yardage pointer.
- > Adjustable for left and right-handed users.
- > Adjustable micro push-button light.
- > Patented.

Spare batteries


pg. 29

Replacement

Sight Tapes



AG2311 / AG2321



SPECIAL FEATURE:

1. Change pin color in seconds by using

2. Easily change between a .010" or .019"

pin for different hunting applications.

3. Extra-long fully protected green, red

Included on models AG2311B and AG2311BD.

the VERSA•TRACK™

and yellow fibers.

bracket model available

MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	LEFT / RIGHT HANDED	TRU•TOUCH™
AG2311B	VERSA•PIN™								
AG2311BD*	1 (1x.010" dia.) or 1 (1x.019" dia.)	Black	Precision machined	Micro push- button light	Adjustable 2nd & 3rd	1.8 in.	Micro- adjustable	Left-hand convertible	No
AG2321B	1 (1x.019" dia.)		aluminum		axis				
ALSO	AG430B Sig	ht Lens Kit –	AG2301RT	AG901A	**VEDCA.DINI* CDAVITY-I INE* MICRO			JIITRA OLOW-IN-THE-DU	

<sup>\*</sup> Comes equipped with a detachable bracket allowing for easier storage

2x +.50 diopter pg. 29

AVAILABLE:



PRODUCT FINISH:





BLACK

### COVERT" FOUR-PIN

COVERT™ Four-Pin takes versatility to a new level, combining the benefits of a long-range sliding single-pin sight with those of a traditional multi-pin sight. Locked, the COVERT can be used like any familiar multi-pin sight. Unlocked, the sight can be dialed in for precise long-range accuracy.




- > Ultra-smooth easy one-hand adjustments.
- Includes over 120 pre-marked yardage tapes to simplify setup.
- > Rear-facing, easy-to-see yardage tape location.
- > Perfect for any light condition.

AVAILABLE:

> Adjustable 2nd and 3rd axis illuminated level.

2x +.50 diopter pg. 29

- > Quick and easy setup.
- > Bracket incorporates dampened end-of-travel stops.
- > Adjustable yardage pointer.
- > Adjustable for left and right-handed users.
- > Adjustable micro push-button light.



AG2314

				555C1 1111511E5.	DEAGR.				
MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	LEFT / RIGHT HANDED	TRU•TOUCH™
AG2314B	474 0408 1: 3	Black	Precision	Micro	Adjustable	4.0.	Micro-	Left-hand	
AG2314J	4 (4x.019" dia.)	Xtra®	machined aluminum	push-button LED – violet	2nd & 3rd axis	1.8 in.	adjustable	convertible	No
			AG2201DT	AG001A		2	23		

Spare batteries

pg. 29

Replacement

Sight Tapes














## ATTITUDE M SERIES

With five .019" PRO•BRITE™ pins, micro-adjustable windage and elevation, and GRAVITY-LINE™ rotational adjustment, ATTITUDE™ is the new standard in performance hunting sights. The available multi-position detachable bracket and the OPTI•CHOICE™ II Pin Selector System provide archers with amazing control and versatility – simplifying the sight picture and preserving low-light vision by only illuminating the pin that you need.





#### **OPTI-CHOICE II PIN SELECTOR**


(AG4815BKS MODEL ONLY)

- Rotate to select which pin to illuminate. (Any individual pin, or all pins at once)
- 2. Push for multiple brightness settings. (Low, Medium, High, Off)
- 3. Brightness / selection indicator for selected pin or all pins.




- > GRAVITY-LINE™ rotational adjustment aligns pin movement with gravity.
- > Level is illuminated with luminescent tape.
- > Reversible bracket for greater vertical adjustability.
- > Markings for elevation and pin adjustments.


- > Adjustable for left and right-handed users.
- Model AG4815BKD comes equipped with a detachable bracket allowing for greater adjustability.
- > Model AG4815BKS comes equipped with the OPTI•CHOICE™ II Pin Selector System.



AG4713BK



AG4815 / AG4715



<sup>\*</sup> Comes equipped with a detachable bracket allowing for easier storage.

Spare batteries for

AG4815BKS pg. 29

Spare batteries

pg. 29

AVAILABLE:



















### ACCU-STRIKE" XS SERIES

We have combined the best features of previous ACCU•STRIKE™ models to create the ACCU•STRIKE™ XS Series. Featuring an adjustable level and reversible bracket design for a wide range of customization, the ACCU•STRIKE XS easily adapts to any hunter's specific needs.










#### REPLACEMENT BATTERIES

AG901A Replacement batteries for Micro Push-Button light and Micro-Pro Adjustable light (AG451B / AG452B).

- > Level is illuminated with luminescent tape.
- > Reversible bracket for greater vertical adjustability.
- > Smooth windage and elevation dovetail adjustments.
- > Adjustable for left and right-handed users.
- > Lightweight and compact design.



AG1615

						FRO	ODUCT FINISHES:	BLACK	AIRA
MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER		LEFT / RIGHT HANDED	TRU•TOUCH™
AG1615BK	F /F:: 010" -li- )	Black	Precision	Micro push-button	Adjustable	2 (-	Precision	Left-hand	V
AG1615J	5 (5x.019" dia.)	Xtra®	machined aluminum	LED – violet	2nd & 3rd axis	2 in.	dovetail movement	convertible	Yes

ALSO AG901A
AVAILABLE: Spare Batteries pg. 29















### TUNDRA" SERIES

TUNDRA™ is built to be tough without adding weight or complexity to your setup. An innovative pin design protects fibers while an available removable light provides the extra brightness for a vivid sight picture in any lighting condition.



- Innovative pin design improves sight and protects fibers.
- > Quick and easy fiber replacement.
- > Ultra lightweight / compact design.
- > Reversible bracket for greater vertical adjustability.
- > Adjustable for left and right-handed users.
- > Adjustable rheostat LED included (camo models only).
- > TRU•TOUCH™ soft-feel technical coating.



					PRODU	CI FINISHES:	BLACK	BLACK APG XIR		
MODEL	PINS	FINISH	CONSTRUCTION	LIGHT	LEVEL	APERTURE DIAMETER	WINDAGE / ELEVATION	LEFT / RIGHT HANDED	TRU•TOUCH™	
AG1203BK		Black		N/A						
AG1203C	3 (3x.019" dia.)	APG™	Ultra-tough composite	Removable adjustable	High- visibilty	1.8 in.	Standard	Left-hand convertible	Yes	
AG1203J		Xtra®	30	rheostat LED - violet				Commenda		











# GAMECHANGER

AG225J

#### 5 ARROW

Full adjustability allows quiver to mount behind the sight.

Contrasting colored rubber hood liner makes it easier to load arrows.

> Lightweight / compact.


Includes hanging loop for treestands or ground blinds.

Technical rubber hood inserts won't dull broadheads and reduces noise and vibration.

> Fits both left and right-handed bows.

> TRU•TOUCH™ soft-feel technical coating.

> Patented.



#### MOUNTING BRACKET ADJUSTMENTS

- In / out adjustment mounting bracket moves quiver tight against the bow riser to reduce torque and provide better balance.
- 2. Mounting bracket is adjustable up / down.
- 3. Mounting bracket tilts to better fit bows.

Includes hanging loop for treestand or ground blinds.



BLACK



MODEL	FINISH	ARROWS	WEIGHT	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION
AG225BK	Black Secure one-hand		Rubberized,	Fits carbon and aluminum arrows with shafts .229" dia. and larger.	CNC-machined		
AG225J	Xtra®	Up to 5	12 oz.	mounting bracket for easy removal	secure double- gripper design	Fits both mechanical and fixed- blade broadheads.	lightweight, durable aluminum

ALSO AVAILABLE:

AG310C GAMECHANGER™ Quiver Mount







## REACTOR

#### 5 ARROW

- > ISO•BRIDGE™ vibration dampener.
- > Thumb tab style gripper design allows for quick / quiet arrow removal.
- > Fits both left and righthanded bows.
- > TRU•TOUCH™ soft-feel technical coating.

> Patented.





Includes rigid aluminum hanging loop for treestand or ground blinds.



Contrasting color rubber hood liner won't dull broadheads and makes it easier to load arrows.



1. Adjustable tilt feature enables you to fine-tune bow balance.

2. Mounting bracket and grippers adjust up / down.

3. Low-profile design keeps quiver tight against the bow riser.



**BLACK** 









AG310B REACTOR™ Quiver Mount













CONSTRUCTION

Lightweight composite

ULTRA VIBRATION FREE

## ACCU-STRIKE TM



					.0	NO.	THE PARTY OF THE P
MODEL	FINISH	ARROWS	WEIGHT	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION
AG204BK	Black					Fits carbon and aluminum arrows with	
AG204E	INFINITY™	Up to 4	9.1 oz.	Secure one-hand mounting bracket for	Rubberized, secure double-	shafts .229" dia. and larger.  • Fits both mechanical and fixed-	Lightweight composite
AG204J	Xtra®			easy removal	gripper design	blade broadheads.	

**AVAILABLE:** 

AG310A ACCU•STRIKE™ Quiver Mount












## NEW END GAME STABILIZER

To give hunters the edge they need, END•GAME™ utilizes high-quality materials to bring the center of gravity farther forward where it is more effective. A strong and light carbon-fiber tube supports an adjustable end-weight system, allowing archers to tune the weight to match their bow. Included colored dampening rings provide a custom look while absorbing noise and vibration.



- > Improves bow balance for better accuracy.
- > Lightweight carbon-fiber tube moves the center of gravity forward.
- > Adjustable weight system (6, 7, or 8oz. total weight) tunes your bow.
- > Engineered for performance hunting bows.

- > Dampening rings between weights absorb noise and vibration.
- > Seven different colored dampening rings included for a custom look.
- > Fits all bows.





•1			C	•	
-,	_	_			

	MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENING DESIGN	CONSTRUCTION	COMPATIBILITY
NEW	AG815B	Black	8 in.	6–8 oz.	Standard threaded mount	Rubber dampening rings and internal dampening fill	Carbon-fiber tube	Fits all bows









## COVERT STABILIZER

The COVERT™ family of products represents the state-of-the art in performance archery gear – helping you maintain stealth and accuracy to improve your effectiveness in the woods. The COVERT stabilizer is machined from tough aircraft grade aluminum to thrive in harsh environments, while the RumbleBuster™ System reduces vibration in your bow and dampens your noise signature when it is time to take the shot.



> Engineered for performance hunting bows.

> Length: 7 in.

> Weight: 6.5 oz. (with rail installed).

MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENING DESIGN	CONSTRUCTION	COMPATIBILITY			
AG829B7	Black	7 in.		200 700						
AG829J7	Xtra®		6.5 oz.	Standard threaded mount	RumbleBuster <sup>TM</sup> dampening disc	Aircraft grade aluminum exoskeleton	Fits all bows			
AG829M7	LOST® XD			threaded mount dampening di	Jan-permig disc					







## CARBON CORE TM STABILIZER



- Ultra-tunable offset stabilizer reduces bow movement and muscle fatigue (AG827J).
- > High-modulus carbon-fiber core increases strength.
- > Carbon-composite exoskeleton reduces weight.
- > Rubber-isolated weighting system for maximum vibration dampening.
- > Easy to install and setup.

- > Stainless steel tuning weights are removable.
- > Colored dampening rings are interchangeable.
- > Engineered for performance hunting bows.
- > TRU•TOUCH™ soft-feel technical coating.
- > Available in 10 in. offset or 7 in. forward mounting varieties.






MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENING DESIGN	CONSTRUCTION	COMPATIBILITY
AG827J	V. 0	10 in.	10-12 oz.	Standard	Rubber-isolated	Carbon-composite exoskelton with	5. 11
AG828J	Xtra®	7 in.	6-8 oz.	threaded mount	weighting system	high-modulus carbon fiber core	Fits all bows











### ACCU-STRIKE PRO STABILIZER



- > Innovative CROSS•FOIL dampening fin design.
- > Advanced blend of rubber and composite material.
- > Rubber isolated stainless-steel weighting system.
- > Engineered for performance hunting bows.
- > TRU•TOUCH™ soft-feel technical coating (camo models).
- > Length: 6 in.

						1550	ENGLISH BERNE
MODEL	FINISH	LENGTH	WEIGHT	MOUNTING SYSTEM	DAMPENING DESIGN	CONSTRUCTION	COMPATIBILITY
AG826B2	Black			2 22 20 20	CROSS•FOIL	Advanced blend	
AG826F2	LOST® AT	6 in.	5 oz.	Standard threaded mount	design reduces	of rubber and	Fits all bows
AG826J2	Xtra®				vibration and noise	composite materials	





OUTPOST THE DUAL STABILIZER MOUNT

> Balance your bow!

> Integrated sling mount (bonus sling included).

> All metal construction.

> No slip meshed teeth joints.

> Correct bow tilt and roll.

> Laser engraved angular markings.

> Fits all stabilizers.

> Fully assembled.



MODEL	FINISH	CONSTRUCTION	ADJUSTMENT	COMPATIBILITY
AG445B	Black	Precision machined aluminum	Full 360° tilt and pan	All stabilizers.     Most left and right-handed bows.



BLACK

AG445B

PRODUCT FINISH:

## ATTITUDE TM BOW SLING

> Double-braided rigid cord.

> Rubber vibration isolating mount.

> Fits all bows.

MODEL	COLOR
AG441BB	Black / black
AG441CW	Camo / brown
AG441GB	Green / black
AG441PB	Pink / black
AG441RB	Red / black





23



## NEW COVERT<sup>TM</sup> ARROW REST


The advantages of a performance arrow rest make an astounding difference for hunters counting on accuracy, stealth, and hard-hitting effectiveness. The COVERT™ High-Speed Click-Up Arrow Rest brings unique Hammer Release Technology™ into the world of drop-away rests, supporting the arrow longer for increased accuracy.



Customize appearance with colored inserts.



- > Full-capture, click-up and drop-away design.
- > Draw or use thumb lever to raise launcher. Launcher stays up until fired or lowered with thumb lever.
- > No launcher movement during draw cycle with Hammer Release Technology.
- > Delayed Drop—supports arrow longer than other drop-away rests for superior accuracy, then drops rapidly.
- > Maximum vane clearance.
- > Ergonomic thumb actuation.
- > Five replaceable colored SILENT DRAW inserts included
- Cushioned adjustable down stop.
- Independent windage and elevation adjustments.
- Down cable actuated, cable clamp included.
- > Fully-assembled, mounting hardware included.
- > Easy to install / fits with all bows.
- > Patent Pending.



#### **NEW FOR 2018**

The COVERT Arrow Rest is now available in a precision MICRO-ADJUSTABLE model (AG745B / AG745BLH). Each full rotation of the adjustment screw moves the launcher .025" to make papertuning guick and precise.

All 2018 COVERT Arrow Rest models utilize a self-lubricating coating on the hammer release system to provide slick and consistent operation in even the nastiest and coldest of hunting conditions.



В	LΑ	C	κ

	MODEL	FINISH	ORIENTATION	INSTALLATION	CONSTRUCTION	WINDAGE / ELEVATION	COMPATIBILITY
EW/	AG745B		Right-handed			N. P	
IEW	AG745BLH	DI I	Left-handed	Quick and easy installation	Ultra-lightweight	Micro-adjustable	Fits all carbon and aluminum arrows
	AG740B	Black	Right-handed		Ultra-lightweight CNC-machined aluminum	Full windage /	
	AG740BLH		Left-handed			elevation adjustments	







## ATTITUDE TM ARROW REST

- > Full containment, drop-away arrow rest.
- > High-speed stainless steel launcher arm.
- > Lightweight all-metal construction.
- Maximum vane clearance.
- > Attaches to downward moving buss cable.
- > Includes quick-change colored inserts no more felt!
- > Patented.

Customize appearance with colored inserts.







PRODUCT FINISH:
-----------------

MODEL	FINISH	INSTALLATION	CONSTRUCTION	WINDAGE / ELEVATION	COMPATIBILITY
AG730BK	Black	Quick and easy installation – no bow press required	Lightweight all- metal construction	7.7	Fits all carbon and aluminum arrows.     For left and right-handed bows.

### ACCU-STRIKE ARROW REST

- > Capture-style arrow rest.
- > Adjustable brushes hold arrow at almost any angle.
- > Dual-coil launcher is adjustable / replaceable.
- > Reduced arrow contact increases speed and accuracy.
- > Ultra-lightweight CNC-machined aluminum construction.





Customize appearance with colored inserts.

PRODUCT FINISH:

**BLACK** 

MODEL	FINISH	INSTALLATION	CONSTRUCTION	WINDAGE / ELEVATION	COMPATIBILITY
AG720BK	Black	Quick and easy installation	Ultra-lightweight CNC-machined aluminum	Full windage / elevation adjustments	Fits all carbon and aluminum arrows.     For left and right-handed bows.





### POSIT PEEP PRO XS

- > Lightweight, CNC-machined aluminum.
- > Angled design allows for perfect peep alignment.







MODEL	SIZE	QUANTITY	COLOR	
AG410AN	1/8 in.			
AG410BN	3/16 in.		Black	
AG410CN	1/4 in.			
AG410BBN	3/16 in.	50-pack	DI.	
AG410CBN	1/4 in.		Blue	
AG410BRN	3/16 in.		D. J	
AG410CRN	1/4 in.		Red	

### POSI™ PEEP

- > Smaller lightweight design.
- > Tubing for proper positioning.
- > Aperture diameter is 3/16 in. or 1/8 in.





MODEL	SIZE	QUANTITY	COLOR
AG401B	1/8 in.	CiI-	
AG401C		Single	Black
AG401CN	3/16 in.	50-pack (tubing not included)	

## DOUBLEDOWN<sup>TM</sup> STRING SILENCERS

- > Quick and easy installation no bow press required.
- > Dual-arm design for double the dampening.
- > Fits all bows.
- > Patented.



MODEL	QUANTITY	COLOR
AG460B		Black
AG460G	4 1	Green
AG460P	4-pack	Pink
VC/YYUB		Pod



MODEL	QUANTITY	COLOR	
AG460BN		Black	
AG460GN	100 mode	Green	
AG460PN	100-pack	Pink	
AG460RN		Red	

### REVOLVET ROTARY ARCHERY SIGHT LIGHT

- > Universal fits most popular sight brands.
- > Blue LED.
- > 3 brightness levels controlled by distinctive twist-click knob.
- > Long battery life.
- > Easy ON / OFF and brightness selection.
- Replaceable battery (AG903A, CR927).
- > Battery included.



MODEL	DESCRIPTION			
AG453B	Rotary Light with 3 brightness levels – blue			

### REPLACEMENT

#### BATTERIES

- > AG901A Replacement batteries for Micro Push-Button light and Micro-Pro Adjustable light (AG451B / AG452B).
- > AG902A Replacement batteries for COVERT™ PRO and Crossbow Red Dot sights (AG2301GB / AG2302GB / AG8430B3 / AG8430C3).
- > AG903A Replacement batteries for REVOLVE™ adjustable sight light.







MODEL	QUANTITY	DESCRIPTION		
AG901A	3-pack	1.5V-SR60		
AG902A	2 1	3V-CR2032		
AG903A	2-pack	3V-CR927		

### SIGHT LIGHTS

- > Pressure-touch technology allows for multiple brightness levels (Model AG452B only).
- > Violet LED.
- > Replaceable batteries (AG901A, SR60).
- > Fits all Apex™ Gear and TRUGLO® sights (as well as many other brands\*).





### SIGHT LENS KIT

- > + .50 diopter.
- > Approximately 2x magnification.
- Anti-reflective coating.
- > 1.87 in. diameter.
- Optical grade polymer lens lighter than glass.
- Abrasion / scratch resistant.
- ➤ Intended for use with COVERT™ Sight Series.



AG452B



MODEL	DESCRIPTION			
AG430B	Sight Lens Kit for COVERT™ Sight series – lens, locking ring, o-rings (2) and cleaning cloth			





### CROSSBOW RED DOT

- > 3-dot reticle for multi-distance shooting.
- > Dual-color rheostat for multiple brightness settings in green or red.
- > Spare battery storage compartment (spare battery included-3V-CR2032).
- > Integrated Weaver-style mounting system.
- > Removable sunshade included.
- > Limited Lifetime Warranty.





Descending diameter dots for multi-distance shooting.





LIFETIME

BLACK



AG8430C3

MODEL	FINISH	POWER/OBJECTIVE	RETICLE TYPE	CONSTRUCTION	ADJUSTABLE BRIGHTNESS	WINDAGE / ELEVATION	LENS CAP
AG8430B3	Black	4 20		Lightweight	DI II I	Chillian III a	See-through, flip-up /
AG8430C3	APG™	1 x 30mm	Descending diameter	Lightweight CNC-machined aluminum	Rheostat controlled	Click windage and elevation	all weather

### REACTOR<sup>TM</sup> CROSSBOW QUIVER

- > Lightweight / compact / low-profile design.
- > Thumb tab style gripper design allows for quick / quiet arrow removal.
- > Contrasting color rubber hood liner won't dull broadheads and facilitates arrow installation.
- > Mounting bracket and grippers adjust up / down.
- > Includes rigid aluminum hanging loop for tree stands or ground blinds.
- > Patented.



		1					
MODEL	FINISH	ARROWS	MOUNTING SYSTEM	GRIPPER DESIGN	ARROW COMPATIBILITY	CONSTRUCTION	TRU•TOUCH™
AG205BK	Black		Low-profile adjustable tension CAM-LOCK Rubberized, secure	Fits both carbon and aluminum crossbolt bolts.			
AG205J	Xtra®	Up to 5	keeps quiver tight against the bow riser	double-gripper design	<ul> <li>Fits both mechanical and fixed- blade broadheads.</li> </ul>	Lightweight composite	Yes

## DOUBLEDOWN TO CROSSBOW STRING SILENCERS

> Engineered for crossbows.

- Can be installed on string or cables.
- > Quick and easy installation no bow press required.
- > Patented.

> Dual-arm design for double the dampening.

MODEL	QUANTITY	COLOR
AG465B	4-pack	Black



