



2023 COLLECTION

2023 COLLECTION



TABLE OF CONTENTS

6	TECHNICAL FEATURES	16	BLUE CLASS	75	ACCESSORIES
8	BLADE STEEL	34	HUNT CLASS	76	PRODUCT INDEX
12	GOLD CLASS	48	BLACK CLASS		



LIFE SHARP

GUARANTEED FOR LIFE

When we say a Benchmade is yours, for life, we mean it. We will re-sharpen your Benchmade back to a factory edge anytime you need. Learn more at benchmade.com/lifesharp-service.



MADE IN THE USA

SINCE 1987

Since 1987, Benchmade Knife Company has combined precision machining with hand assembled designs made in our factory in Oregon City, Oregon. Whether it's in the field, forest, or for everyday carry, Benchmade is committed to performance without compromise, for life.



OUR COMMITMENT

Valued Retailer,

We are very excited to continue our momentum and deepen our roots with each of our retail partners as we begin 2023. Consistent focus on our brand and our commitment to driving business at retail have created a challenging yet rewarding look and direction for this new year.

The expectations we have for our products have never been higher. The pride that each of us at the company has in manufacturing quality, high-performance, dependable products, and delivering to you on time has sharpened our intentions to bring more value to the market.

What you see in this season's catalog reflects our company's hard work and values to be the best knife company available to customers and the retailers that serve them.

We understand our success is tied to our service, and we are thrilled to showcase the gains we have made over the recent months. We truly value your support and loyal engagement with our brand and appreciate your encouragement to be a more driven and competitive partner.

Please know that that spirit has a place in each product and can be felt by every loyal, and new, Benchmade user.

On behalf of Benchmade, please enjoy the lineup this season.

Sincerely
Jon deAsis - President & CEO

GLENN LEISCHNER
Laser Operator III

Glenn has been building knives
at Benchmade for 15 years.

HOW YOU CHOOSE YOUR KNIFE

DEPENDS ON HOW YOU LIVE YOUR LIFE



EDC

Not obtrusive or uncomfortable in slacks or shorts, just convenient and well-fitted to your general needs.



OUTDOOR

From water to woods, backpacking to car camping, kayaking to fly-fishing, these versatile cutting tools can be used for many tasks.



SURVIVAL

Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.



HUNT

Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.



TACTICAL

Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations when every second matters.



RESCUE

Built for critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.

Metal Matters

BLADE
STYLES



MANUAL
OPENING

“Manuals” must be opened 100% from the closed position to the open position by the user.

ASSISTED
OPENING

“Assists” have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

AUTOMATIC
OPENING

“Autos” have a button or other actuation switch that mechanically fires the blade open without the user directly manipulating the blade.

FIXED
BLADE

These knives do not fold and almost always come with a sheath to protect the edge.

BALI-
SONG

“Balis” or “butterfly knives” open and close by way of two handles that rotate around the front and back of the blade.

BK
Black coating, no serrations

NONE
No coating, no serrations

GY
Gray coating, no serrations

FE
Flat Earth coating

DLC
Diamond-Like-Carbon coating

SBK
Serrations and black coating

S
Serrations, no coating

SGY
Serrations and gray coating

SFE
Serrations and Flat Earth coating

OR
Orange Coating

BK
Black

ORG
Orange

WHT
White

SN
Sand

OD
Olive Drab

BLU
Blue

*-1, -2, etc. typically indicate handle material variations

Trailing Point

The spine curves upward to create an elevated point that’s typically higher than the handle.

Clip-Point

Blade contains a sharp beak, typically forward of the midpoint, as if the tip has been “clipped off.”

Tanto

This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.

Opposing Bevel

Design features a non-uniform blade geometry that creates an offset pry-tip, while maintaining a consistent chisel grind on the cutting edge.

Drop-Point

Drops off the spine to the tip. Tip height is typically below the center line on the blade.

Reverse Tanto

Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.

Spear-Point

Must be symmetrical considering the blade profile. *Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.

Straight Back

This shape features a curved cutting edge with a flat spine creating a keen tip for precision cutting

Sheepsfoot

The spine of the blade “rolls” into the tip earlier. This blade has a completely straight edge.





BUILT FOR STRENGTH

Blade strength is the maximum stress withstood before a blade breaks or fails. These are among some of the strongest steels in the industry that can stand up to the demands of hard use applications.



CPM-S30V / HRC: 58-60

As a blade material it offers excellent corrosion resistance and superb edge qualities.



CPM-M4 / HRC: 62-64

A powder-metal, non-stainless, special purpose high-speed steel with excellent wear resistance and toughness.



CPM-3V / HRC: 60-62

A powder-metal tool steel, its high carbon and vanadium paired with low chromium make it exceptionally tough while still being able to maintain a good cutting edge.



BUILT FOR EDGE RETENTION

Edge retention is how long a blade can maintain its sharpened edge. When performing cutting tasks over and over, you need an edge that stays sharp. These steels are among some of the best for edge retention.



CPM-154 / HRC: 58-61

This powder-metal version of conventional 154CM steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength.



D2 / HRC: 60-62

A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys.



CPM-S90V / HRC: 59-61

A true super-steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2.



CPM-20CV / HRC: 59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel; however, they meet here in CPM-20CV.



BUILT FOR TOUGHNESS

Blade toughness is the resistance of a blade to fractures and chipping. This is an important consideration for activities such as batoning or other uses that may involve force on the blade to perform cutting tasks. These steels have exceptional toughness.



CPM-D2 / HRC: 60-62

This powder-metal version of conventional D2 steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength. A great choice for the customer who loves D2 but wants an upgrade in performance.



DAMASTEEL / HRC: 58-60

With alternating layers of RWL34 and RPMC27, this powder metal ‘Damascus’ steel doesn’t just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness.



CPM-S45VN / HRC: 60-62

The higher levels of Chromium along with the introduction of Nitrogen in S45VN allow for improved corrosion resistance over CPM-S30V and CPM-S90V, while balancing the excellent performance found in both of those steels.



CPM-CRUWEAR / HRC: 63-65

An air-hardenable non-stainless tool steel that has improved toughness and wear resistance over D2 steel. CPM-CruWear has vanadium to form extremely hard vanadium carbides for edge retention along with and tungsten and molybdenum to increase the working hardness without reducing the toughness.



BUILT TO AVOID CORROSION

Corrosion resistance is measured by the resistance of a blade to oxidization and chemical attack. This is an important consideration when you’re going to be in wet or humid environments and need a blade that can stand up to the elements.



N680 / HRC: 57-59

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel.



M390 / HRC: 58-61

A super-performance blade steel with exceptional cutting ability and wear resistance.



440C / HRC: 58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry.



154CM / HRC: 58-61

A premium-grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.



GOLD CLASS

945-221 GOLD CLASS
MINI OSBORNE
The Arctic Storm



Inspired by Norse mythology and the cold Baltic Sea, a swirling Ægir™ patterned Damasteel® blade meets the icy chill of flowing blue accents in the Fat Carbon "Arctic Storm" handle.





945-221

THE 945 MINI OSBORNE GETS THE GOLD TREATMENT. SAME BENCHMADE QUALITY, NEW BENCHMADE LOOK.



SCAN FOR MORE



Mini Osborne

945-221 OSBORNE DESIGN

- ✦ **MECHANISM** - AXIS® lock
- ✦ **BLADE STYLE** - Reverse Tanto
- ✦ **BLADE STEEL** - Aegir™ Damasteel®
- ✦ **HANDLE** - Arctic Storm Fat Carbon handles w/ aqua anodized bolsters; gold plated floating back spacer
- ✦ **BLADE LENGTH** - 2.92" (7.42cm)

CONFIGURATIONS/MSRP

945-221 ⋮ ⋮ ⋮ \$700

- ✦ **BLADE THICKNESS** - 0.10" (2.64cm)
- ✦ **OPEN** - 6.76" (17.17cm)
- ✦ **CLOSED** - 3.84" (9.75cm)
- ✦ **WEIGHT** - 2.24oz (63.50g)
- ✦ **HANDLE THICKNESS** - 0.43" (10.80mm)

Available for sale through July 31, 2023



BLUE CLASS

THE DAILY DRIVERS



SCAN FOR MORE



OUTDOOR



CONFIGURATIONS/MSRP

940 : : : \$240


Osborne

940 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Osborne Green anodized 6061-T6 billet aluminum with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.92mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.90oz (82.21g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)



OUTDOOR



CONFIGURATIONS/MSRP

940-1 : : : \$350

Osborne

940-1 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Carbon fiber with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.92mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.44oz (69.17g)
- + **HANDLE THICKNESS** - 0.44" (11.18mm)



OUTDOOR



CONFIGURATIONS/MSRP

940-2 : : : \$230

Osborne

940-2 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black milled G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **BLADE THICKNESS** - 0.115" (2.92mm)
- + **OPEN** - 7.87" (19.99cm)
- + **CLOSED** - 4.47" (11.35cm)
- + **WEIGHT** - 2.65oz (75.13g)
- + **HANDLE THICKNESS** - 0.44" (11.18mm)



EDC



OUTDOOR

940-1

Highly regarded
as one of the most
quintessential
EDCs of all time





CONFIGURATIONS/MSRP
945 :: :: \$230

Mini Osborne

945 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Osborne Green anodized 6061-T6 billet aluminum with stainless steel liners
- + **BLADE LENGTH** - 2.92" (7.42cm)
- + **BLADE THICKNESS** - 0.104" (2.64mm)
- + **OPEN** - 6.76" (17.17cm)
- + **CLOSED** - 3.84" (9.75cm)
- + **WEIGHT** - 2.00oz (56.70g)
- + **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP
945BK-1 :: BLACK \$230

Mini Osborne

945BK-1 OSBORNE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Reverse tanto
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black G10/Blue base layer with stainless steel liners
- + **BLADE LENGTH** - 2.92" (7.42cm)
- + **BLADE THICKNESS** - 0.104" (2.64mm)
- + **OPEN** - 6.76" (17.17cm)
- + **CLOSED** - 3.84" (9.75cm)
- + **WEIGHT** - 2.19oz (62.09g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)



SCAN FOR MORE



CONFIGURATIONS/MSRP
535 :: :: \$180

Bugout®

535

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V (58-60 HRC)
- + **HANDLE** - Textured Blue Grivory® w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.23cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 1.80oz (51.03g)
- + **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535GRY-1 :: GRAY \$190

Bugout®

535GRY-1

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V (58-60 HRC)
- + **HANDLE** - Textured Ranger Green Grivory® w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.23cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 1.80oz (51.03g)
- + **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535BK-2 :: BLACK \$190

Bugout®

535BK-2

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Textured Black CF-Elite® w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.23cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 1.80oz (51.03g)
- + **HANDLE THICKNESS** - 0.42" (10.67mm)



CONFIGURATIONS/MSRP
535-3 :: :: \$330

Bugout®

535-3

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Carbon fiber w/ stainless steel liners
- + **BLADE LENGTH** - 3.24" (8.23cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.46" (18.95cm)
- + **CLOSED** - 4.22" (10.72cm)
- + **WEIGHT** - 2.02oz (57.27g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)



EVERYDAY ESSENTIALS

For those of us mindful about self-expression and style, the things we carry in our pocket say a lot. Our EDC selects are a quiet, humble way to align personal swag with everyday necessity shaped by the things we love, the work we do, and the places we live. Our EDC go-to knife doesn't need to be in your face because we picked it, we trust it, we like it, and we know it's cool—we don't need anyone else's validation.



MY CITY, MY BUGOUT®



Location - Williamsburg, Brooklyn

ALWAYS HANDPAINT



**535
BUGOUT®**
Versatility & Style

For the artists at Colossal Media, the Bugout® is a unique prospect: a source of creative inspiration, an outlet for personal expression, and a tool for practical application, built from the ground up for everyday carry. By pairing lightweight materials like Grivory®, Carbon Fiber, and G10 with best-in-class steels like S30V, M390, and S90V, the Bugout® presents each of the Colossal creatives with a variant to match to their own unique sensibilities, each one proven to be a slim, ergonomic, and dependable pocketknife for use on and off the jobsite.



**MY CITY,
MY BUGOUT®**

In 2022, Benchmade took over NYC with a billboard campaign featuring the Bugout® in partnership with Colossal, a global leader in hand-painted murals. This billboard sets the stage for the largest national campaign around Bugout® in the history of the brand. And while this is still the Bugout® you know and love, we are here to prove that we are just getting started and this knife has so many more stories to be told! Be on the look out for elevated tools and merchandising for your store to join in this national Bugout® campaign for 2023.



CONFIGURATIONS/MSRP
535BK-4 | BLACK | \$300

- Bugout®**
535BK-4
- + **MECHANISM** - AXIS® lock
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - M390 premium stainless steel (58-61 HRC)
 - + **HANDLE** - Gray anodized 6061-T6 aluminum w/ milled pattern and stainless steel liners
 - + **BLADE LENGTH** - 3.24" (8.23cm)
 - + **BLADE THICKNESS** - 0.090" (2.29mm)
 - + **OPEN** - 7.46" (18.95cm)
 - + **CLOSED** - 4.22" (10.72cm)
 - + **WEIGHT** - 2.50oz (70.87g)
 - + **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP
533BK-2 | BLACK | \$180

- Mini Bugout®**
533BK-2
- + **MECHANISM** - AXIS® lock
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
 - + **HANDLE** - Textured Black CF-Elite® w/ stainless steel liners
 - + **BLADE LENGTH** - 2.82" (7.16cm)
 - + **BLADE THICKNESS** - 0.090" (2.29mm)
 - + **OPEN** - 6.49" (16.48cm)
 - + **CLOSED** - 3.70" (9.41cm)
 - + **WEIGHT** - 1.50oz (42.52g)
 - + **HANDLE THICKNESS** - 0.41" (10.46mm)



CONFIGURATIONS/MSRP
533 | \$170

- Mini Bugout®**
533
- + **MECHANISM** - AXIS® lock
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
 - + **HANDLE** - Textured Orange Grivory® w/ stainless steel liners
 - + **BLADE LENGTH** - 2.82" (7.16cm)
 - + **BLADE THICKNESS** - 0.090" (2.29mm)
 - + **OPEN** - 6.49" (16.48cm)
 - + **CLOSED** - 3.70" (9.40cm)
 - + **WEIGHT** - 1.50oz (42.52g)
 - + **HANDLE THICKNESS** - 0.41" (10.41mm)




CONFIGURATIONS/MSRP
533-3 | \$320

- Mini Bugout®**
533-3
- + **MECHANISM** - AXIS® lock
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61HRC)
 - + **HANDLE** - Carbon fiber w/ stainless steel liners
 - + **BLADE LENGTH** - 2.82" (7.16cm)
 - + **BLADE THICKNESS** - 0.090" (2.29mm)
 - + **OPEN** - 6.49" (16.48cm)
 - + **CLOSED** - 3.70" (9.40cm)
 - + **WEIGHT** - 1.62oz (45.93g)
 - + **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP
533BK-1 | BLACK | \$180

- Mini Bugout®**
533BK-1
- + **MECHANISM** - AXIS® lock
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
 - + **HANDLE** - Textured White Grivory® w/ stainless steel liners
 - + **BLADE LENGTH** - 2.82" (7.16cm)
 - + **BLADE THICKNESS** - 0.090" (2.29mm)
 - + **OPEN** - 6.49" (16.48cm)
 - + **CLOSED** - 3.70" (9.40cm)
 - + **WEIGHT** - 1.50oz (42.52g)
 - + **HANDLE THICKNESS** - 0.41" (10.41mm)



CONFIGURATIONS/MSRP
550-S30V | \$160

- Griptilian®**
550-S30V PARDUE DESIGN
- + **MECHANISM** - AXIS® lock
 - + **BLADE STYLE** - Sheepfoot
 - + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
 - + **HANDLE** - Textured Black Grivory® with stainless steel liners
 - + **BLADE LENGTH** - 3.45" (8.76cm)
 - + **BLADE THICKNESS** - 0.115" (2.92mm)
 - + **OPEN** - 8.07" (20.50cm)
 - + **CLOSED** - 4.62" (11.73cm)
 - + **WEIGHT** - 3.79oz (107.44g)
 - + **HANDLE THICKNESS** - 0.64" (16.26mm)





EDC



OUTDOOR



TACTICAL



CONFIGURATIONS/MSRP

551-S30V | | | \$160

Griptilian®

551-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured Black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.45" (8.76cm)
- + **BLADE THICKNESS** - 0.115" (2.92mm)
- + **OPEN** - 8.07" (20.50cm)
- + **CLOSED** - 4.62" (11.73cm)
- + **WEIGHT** - 3.88oz (110.0g)
- + **HANDLE THICKNESS** - 0.64" (16.26mm)



EDC



OUTDOOR



CONFIGURATIONS/MSRP

580 | | | \$200

Barrage®

580 OSBORNE DESIGN


- + **MECHANISM** - AXIS® Assist with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black Valox® with stainless steel liners
- + **BLADE LENGTH** - 3.66" (9.30cm)
- + **BLADE THICKNESS** - 0.121" (3.07mm)
- + **OPEN** - 8.45" (21.46cm)
- + **CLOSED** - 4.79" (12.17cm)
- + **WEIGHT** - 4.31oz (122.19g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)



EDC



OUTDOOR



CONFIGURATIONS/MSRP

555-S30V | | | \$150

Mini Griptilian®

555-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Sheepfoot
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured Black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 2.91" (7.39cm)
- + **BLADE THICKNESS** - 0.100" (2.54mm)
- + **OPEN** - 6.78" (17.22cm)
- + **CLOSED** - 3.87" (9.83cm)
- + **WEIGHT** - 2.68oz (75.98g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)



EDC



OUTDOOR



TACTICAL



CONFIGURATIONS/MSRP

583SBK | SERR | BLACK | \$220

Barrage®

583SBK OSBORNE DESIGN

- + **MECHANISM** - AXIS® Assist with integrated safety
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black Valox® with stainless steel liners
- + **BLADE LENGTH** - 3.66" (9.30cm)
- + **BLADE THICKNESS** - 0.121" (3.07mm)
- + **OPEN** - 8.45" (21.46cm)
- + **CLOSED** - 4.79" (12.17cm)
- + **WEIGHT** - 4.51oz (127.86g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)



EDC



OUTDOOR



CONFIGURATIONS/MSRP

556-S30V | | | \$150

Mini Griptilian®

556-S30V PARDUE DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Textured Grivory® with stainless steel liners.
- + **BLADE LENGTH** - 2.91" (7.39cm)
- + **BLADE THICKNESS** - 0.100" (2.54mm)
- + **OPEN** - 6.78" (17.22cm)
- + **CLOSED** - 3.87" (9.83cm)
- + **WEIGHT** - 2.81oz (79.66g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)



EDC



OUTDOOR



CONFIGURATIONS/MSRP

585 | | | \$190

Mini Barrage®

585 OSBORNE DESIGN

- + **MECHANISM** - AXIS® Assist with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Black Valox® with stainless steel liners
- + **BLADE LENGTH** - 2.91" (7.39cm)
- + **BLADE THICKNESS** - 0.100" (2.54mm)
- + **OPEN** - 6.91" (17.55cm)
- + **CLOSED** - 4.00" (10.16cm)
- + **WEIGHT** - 3.40oz (96.39g)
- + **HANDLE THICKNESS** - 0.57" (14.48mm)





SCAN FOR MORE



CONFIGURATIONS/MSRP

317-1 :: \$275

Weekender®

317-1

- + **MECHANISM** - Slip-joint
- + **BLADE STYLE** - Clip-point/ Utility drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - OD canvas micarta w/ orange aluminum decorative pivot rings
- + **EXTRA** - Bottle opener
- + **BLADE LENGTH** - 2.97" (7.54cm) /1.97" (5.00cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.05/6.05 (17.91cm/15.37cm)
- + **CLOSED** - 4.08" (10.36cm)
- + **WEIGHT** - 2.28oz (64.64g)
- + **HANDLE THICKNESS** - 0.40" (10.16mm)



SCAN FOR MORE



CONFIGURATIONS/MSRP

565-1 :: \$340

Mini Freek®

565-1

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Carbon fiber with stainless steel liners
- + **BLADE LENGTH** - 3.00" (7.62cm)
- + **BLADE THICKNESS** - 0.104" (2.64mm)
- + **OPEN** - 7.05" (17.91cm)
- + **CLOSED** - 4.05" (10.29cm)
- + **WEIGHT** - 2.74oz (77.68g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)



CONFIGURATIONS/MSRP

317 :: \$275

Weekender®

317

- + **MECHANISM** - Slip-joint
- + **BLADE STYLE** - Clip-point/ Utility drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Cool Gray G10 w/ OD aluminum decorative pivot rings
- + **EXTRA** - Bottle opener
- + **BLADE LENGTH** - 2.97" (7.54cm) /1.97" (5.00cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.05/6.05 (17.91cm/15.37cm)
- + **CLOSED** - 4.08" (10.36cm)
- + **WEIGHT** - 2.28oz (64.64g)
- + **HANDLE THICKNESS** - 0.40" (10.16mm)



CONFIGURATIONS/MSRP

495 :: \$310

Vector®

495

- + **MECHANISM** - AXIS® Assist flipper with integrated safety
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black contoured and textured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.60" (9.14cm)
- + **BLADE THICKNESS** - 0.100 (2.54mm)
- + **OPEN** - 8.42" (21.39cm)
- + **CLOSED** - 4.82" (12.24cm)
- + **WEIGHT** - 4.11oz (116.52g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



SCAN FOR MORE



CONFIGURATIONS/MSRP

560BK-1 :: BLACK :: \$280

Freek®

560BK-1

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-M4 super steel (62-64 HRC)
- + **HANDLE** - Black and Gray textured G10 with red base layer and stainless steel liners
- + **BLADE LENGTH** - 3.60" (9.14cm)
- + **BLADE THICKNESS** - 0.114" (2.90mm)
- + **OPEN** - 8.46" (21.49cm)
- + **CLOSED** - 4.86" (12.34cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.62" (15.75mm)



CONFIGURATIONS/MSRP

490 :: \$300

Arcane®

490

- + **MECHANISM** - AXIS® Assist flipper with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Black anodized 7075-T6 billet aluminum
- + **BLADE LENGTH** - 3.20" (8.13cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 7.72" (19.61cm)
- + **CLOSED** - 4.52" (11.48cm)
- + **WEIGHT** - 2.88oz (81.65g)
- + **HANDLE THICKNESS** - 0.48" (12.19mm)





CONFIGURATIONS/MSRP
85 : : \$750

Billet Bali-Song®

85

- + **MECHANISM** - Bali-Song® with magnetic latch-lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - 6Al-4V Titanium
- + **SHEATH** - Black Elastic and Hypalon
- + **BLADE LENGTH** - 4.50" (11.43cm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 10.00" (25.40cm)
- + **CLOSED** - 5.50" (13.97cm)
- + **WEIGHT** - 5.29oz (149.97g)
- + **HANDLE THICKNESS** - 0.46" (11.68mm)
- + **SHEATH WEIGHT** - 0.66oz (18.71g)



CONFIGURATIONS/MSRP
162 : : \$300

Bushcrafter

162 SHANE SIBERT

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Hand-blended green contoured G10 with a red base layer
- + **SHEATH** - Brown full-grain leather with belt loop and D-ring
- + **BLADE LENGTH** - 4.40" (11.18cm)
- + **BLADE THICKNESS** - 0.164" (4.17mm)
- + **OPEN** - 9.15" (23.24cm)
- + **WEIGHT** - 7.72oz (218.86g)
- + **HANDLE THICKNESS** - 0.92" (23.37mm)
- + **SHEATH WEIGHT** - 2.70oz (76.54g)



SCAN FOR MORE



CONFIGURATIONS/MSRP
539GY : : \$310

ANONIMUS®

539GY

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear® super strong tool steel (62-64HRC)
- + **SHEATH** - Boltaron® sheath with ferro rod loop
- + **HANDLE** - OD Green G10
- + **BLADE LENGTH** - 5.00" (12.70cm)
- + **BLADE THICKNESS** - 0.114" (2.90mm)
- + **OPEN** - 9.83" (24.97cm)
- + **WEIGHT** - 5.94oz (168.40g)
- + **HANDLE THICKNESS** - 0.68" (17.27mm)
- + **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP
200 : : \$180

Puukko

200

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-3V super tough tool steel (60-62 HRC)
- + **HANDLE** - Textured Ranger Green Santoprene®
- + **SHEATH** - Black leather with ferro rod loop and dangler
- + **BLADE LENGTH** - 3.75" (9.53cm)
- + **BLADE THICKNESS** - 0.140" (3.56mm)
- + **OPEN** - 8.25" (20.96cm)
- + **WEIGHT** - 4.51oz (62.09g)
- + **HANDLE THICKNESS** - 0.80" (20.32mm)
- + **SHEATH WEIGHT** - 2.65oz (75.13g)



CONFIGURATIONS/MSRP
202 : : \$200

Leuku

202

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-3V super tough tool steel (60-62 HRC)
- + **HANDLE** - Textured Ranger Green Santoprene®
- + **SHEATH** - Black leather with ferro rod loop and dangler
- + **BLADE LENGTH** - 5.19" (13.18cm)
- + **BLADE THICKNESS** - 0.140" (3.56mm)
- + **OPEN** - 9.69" (24.61cm)
- + **WEIGHT** - 5.31oz (150.54g)
- + **HANDLE THICKNESS** - 0.80" (20.32mm)
- + **SHEATH WEIGHT** - 3.04oz (86.18g)





HUNT

GAME DAY READY



Location - Kaniksu National Forest


A CUT ABOVE

15500-3 MEATCRAFTER®

From the First Slice to the Last



With the 15500-3 Meatcrafter® in your quiver, you can move from the field to the BBQ pit and the truck bed to the butcher's block without missing a beat. It's a hybrid hunting fixed blade knife that brings a distinctive edge to the table.



+
14°
SelectEdge®

+
OD Green G10 Handle
with Orange Pivot Ring

+
Orange Boltaron®
Sheath

+
Trailing point blade
in CPM-S45VN steel



SCAN FOR MORE



CONFIGURATIONS/MSRP
15500 : : \$200

Meatcrafter®

15500

- ✦ **MECHANISM** - Fixed blade
- ✦ **BLADE STYLE** - Trailing Point featuring **14° SelectEdge®**
- ✦ **BLADE STEEL** - CPM-154 stainless steel (58-61HRC)
- ✦ **HANDLE** - Orange Santoprene®
- ✦ **SHEATH** - Black/Orange Boltaron®
- ✦ **BLADE LENGTH** - 6.09" (15.47cm)
- ✦ **BLADE THICKNESS** - 0.090" (2.29mm)
- ✦ **OPEN** - 11.08" (28.14cm)
- ✦ **WEIGHT** - 3.24oz (91.85g)
- ✦ **HANDLE THICKNESS** - 0.67" (17.02mm)
- ✦ **SHEATH WEIGHT** - 1.77oz (50.18g)



SCAN FOR MORE



CONFIGURATIONS/MSRP
15700 : : \$200

Flyway®

15700

- ✦ **MECHANISM** - Fixed blade
- ✦ **BLADE STYLE** - Straight back drop-point featuring **14° SelectEdge®**
- ✦ **BLADE STEEL** - CPM-154 wear resistant stainless steel (58-61HRC)
- ✦ **HANDLE** - Carbon fiber with stainless steel liners
- ✦ **SHEATH** - Orange/Black Boltraron®
- ✦ **BLADE LENGTH** - 3.00" (7.62cm)
- ✦ **BLADE THICKNESS** - 0.090" (2.29mm)
- ✦ **OPEN** - 7.05" (17.91cm)
- ✦ **CLOSED** - 4.05" (10.29cm)
- ✦ **WEIGHT** - 2.74oz (77.68g)
- ✦ **HANDLE THICKNESS** - 0.55" (13.97mm)
- ✦ **SHEATH WEIGHT** - 2.15oz (60.95g)



CONFIGURATIONS/MSRP
15500-3 : : \$350

Meatcrafter®

15500 - 3

- ✦ **MECHANISM** - Fixed Blade
- ✦ **BLADE STYLE** - Trailing Point featuring **14° SelectEdge®**
- ✦ **BLADE STEEL** - CPM-S45VN premium stainless steel (60-62HRC)
- ✦ **HANDLE** - OD Green G10
- ✦ **SHEATH** - Dual Orange Boltraron®
- ✦ **BLADE LENGTH** - 6.08" (15.44cm)
- ✦ **BLADE THICKNESS** - 0.090" (2.29cm)
- ✦ **OPEN** - 11.06" (28.09cm)
- ✦ **WEIGHT** - 5.13oz (145.43g)
- ✦ **HANDLE THICKNESS** - 0.55" (13.97mm)
- ✦ **SHEATH WEIGHT** - 2.15oz (60.95g)



CONFIGURATIONS/MSRP
15600OR : : \$420

Raghorn®

15600OR

- ✦ **MECHANISM** - Fixed blade
- ✦ **BLADE STYLE** - Drop-point featuring **14° SelectEdge®**
- ✦ **BLADE STEEL** - Orange CPM-CruWear® super strong tool steel (63-65HRC)
- ✦ **HANDLE** - Carbon Fiber
- ✦ **SHEATH** - Orange/Black Boltraron®
- ✦ **BLADE LENGTH** - 4.00" (10.16cm)
- ✦ **BLADE THICKNESS** - 0.105" (2.67mm)
- ✦ **OPEN** - 8.90" (22.61cm)
- ✦ **WEIGHT** - 3.56oz (100.92g)
- ✦ **HANDLE THICKNESS** - 0.64" (16.26mm)
- ✦ **SHEATH WEIGHT** - 1.60oz (21.55g)



CONFIGURATIONS/MSRP
15500OR-2 : : \$450

Meatcrafter®

15500OR - 2

- ✦ **MECHANISM** - Fixed Blade
- ✦ **BLADE STYLE** - Trailing Point featuring **14° SelectEdge®**
- ✦ **BLADE STEEL** - Orange CPM-S45VN premium stainless steel (60-62HRC)
- ✦ **HANDLE** - Carbon Fiber
- ✦ **SHEATH** - Orange/Black Boltraron®
- ✦ **BLADE LENGTH** - 6.08" (15.44cm)
- ✦ **BLADE THICKNESS** - 0.090" (2.29cm)
- ✦ **OPEN** - 11.06" (28.09cm)
- ✦ **WEIGHT** - 4.52oz (128.14g)
- ✦ **HANDLE THICKNESS** - 0.55" (13.97mm)
- ✦ **SHEATH WEIGHT** - 2.15oz (60.95g)



SCAN FOR MORE



CONFIGURATIONS/MSRP
15535 : : \$200

Taggedout®

15535

- ✦ **MECHANISM** - AXIS® Lock
- ✦ **BLADE STYLE** - Clip-point featuring **17° SelectEdge®**
- ✦ **BLADE STEEL** - CPM-154 wear resistant stainless steel (58-61HRC)
- ✦ **HANDLE** - Orange Grivory® with orange anodized aluminum barrel spacers
- ✦ **BLADE LENGTH** - 3.50" (8.89cm)
- ✦ **BLADE THICKNESS** - 0.090" (2.29mm)
- ✦ **OPEN** - 8.13" (20.65cm)
- ✦ **CLOSED** - 4.63" (11.76cm)
- ✦ **WEIGHT** - 2.10oz (59.53g)
- ✦ **HANDLE THICKNESS** - 0.49" (12.45mm)





15535 TAGGEDOUT™

An all-weather hunting folder built to handle everything the hunt can, and will, throw at you.



17°
SelectEdge®



Clip-Point Blade in
CPM-154 Steel



Textured orange
Grivory® handle

IN-THE- FIELD UTILITY



DURRELL SMITH

15535
TAGGEDOUT™
Modernize Your Hunt Kit



He's a husband, father, artist, bird dog trainer, and guide to Georgia's renowned upland game scene. He's comfortable on the sidewalks of downtown Atlanta and in the brambles of South Georgia's woods. Durrell Smith has layers. The guy's interests meander from found art in the field to fine art hanging in a gallery, from Star Wars to Bob Whites, from street skateboarding to Ray Charles. Sitting in the center of it all—his heart, rhythm, and drumbeat—are three things: dogs, art, and nature.



SCAN TO WATCH FILM

Location - Jeffersonville, Georgia



“Where many knives feel like they're not enough, lacking in either form or function, the Taggedout™ feels like exactly what I need in a contemporary hunting and working knife.”

- Durrell Smith / The Sporting Life Notebook



CONFIGURATIONS/MSRP
15006 ⋮ ⋮ ⋮ \$180

Steep Country 15006

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Orange Santoprene®
- + **SHEATH** - Black/Orange Boltaron®
- + **BLADE LENGTH** - 3.54" (8.99cm)
- + **BLADE THICKNESS** - 0.121" (3.07mm)
- + **OPEN** - 7.76" (19.71cm)
- + **WEIGHT** - 3.00oz (85.04g)
- + **HANDLE THICKNESS** - 0.58" (14.73mm)
- + **SHEATH WEIGHT** - 1.10oz (31.18g)



CONFIGURATIONS/MSRP
15002-1 ⋮ ⋮ ⋮ \$280

Saddle Mtn Skinner 15002-1

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point featuring 14° SelectEdge®
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Tri-color Richlite with Orange G10 base layer
- + **SHEATH** - Black/Orange Boltaron®
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **OPEN** - 8.70" (22.10cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.66" (16.76mm)
- + **SHEATH WEIGHT** - 1.38oz (39.12g)



CONFIGURATIONS/MSRP
15017-1 ⋮ ⋮ ⋮ \$260

Hidden Canyon Hunter 15017-1

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point featuring 14° SelectEdge®
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Tri-color Richlite with Orange G10 base layer
- + **SHEATH** - Black/Orange Boltaron®
- + **BLADE LENGTH** - 2.79" (7.09cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **OPEN** - 6.42" (16.31cm)
- + **WEIGHT** - 3.11oz (88.17g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **SHEATH WEIGHT** - 0.99oz (28.07g)



CONFIGURATIONS/MSRP
15002 ⋮ ⋮ ⋮ \$220

Saddle Mtn Skinner 15002

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Stabilized wood
- + **SHEATH** - Leather sheath with belt loop and snap retention strap
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **OPEN** - 8.70" (22.10cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.66" (16.76mm)
- + **SHEATH WEIGHT** - 2.46oz (69.74g)



CONFIGURATIONS/MSRP
15017 ⋮ ⋮ ⋮ \$200

Hidden Canyon Hunter 15017

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Stabilized wood
- + **SHEATH** - Leather sheath with belt loop and snap retention strap
- + **BLADE LENGTH** - 2.79" (7.09cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **OPEN** - 6.42" (16.31cm)
- + **WEIGHT** - 2.81oz (79.66g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)
- + **SHEATH WEIGHT** - 2.01oz (57.10g)



CONFIGURATIONS/MSRP
15004 ⋮ ⋮ ⋮ \$230

Saddle Mtn Skinner 15004

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Drop-point with gut hook
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Stabilized wood
- + **SHEATH** - Leather sheath with belt loop and snap retention strap
- + **BLADE LENGTH** - 4.20" (10.67cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **OPEN** - 8.70" (22.10cm)
- + **WEIGHT** - 4.30oz (121.90g)
- + **HANDLE THICKNESS** - 0.66" (16.76mm)
- + **SHEATH WEIGHT** - 2.63oz (74.56g)
- + **HOOK OPENING** - 0.38" (9.65mm)





SCAN FOR MORE



HUNT



CONFIGURATIONS/MSRP

15031-2 | | \$220

North Fork

15031-2

- ✦ **MECHANISM** - AXIS® lock
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Stabilized wood
- ✦ **BLADE LENGTH** - 2.97" (7.54cm)
- ✦ **BLADE THICKNESS** - 0.114" (2.90mm)
- ✦ **OPEN** - 6.87" (17.45cm)
- ✦ **CLOSED** - 3.90" (9.91cm)
- ✦ **WEIGHT** - 3.16oz (89.02g)
- ✦ **HANDLE THICKNESS** - 0.53" (13.46mm)

Mini Crooked River

15085-2



SCAN FOR MORE



HUNT



CONFIGURATIONS/MSRP

15085-2 | | \$300

- ✦ **MECHANISM** - AXIS® lock
- ✦ **BLADE STYLE** - Clip-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners
- ✦ **BLADE LENGTH** - 3.40" (8.64cm)

- ✦ **BLADE THICKNESS** - 0.114" (2.90mm)
- ✦ **OPEN** - 7.89" (20.04cm)
- ✦ **CLOSED** - 4.50" (11.43cm)
- ✦ **WEIGHT** - 3.29oz (93.27g)
- ✦ **HANDLE THICKNESS** - 0.52" (13.21mm)



HUNT



CONFIGURATIONS/MSRP

15060-2 | | \$250

Grizzly Creek

15060-2

- ✦ **MECHANISM** - AXIS® lock
- ✦ **BLADE STYLE** - Drop-point with folding gut hook
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Stabilized wood with stainless steel liners
- ✦ **BLADE LENGTH** - 3.50" (8.89cm)
- ✦ **BLADE THICKNESS** - 0.124" (3.15mm)
- ✦ **OPEN** - 7.84" (19.91cm)
- ✦ **CLOSED** - 4.34" (11.02cm)
- ✦ **WEIGHT** - 4.76oz (134.94g)
- ✦ **HANDLE THICKNESS** - 0.55" (13.97mm)
- ✦ **HOOK OPENING** - 0.50" (12.70mm)



HUNT



CONFIGURATIONS/MSRP

15080-2 | | \$320

Crooked River

15080-2

- ✦ **MECHANISM** - AXIS® lock
- ✦ **BLADE STYLE** - Clip-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Contoured stabilized wood with anodized aluminum bolsters and stainless steel liners
- ✦ **BLADE LENGTH** - 4.00" (10.16cm)
- ✦ **BLADE THICKNESS** - 0.124" (3.15mm)
- ✦ **OPEN** - 9.30" (23.62cm)
- ✦ **CLOSED** - 5.33" (13.54cm)
- ✦ **WEIGHT** - 5.41oz (153.37g)
- ✦ **HANDLE THICKNESS** - 0.60" (15.24mm)





BLACK CLASS

THERE ARE NO BOUNDARIES



CONFIGURATIONS/MSRP
980SBK | SERR | BLACK | \$290

Turret® 980SBK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - OD G10 with stainless steel liners
- + **BLADE LENGTH** - 3.70" (9.40cm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.60" (21.84cm)
- + **CLOSED** - 4.90" (12.45cm)
- + **WEIGHT** - 5.81oz (164.71g)
- + **HANDLE THICKNESS** - 0.67" (17.02mm)



CONFIGURATIONS/MSRP
916SBK | SERR | BLACK | \$260

Triage® 916SBK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Opposing bevel with folding rescue hook
- + **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- + **HANDLE** - Textured Black G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.25" (20.96cm)
- + **CLOSED** - 4.85" (12.32cm)
- + **WEIGHT** - 5.24oz (148.55g)
- + **HANDLE THICKNESS** - 0.45" (11.43mm)



CONFIGURATIONS/MSRP
917SBK | SERR | BLACK | \$300

Tactical Triage® 917SBK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point with folding rescue hook
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60HRC)
- + **HANDLE** - Black contoured G10 with stainless steel liners
- + **BLADE LENGTH** - 3.48" (8.84cm)
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.33" (21.16cm)
- + **CLOSED** - 4.85" (12.32cm)
- + **WEIGHT** - 5.28oz (149.69g)
- + **HANDLE THICKNESS** - 0.55" (13.97mm)


Triage® 916SBK-ORG



CONFIGURATIONS/MSRP
916SBK-ORG | SERR | BLACK | \$260

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Opposing bevel with folding rescue hook
- + **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- + **HANDLE** - Textured Orange G10 with stainless steel liners
- + **BLADE LENGTH** - 3.40" (8.64cm)

- + **HOOK OPENING** - 0.50" (12.70mm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.25" (20.96cm)
- + **CLOSED** - 4.85" (12.32cm)
- + **WEIGHT** - 5.24oz (148.55g)
- + **HANDLE THICKNESS** - 0.45" (11.43mm)





SCAN FOR MORE



TACTICAL



RESCUE



EDC



CONFIGURATIONS/MSRP

537GY-1		GRAY	\$300
537SGY-1	SERR	GRAY	\$300

Bailout®

537GY-1

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - Tungsten Gray CPM-M4 super steel (62-64 HRC)
- + **HANDLE** - Woodland green anodized 6061-T6 aluminum
- + **BLADE LENGTH** - 3.38" (8.59cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 8.09" (19.89cm)
- + **CLOSED** - 4.69" (20.55cm)
- + **WEIGHT** - 2.70oz (76.54g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)



TACTICAL



EDC



CONFIGURATIONS/MSRP

537GY		GRAY	\$200
-------	--	------	-------

Bailout®

537GY

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - Tactical Gray CPM-3V super tough tool steel (60-62 HRC)
- + **HANDLE** - Black Grivory® with stainless steel liners
- + **BLADE LENGTH** - 3.38" (8.59cm)
- + **BLADE THICKNESS** - 0.090" (2.29mm)
- + **OPEN** - 8.12" (20.62cm)
- + **CLOSED** - 4.72" (11.99cm)
- + **WEIGHT** - 2.05oz (58.12g)
- + **HANDLE THICKNESS** - 0.41" (10.41mm)



SCAN FOR MORE



TACTICAL



EDC



CONFIGURATIONS/MSRP

5370FE		FLAT EARTH	\$350
--------	--	------------	-------

Shootout®

5370FE

- + **MECHANISM** - Double-action out-the-front automatic. Spine fire release button
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - Flat Earth PVD CPM-CruWear super strong tool steel (63-65HRC)
- + **HANDLE** - Graphite black CF-Elite® w/ Carbide glass breaker
- + **BLADE LENGTH** - 3.51" (8.92cm)
- + **BLADE THICKNESS** - 0.100" (2.54mm)
- + **OPEN** - 8.22" (20.88cm)
- + **CLOSED** - 4.71" (11.97cm)
- + **WEIGHT** - 2.80oz (79.38g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)



537SGY-1

TAKING LIGHTWEIGHT STRENGTH ONE STEP FURTHER, THE BAILOUT® CAN HANG WITH THE BEST OF THEM DESPITE ITS SLIM PROFILE.



TACTICAL



RESCUE



EDC





PREPARED FOR THE UNKNOWN

5370FE Shootout®

Tested In The Harshest Conditions




A no-nonsense out-the-front automatic, offering a lightning-fast, spine-fire release button and a sturdy CF-Elite® handle with detailed texture for a sure grip. It's easy to grab and use when you have other things on your mind, and that's playing it smart.



SCAN TO WATCH FILM

Location - Third Edge Heli, Alaska



✚
Tanto blade in
CPM-CruWear® steel

✚
Textured black
CF-Elite® handle

✚
Deep carry clip
and carbide glass
breaker



CONFIGURATIONS/MSRP			
391BK		BLACK	\$240
391SBK	SERR	BLACK	\$240

SOCP® Tactical Folder

391BK THOMPSON DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - Black D2 tool steel (60-62 HRC)
- + **HANDLE** - Black CF-Elite® with stainless steel liners
- + **BLADE LENGTH** - 4.47" (11.35cm)
- + **BLADE THICKNESS** - 0.121" (3.07mm)
- + **OPEN** - 10.13" (25.73cm)
- + **CLOSED** - 5.66" (14.38 cm)
- + **WEIGHT** - 4.10oz (116.23g)
- + **HANDLE THICKNESS** - 0.51" (25.40mm)



CONFIGURATIONS/MSRP			
570-1			\$190
570SBK-1	SERR	BLACK	\$200

Presidio® II

570-1

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black textured CF-Elite®
- + **BLADE LENGTH** - 3.72" (9.45cm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.72" (22.15cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 4.97oz (140.90g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)



CONFIGURATIONS/MSRP			
391T		RED	\$200

SOCP® Tactical Folder

391T THOMPSON DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Trainer
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black CF-Elite® with stainless steel liners
- + **BLADE LENGTH** - 4.04" (10.26cm)
- + **BLADE THICKNESS** - 0.121" (3.07mm)
- + **OPEN** - 9.70" (24.64cm)
- + **CLOSED** - 5.66" (14.38cm)
- + **WEIGHT** - 4.10oz (116.23g)
- + **HANDLE THICKNESS** - 0.51" (12.90mm)



CONFIGURATIONS/MSRP			
575-1			\$170
575BK-1		BLACK	\$180

Mini Presidio® II

575-1

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Black textured CF-Elite®
- + **BLADE LENGTH** - 3.20" (8.13cm)
- + **BLADE THICKNESS** - 0.114" (2.90mm)
- + **OPEN** - 7.48" (19.0cm)
- + **CLOSED** - 4.34" (11.02cm)
- + **WEIGHT** - 3.19oz (90.43g)
- + **HANDLE THICKNESS** - 0.56" (14.22mm)



CONFIGURATIONS/MSRP			
417			\$250

Fact®

417

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- + **HANDLE** - Skeletonized black anodized 6061-T6 billet aluminum
- + **BLADE LENGTH** - 3.95" (10.03cm)
- + **BLADE THICKNESS** - 0.110" (2.79mm)
- + **OPEN** - 8.72" (22.15cm)
- + **CLOSED** - 4.77" (12.12cm)
- + **WEIGHT** - 3.24oz (91.85g)
- + **HANDLE THICKNESS** - 0.48" (12.19mm)



CONFIGURATIONS/MSRP			
430BK		BLACK	\$200
430SBK	SERR	BLACK	\$200

Redoubt®

430BK

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - Cobalt Black CPM-D2 tool steel (60-62HRC)
- + **HANDLE** - Overlander Gray Grivory® w/ Forest Green Grip
- + **BLADE LENGTH** - 3.55" (9.02cm)
- + **BLADE THICKNESS** - 0.124" (3.15mm)
- + **OPEN** - 8.29" (21.06cm)
- + **CLOSED** - 4.75" (12.07cm)
- + **WEIGHT** - 3.70oz (104.89g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)





CONFIGURATIONS/MSRP

273FE-2	FLAT EARTH	\$290
273GY-1	GRAY	\$290

Mini Adamas®

273 SIBERT DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear® super strong tool steel (63-65 HRC)
- + **HANDLE** - Contoured G10 with stainless steel liners. 273GY-1: Black, 273FE-2: OD
- + **BLADE LENGTH** - 3.25" (8.26cm)
- + **BLADE THICKNESS** - 0.140" (3.56mm)
- + **OPEN** - 7.62" (19.35cm)
- + **CLOSED** - 4.37" (11.10cm)
- + **WEIGHT** - 4.60oz (130.41g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)



CONFIGURATIONS/MSRP

9070BK	BLACK	\$260
9070BK-1	BLACK	\$260

Claymore

9070BK

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-D2 tool steel (60-62 HRC)
- + **HANDLE** - Textured Grivory® with stainless steel liners. 9070BK: Black, 9070BK-1: Ranger Green
- + **BLADE LENGTH** - 3.60" (9.14cm)
- + **BLADE THICKNESS** - 0.114" (2.90mm)
- + **OPEN** - 8.60" (21.84cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 3.50oz (99.22g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)




CONFIGURATIONS/MSRP

275GY-1		GRAY	\$325
275SGY-1	SERR	GRAY	\$325
275FE-2		FLAT EARTH	\$325
275SFE-2	SERR	FLAT EARTH	\$325

Adamas®

275 SIBERT DESIGN

- + **MECHANISM** - AXIS® lock
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear® super strong tool steel (63-65 HRC)
- + **HANDLE** - Contoured G10 with stainless steel liners. 275GY-1/275SGY-1: Black, 275FE-2/275SFE-2: OD
- + **SHEATH** - 275GY-1/275SGY-1: Black ballistic nylon 275FE-2/275SFE-2: Tan ballistic nylon
- + **BLADE LENGTH** - 3.82" (9.70cm)
- + **BLADE THICKNESS** - 0.140" (3.56mm)
- + **OPEN** - 8.93" (22.68cm)
- + **CLOSED** - 5.20" (13.21cm)
- + **WEIGHT** - 6.45oz (182.85g)
- + **HANDLE THICKNESS** - 0.63" (16.00mm)
- + **SHEATH WEIGHT** - 1.5oz (42.52g)



CONFIGURATIONS/MSRP

9070SBK	SERR	BLACK	\$260
9070SBK-1	SERR	BLACK	\$260

Claymore

9070SBK-1

- + **MECHANISM** - Push-button automatic with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-D2 tool steel (60-62 HRC)
- + **HANDLE** - Textured Grivory® with stainless steel liners. 9070SBK: Black, 9070SBK-1 : Ranger Green
- + **BLADE LENGTH** - 3.60" (9.14cm)
- + **BLADE THICKNESS** - 0.114" (2.90mm)
- + **OPEN** - 8.60" (21.84cm)
- + **CLOSED** - 5.00" (12.70cm)
- + **WEIGHT** - 3.50oz (99.22g)
- + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP

2750GY-3		GRAY	\$400
2750SGY-3	SERR	GRAY	\$400
2750FE-2		FLAT EARTH	\$400
2750SFE-2	SERR	FLAT EARTH	\$400

Auto Adamas®

2750 SIBERT DESIGN

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Drop-point
- + **BLADE STEEL** - CPM-CruWear® super strong tool steel (63-65 HRC)
- + **HANDLE** - Contoured G10 with stainless steel liners. 2750GY-3/2750SGY-3: Black, 2750FE-2/2750SFE-2: OD
- + **SHEATH** - 2750GY-3/2750SGY-3: Black ballistic nylon 2750FE-2/2750SFE-2: Tan ballistic nylon
- + **BLADE LENGTH** - 3.80" (9.65cm)
- + **BLADE THICKNESS** - 0.140" (3.56mm)
- + **OPEN** - 8.90" (22.61cm)
- + **CLOSED** - 5.11" (12.98cm)
- + **WEIGHT** - 6.17oz (174.92g)
- + **HANDLE THICKNESS** - 0.65" (16.51mm)
- + **SHEATH WEIGHT** - 1.5oz (42.52g)



CONFIGURATIONS/MSRP

4170BK	BLACK	\$430
--------	-------	-------

Auto Fact®

4170BK

- + **MECHANISM** - Auto AXIS® lock with integrated safety
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- + **HANDLE** - Gray anodized 6061-T6 aluminum w/ carbon fiber inlay
- + **BLADE LENGTH** - 3.95" (10.03cm)
- + **BLADE THICKNESS** - 0.110" (2.79mm)
- + **OPEN** - 8.74" (22.20cm)
- + **CLOSED** - 4.80" (12.19cm)
- + **WEIGHT** - 3.11oz (88.17g)
- + **HANDLE THICKNESS** - 0.51" (12.95mm)





CONFIGURATIONS/MSRP
5700SGY-1 | SERR | GRAY | \$350

Auto Presidio® II

5700SGY-1

- ✦ **MECHANISM** - Auto AXIS® lock with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-M4 super steel (62-64 HRC)
- ✦ **HANDLE** - Dark Earth anodized 6061-T6 aluminum
- ✦ **BLADE LENGTH** - 3.72" (9.45cm)
- ✦ **BLADE THICKNESS** - 0.14" (3.56mm)
- ✦ **OPEN** - 8.72" (22.15cm)
- ✦ **CLOSED** - 5.00" (12.70cm)
- ✦ **WEIGHT** - 6.32oz (179.17g)
- ✦ **HANDLE THICKNESS** - 0.63" (16.00mm)
- ✦ **SHEATH WEIGHT** - 1.20oz (34.02g)



CONFIGURATIONS/MSRP
9400 | 9400BK | BLACK | \$300
\$310

Auto Osborne

9400 | OSBORNE DESIGN

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Reverse tanto
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Osborne Green anodized 6061-T6 billet aluminum
- ✦ **BLADE LENGTH** - 3.40" (8.64cm)
- ✦ **BLADE THICKNESS** - 0.115" (2.92mm)
- ✦ **OPEN** - 7.87" (19.99cm)
- ✦ **CLOSED** - 4.47" (11.35cm)
- ✦ **WEIGHT** - 2.65oz (75.13g)
- ✦ **HANDLE THICKNESS** - 0.43" (10.92mm)



CONFIGURATIONS/MSRP
5700SBK | SERR | BLACK | \$330

Auto Presidio® II

5700SBK

- ✦ **MECHANISM** - Auto AXIS® lock with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- ✦ **BLADE LENGTH** - 3.72" (9.45cm)
- ✦ **BLADE THICKNESS** - 0.124" (3.15mm)
- ✦ **OPEN** - 8.72" (22.15cm)
- ✦ **CLOSED** - 5.00" (12.70cm)
- ✦ **WEIGHT** - 6.30oz (178.60g)
- ✦ **HANDLE THICKNESS** - 0.63" (16.00mm)
- ✦ **SHEATH WEIGHT** - 1.20oz (34.02g)



CONFIGURATIONS/MSRP
9170SBK | SERR | BLACK | \$350

Auto Triage®

9170SBK

- ✦ **MECHANISM** - Auto AXIS® lock with integrated safety
- ✦ **BLADE STYLE** - Drop-point with automatic folding rescue hook
- ✦ **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum with textured G10 inlays
- ✦ **BLADE LENGTH** - 3.58" (9.09cm)
- ✦ **HOOK OPENING** - 0.50" (12.70mm)
- ✦ **BLADE THICKNESS** - 0.124" (3.15mm)
- ✦ **OPEN** - 8.31" (21.11cm)
- ✦ **CLOSED** - 4.73" (12.01cm)
- ✦ **WEIGHT** - 5.75oz (163.01g)
- ✦ **HANDLE THICKNESS** - 0.58" (14.73mm)



CONFIGURATIONS/MSRP
8551BK | BLACK | \$320

Mediator®

8551BK

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Reverse tanto
- ✦ **BLADE STEEL** - CPM-S90V premium stainless steel (59-61 HRC)
- ✦ **HANDLE** - Black G10 with stainless steel liners
- ✦ **BLADE LENGTH** - 3.30" (8.38cm)
- ✦ **BLADE THICKNESS** - 0.115" (2.92mm)
- ✦ **OPEN** - 7.75" (19.69cm)
- ✦ **CLOSED** - 4.45" (11.30cm)
- ✦ **WEIGHT** - 2.89oz (81.93g)
- ✦ **HANDLE THICKNESS** - 0.52" (13.21mm)



CONFIGURATIONS/MSRP
4300 | 4300BK | BLACK | \$270
\$280

CLA

4300

- ✦ **MECHANISM** - Push-button automatic with integrated safety
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- ✦ **HANDLE** - Black contoured G10 with stainless steel liners
- ✦ **BLADE LENGTH** - 3.40" (8.64cm)
- ✦ **BLADE THICKNESS** - 0.114" (2.90mm)
- ✦ **OPEN** - 7.85" (19.94cm)
- ✦ **CLOSED** - 4.45" (11.30cm)
- ✦ **WEIGHT** - 3.47oz (98.37g)
- ✦ **HANDLE THICKNESS** - 0.49" (12.45mm)





CONFIGURATIONS/MSRP
4300-1 | | \$270

- CLA**
4300-1
- + **MECHANISM** - Push-button automatic with integrated safety
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
 - + **HANDLE** - Green and Black contoured and textured G10 with stainless steel liners
 - + **BLADE LENGTH** - 3.40" (8.64cm)
 - + **BLADE THICKNESS** - 0.114" (2.90mm)
 - + **OPEN** - 7.85" (19.94cm)
 - + **CLOSED** - 4.45" (11.30cm)
 - + **WEIGHT** - 3.60oz (102.06g)
 - + **HANDLE THICKNESS** - 0.49" (12.45mm)



CONFIGURATIONS/MSRP
9051SBK | SERR | BLACK | \$280

- AFO II**
9051SBK
- + **MECHANISM** - Push-button automatic with integrated safety
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
 - + **HANDLE** - Black anodized 6061-T6 billet aluminum
 - + **SHEATH** - Cordura® with snap retention and MALICE CLIP®
 - + **BLADE LENGTH** - 3.59" (9.12cm)
 - + **BLADE THICKNESS** - 0.124" (3.15mm)
 - + **OPEN** - 8.53" (21.67cm)
 - + **CLOSED** - 4.95" (12.85cm)
 - + **WEIGHT** - 5.80oz (164.43g)
 - + **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP
4400BK | 4400SBK | SERR | BLACK | \$230

- Casbah®**
4400SBK
- + **MECHANISM** - Push-button automatic with integrated safety
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
 - + **HANDLE** - Black textured Grivory® with stainless steel liners
 - + **BLADE LENGTH** - 3.40" (8.64cm)
 - + **BLADE THICKNESS** - 0.114" (2.90mm)
 - + **OPEN** - 7.80" (19.81cm)
 - + **CLOSED** - 4.40" (11.18cm)
 - + **WEIGHT** - 3.43oz (97.24g)
 - + **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP
2551 | | | \$240

- Mini Reflex II**
2551
- + **MECHANISM** - Push-button automatic with integrated safety
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
 - + **HANDLE** - Black anodized 6061-T6 billet aluminum
 - + **BLADE LENGTH** - 3.17" (8.05cm)
 - + **BLADE THICKNESS** - 0.097" (2.46mm)
 - + **OPEN** - 7.35" (18.67cm)
 - + **CLOSED** - 4.17" (10.59cm)
 - + **WEIGHT** - 2.58oz (73.14g)
 - + **HANDLE THICKNESS** - 0.48" (12.19mm)



CONFIGURATIONS/MSRP
9101SBK | SERR | BLACK | \$280

- Auto Stryker®**
9101SBK
- + **MECHANISM** - Push-button automatic with integrated safety
 - + **BLADE STYLE** - Tanto
 - + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
 - + **HANDLE** - Black anodized 6061-T6 billet aluminum
 - + **BLADE LENGTH** - 3.60" (9.14cm)
 - + **BLADE THICKNESS** - 0.124" (3.15mm)
 - + **OPEN** - 8.30" (21.08cm)
 - + **CLOSED** - 4.70" (11.94cm)
 - + **WEIGHT** - 4.20oz (119.07g)
 - + **HANDLE THICKNESS** - 0.50" (12.70mm)



CONFIGURATIONS/MSRP
3551 | | | \$240

- Stimulus**
3551 PARDUE DESIGN
- + **MECHANISM** - Push-button automatic with integrated safety
 - + **BLADE STYLE** - Drop-point
 - + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
 - + **HANDLE** - Black anodized 6061-T6 billet aluminum
 - + **BLADE LENGTH** - 2.99" (7.59cm)
 - + **BLADE THICKNESS** - 0.088" (2.24mm)
 - + **OPEN** - 7.09" (18.00cm)
 - + **CLOSED** - 4.10" (10.41cm)
 - + **WEIGHT** - 2.71oz (76.83g)
 - + **HANDLE THICKNESS** - 0.46" (11.68mm)





CONFIGURATIONS/MSRP

3300BK | BLACK | \$550

Infidel®

3300BK McHENRY DESIGN

- ✦ **MECHANISM** - Double-action out-the-front automatic
- ✦ **BLADE STYLE** - Double-edge dagger with fuller
- ✦ **BLADE STEEL** - D2 tool steel (60-62 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- ✦ **BLADE LENGTH** - 3.91" (9.93cm)
- ✦ **BLADE THICKNESS** - 0.118" (3.00mm)
- ✦ **OPEN** - 8.91" (22.63cm)
- ✦ **CLOSED** - 5.00" (12.70cm)
- ✦ **WEIGHT** - 4.90oz (138.91g)
- ✦ **HANDLE THICKNESS** - 0.59" (14.99mm)



CONFIGURATIONS/MSRP

3350BK | BLACK | \$500

Mini Infidel®

3350BK McHENRY DESIGN

- ✦ **MECHANISM** - Double-action out-the-front automatic
- ✦ **BLADE STYLE** - Double-edge dagger with fuller
- ✦ **BLADE STEEL** - D2 tool steel (60-62 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **SHEATH** - Cordura® with snap retention and MALICE CLIP®
- ✦ **BLADE LENGTH** - 3.10" (7.87cm)
- ✦ **BLADE THICKNESS** - 0.104" (2.64mm)
- ✦ **OPEN** - 7.10" (18.03cm)
- ✦ **CLOSED** - 4.00" (10.16cm)
- ✦ **WEIGHT** - 3.40oz (96.39g)
- ✦ **HANDLE THICKNESS** - 0.54" (13.72mm)



CONFIGURATIONS/MSRP

4600DLC | BLACK | \$425

Phaeton®

4600DLC

- ✦ **MECHANISM** - Double-action out-the-front automatic.
- ✦ **BLADE STYLE** - Clip-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Black anodized 6061-T6 billet aluminum
- ✦ **BLADE LENGTH** - 3.45" (8.76cm)
- ✦ **BLADE THICKNESS** - 0.125" (3.18mm)
- ✦ **OPEN** - 8.08" (20.52cm)
- ✦ **CLOSED** - 4.63" (11.76cm)
- ✦ **WEIGHT** - 3.01oz (85.33g)
- ✦ **HANDLE THICKNESS** - 0.47" (11.94mm)



CONFIGURATIONS/MSRP

4600DLC-1 | BLACK | \$425

- ✦ **MECHANISM** - Double-action out-the-front automatic
- ✦ **BLADE STYLE** - Clip-point
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Dark Earth anodized 6061-T6 billet aluminum
- ✦ **BLADE LENGTH** - 3.45" (8.76cm)

- ✦ **BLADE THICKNESS** - 0.125" (3.18mm)
- ✦ **OPEN** - 8.08" (20.52cm)
- ✦ **CLOSED** - 4.63" (11.76cm)
- ✦ **WEIGHT** - 3.01oz (85.33g)
- ✦ **HANDLE THICKNESS** - 0.47" (11.94mm)



MINI INFIDEL 3350BK





CONFIGURATIONS/MSRP
3400BK | BLACK | \$25

Autocrat®
3400BK

- ✦ **MECHANISM** - Double-action out-the-front automatic. Spine fire release button
- ✦ **BLADE STYLE** - Double-edge dagger with fuller
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Black G10 scales with Black anodized 6061-T6 aluminum frame
- ✦ **BLADE LENGTH** - 3.71" (9.42cm)
- ✦ **BLADE THICKNESS** - 0.105" (2.67mm)
- ✦ **OPEN** - 8.75" (22.23cm)
- ✦ **CLOSED** - 5.04" (12.80cm)
- ✦ **WEIGHT** - 3.93oz (111.41g)
- ✦ **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP
3400BK-1 | BLACK | \$500

Autocrat®
3400BK-1


- ✦ **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- ✦ **BLADE STYLE** - Double-edge dagger with fuller
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - OD textured G10 scales with Black anodized 6061-T6 aluminum frame
- ✦ **BLADE LENGTH** - 3.71" (9.42cm)
- ✦ **BLADE THICKNESS** - 0.105" (2.67mm)
- ✦ **OPEN** - 8.75" (22.23cm)
- ✦ **CLOSED** - 5.04" (12.80cm)
- ✦ **WEIGHT** - 3.93oz (111.41g)
- ✦ **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP
3400BK-2 | BLACK | \$500

Autocrat®
3400BK-2

- ✦ **MECHANISM** - Double-action out-the-front automatic. Spine fire release button.
- ✦ **BLADE STYLE** - Double-edge dagger with fuller
- ✦ **BLADE STEEL** - CPM-S30V premium stainless steel (58-60 HRC)
- ✦ **HANDLE** - Coyote Brown textured G10 scales with black anodized 6061-T6 aluminum frame
- ✦ **BLADE LENGTH** - 3.71" (9.42cm)
- ✦ **BLADE THICKNESS** - 0.105" (2.67mm)
- ✦ **OPEN** - 8.75" (22.23cm)
- ✦ **CLOSED** - 5.04" (12.80cm)
- ✦ **WEIGHT** - 3.93oz (111.41g)
- ✦ **HANDLE THICKNESS** - 0.60" (15.24mm)



CONFIGURATIONS/MSRP
375FE-1 | FLAT EARTH | \$275

Fixed Adamas®
375FE-1

SIBERT DESIGN

- ✦ **MECHANISM** - Fixed Blade
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-CruWear® super strong tool steel (63-65 HRC)
- ✦ **SHEATH** - Ranger Green PIM
- ✦ **BLADE LENGTH** - 4.20" (10.67cm)
- ✦ **BLADE THICKNESS** - 0.17" (4.32mm)
- ✦ **OPEN** - 9.17" (23.29cm)
- ✦ **WEIGHT** - 5.66oz (160.46g)
- ✦ **SHEATH WEIGHT** - 1.11oz (31.47g)



CONFIGURATIONS/MSRP
375BK-1 | BLACK | \$275

Fixed Adamas®
375BK-1

SIBERT DESIGN

- ✦ **MECHANISM** - Fixed Blade
- ✦ **BLADE STYLE** - Drop-point
- ✦ **BLADE STEEL** - CPM-CruWear® super strong tool steel (63-65 HRC)
- ✦ **SHEATH** - Black PIM
- ✦ **BLADE LENGTH** - 4.20" (10.67cm)
- ✦ **BLADE THICKNESS** - 0.17" (4.32mm)
- ✦ **OPEN** - 9.17" (23.29cm)
- ✦ **WEIGHT** - 5.66oz (160.46g)
- ✦ **SHEATH WEIGHT** - 1.11oz (31.47g)



CONFIGURATIONS/MSRP
112SBK-BLK | SERR | BLACK | \$170

H20 Fixed
112SBK-BLK

- ✦ **MECHANISM** - Fixed Blade
- ✦ **BLADE STYLE** - Opposing bevel with blunt tip and integrated rescue hook
- ✦ **BLADE STEEL** - N680 ultra stainless steel (57-59 HRC)
- ✦ **HANDLE** - Black textured Santoprene®
- ✦ **SHEATH** - Injection molded with thumb release
- ✦ **BLADE LENGTH** - 3.50" (8.89cm)
- ✦ **BLADE THICKNESS** - 0.12" (3.15mm)
- ✦ **OPEN** - 8.07" (20.50cm)
- ✦ **WEIGHT** - 3.20oz (90.72g)
- ✦ **HANDLE THICKNESS** - 0.54" (13.72mm)
- ✦ **SHEATH WEIGHT** - 1.04oz (29.48g)





CONFIGURATIONS/MSRP			
177BK	:	BLACK	\$120

Mini SOCP®

177BK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Spear-point
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible with MALICE CLIP®, injection molded in black with lanyard hole and clip
- + **BLADE LENGTH** - 2.22" (5.64cm)
- + **BLADE THICKNESS** - 0.175" (4.45mm)
- + **OPEN** - 6.25" (15.88cm)
- + **WEIGHT** - 3.00oz (85.05g)
- + **HANDLE THICKNESS** - 0.18" (4.57mm)
- + **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP			
173BK	:	BLACK	\$120

Mini SOCP®

173BK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Double-edge dagger
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- + **BLADE LENGTH** - 2.22" (5.64cm)
- + **BLADE THICKNESS** - 0.175" (4.45mm)
- + **OPEN** - 6.25" (15.88cm)
- + **WEIGHT** - 3.00oz (85.05g)
- + **HANDLE THICKNESS** - 0.18" (4.57mm)
- + **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP			
176BK	:	BLACK	\$130
176BKSN	:	BLACK	\$130

SOCP® Dagger

176BK THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Double-edge dagger
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and clip
- + **BLADE LENGTH** - 3.22" (8.18cm)
- + **BLADE THICKNESS** - 0.175" (4.45mm)
- + **OPEN** - 7.25" (18.42cm)
- + **WEIGHT** - 2.12oz (60.10g)
- + **HANDLE THICKNESS** - 0.18" (4.45mm)
- + **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP			
176BK-COMBO	:	BLACK	\$180
176BKSN-COMBO	:	BLACK	\$180

SOCP® Dagger

176BK-COMBO THOMPSON DESIGN

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Double-edge dagger
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Black coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black or sand with lanyard hole and clip
- + **BLADE LENGTH** - 3.22" (8.18cm)
- + **BLADE THICKNESS** - 0.175" (4.45mm)
- + **OPEN** - 7.25" (18.42cm)
- + **WEIGHT** - 2.12oz (60.10g)
- + **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP			
179GRY	:	GRAY	\$110

SOCP® Rescue Tool

179GRY THOMPSON DESIGN

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Rescue hook with carbide glass breaker and oxygen wrench
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Gray coated single-piece tool with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- + **BLADE LENGTH** - 2.50" (6.35cm)
- + **BLADE THICKNESS** - 0.120" (3.05mm)
- + **HOOK OPENING** - 0.38" (9.53mm)
- + **OPEN** - 6.75" (17.15cm)
- + **WEIGHT** - 1.88oz (53.30g)
- + **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP			
176T	:	RED	\$80

SOCP® Trainer

176T THOMPSON DESIGN

- + **MECHANISM** - Fixed Blade
- + **BLADE STYLE** - Trainer
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Red coated single-piece with finger ring
- + **SHEATH** - MOLLE® compatible, MALICE CLIP® free, injection molded in black with lanyard hole and clip
- + **BLADE LENGTH** - 2.78" (7.06cm)
- + **BLADE THICKNESS** - 0.175" (4.45mm)
- + **OPEN** - 6.81" (17.30cm)
- + **WEIGHT** - 2.58oz (73.14g)
- + **SHEATH WEIGHT** - 1.04oz (29.48g)



TACTICAL

CONFIGURATIONS/MSRP

141SBKSN | SERR | BLACK | \$250

Nimravus®
141SBKSN

- + **MECHANISM** - Fixed blade
- + **BLADE STYLE** - Tanto
- + **BLADE STEEL** - 154CM stainless steel (58-61 HRC)
- + **HANDLE** - Sand anodized 6061-T6 billet aluminum
- + **SHEATH** - Multifunctional, nylon, and MOLLE® compatible with MALICE CLIP®
- + **BLADE LENGTH** - 4.50" (11.43cm)
- + **BLADE THICKNESS** - 0.115" (2.92mm)
- + **OPEN** - 9.45" (24.00cm)
- + **WEIGHT** - 5.86oz (166.13g)
- + **HANDLE THICKNESS** - 0.58" (14.73mm)
- + **SHEATH WEIGHT** - 5.00oz (141.75g)

RESCUE

TACTICAL

CONFIGURATIONS/MSRP

7 BLKW | BLACK | \$60

7 Hook
7 BLKW

- + **MECHANISM** - Rescue hook
- + **BLADE STYLE** - Hook
- + **BLADE STEEL** - High carbon stainless steel (58-60 HRC)
- + **HANDLE** - Single piece dip coated handle
- + **SHEATH** - Nylon MOLLE® compatible with included MALICE CLIP®
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **OPEN** - 4.30" (10.92cm)
- + **WEIGHT** - 1.50oz (42.52g)
- + **SHEATH WEIGHT** - 0.95oz (26.93g)

RESCUE

TACTICAL

CONFIGURATIONS/MSRP

8 BLKW | BLACK | \$70

8 Hook
8 BLKW

- + **MECHANISM** - Rescue hook
- + **BLADE STYLE** - Hook
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Coated skeletonized
- + **SHEATH** - Black nylon with MALICE CLIP®
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **OPEN** - 6.50" (16.51cm)
- + **WEIGHT** - 1.43oz (40.54g)
- + **SHEATH WEIGHT** - 0.88oz (24.95g)

RESCUE

TACTICAL

CONFIGURATIONS/MSRP

8BLKWMED | BLACK | \$70

8 Med Hook
8BLKWMED

- + **MECHANISM** - Rescue hook
- + **BLADE STYLE** - Hook
- + **BLADE STEEL** - 440C stainless steel (58-60 HRC)
- + **HANDLE** - Coated skeletonized
- + **SHEATH** - Black nylon with MALICE CLIP®
- + **HOOK OPENING** - 0.50" (12.70mm)
- + **OPEN** - 6.50" (16.51cm)
- + **WEIGHT** - 1.86oz (52.73g)
- + **SHEATH WEIGHT** - 0.88oz (24.95g)

EDC

CONFIGURATIONS/MSRP

1120 | 1120-1 | \$190 | \$170

1120 Longhand
1120-1

- + **MECHANISM:** AXIS® Styled Bolt Action
- + **INK CARTRIDGE:** Fisher Space Pen
- + **MATERIAL:** 1120 Brushed 303 Stainless Steel, 1120-1: Black 6061-T6 Aircraft Aluminum
- + **OPEN LENGTH:** 4.62" (11.73cm)
- + **HANDLE DIAMETER:** 0.45" (11.53mm)
- + **WEIGHT:** 1120: 1.90oz (53.86g), 1120-1: 0.90oz (25.51g)
- + **PEN REFILL:** Fisher Space Pen, Ballpoint Refill, Black
 - + SKU: 98486F

EDC

CONFIGURATIONS/MSRP

1121 | 1121-1 | \$180 | \$160

1121 Shorthand
1121

- + **MECHANISM:** AXIS® Styled Bolt Action
- + **INK CARTRIDGE:** Fisher Space Pen
- + **MATERIAL:** 1121: Brushed 303 Stainless Steel, 1121-1: Black 6061-T6 Aircraft Aluminum
- + **OPEN LENGTH:** 3.49" (8.86cm)
- + **HANDLE DIAMETER:** 0.45" (11.53mm)
- + **WEIGHT:** 1121: 1.60oz (45.36g), 1121-1: 0.71oz (20.13g)
- + **PEN REFILL:** Fisher Space Pen, Ballpoint Refill, Black
 - + SKU: 10251F

DESIGNER COLLABORATIONS

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passion into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.



MEL PARDUE
Mel Pardue set industry standards and built a dedicated following grinding sparks over his 60-plus years as a custom knife maker. As one of our first outside design partners, his style had a class and simplicity all its own. For 25 years, his collaborations with Benchmade have offered great utility, presented with upscale distinction, to the everyday knife user. With Mel's designs, less is definitely more.



BILL MCHENRY & JASON WILLIAMS
Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.



WARREN OSBORNE
Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.



SHANE SIBERT
Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.



GREG THOMPSON
Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC



SHARPENERS



20° Guided Hone Tool

20° Guided Hone Tool with a controlled 20° angle featuring a ceramic rod and leather strop to keep your edge sharp.

- 50080 (Single)**
+ **PRICE** - \$30.00
- 50081 (12 Pack)**
+ **PRICE** - \$360.00



14° Guided Hone Tool

14° Guided Hone Tool designed specifically for SelectEdge® with a controlled 14° angle featuring a ceramic rod and leather strop to keep your edge sharp.

- 50082 (Single)**
+ **PRICE** - \$30.00
- 50083 (12 Pack)**
+ **PRICE** - \$360.00



Guided Field Sharpener

20° controlled-angle sharpener, perfect for knives, fish hooks, broadheads, and more.

- 100604F**
+ **PRICE** - \$50.00



Edge Maintenance Tool

In collaboration with Work Sharp, the Edge Maintenance Tool features a ceramic rod and leather strop to keep your edge sharp anywhere you have your knife.

- 50030**
+ **PRICE** - \$60.00

SHEATHS

Blue Class
Model Specific

- 988271F - 162 Bushcrafter
- + PRICE - \$30.00
- 101203F - 200 Puukko
- 101223F - 202 Leuku
- + PRICE - \$35.00



Cordura® Folder Pouch
Snap Retention (MOLLE® Compatible)

Sheaths come standard with MALICE CLIP® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

- 100778F - Black
- + PRICE - \$35.00



8-Hook Pouch
(MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

- 985398F - Black
- 985570F - Foliage Green
- 985569F - Coyote
- + PRICE - \$18.00

Hunt
Model Specific

- 102637F - 15017-1 Hidden Canyon
- + PRICE - \$40.00
- 103195F - 15017 Hidden Canyon
- + PRICE - \$35.00
- 102638F - 15002 Saddle Mt. (Black Boltaron®)
- + PRICE - \$40.00
- 103193F - 15002 Saddle Mt. (Brown leather)
- 103194F - 15004 Saddle Mt. (Brown leather)
- + PRICE - \$35.00
- 102154F - 15006 Steep Country
- + PRICE - \$40.00



Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

- 981086F - Soft Sheath, small (1.625" W x 5" D), black
- 981087F - Soft Sheath, large (2" W x 5.25" D), black
- 981717F - Soft Sheath, 4" Bali-Song® Series, black
- + PRICE - \$15.00



Tek-Lok™

Multiple position options with compatible sheath.

- 981609F - Tek-Lok™, large size
- + PRICE - \$20.00

Black Class
Model Specific

- 987592F - 375BK-1 Fixed Adamas® (Black)
- 102803F - 375FE-1 Fixed Adamas® (Ranger green)
- + PRICE - \$50.00
- 983469F - 141SBKSN Nimravus® (Coyote)
- + PRICE - \$60.00
- 101622F - 173BK Mini SOCP®
- + PRICE - \$25.00
- 987495F - 176BK SOCP® (Black)
- 987496F - 176BK SOCP® (Sand)
- + PRICE - \$25.00



7-Hook
(MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

- + 984166F - Black
- + 984205F - Foliage Green
- + 984204F - Coyote
- + PRICE - \$15.00



Folder Pouch
(MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

- 984818F - Black
- + PRICE - \$30.00



Fight Light
MALICE® Clips

- 102789F - Short Blk (3" size)
- 102790F - Short Snd (3" size)
- 103226F - Long Blk (5" size)
- + PRICE - \$4.00



BlueLube® Lubricant
983900F

- + PRICE - \$15.00

BlueLube® Cleanser
983901F

Clean, lubricate, and protect your Benchmade.



Bottle Opener
1000000

- + STYLE - Bottle opener
- + COLOR - Gray Steel
- + MATERIAL - Stainless steel with wordmark cutout
- + PRICE - \$20.00



Knifsmith
Multi-Bit Driver

- 50141 - Hanging
- + PRICE - \$75.00
- 104688F - Replacement bit
- + PRICE - \$30.00



Benchmade Ferro Rod
50023

- + STYLE - Ferro Rod
- + MATERIAL - Blue anodized 6061-T6 aluminum tinder capsule
- + STRIKER - 5/16" by 3.10" ferrocium rod
- + EXTRA - QuickLIGHT™ waterproof tinder
- + ORIGIN - Made in the USA by Exotac
- + PRICE - \$50.00



Pint Glass
988053F

- + STYLE - Pint glass
- + COLOR - Clear with blue Benchmade butterfly logo
- + MATERIAL - Glass
- + PRICE - \$15.00



Blue Box Tool Kit

T6, T8, and T10 Torx bits with a bit holder/extension, all in a molded plastic case that doubles as the handle.

- 981084F
- + PRICE - \$25.00



Knife Roll
50019

- + STYLE - Knife Roll
- + COLOR - Gray with black accents
- + MATERIAL - 1680 nylon and urethane coating construction
- + CAPACITY - Holds up to eleven knives and two pens
- + EXTRA - Two integrated loop panels for morale patches
- + PRICE - \$75.00



Coffee Mug
989133F

- + STYLE - Coffee mug
- + COLOR - Matte Black with Gloss Black logo, handle, rim
- + MATERIAL - Ceramic
- + PRICE - \$15.00





USA

CUSTOMER
SERVICE/SALES

TELEPHONE:
833.557.2526

CUSTOMER
SERVICE FAX:
503.496.1896

EMAIL:
info@benchmade.com

WEB:
dealer.benchmade.com

LAW ENFORCEMENT

CUSTOMER
SERVICE/SALES

TELEPHONE:
833.557.2526
(ASK FOR LE SALES)

EMAIL:
lesales@benchmade.com

WEB:
benchmade.com

FEDERAL GOVERNMENT

CUSTOMER
SERVICE/SALES

TELEPHONE:
833.557.2526
(ASK FOR FED/GOV SALES)

FED/GOV FAX:
503.496.1896

EMAIL:
military@benchmade.com

WEB:
benchmade.com

INTERNATIONAL

CUSTOMER
SERVICE/SALES

TELEPHONE:
1.833.557.2526
(ASK FOR INTERNATIONAL SALES)

EMAIL:
international@benchmade.com

WEB:
benchmade.com

CAGE CODE:
041N2



2023 BENCHMADE KNIFE CO, INC

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045