

BENCHMADE®

2026 COLLECTION

A MESSAGE FROM OUR PRESIDENT

TABLE OF CONTENTS

05	TECHNICAL FEATURES	**94**	HUNT
11	BLADE STEEL	**108**	CUTLERY
15	BLACK CLASS	**122**	ACCESSORIES
51	BLUE CLASS	**126**	PRODUCT INDEX
82	WATER		

THE 2026 COLLECTION

As we turn the page to 2026, I want to take a moment to express my appreciation for your continued partnership, your belief in our mission, and your role in carrying the Benchmade story forward.

This year brings exciting momentum. From standout additions to our Black Class and a new evolution of the Bugout® platform, we're delivering products that meet the highest standards of performance, innovation, and purpose. These aren't just new knives—they represent the next step in our commitment to those who rely on Benchmade every day.

Whether you're a long-standing dealer, a new customer, or someone discovering us for the first time, we're grateful to have you with us. Here's to what's next.

Sincerely,
—JON DEASIS

President & CEO
Benchmade Knife Company

NEW TO SEASON 1 '26

Season 1 products are available to order Fall 2025, and will launch to consumers January - June 2026.

JAN. LAUNCH



177GY 177SN 177GN

FEB. LAUNCH



535TN-2601 533TN-2601 5371FE-2601

MARCH LAUNCH



18030 4005BK-01 4005-02 4025BK-01 4025-02 4045BK-01 4045-02 4070BK-01 4070-02

APRIL LAUNCH

MAY LAUNCH

JUNE LAUNCH



543BK

NEW TO SEASON 2 '26

Season 2 products will be available to order Spring 2026, and launch July - October 2026. Product details are an overview; specifications and pricing are subject to change.

JULY LAUNCH



535FE-2602 940FE-2601 537FE-2601

AUG. LAUNCH



15090 15090-01 15650 15650-01 15650-KIT 15650-01-KIT 11OR 491BK-02

SEPT. LAUNCH

OCT. LAUNCH



174GY 174SN 174BK 393 393SSN-01



EDC
Not obtrusive or uncomfortable in slacks or shorts, just convenient and well fitted to your general needs.

OUTDOOR
From the woods to backpacking or car camping, overlanding or off roading, these versatile cutting tools can be used for many tasks.

SURVIVAL
Things can happen unexpectedly for any adventurer. These knives have been built for the unexpected.

WATER
Water environments can be unpredictable. These knives were designed to withstand hard use and cut with precision. You'll never leave land without one.

HUNT
Knives are a critical component of a successful hunt. These are the most advanced hunting knives ever made.

TACTICAL
Designed for hard, immediate use, these high-strength knives feature robust mechanisms for situations when every second matters.

RESCUE
Built for critical situations. Gloved hands and the need to cut pliable materials are considerations in the design of these knives.

CUTLERY
These knives seamlessly transition from camp to the tailgate to the backyard and the kitchen.

HOW YOU CHOOSE YOUR KNIFE

DEPENDS ON HOW YOU LIVE YOUR LIFE

BLADE STYLES

MANUAL OPENING

"Manuals" must be opened 100%, from the closed position to the open position by the user.

ASSISTED OPENING

"Assists" have a spring that encourages the blade into the open position once the user pushes the blade manually beyond a certain point.

AUTOMATIC OPENING

"Autos" have a button or other actuation switch that mechanically fires the blade open without the user directly manipulating the blade.

FIXED BLADE

These knives do not fold and almost always come with a sheath to protect the edge.

BALI-SONG

"Bali" or "butterfly knives" open and close by way of two handles that rotate around the front and back of the blade.

BK
Black coating, no serrations

DLC
Diamond-like-carbon coating

FE
Flat earth coating

GY
Gray coating, no serrations

SL
Crushed silver coating

OR
Orange coating

S
Serrations, no coating

SBK
Serrations and black coating

SFE
Serrations and flat earth coating

SGY
Serrations and gray coating

Clip-Point

Blade contains a sharp beak, typically forward of the midpoint, as if the spine has been "clipped off."



Trailing Point

The spine curves upward to create an elevated point that's typically higher than the handle.



Tanto

This shape is easily identified by the angular lines. The knife edge is flat and transitions with a hard break in the angle from the tip to the primary edge.



Wharncliffe

Similar in shape to the sheepsfoot with a spine that 'rolls' into the tip earlier. This blade has a completely straight edge.



Opposing Bevel

Design features a non-uniform blade geometry that creates an offset pry-tip, while maintaining a consistent chisel grind on the cutting edge.



Drop-Point

Drops off the spine to the top. Tip height is typically above the center line on the blade.



Reverse Tanto

Defined by the bevel creating an upside-down tanto profile, adding weight forward on the blade.



Spear-Point

Must be symmetrical considering the blade profile. *Traditionally, spear-points are double-sided, but those knives are more specifically referred to as daggers.



Scimitar

A slightly curved blade that broadens toward the tip.



Sheepsfoot

The spine of the blade "rolls" into the tip earlier. This blade has a completely straight edge



HANDLE MATERIALS

Innovation you can hold.
Performance you can trust.

BK Black
ORG Orange
WHT White
SN Sand
OD Olive drab
BLU Blue

*-1, -2, etc. typically indicate handle material variations

Carbon Fiber

A contemporary premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin that is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.



Grivory®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.



6AL-4V Titanium

Considered an exotic metal alloy (titanium + 6% aluminum + 4% vanadium) with an excellent strength-to-weight ratio that offers exceptional performance in a knife. Titanium is corrosion-resistant to natural elements as well as many industrial chemicals.



6061-T6 Aluminum

A nonferrous metal originally developed as a premium aircraft grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color-anodized which creates a hard protective surface finish.



G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under a wide range of temperatures. Most commonly black, but is also available in various colors.



Richlite

Used as a lightweight construction material for decades, Richlite is a durable, multi-layer fibrous paper composite that can be dyed in a wide range of colors.



Stabilized Wood

A composite material of layered sheets of natural, dyed wood backfilled with resin. Stabilized wood is much more resistant to environmental hardships than natural wood.



Santoprene®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistant to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.



BLADE STEEL

Where Elite Steels Become Legendary Blades

Corrosion Resistance

Corrosion resistance is measured by the resistance of a blade to oxidization and chemical attack. This is an important consideration when you're going to be in wet or humid environments and need a blade that can stand up to the elements.

Blade Toughness

Blade strength is the maximum stress withstood before a blade breaks or fails. These are among some of the strongest steels in the industry that can stand up to the demands of hard use applications.

Edge Retention


Edge retention is how long a blade can maintain its sharpened edge. When performing cutting tasks over and over, you need an edge that stays sharp. These steels are among some of the best for edge retention.

Blade Strength

Blade toughness is the resistance of a blade to fractures and chipping. This is an important consideration for activities such as batoning or other uses that may involve force on the blade to perform cutting tasks. These steels have exceptional toughness


S30V / HRC:58-60

Developed by Crucible in collaboration with acclaimed knifemaker Chris Reeve. S30V is regarded as a well-rounded, all-purpose blade steel. A first-of-its knife steel designed specifically for use in knife blades, S30V has a very even balance of edge retention, corrosion resistance, and durability for a variety of applications.




M4 / HRC:62-64

A powder-metal, nonstainless, special purpose high-speed steel with excellent strength, wear resistance and toughness.




CPM-154 / HRC:58-61

This powder-metal version of conventional 154CM steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength.




154CM / HRC:58-61

A premium-grade steel developed for tough industrial applications. Known best for its all-around qualities, 154CM offers a good balance of corrosion resistance, toughness and edge quality.




N680 / HRC:57-59

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel.




CruWear® / HRC:63-65

A special-application steel for when corrosion resistance is the primary requirement. Ideal for salt water applications, the addition of nitrogen to the alloy gives this the best corrosion resistance of any blade steel. Also known as Z-Wear®, which is a CPM-CruWear® clone material.




MagnaCut® / HRC:60-62

A new approach to stainless tool steel that eliminates chromium carbides from the microstructure. The result: A combination of properties with similar toughness and edge retention to nonstainless stells like CPM-CruWear® and CPM-4V, with the addition of excellent corrosion resistance and strength.




S90V / HRC:59-61

A true super-steel, S90V offers substantial improvements in corrosion resistance over 440C and wear resistance far beyond that of D2.




DAMASTEEL® / HRC:58-60

With alternating layers of RWL34 and RPMC27, this powder metal 'Damascus' steel doesn't just get by on its looks alone. The interweaving of these two alloys provides great strength and toughness.




D2 / HRC:60-62

A high-carbon, high-chrome tool steel provides better edge retention than 440C and 154CM; however, it has less toughness and corrosion resistance than either of these alloys.




20CV / HRC:59-61

Excellent edge retention and great corrosion resistance are typically hard to find in one steel; however, they meet here in 20CV.




ELMAX / HRC:59-61

Elmax excels in holding a razor-sharp edge through rigorous use—whether you're slicing, carving, or cutting under pressure.




M390 / HRC:58-61

A super-performance blade steel with exceptional cutting ability, corrosion resistance and wear resistance.




S45VN / HRC:60-62

The higher levels of chromium along with the introduction of nitrogen in S45VN allow for improved corrosion resistance over CPM-S30V and CPM-S90V, while balancing the excellent performance found in both of those steels.




CPM-D2 / HRC:60-62

This powder-metal version of conventional D2 steel has a much finer microstructure with smaller carbide particles than its counterpart, resulting in improved toughness and strength. A great choice for the customer who loves D2 but wants an upgrade in performance.




440C / HRC:58-60

Originally designed for ball bearings, valves and gears, this high-carbon stainless steel is the staple of the cutlery industry.



3V / HRC:60-62

A powder-metal tool steel, its high carbon and vanadium paired with low chromium make it exceptionally tough while still being able to maintain a good cutting edge.




STAY READY

BENCHMADE®

ALWAYS PREPARED

BLACK CLASS

STAY READY

NO SPACE FOR FAILURE - BLACK CLASS DELIVERS.

Bailout®

537GY-1 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- **HANDLE** - Woodland Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.09'' (20.55cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

EVERYDAY CARRY TACTICAL



CONFIGURATIONS/MSRP

537GY-1		GRAY	$350

Bailout®

537GY-03 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.09'' (20.55cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

TACTICAL EVERYDAY CARRY



CONFIGURATIONS/MSRP

537GY-03		GRAY	$350

Bailout®

537SGY-1 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- **HANDLE** - Woodland Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.09'' (20.55cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

EVERYDAY CARRY TACTICAL



CONFIGURATIONS/MSRP


537SGY-1		GRAY	$350

Bailout®

537SGY-03 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - CPM-M4 High-speed Steel (62-64HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.09'' (20.55cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

TACTICAL EVERYDAY CARRY



CONFIGURATIONS/MSRP

537SGY-03	SERR		GRAY	$350

Bailout®

537FE-02 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- **HANDLE** - Crater Blue - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.09'' (20.55cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

TACTICAL EVERYDAY CARRY



CONFIGURATIONS/MSRP

537FE-02		FLAT EARTH	$350

Bailout®

537BK-06 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Ranger Green - Grivory®
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.12'' (20.62cm)
- **WEIGHT** - 2.05oz (58.12g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

TACTICAL EVERYDAY CARRY



CONFIGURATIONS/MSRP

537BK-06		BLACK	$200

Bailout®

537BK-07 BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Burnt Copper - 6061-T6 Anodized Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.12'' (20.62cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

537BK-07		BLACK	$350
537SBK-07	SERR	BLACK	$350

Bailout®

537-09 BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Black - Carbon Fiber
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.12'' (20.62cm)
- **WEIGHT** - 2.181oz (61.83g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

537-09		$400

Bailout®

537FE-2601 BENCHMADE

TACTICAL S2 SEASON 2

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Taiga Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.38'' (8.59cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.09'' (20.55cm)
- **WEIGHT** - 2.7oz (76.54g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

537FE-2601	FLAT EARTH	$300

EST SHIP DATE: JUL

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

BENCHMADE

THE BAILOUT®

537GY-1

For those looking for something a little more robust, the 537GY-1 Bailout® takes lightweight strength one step further. Outfitted with woodland green anodized aluminum handles, and a CPM-M4 blade, this Bailout® can hang with the best of them despite its slim profile.

- M4 High-speed Steel (62-64HRC) blade steel
- Woodland Green 6061-T6 Aluminum handle material
- Tungsten Gray Cerakote® blade finish
- AXIS® lock mechanism

WHEN YOU'RE GOING THE DISTANCE, YOU NEED A KNIFE THAT WILL DO THE SAME.

Featured on page 17

Redoubt®

430BK-02 BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Black - Grivory®
- **BLADE LENGTH** - 3.55'' (9.02cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.29'' (21.06cm)
- **WEIGHT** - 3.72oz (105.46g)
- **HANDLE THICKNESS** - 0.65'' (16.51mm)



CONFIGURATIONS/MSRP

430BK-02		BLACK	$200

Redoubt®

431SBK-1 BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Ranger Green/Forest Green - Grivory®
- **BLADE LENGTH** - 3.53'' (8.97cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.27'' (21.01cm)
- **WEIGHT** - 3.7oz (104.89g)
- **HANDLE THICKNESS** - 0.65'' (16.51mm)



CONFIGURATIONS/MSRP

431SBK-1	SERR	BLACK	$200

Presidio® II

570-1 BENCHMADE

TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Graphite Black - CF-Elite®
- **BLADE LENGTH** - 3.72'' (9.45cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.72'' (22.15cm)
- **WEIGHT** - 4.97oz (140.9g)
- **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP

570-1			$250

Mini Presidio® II

575-1 BENCHMADE

TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Graphite Black - CF-Elite®
- **BLADE LENGTH** - 3.2'' (8.13cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.48'' (19.0cm)
- **WEIGHT** - 3.19oz (90.43g)
- **HANDLE THICKNESS** - 0.56'' (14.22mm)



CONFIGURATIONS/MSRP

575-1			$225

Triage®

916SBK BENCHMADE

RESCUE TACTICAL EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Opposing Bevel
- **BLADE STEEL** - N680 Stainless Steel (57-59 HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.25'' (20.96cm)
- **WEIGHT** - 5.24oz (148.55g)
- **HANDLE THICKNESS** - 0.45'' (11.43mm)



CONFIGURATIONS/MSRP

916SBK	SERR	BLACK	$325

Tactical Triage®

917SBK BENCHMADE

TACTICAL RESCUE EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.48'' (8.84cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.33'' (21.16cm)
- **WEIGHT** - 5.28oz (149.69g)
- **HANDLE THICKNESS** - 0.55'' (13.97mm)



CONFIGURATIONS/MSRP

917SBK		BLACK	$325

Adamas®

275SGY-1 SIBERT

TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.82'' (9.7cm)
- **BLADE THICKNESS** - 0.14'' (3.56mm)
- **OPEN** - 8.93'' (22.68cm)
- **WEIGHT** - 6.54oz (185.41g)
- **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP

275SGY-1	SERR	GRAY	$325
275GY-1		GRAY	$325
275FE-2		FLAT EARTH	$325
275SFE-2	SERR	FLAT EARTH	$325

Mini Adamas®

273FE-2 SIBERT

TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Olive Drab - G10
- **BLADE LENGTH** - 3.25'' (8.26cm)
- **BLADE THICKNESS** - 0.14'' (3.56mm)
- **OPEN** - 7.62'' (19.35cm)
- **WEIGHT** - 4.6oz (130.41g)
- **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP

273FE-2	FLAT EARTH	$275
273GY-1	GRAY	$275

Mini Adamas®

273-03 SIBERT

TACTICAL EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Black - Marbled Carbon Fiber
- **BLADE LENGTH** - 3.25'' (8.26cm)
- **BLADE THICKNESS** - 0.14'' (3.56mm)
- **OPEN** - 7.62'' (19.35cm)
- **WEIGHT** - 4.6oz (130.41g)
- **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP

273-03		$375

Full Immunity™

290BK BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Wharncliffe
- **BLADE STEEL** - M4 high-speed Steel (62-64HRC)
- **HANDLE** - Crater Blue - Aluminum
- **BLADE LENGTH** - 2.49'' (6.32cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 5.94'' (15.09cm)
- **WEIGHT** - 2.29oz (64.92g)
- **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP

290BK		BLACK	$325

Full Immunity™

290BK-1 BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Wharncliffe
- **BLADE STEEL** - M4 high-speed Steel (62-64HRC)
- **HANDLE** - Burnt Bronze - Aluminum
- **BLADE LENGTH** - 2.49'' (6.32cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 5.94'' (15.09cm)
- **WEIGHT** - 2.29oz (64.92g)
- **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP

290BK-1		BLACK	$325

Full Immunity™

290BK-2 BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Wharncliffe
- **BLADE STEEL** - M4 high-speed Steel (62-64HRC)
- **HANDLE** - Woodland Green - Aluminum
- **BLADE LENGTH** - 2.49'' (6.32cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 5.94'' (15.09cm)
- **WEIGHT** - 2.29oz (64.92g)
- **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP

290BK-2		BLACK	$325

Mini Bedlam

865SBK BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Scimitar
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.63'' (21.92cm)
- **WEIGHT** - 4.91oz (139.2g)
- **HANDLE THICKNESS** - 0.587'' (14.91mm)



CONFIGURATIONS/MSRP

865SBK	SERR	BLACK	$350

Mini Bedlam

865BK-01 BENCHMADE

TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Scimitar
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black/Coyote/OD - G10
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.63'' (21.92cm)
- **WEIGHT** - 4.81oz (136.36g)
- **HANDLE THICKNESS** - 0.587'' (14.91mm)



CONFIGURATIONS/MSRP

865BK-01		BLACK	$350

Mini Bedlam

865-02 BENCHMADE

TACTICAL

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Scimitar
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - Marbled Carbon Fiber
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.63'' (21.92cm)
- **WEIGHT** - 4.67oz (132.39g)
- **HANDLE THICKNESS** - 0.587'' (14.91mm)



CONFIGURATIONS/MSRP

865-02			$450

Auto Presidio® II

5700SBK BENCHMADE

TACTICAL

- **MECHANISM** - Auto AXIS® Lock with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - 6061-T6 Anodized Aluminum
- **BLADE LENGTH** - 3.72'' (9.45cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.72'' (22.15cm)
- **WEIGHT** - 6.3oz (178.6g)
- **HANDLE THICKNESS** - 0.63'' (16.0mm)



CONFIGURATIONS/MSRP

5700SBK	SERR	BLACK	$400

Auto Adamas®

2750GY-3 SIBERT

TACTICAL

- **MECHANISM** - Auto AXIS® Lock with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Desert Tan - G10
- **BLADE LENGTH** - 3.8'' (9.65cm)
- **BLADE THICKNESS** - 0.14'' (3.56mm)
- **OPEN** - 8.9'' (22.61cm)
- **WEIGHT** - 6.17oz (174.92g)
- **HANDLE THICKNESS** - 0.65'' (16.51mm)



CONFIGURATIONS/MSRP

2750GY-3		GRAY	$425
2750SGY-3	SERR	GRAY	$425
2750FE-2		FLAT EARTH	$425
2750SFE-2	SERR	FLAT EARTH	$425

Mini Auto Adamas®

2730-03 SIBERT

EVERYDAY CARRY TACTICAL

- **MECHANISM** - Auto AXIS® Lock with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Black - Marbled Carbon Fiber
- **BLADE LENGTH** - 3.25'' (8.26cm)
- **BLADE THICKNESS** - 0.14'' (3.56mm)
- **OPEN** - 7.62'' (19.35cm)
- **WEIGHT** - 4.65oz (131.83g)
- **HANDLE THICKNESS** - 0.632'' (16.05mm)



CONFIGURATIONS/MSRP

2730-03			$500
2730FE-2		FLAT EARTH	$375
2730GY-1		GRAY	$375
2730GY		GRAY	$375

Auto Fact®

4170BK BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - Auto AXIS® Lock with Safety
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Gray/Black - 6061-T6 Aluminum/Carbon Fiber
- **BLADE LENGTH** - 3.95'' (10.03cm)
- **BLADE THICKNESS** - 0.11'' (2.79mm)
- **OPEN** - 8.74'' (22.2cm)
- **WEIGHT** - 3.11oz (88.17g)
- **HANDLE THICKNESS** - 0.51'' (12.95mm)



CONFIGURATIONS/MSRP

4170BK		BLACK	$500

Auto Triage®

9170SBK BENCHMADE

RESCUE TACTICAL

- **MECHANISM** - Auto AXIS® Lock with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - N680 Stainless Steel (57-59 HRC)
- **HANDLE** - Black - G10/Aluminum
- **BLADE LENGTH** - 3.58'' (9.09cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.31'' (21.11cm)
- **WEIGHT** - 5.75oz (163.01g)
- **HANDLE THICKNESS** - 0.58'' (14.73mm)



CONFIGURATIONS/MSRP

9170SBK	SERR	BLACK	$475

CLA

4300BK BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.85'' (19.94cm)
- **WEIGHT** - 3.47oz (98.37g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

4300BK		BLACK	$300

CLA

4300-1 BENCHMADE

EVERYDAY CARRY TACTICAL

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- **HANDLE** - Green and Black - Textured G10
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.85'' (19.94cm)
- **WEIGHT** - 3.47oz (98.37g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

4300-1			$300

CLA

4300BK-02 BENCHMADE

EVERYDAY CARRY

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.85'' (19.94cm)
- **WEIGHT** - 3.47oz (98.37g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

4300BK-02		BLACK	$400

Casbah®

4400BK BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - Grivory®
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.8'' (19.81cm)
- **WEIGHT** - 3.43oz (97.24g)
- **HANDLE THICKNESS** - 0.59'' (14.99mm)



CONFIGURATIONS/MSRP

4400BK		BLACK	$250



THE AUTO OSBORNE

9400BK-03 Auto Osborne

Inspired by overland adventure and stylish daily carry, the 9400BK-03 Auto Osborne is our nod to the rugged folks who enjoy dusty, gritty, challenging treks across natural terrain. Reimagined with fast deploying push-button automatic action and an integrated spine safety, this latest variant of the 9400 Auto Osborne features a wear and corrosion resistant MagnaCut® reverse tanto blade with DLC Battlewash finish. Clad in lightweight Burnt Copper anodized 6061-T6 aluminum handle scales to tackle the outdoors, the 9400BK-03 Auto Osborne combines rapid response and timeless knife design for hardcore exploration.

- MagnaCut® Stainless Steel (60-62 HRC)
- Burnt Copper 6061-T6 Aluminum handle
- DLC Battlewash blade steel
- Push Button Auto With Integrated Safety

Featured on page 30

Auto Osborne

9400BK-03 BENCHMADE

EVERYDAY CARRY · TACTICAL

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Burnt Copper - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.65oz (75.13g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)



CONFIGURATIONS/MSRP

9400BK-03	BLACK	$350

Auto Osborne

9400 OSBORNE

EVERYDAY CARRY · TACTICAL

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.65oz (75.13g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)



CONFIGURATIONS/MSRP

9400		$350

Auto Osborne

9400BK OSBORNE

EVERYDAY CARRY · TACTICAL

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.65oz (75.13g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)



CONFIGURATIONS/MSRP

9400BK	BLACK	$350

Mediator®

8551BK BENCHMADE

EVERYDAY CARRY TACTICAL

» **MECHANISM** - Push Button Auto with Safety
» **BLADE STYLE** - Reverse Tanto
» **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
» **HANDLE** - Black - G10
» **BLADE LENGTH** - 3.3'' (8.38cm)
» **BLADE THICKNESS** - 0.115'' (2.92mm)
» **OPEN** - 7.75'' (19.69cm)
» **WEIGHT** - 2.89oz (81.93g)
» **HANDLE THICKNESS** - 0.52'' (13.21mm)



CONFIGURATIONS/MSRP

8551BK		BLACK	$350

Claymore

9071BK BENCHMADE

TACTICAL

» **MECHANISM** - Push Button Auto with Safety
» **BLADE STYLE** - Tanto
» **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
» **HANDLE** - Black - Grivory®
» **BLADE LENGTH** - 3.6'' (9.14cm)
» **BLADE THICKNESS** - 0.114'' (2.9mm)
» **OPEN** - 8.6'' (21.84cm)
» **WEIGHT** - 3.5oz (99.22g)
» **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

9071BK		BLACK	$250
9071BK-1		BLACK	$250
9071SBK	SERR	BLACK	$250
9071SBK-1	SERR	BLACK	$250

Claymore

9070BK BENCHMADE

TACTICAL

» **MECHANISM** - Push Button Auto with Safety
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
» **HANDLE** - Black - Grivory®
» **BLADE LENGTH** - 3.6'' (9.14cm)
» **BLADE THICKNESS** - 0.114'' (2.9mm)
» **OPEN** - 8.6'' (21.84cm)
» **WEIGHT** - 3.5oz (99.22g)
» **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

9070BK		BLACK	$250
9070SBK	SERR	BLACK	$250

Mini Claymore

9570BK-1 BENCHMADE

TACTICAL

» **MECHANISM** - Push Button Auto with Safety
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
» **HANDLE** - Ranger green - Grivory®
» **BLADE LENGTH** - 3'' (7.62cm)
» **BLADE THICKNESS** - 0.1'' (2.54mm)
» **OPEN** - 7.18'' (18.24cm)
» **WEIGHT** - 2.56oz (72.57g)
» **HANDLE THICKNESS** - 0.56'' (14.22mm)



CONFIGURATIONS/MSRP

9570BK-1		BLACK	$225
9570BK		BLACK	$225

Claymore

9070SBK-1 BENCHMADE

TACTICAL

» **MECHANISM** - Push Button Auto with Safety
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
» **HANDLE** - Ranger Green - Grivory®
» **BLADE LENGTH** - 3.6'' (9.14cm)
» **BLADE THICKNESS** - 0.114'' (2.9mm)
» **OPEN** - 8.6'' (21.84cm)
» **WEIGHT** - 3.5oz (99.22g)
» **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

9070SBK-1	SERR	BLACK	$250
9070BK-1		BLACK	$250

AFO II

9051SBK BENCHMADE

TACTICAL

» **MECHANISM** - Push Button Auto with Safety
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
» **HANDLE** - Black - 6061-T6 Aluminum
» **BLADE LENGTH** - 3.59'' (9.12cm)
» **BLADE THICKNESS** - 0.124'' (3.15mm)
» **OPEN** - 8.53'' (21.67cm)
» **WEIGHT** - 5.8oz (164.43g)
» **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

9051SBK	SERR	BLACK	$350

Auto Stryker®

9101SBK BENCHMADE

TACTICAL

- **MECHANISM** - Push Button Auto with Safety
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.3'' (21.08cm)
- **WEIGHT** - 4.2oz (119.07g)
- **HANDLE THICKNESS** - 0.5'' (12.7mm)



CONFIGURATIONS/MSRP

9101SBK	SERR	BLACK	$350

Shootout®

5370FE BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Black - CF-Elite®
- **BLADE LENGTH** - 3.51'' (8.92cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 8.22'' (20.88cm)
- **WEIGHT** - 2.8oz (79.38g)
- **HANDLE THICKNESS** - 0.51'' (12.95mm)



CONFIGURATIONS/MSRP

5370FE		FLAT EARTH	$350

Shootout®

5370FE-01 BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - CPM-W Tool Steel (63-65HRC)
- **HANDLE** - Crater Blue - Grivory®
- **BLADE LENGTH** - 3.513'' (8.92cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 8.222'' (20.88cm)
- **WEIGHT** - 2.8oz (79.38g)
- **HANDLE THICKNESS** - 0.51'' (12.95mm)



CONFIGURATIONS/MSRP

5370FE-01		FLAT EARTH	$350

Shootout®

5370FE-02 BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Tanto
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Cool Gray - Grivory®
- **BLADE LENGTH** - 3.513'' (8.92cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 8.222'' (20.88cm)
- **WEIGHT** - 2.8oz (79.38g)
- **HANDLE THICKNESS** - 0.51'' (12.95mm)



CONFIGURATIONS/MSRP

5370FE-02		FLAT EARTH	$350

Shootout®

5371BK-01 BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Ranger Green - Grivory®
- **BLADE LENGTH** - 3.494'' (8.87cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.194'' (20.81cm)
- **WEIGHT** - 2.75oz (77.96g)
- **HANDLE THICKNESS** - 0.515'' (13.08mm)



CONFIGURATIONS/MSRP

5371BK-01		BLACK	$350

Shootout®

5371FE BENCHMADE

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Black - CF-Elite®
- **BLADE LENGTH** - 3.494'' (8.87cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.194'' (20.81cm)
- **WEIGHT** - 2.75oz (77.96g)
- **HANDLE THICKNESS** - 0.515'' (13.08mm)



CONFIGURATIONS/MSRP

5371FE		FLAT EARTH	$350



THE SHOOTOUT®

The 5370FE Shootout® double-action out-the-front automatic is the perfect off-hand backup. The molded CF-Elite® handle features a detailed grip texture that provides fast indexing and greater control in high-pressure scenarios. At the same time, the Flat Earth PVD coated CPM-CruWear® blade offers high strength and durability for all cutting tasks. A carbide glass breaker and a reversible pocket clip round out this versatile tool. Fully loaded with our latest tech, the 5370FE Shootout® packs a punch.

Double-action out-the-front automatic. Spine fire release button

Flat Earth PVD blade finish

CPM-CruWear® super strong tool steel (63-65HRC)

Reversible tip-down deep-carry pocket clip

Featured on page 33

Shootout®

5371FE-2601 BENCHMADE

TACTICAL · EVERYDAY CARRY · SEASON 1

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - Z-Wear® Tool Steel (63-65HRC)
- **HANDLE** - Taiga Green - Grivory®
- **BLADE LENGTH** - 3.49'' (8.86cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.19'' (20.8cm)
- **WEIGHT** - 2.75oz (77.96g)
- **HANDLE THICKNESS** - 0.515'' (13.08mm)



CONFIGURATIONS/MSRP

5371FE-2601		FLAT EARTH	$350

EST SHIP DATE: FEB

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Claymore OTF

3370GY BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Black - Grivory®
- **BLADE LENGTH** - 3.89'' (9.88cm)
- **BLADE THICKNESS** - 0.116'' (2.95mm)
- **OPEN** - 8.9'' (22.61cm)
- **WEIGHT** - 2.97oz (84.2g)
- **HANDLE THICKNESS** - 0.521'' (13.23mm)



CONFIGURATIONS/MSRP

3370GY		GRAY	$400

Claymore OTF

3370SGY BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Black - Grivory®
- **BLADE LENGTH** - 3.89'' (9.88cm)
- **BLADE THICKNESS** - 0.116'' (2.95mm)
- **OPEN** - 8.9'' (22.61cm)
- **WEIGHT** - 2.97oz (84.2g)
- **HANDLE THICKNESS** - 0.521'' (13.23mm)



CONFIGURATIONS/MSRP

3370SGY	SERR	GRAY	$400

Claymore OTF

3370GY-1 BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Ranger Green - Grivory®
- **BLADE LENGTH** - 3.89'' (9.88cm)
- **BLADE THICKNESS** - 0.116'' (2.95mm)
- **OPEN** - 8.9'' (22.61cm)
- **WEIGHT** - 2.97oz (84.2g)
- **HANDLE THICKNESS** - 0.521'' (13.23mm)



CONFIGURATIONS/MSRP

3370GY-1		GRAY	$400

Claymore OTF

3370SGY-1 BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Ranger Green - Grivory®
- **BLADE LENGTH** - 3.89'' (9.88cm)
- **BLADE THICKNESS** - 0.116'' (2.95mm)
- **OPEN** - 8.9'' (22.61cm)
- **WEIGHT** - 2.97oz (84.2g)
- **HANDLE THICKNESS** - 0.521'' (13.23mm)



CONFIGURATIONS/MSRP

3370SGY-1	SERR	GRAY	$400

Mini Claymore OTF

3375GY-1 BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - CPM-D2 Tool Steel (60-62HRC)
- **HANDLE** - Ranger Green - Grivory®
- **BLADE LENGTH** - 3.02'' (7.67cm)
- **BLADE THICKNESS** - 0.116'' (2.95mm)
- **OPEN** - 7.14'' (18.14cm)
- **WEIGHT** - 2.52oz (71.44g)
- **HANDLE THICKNESS** - 0.521'' (13.23mm)



CONFIGURATIONS/MSRP

3375GY-1		GRAY	$375
3375GY		GRAY	$375

Phaeton®

4600DLC BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Clip-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - Aluminum
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.125'' (3.18mm)
- **OPEN** - 8.08'' (20.52cm)
- **WEIGHT** - 3.01oz (85.33g)
- **HANDLE THICKNESS** - 0.47'' (11.94mm)



CONFIGURATIONS/MSRP

4600DLC		BLACK	$450

Phaeton®

4600DLC-1 BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Clip-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Earth - Aluminum
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.125'' (3.18mm)
- **OPEN** - 8.08'' (20.52cm)
- **WEIGHT** - 3.01oz (85.33g)
- **HANDLE THICKNESS** - 0.47'' (11.94mm)



CONFIGURATIONS/MSRP

4600DLC-1			$450

Infidel®

3300BK MCHENRY & WILLIAMS

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - D2 Tool Steel (60-62HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.91'' (9.93cm)
- **BLADE THICKNESS** - 0.118'' (3.0mm)
- **OPEN** - 8.91'' (22.63cm)
- **WEIGHT** - 4.9oz (138.91g)
- **HANDLE THICKNESS** - 0.59'' (14.99mm)



CONFIGURATIONS/MSRP

3300BK		BLACK	$550

Mini Infidel®

3350BK MCHENRY & WILLIAMS

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - D2 Tool Steel (60-62HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.1'' (7.87cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 7.1'' (18.03cm)
- **WEIGHT** - 3.4oz (96.39g)
- **HANDLE THICKNESS** - 0.54'' (13.72mm)



CONFIGURATIONS/MSRP

3350BK	BLACK	$525

Autocrat®

3400BK-2 BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Coyote Brown - G10
- **BLADE LENGTH** - 3.71'' (9.42cm)
- **BLADE THICKNESS** - 0.105'' (2.67mm)
- **OPEN** - 8.75'' (22.23cm)
- **WEIGHT** - 3.93oz (111.41g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

3400BK-2	BLACK	$500

Autocrat®

3400BK BENCHMADE

EVERYDAY CARRY

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.71'' (9.42cm)
- **BLADE THICKNESS** - 0.105'' (2.67mm)
- **OPEN** - 8.75'' (22.23cm)
- **WEIGHT** - 3.93oz (111.41g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)

CONFIGURATIONS/MSRP

3400BK	BLACK	$500

Fixed Adamas®

375FE-1 SIBERT

TACTICAL

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Steel type with optional paracord wrap
- **BLADE LENGTH** - 4.2'' (10.67cm)
- **BLADE THICKNESS** - 0.17'' (4.32mm)
- **OPEN** - 9.17'' (23.29cm)
- **WEIGHT** - 5.66oz (160.46g)
- **HANDLE THICKNESS** - 0.17'' (4.32mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.11oz (31.47g)

CONFIGURATIONS/MSRP

375FE-1	FLAT EARTH	$275

Autocrat®

3400BK-1 BENCHMADE

TACTICAL

- **MECHANISM** - Double-Action Out-The-Front Automatic
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Olive Drab - G10
- **BLADE LENGTH** - 3.71'' (9.42cm)
- **BLADE THICKNESS** - 0.105'' (2.67mm)
- **OPEN** - 8.75'' (22.23cm)
- **WEIGHT** - 3.93oz (111.41g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

3400BK-1	BLACK	$500

Fixed Adamas®

375BK-1 SIBERT

TACTICAL

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - Steel type with optional paracord wrap
- **BLADE LENGTH** - 4.2'' (10.67cm)
- **BLADE THICKNESS** - 0.17'' (4.32mm)
- **OPEN** - 9.17'' (23.29cm)
- **WEIGHT** - 5.66oz (160.46g)
- **HANDLE THICKNESS** - 0.17'' (4.32mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.11oz (31.47g)



CONFIGURATIONS/MSRP

375BK-1	BLACK	$275

H2O Fixed Dive Knife

112SBK-BLK BENCHMADE

OUTDOOR RESCUE

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Opposing Bevel
- **BLADE STEEL** - N680 Stainless Steel (57-59 HRC)
- **HANDLE** - Black - Santoprene®
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 8.07'' (20.5cm)
- **WEIGHT** - 3.2oz (90.72g)
- **HANDLE THICKNESS** - 0.54'' (13.72mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

112SBK-BLK	SERR	BLACK	$200

Mini SOCP® Spear-Point

177BK THOMPSON

TACTICAL

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 2.22'' (5.64cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 6.25'' (15.88cm)
- **WEIGHT** - 3oz (85.05g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

177BK		BLACK	$100

Mini SOCP® Dagger

173BK THOMPSON

TACTICAL

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 2.22'' (5.64cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 6.25'' (15.88cm)
- **WEIGHT** - 3oz (85.05g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

173BK		BLACK	$100

SOCP® Dagger

174BK THOMPSON

TACTICAL EVERYDAY CARRY S2 SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 2.75'' (6.99cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.26'' (18.44cm)
- **WEIGHT** - 2.01oz (56.98g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)

EST SHIP DATE: OCT

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



CONFIGURATIONS/MSRP

174BK		BLACK	$100

SOCP® Dagger

174GY THOMPSON

TACTICAL EVERYDAY CARRY S2 SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Tungsten Gray - 440C
- **BLADE LENGTH** - 2.75'' (6.99cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.26'' (18.44cm)
- **WEIGHT** - 2.01oz (56.98g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)

EST SHIP DATE: OCT

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



CONFIGURATIONS/MSRP

174GY		GRAY	$100

SOCP® Dagger


174SN THOMPSON

TACTICAL EVERYDAY CARRY S2 SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Desert Sand - 440C
- **BLADE LENGTH** - 2.75'' (6.99cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.26'' (18.44cm)
- **WEIGHT** - 2.01oz (56.98g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)

EST SHIP DATE: OCT

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



CONFIGURATIONS/MSRP

174SN		DESERT SAND	$100

SOCP® Dagger

176BK THOMPSON

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 3.22'' (8.18cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.25'' (18.42cm)
- **WEIGHT** - 2.12oz (60.1g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BK	BLACK	$125
176BKSN	BLACK	$125

SOCP® Combo

176BK-COMBO THOMPSON

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 3.22'' (8.18cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.25'' (18.42cm)
- **WEIGHT** - 2.12oz (60.1g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BK-COMBO	BLACK	$150
176BKSN-COMBO	BLACK	$150

SOCP® Dagger

176BKSN THOMPSON

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 3.22'' (8.18cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.25'' (18.42cm)
- **WEIGHT** - 2.12oz (60.1g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BKSN	BLACK	$125

SOCP® Trainer

176T THOMPSON

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trainer
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Red - 440C
- **BLADE LENGTH** - 2.78'' (7.06cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 6.81'' (17.3cm)
- **WEIGHT** - 2.58oz (73.14g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176T	RED	$75

SOCP® Combo

176BKSN-COMBO THOMPSON

TACTICAL EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Double-Edged Dagger
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - 440C
- **BLADE LENGTH** - 3.22'' (8.18cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 7.25'' (18.42cm)
- **WEIGHT** - 2.12oz (60.1g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g)



CONFIGURATIONS/MSRP

176BKSN-COMBO	COMBO	BLACK	$150

Mini SOCP®

177GY THOMPSON

TACTICAL EVERYDAY CARRY S2 SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Tungsten Gray - 440C
- **BLADE LENGTH** - 1.66'' (4.22cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 6.3'' (16.0cm)
- **WEIGHT** - 1.81oz (51.31g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

177GY	GRAY	$100

EST SHIP DATE: JAN

IMAGE RENDERING | DETAILS SUBJECT TO CHANGE

SOCP®

Special Operations Combatives Program

"I get the gratification of working with the best in the world. I have to give them the tools, the tactics, the procedures. I want them to go home to their families."

- Greg Thompson
SOCP® Founder

Featured on page 43

Scan to watch the video





Featured on page 43

Mini SOCP®

177SN THOMPSON

TACTICAL · EVERYDAY CARRY · SEASON 1

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Desert Sand - 440C
- **BLADE LENGTH** - 1.66'' (4.22cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 6.3'' (16.0cm)
- **WEIGHT** - 1.81oz (51.31g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

177SN	DESERT SAND	$100

EST SHIP DATE: JAN

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Mini SOCP®

177GN THOMPSON

TACTICAL · EVERYDAY CARRY · SEASON 1

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Olive Drab - 440C
- **BLADE LENGTH** - 1.66'' (4.22cm)
- **BLADE THICKNESS** - 0.175'' (4.45mm)
- **OPEN** - 6.3'' (16.0cm)
- **WEIGHT** - 1.81oz (51.31g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 0.92oz (26.08g)



CONFIGURATIONS/MSRP

177GN	GREEN	$100

EST SHIP DATE: JAN

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

SOCP® Rescue Tool

179GRY THOMPSON

RESCUE · TACTICAL

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Rescue Hook
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black Steel Gray - 440C
- **BLADE LENGTH** - 2.5'' (6.35cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 6.75'' (17.15cm)
- **WEIGHT** - 1.88oz (53.3g)
- **HANDLE THICKNESS** - 0.18'' (4.57mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 1.04oz (29.48g



CONFIGURATIONS/MSRP

179GRY	GRAY	$100

SOCP® Fixed Blade

185BK THOMPSON

TACTICAL · EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - 3V Tool Steel (60-62HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 7.111'' (18.06cm)
- **BLADE THICKNESS** - 0.15'' (3.81mm)
- **OPEN** - 11.736'' (29.81cm)
- **WEIGHT** - 5.78oz (163.86g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP

185BK	BLACK	$400

SOCP® Fixed Blade Trainer

185T THOMPSON

TACTICAL · EVERYDAY CARRY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trainer
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 6.855'' (17.41cm)
- **BLADE THICKNESS** - 0.15'' (3.81mm)
- **OPEN** - 11.48'' (29.16cm)
- **WEIGHT** - 6.58oz (186.54g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP

185T	RED	$250

SOCP® Fixed Blade

185BK-1 THOMPSON

TACTICAL

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Dagger
- **BLADE STEEL** - 3V Tool Steel (60-62HRC)
- **HANDLE** - Desert Tan - G10
- **BLADE LENGTH** - 7.111'' (18.06cm)
- **BLADE THICKNESS** - 0.15'' (3.81mm)
- **OPEN** - 11.736'' (29.81cm)
- **WEIGHT** - 5.78oz (163.86g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)
- **SHEATH** - Injection Molded
- **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP

185BK-1	BLACK	$400

Mini SOCP®

393SBK THOMPSON

TACTICAL RESCUE SEASON 2

» **MECHANISM** - AXIS® Lock
» **BLADE STYLE** - Spear-Point
» **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
» **HANDLE** - Black - G10
» **BLADE LENGTH** - 3.76'' (9.55cm)
» **BLADE THICKNESS** - 0.121'' (3.07mm)
» **OPEN** - 8.67'' (22.02cm)
» **WEIGHT** - TBD
» **HANDLE THICKNESS** - 0.497'' (12.62mm)



BLACK NEW CLASS 2026 2026

CONFIGURATIONS/MSRP

393SBK | SERR | BLACK | $350

EST SHIP DATE: OCT


IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Mini SOCP®

393SSN-01 THOMPSON

TACTICAL RESCUE SEASON 2

» **MECHANISM** - AXIS® Lock
» **BLADE STYLE** - Spear-Point
» **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
» **HANDLE** - Desert Sand - G10
» **BLADE LENGTH** - 3.76'' (9.55cm)
» **BLADE THICKNESS** - 0.121'' (3.07mm)
» **OPEN** - 8.67'' (22.02cm)
» **WEIGHT** - TBD
» **HANDLE THICKNESS** - 0.497'' (12.62mm)



BLACK NEW CLASS 2026 2026

CONFIGURATIONS/MSRP

393SSN-01 | SERR | DESERT SAND | $350

EST SHIP DATE: OCT

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

7 Hook

7 BLKW BENCHMADE

RESCUE TACTICAL

» **MECHANISM** - Rescue Hook
» **BLADE STYLE** - Hook
» **BLADE STEEL** - 420HC Stainless Steel (58-60HRC)
» **HANDLE** - Black - Rubber Dipped
» **OPEN** - 4.3'' (10.92cm)
» **WEIGHT** - 1.5oz (42.52g)
» **SHEATH** - Nylon
» **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP

7 BLKW | | BLACK | $50

8 Hook

8 BLKW BENCHMADE

RESCUE TACTICAL

» **MECHANISM** - Rescue Hook
» **BLADE STYLE** - Hook
» **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
» **HANDLE** - Black - 440C
» **OPEN** - 6.5'' (16.51cm)
» **WEIGHT** - 1.43oz (40.54g)
» **SHEATH** - Nylon
» **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP

8 BLKW | | BLACK | $75

8 Hook

8 BLKWMED BENCHMADE

RESCUE TACTICAL

» **MECHANISM** - Rescue Hook
» **BLADE STYLE** - Hook
» **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
» **HANDLE** - Black - 440C
» **OPEN** - 6.5'' (16.51cm)
» **WEIGHT** - 1.43oz (40.54g)
» **SHEATH** - Nylon
» **SHEATH WEIGHT** - 0.88oz (24.95g)



CONFIGURATIONS/MSRP

8 BLKWMED | | BLACK | $75

BENCHMADE®

GEAR FOR THE EVERYDAY

BLUE CLASS

EVERYDAY DOESN'T MEAN ORDINARY.

BLUE CLASS KNIVES ARE MADE TO MOVE WITH YOU, WHEREVER YOU GO.

Bugout®
535 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Blue - Grivory®
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535		$200

Bugout®
535-3 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - Carbon Fiber
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 2.02oz (57.27g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

535-3		$350

Bugout®
535GRY-1 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Ranger Green - Grivory®
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535GRY-1		GRAY	$200

Bugout®
535BK-4 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Gray - 6061-T6 Aircraft Aluminum
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 2.50oz (70.87g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

535BK-4		BLACK	$350

Bugout®
535BK-2 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Graphite Black - CF-Elite®
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535BK-2		BLACK	$200

Bugout®
535FE-05 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Crater Blue - Grivory®
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535FE-05		FLAT EARTH	$200

Bugout®
535BK-07 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Burnt Brass - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 2.50oz (70.87g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535BK-07	BLACK	$350

Bugout®
535TN-11 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Olive - Grivory®
- **BLADE LENGTH** - 3.235'' (8.22cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)




CONFIGURATIONS/MSRP

535TN-11	TAN	$200

Bugout®
535BK-08 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Storm Gray - Grivory®
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535BK-08	BLACK	$200

Bugout®
535SL-13 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Crater Blue - Aluminum
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 2.52oz (71.44g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP

535SL-13	SILVER	$350

Bugout®
535-09 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Ash Gray/Redstone - Aluminum/Richlite
- **BLADE LENGTH** - 3.235'' (8.22cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 2.52oz (71.44g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



CONFIGURATIONS/MSRP


535-09		$400

Bugout®
535TN-2601 BENCHMADE

EVERYDAY CARRY · OUTDOOR · SEASON 1

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- **HANDLE** - Taiga Green - Grivory®
- **BLADE LENGTH** - 3.2'' (8.13cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 1.85oz (52.45g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)

EST SHIP DATE: FEB



CONFIGURATIONS/MSRP

535TN-2601	TAN	$200

Bugout®
535FE-2602 BENCHMADE

EVERYDAY CARRY · OUTDOOR · SEASON 2

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Taiga Green - Natural Micarta - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.24'' (8.23cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 2.52oz (71.44g)
- **HANDLE THICKNESS** - 0.42'' (10.67mm)



BLUE NEW CLASS 2026

CONFIGURATIONS/MSRP

535FE-2602	FLAT EARTH	$400

EST SHIP DATE: JUL
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Bugout®
534BK BENCHMADE

EVERYDAY CARRY · OUTDOOR · SEASON 1

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.25'' (8.26cm)
- **BLADE THICKNESS** - 0.08'' (2.03mm)
- **OPEN** - 7.48'' (19.0cm)
- **WEIGHT** - TBD
- **HANDLE THICKNESS** - 0.282'' (7.16mm)



BLUE NEW CLASS 2026

CONFIGURATIONS/MSRP

534BK	BLACK	$375

EST SHIP DATE: JUN
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Mini Bugout®
533 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Orange - Grivory®
- **BLADE LENGTH** - 2.82'' (7.16cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.49'' (16.48cm)
- **WEIGHT** - 1.50oz (42.52g)
- **HANDLE THICKNESS** - 0.412'' (10.46mm)



CONFIGURATIONS/MSRP

533		$175

Mini Bugout®
533BK-1 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - White - Grivory®
- **BLADE LENGTH** - 2.82'' (7.16cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.49'' (16.48cm)
- **WEIGHT** - 1.50oz (42.52g)
- **HANDLE THICKNESS** - 0.412'' (10.46mm)



CONFIGURATIONS/MSRP

533BK-1	BLACK	$175

Mini Bugout®
533BK-2 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - CF-Elite®
- **BLADE LENGTH** - 2.82'' (7.16cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.49'' (16.48cm)
- **WEIGHT** - 1.50oz (42.52g)
- **HANDLE THICKNESS** - 0.412'' (10.46mm)



CONFIGURATIONS/MSRP

533BK-2	BLACK	$175

Mini Bugout®
533-3 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - Carbon Fiber
- **BLADE LENGTH** - 2.82'' (7.16cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.49'' (16.48cm)
- **WEIGHT** - 1.62oz (45.93g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

533-3		$325

THE ONE AND ONLY BUGOUT®

535BK-07 Bugout®

The premium 535BK-07 elevates the iconic Bugout® with upgraded materials and striking style. It features slim Burnt Brass anodized 6061-T6 aluminum handles, a premium M390 stainless steel blade with black DLC battlewash finish, and vibrant turquoise accents on the thumb stud and barrel spacer. Lightweight yet refined, the 535BK-07 performs flawlessly on the trail or in dress mode.

- Burnt Brass 6061-T6 aluminum handles
- M390 stainless steel (58-61HRC)
- Black DLC Battlewash blade finish
- Turquoise thumstud and barrel spacer

BUILT FOR ADVENTURE

Featured on page 55

Mini Bugout®

533SL-10 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Woodland Green - Aluminum
- **BLADE LENGTH** - 2.82'' (7.16cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.49'' (16.48cm)
- **WEIGHT** - 2.00oz (56.70g)
- **HANDLE THICKNESS** - 0.426'' (10.82mm)



CONFIGURATIONS/MSRP

533SL-10	SILVER	$350

Mini Bugout®

533TN-2601 BENCHMADE

EVERYDAY CARRY · OUTDOOR · SEASON 1

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- **HANDLE** - Taiga Green - Grivory®
- **BLADE LENGTH** - 2.82'' (7.16cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.49'' (16.48cm)
- **WEIGHT** - 1.50oz (42.52g)
- **HANDLE THICKNESS** - 0.426'' (10.82mm)

EST SHIP DATE: FEB



CONFIGURATIONS/MSRP

533TN-2601	TAN	$175

Narrows™

748 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Gray - 6Al-4V Titanium
- **BLADE LENGTH** - 3.43'' (8.71cm)
- **BLADE THICKNESS** - 0.08'' (2.03mm)
- **OPEN** - 8.02'' (20.37cm)
- **WEIGHT** - 2.41oz (68.32g)
- **HANDLE THICKNESS** - 0.28'' (7.11mm)



CONFIGURATIONS/MSRP

748		$525

Narrows™

748BK-01 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Black DLC - 6Al-4V Titanium
- **BLADE LENGTH** - 3.43'' (8.71cm)
- **BLADE THICKNESS** - 0.08'' (2.03mm)
- **OPEN** - 8.02'' (20.37cm)
- **WEIGHT** - 2.43oz (68.89g)
- **HANDLE THICKNESS** - 0.28'' (7.11mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

748BK-01		BLACK	$525

Mini Narrows™

743 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 20CV Stainless Steel (59-61 HRC)
- **HANDLE** - Gray - 6Al-4V Titanium
- **BLADE LENGTH** - 2.98'' (7.57cm)
- **BLADE THICKNESS** - 0.08'' (2.03mm)
- **OPEN** - 6.95'' (17.65cm)
- **WEIGHT** - 1.98oz (56.13g)
- **HANDLE THICKNESS** - 0.28'' (7.11mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

743			$500

Mini Narrows™

743BK-01 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 20CV Stainless Steel (59-61 HRC)
- **HANDLE** - Black - 6Al-4V Titanium
- **BLADE LENGTH** - 2.98'' (7.57cm)
- **BLADE THICKNESS** - 0.08'' (2.03mm)
- **OPEN** - 6.95'' (17.65cm)
- **WEIGHT** - 1.98oz (56.13g)
- **HANDLE THICKNESS** - 0.28'' (7.11mm)

OUTDOOR EVERYDAY CARRY



CONFIGURATIONS/MSRP

743BK-01		BLACK	$500

BENCHMADE

THE MINI OSBORNE

945-04 Mini Osborne

DOWN-HOME CARRY

As hardworking and ruggedly handsome as a pair of blue jeans, the new 945-04 Osborne is our nod to those who like to get their hands dirty and boots dusty, just like us. Evolved from the iconic folder that first began as a versatile ranch knife — and seamlessly doubles as the ultimate EDC — the new 945-04 Osborne features a durable M390 reverse tanto blade with a satin finish. Topped off with blue denim micarta handle scales and dark copper PVD accents, the 945-04 is a hard-use, working-class hero.

- Blue Denim Micarta handle
- M390 Stainless Steel (58-61 HRC)
- Classic reverse tanto blade
- Dark Copper PVD liners, pocket clip, thumb stud accents

Featured on page 66

Osborne
940 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.9oz (82.21g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

940		$300

Osborne
940BK-03 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Burnt Copper - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.9oz (82.21g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)



CONFIGURATIONS/MSRP

940BK-03		BLACK	$300

Osborne
940-1 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - Carbon Fiber
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.44oz (69.17g)
- **HANDLE THICKNESS** - 0.44'' (11.18mm)



CONFIGURATIONS/MSRP

940-1		$350

Osborne
940-04 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Blue Denim - Denim Micarta
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.423oz (68.69g)
- **HANDLE THICKNESS** - 0.445'' (11.3mm)



CONFIGURATIONS/MSRP

940-04		$300

Osborne
940-2 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.65oz (75.13g)
- **HANDLE THICKNESS** - 0.44'' (11.18mm)



CONFIGURATIONS/MSRP

940-2		$250

Osborne
940FE-2601 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Taiga Green - 6061-T6 Aluminum
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 7.87'' (19.99cm)
- **WEIGHT** - 2.9oz (82.21g)
- **HANDLE THICKNESS** - 0.405'' (10.29mm)



CONFIGURATIONS/MSRP

940FE-2601		FLAT EARTH	$325

EST SHIP DATE: JUL
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Mini Osborne
945 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Green - 6061-T6 Billet Aluminum
- **BLADE LENGTH** - 2.92'' (7.42cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 6.76'' (17.17cm)
- **WEIGHT** - 2oz (56.7g)
- **HANDLE THICKNESS** - 0.43'' (10.92mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

945			$275

Mini Osborne
945-04 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Blue Denim - Denim Micarta
- **BLADE LENGTH** - 2.92'' (7.42cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 6.76'' (17.17cm)
- **WEIGHT** - 1.96oz (55.57g)
- **HANDLE THICKNESS** - 0.425'' (10.8mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

945-04			$275

Mini Osborne
945BK-1 OSBORNE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black/Blue Base layer - G10
- **BLADE LENGTH** - 2.92'' (7.42cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 6.76'' (17.17cm)
- **WEIGHT** - 2.19oz (62.09g)
- **HANDLE THICKNESS** - 0.41'' (10.41mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

945BK-1		BLACK	$225

Griptilian®
550-S30V PARDUE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Sheepsfoot
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - Nylon
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 8.07'' (20.5cm)
- **WEIGHT** - 3.79oz (107.44g)
- **HANDLE THICKNESS** - 0.64'' (16.26mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

550-S30V			$175

Mini Osborne
945BK-03 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Reverse Tanto
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Burnt Copper - 6061-T6 Aluminum
- **BLADE LENGTH** - 2.92'' (7.42cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 6.76'' (17.17cm)
- **WEIGHT** - 2oz (56.7g)
- **HANDLE THICKNESS** - 0.425'' (10.8mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

945BK-03		BLACK	$275

Griptilian®
551-S30V PARDUE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - Nylon
- **BLADE LENGTH** - 3.45'' (8.76cm)
- **BLADE THICKNESS** - 0.115'' (2.92mm)
- **OPEN** - 8.07'' (20.5cm)
- **WEIGHT** - 3.88oz (110.0g)
- **HANDLE THICKNESS** - 0.64'' (16.26mm)

EVERYDAY CARRY OUTDOOR TACTICAL



CONFIGURATIONS/MSRP

551-S30V			$175
551SBK-S30V	SERR	BLACK	$175

Mini Griptilian®

555-S30V PARDUE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Sheepsfoot
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - Nylon
- **BLADE LENGTH** - 2.91'' (7.39cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 6.78'' (17.22cm)
- **WEIGHT** - 2.68oz (75.98g)
- **HANDLE THICKNESS** - 0.51'' (12.95mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

555-S30V			$150

Barrage®

581BK-04 OSBORNE

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Redstone - Richlite
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.121'' (3.07mm)
- **OPEN** - 8.45'' (21.46cm)
- **WEIGHT** - 4.45oz (126.16g)
- **HANDLE THICKNESS** - 0.633'' (16.08mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

581BK-04		BLACK	$400

Mini Griptilian®

556SBK-S30V PARDUE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - Glass Filled Nylon
- **BLADE LENGTH** - 2.91'' (7.39cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 6.78'' (17.22cm)
- **WEIGHT** - 2.81oz (79.66g)
- **HANDLE THICKNESS** - 0.51'' (12.95mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

556SBK-S30V	SERR	BLACK	$150
556-S30V			$150

Barrage®

583SBK OSBORNE

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- **HANDLE** - Black - Valox
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.121'' (3.07mm)
- **OPEN** - 8.45'' (21.46cm)
- **WEIGHT** - 4.51oz (127.86g)
- **HANDLE THICKNESS** - 0.65'' (16.51mm)

EVERYDAY CARRY TACTICAL



CONFIGURATIONS/MSRP

583SBK	SERR	BLACK	$250

Barrage®

580 OSBORNE

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- **HANDLE** - Black - Valox
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.121'' (3.07mm)
- **OPEN** - 8.45'' (21.46cm)
- **WEIGHT** - 4.31oz (122.19g)
- **HANDLE THICKNESS** - 0.65'' (16.51mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

580			$250

Mini Barrage®

585 OSBORNE

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - 154CM Stainless Steel (58-61HRC)
- **HANDLE** - Black - Valox
- **BLADE LENGTH** - 2.91'' (7.39cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 6.91'' (17.55cm)
- **WEIGHT** - 3.4oz (96.39g)
- **HANDLE THICKNESS** - 0.57'' (14.48mm)

EVERYDAY CARRY OUTDOOR



CONFIGURATIONS/MSRP

585			$225

Mini Barrage®

585BK-04 OSBORNE

EVERYDAY CARRY OUTDOOR

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Redstone - Richlite
- **BLADE LENGTH** - 2.91'' (7.39cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 6.91'' (17.55cm)
- **WEIGHT** - 3.76oz (106.59g)
- **HANDLE THICKNESS** - 0.57'' (14.48mm)



CONFIGURATIONS/MSRP

585BK-04		BLACK	$375

Freek®

560-03 BENCHMADE

EVERYDAY CARRY OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - Carbon Fiber
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.46'' (21.49cm)
- **WEIGHT** - 4.12oz (116.8g)
- **HANDLE THICKNESS** - 0.62'' (15.75mm)



CONFIGURATIONS/MSRP

560-03			$375

Freek®

560BK-1 BENCHMADE

EVERYDAY CARRY OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- **HANDLE** - Black/Gray/Red - G10
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.46'' (21.49cm)
- **WEIGHT** - 4.3oz (121.9g)
- **HANDLE THICKNESS** - 0.62'' (15.75mm)



CONFIGURATIONS/MSRP

560BK-1		BLACK	$325

Mini Freek®

565BK-02 BENCHMADE

EVERYDAY CARRY OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - M4 High-speed Steel (62-64HRC)
- **HANDLE** - Black/Gray/Red - G10
- **BLADE LENGTH** - 3'' (7.62cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 7.05'' (17.91cm)
- **WEIGHT** - 2.85oz (80.8g)
- **HANDLE THICKNESS** - 0.545'' (13.84mm)



CONFIGURATIONS/MSRP

565BK-02		BLACK	$300



THE PSK™

593BK-01

For the outdoor enthusiast who prefers to carry a hard-core workhorse folder for camping tasks and survival experiences, the 593BK-01 PSK™ is your Personal Survival Kit in one tough and rugged lightweight bushcrafting tool. Built sturdy with full liners and outfitted with a textured carbon fiber bolster and black G10 handle housing a strong, corrosion resistant MagnaCut® blade. If you like to carry an auto outdoors but are restricted by your region, the 593BK-01 PSK™ is the perfect alternative for efficient and ambidextrous one-hand deployment.



- Corrosion resistant MagnaCut®
- Black Cerakote finish
- Rapid and reliable AXIS® Assist actuation with integrated spine safety
- Striking choil at the base of the blade for fire starting with a ferro rod

Featured on page 72

PSK™
593BK BENCHMADE

OUTDOOR · EVERYDAY CARRY

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 3.4466'' (8.75cm)
- **BLADE THICKNESS** - 0.11'' (2.79mm)
- **OPEN** - 8.3981'' (21.33cm)
- **WEIGHT** - 5.328oz (151.05g)
- **HANDLE THICKNESS** - 0.6165'' (15.66mm)



CONFIGURATIONS/MSRP

593BK	BLACK	$400

PSK™
593BK-01 BENCHMADE

OUTDOOR · EVERYDAY CARRY

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Carbon Fiber / Black - Carbon Fiber/G10
- **BLADE LENGTH** - 3.4466'' (8.75cm)
- **BLADE THICKNESS** - 0.11'' (2.79mm)
- **OPEN** - 8.3981'' (21.33cm)
- **WEIGHT** - 5.223oz (148.07g)
- **HANDLE THICKNESS** - 0.6165'' (15.66mm)



CONFIGURATIONS/MSRP

593BK-01	BLACK	$450

PSK™
593GY-02 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - AXIS® Assist With Integrated Safety
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- **HANDLE** - Tempest Gray/Storm Gray - Grivory®
- **BLADE LENGTH** - 3.44'' (8.74cm)
- **BLADE THICKNESS** - 0.11'' (2.79mm)
- **OPEN** - 8.39'' (21.31cm)
- **WEIGHT** - 4.48oz (127.01g)
- **HANDLE THICKNESS** - 0.616'' (15.65mm)



CONFIGURATIONS/MSRP

593GY-02	GRAY	$325

Lowden™
491 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Crater Blue - 6061-T6 Aluminum
- **BLADE LENGTH** - 2.79'' (7.09cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.81'' (17.3cm)
- **WEIGHT** - 2.99oz (84.77g)
- **HANDLE THICKNESS** - 0.502'' (12.75mm)

EVERYDAY CARRY



CONFIGURATIONS/MSRP

491		$350

Lowden™
491GY-01 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Phoenix Red - 6061-T6 Aluminum
- **BLADE LENGTH** - 2.79'' (7.09cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.81'' (17.3cm)
- **WEIGHT** - 2.99oz (84.77g)
- **HANDLE THICKNESS** - 0.502'' (12.75mm)

EVERYDAY CARRY



CONFIGURATIONS/MSRP

491GY-01		GRAY	$350

Lowden™
491BK-02 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 2.79'' (7.09cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.81'' (17.3cm)
- **WEIGHT** - TBD
- **HANDLE THICKNESS** - 0.502'' (12.75mm)

EVERYDAY CARRY · SEASON 2



CONFIGURATIONS/MSRP

491BK-02		BLACK	$300

EST SHIP DATE: AUG
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Vector®
495 BENCHMADE

- **MECHANISM** - AXIS® Assist Flipper With Integrated Safety
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Black - G10
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.1'' (2.54mm)
- **OPEN** - 8.42'' (21.39cm)
- **WEIGHT** - 4.11oz (116.52g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)

EVERYDAY CARRY



CONFIGURATIONS/MSRP

495		$350

SEVEN | TEN®
710FE-24 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Recurve Drop-point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Gray - 6061-T6 Aluminum
- **BLADE LENGTH** - 4'' (10.16cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.95'' (22.73cm)
- **WEIGHT** - 4.85oz (137.5g)
- **HANDLE THICKNESS** - 0.507'' (12.88mm)

EVERYDAY CARRY · OUTDOOR



CONFIGURATIONS/MSRP

710FE-24		FLAT EARTH	$450

SEVEN | TEN®
710-25 BENCHMADE

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Recurve Drop-point
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Black - 6061-T6 Aluminum
- **BLADE LENGTH** - 4'' (10.16cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.95'' (22.73cm)
- **WEIGHT** - 4.85oz (137.5g)
- **HANDLE THICKNESS** - 0.507'' (12.88mm)

EVERYDAY CARRY · OUTDOOR



CONFIGURATIONS/MSRP

710-25			$450

Successor™

315 BENCHMADE

- **MECHANISM** - Slip-Joint
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Ash Gray/Crater Blue - 6061-T6 Aluminum
- **BLADE LENGTH** - 2.56'' (6.5cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.26'' (15.9cm)
- **WEIGHT** - 2.28oz (64.64g)
- **HANDLE THICKNESS** - 0.432'' (10.97mm)
- **SHEATH** - Black Leather
- **SHEATH WEIGHT** - 0.85oz (24.1g)



CONFIGURATIONS/MSRP

315 | | $250

Successor™

315BK-01 BENCHMADE

- **MECHANISM** - Slip-Joint
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - M390 Stainless Steel (58-61HRC)
- **HANDLE** - Ash Gray/Burnt Brass - 6061-T6 Aluminum
- **BLADE LENGTH** - 2.56'' (6.5cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 6.26'' (15.9cm)
- **WEIGHT** - 2.28oz (64.64g)
- **HANDLE THICKNESS** - 0.632'' (16.05mm)
- **SHEATH** - Black Leather
- **SHEATH WEIGHT** - 0.85oz (24.1g)



CONFIGURATIONS/MSRP

315BK-01 | | BLACK | $250

Laro™

82 BENCHMADE

- **MECHANISM** - Bali-Song®
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Gray - Billet 6Al-4V Titanium
- **BLADE LENGTH** - 3.6'' (9.14cm)
- **BLADE THICKNESS** - 0.104'' (2.64mm)
- **OPEN** - 8.24" (20.93cm)
- **WEIGHT** - 4.38oz (124.17g)
- **HANDLE THICKNESS** - 0.46'' (11.68mm)
- **SHEATH** - Black Boltaron® with stainless clip
- **SHEATH WEIGHT** - 0.74oz (20.98g)




CONFIGURATIONS/MSRP

82 | | $650

Necron™

99 BENCHMADE

- **MECHANISM** - Bali-Song®
- **BLADE STYLE** - Scimitar featuring SelectEdge®
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Jade - G10
- **BLADE LENGTH** - 4.59'' (11.66cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 9.68'' (24.59cm)
- **WEIGHT** - 4.21oz (119.35g)
- **HANDLE THICKNESS** - 0.604'' (15.34mm)
- **SHEATH** - Nylon with velcro mount straps
- **SHEATH WEIGHT** - 0.71oz (20.13g)




CONFIGURATIONS/MSRP

99 | | $550

Necron™

99BK-1 BENCHMADE

- **MECHANISM** - Bali-Song®
- **BLADE STYLE** - Scimitar featuring SelectEdge®
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Ruby Red - G10
- **BLADE LENGTH** - 4.59'' (11.66cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 9.68'' (24.59cm)
- **WEIGHT** - 4.21oz (119.35g)
- **HANDLE THICKNESS** - 0.604'' (15.34mm)
- **SHEATH** - Nylon with velcro mount straps
- **SHEATH WEIGHT** - 0.71oz (20.13g)



CONFIGURATIONS/MSRP

99BK-1 | | BLACK | $550

Necron™ Trainer

99T BENCHMADE

- **MECHANISM** - Bali-Song®
- **BLADE STYLE** - Scimitar
- **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- **HANDLE** - Blue - G10
- **BLADE LENGTH** - 4.59'' (11.66cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 9.59'' (24.36cm)
- **WEIGHT** - 4.21oz (119.35g)
- **HANDLE THICKNESS** - 0.604'' (15.34mm)
- **SHEATH** - Nylon with velcro mount straps
- **SHEATH WEIGHT** - 0.71oz (20.13g)



CONFIGURATIONS/MSRP

99T | | $400



MASTER YOUR CRAFT

163-1 Bushcrafter

Channel your inner-survivalist with the sleek modern bushcraft fixed-blade reimagined as a premium variant to our original 162 designed by Shane Sibert. Built for the trail — or straying off of it — the 163-1 and 165-1 have been elevated with new blade geometry and handle ergonomics, premium finishes. From fire prep batoning and feather sticking to shelter building and food prep around camp, the Bushcrafter begs you to be outside.

- Two color options are available in both the full size and mini variants
- Comes with a belt-carry leather sheath with ferro rod attachment
- Made from durable allweather materials
- Redesigned with updated blade geometry and handle ergonomics

Featured on page 78

Bushcrafter

163-1 SIBERT

SURVIVAL OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - OD Green / Red - G10
- **BLADE LENGTH** - 4.3837'' (11.13cm)
- **BLADE THICKNESS** - 0.164'' (4.17mm)
- **OPEN** - 9.0417'' (22.97cm)
- **WEIGHT** - 7.68oz (217.72g)
- **HANDLE THICKNESS** - 0.948'' (24.08mm)
- **SHEATH** - Brown Leather
- **SHEATH WEIGHT** - 2.26oz (64.07g)



CONFIGURATIONS/MSRP

163-1		$350

Mini Bushcrafter

165-1 SIBERT

SURVIVAL OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - OD Green / Red - G10
- **BLADE LENGTH** - 3.3823'' (8.59cm)
- **BLADE THICKNESS** - 0.164'' (4.17mm)
- **OPEN** - 7.58'' (19.25cm)
- **WEIGHT** - 6.45oz (182.85g)
- **HANDLE THICKNESS** - 0.925'' (23.5mm)
- **SHEATH** - Brown Leather
- **SHEATH WEIGHT** - 2.49oz (70.59g)



CONFIGURATIONS/MSRP

165-1		$300

ANONIMUS™

539GY BENCHMADE

SURVIVAL OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - CPM-CruWear® Tool Steel (63-65HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 5'' (12.7cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 9.83'' (24.97cm)
- **WEIGHT** - 5.94oz (168.4g)
- **HANDLE THICKNESS** - 0.68'' (17.27mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 2.56oz (72.57g)



CONFIGURATIONS/MSRP

539GY		GRAY	$325

Dacian™

203BK-02 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Black Canvas - Micarta
- **BLADE LENGTH** - 3.54'' (8.99cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 7.57'' (19.23cm)
- **WEIGHT** - 3.37oz (95.54g)
- **HANDLE THICKNESS** - 0.39'' (9.91mm)
- **SHEATH** - Black leather & Boltaron®
- **SHEATH WEIGHT** - 0.94oz (26.65g)



CONFIGURATIONS/MSRP

203BK-02	BLACK	$300

Dacian™

203BT-03 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Brown Canvas - Micarta
- **BLADE LENGTH** - 3.54'' (8.99cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 7.57'' (19.23cm)
- **WEIGHT** - 3.37oz (95.54g)
- **HANDLE THICKNESS** - 0.39'' (9.91mm)
- **SHEATH** - Black leather & Boltaron®
- **SHEATH WEIGHT** - 0.94oz (26.65g)



CONFIGURATIONS/MSRP

203BT-03	BLUE	$300

Dacian™

203-04 BENCHMADE

EVERYDAY CARRY · OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Spear-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Blue Denim - Micarta
- **BLADE LENGTH** - 3.54'' (8.99cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 7.57'' (19.23cm)
- **WEIGHT** - 3.37oz (95.54g)
- **HANDLE THICKNESS** - 0.39'' (9.91mm)
- **SHEATH** - Brown leather & Boltaron®
- **SHEATH WEIGHT** - 0.94oz (26.65g)



CONFIGURATIONS/MSRP


203-04		$300

BENCHMADE

THE DACIAN®

203-04

For the daily carry fan who prefers an all-purpose fixed-blade knife to a folder, the 203-04 Dacian™ is designed to be your perfectly sized companion for general-purpose utility, outdoor recreation, or EDC. Featuring a blend of a super tough, corrosion resistant MagnaCut® blade steel with a spear point profile and high grind for maximum sliceability. The durable Denim Micarta handle is constructed with deep finger grooves for extreme comfort in multiple grip positions, the 203-04 Dacian™ includes a Russet Brown molded sheath with a high retention clip for easy access from the belt, pocket, or waistband.



- Blue Denim Micarta handle material
- MagnaCut® stainless steel (60-62 HRC)
- An EDC fixed blade for tough work
- 7.57" | 19.23cm open length

Featured on page 79

BENCHMADE®

INTO THE WILD BELOW

WATER

ON DECK IN FLORIDA

IN IT ALL DAY- THE WATER CLASS NEVER TAPS OUT.

Fishcrafter™ 5″

18030 BENCHMADE

WATER · OUTDOOR · SEASON 1

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Santoprene®
- **BLADE LENGTH** - 5.97″ (15.16cm)
- **BLADE THICKNESS** - 0.09″ (2.29mm)
- **OPEN** - 10.87″ (27.61cm)
- **WEIGHT** - 2.58oz (73.14g)
- **HANDLE THICKNESS** - 0.67″ (17.02mm)
- **SHEATH** - Sonar Gray injection molded
- **SHEATH WEIGHT** - 2.36oz (66.9g)



CONFIGURATIONS/MSRP

18030		$225

EST SHIP DATE: MAR

Fishcrafter™ 7″

18010 BENCHMADE

WATER · OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Santoprene®
- **BLADE LENGTH** - 7″ (17.78cm)
- **BLADE THICKNESS** - 0.09″ (2.29mm)
- **OPEN** - 11.89″ (30.2cm)
- **WEIGHT** - 2.84oz (80.51g)
- **HANDLE THICKNESS** - 0.67″ (17.02mm)
- **SHEATH** - Sonar Gray injection molded
- **SHEATH WEIGHT** - 2.32oz (65.77g)



CONFIGURATIONS/MSRP

18010		$250

Fishcrafter™ 9″

18020 BENCHMADE

WATER · OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Santoprene®
- **BLADE LENGTH** - 9.05″ (22.99cm)
- **BLADE THICKNESS** - 0.09″ (2.29mm)
- **OPEN** - 13.94″ (35.41cm)
- **WEIGHT** - 3.7oz (104.89g)
- **HANDLE THICKNESS** - 0.67″ (17.02mm)
- **SHEATH** - Sonar Gray injection molded
- **SHEATH WEIGHT** - 2.55oz (72.29g)



CONFIGURATIONS/MSRP

18020		$250

BENCHMADE

THE MIGHTY FISHCRAFTER™

18020 Fishcrafter 9″

When processing the day's catch, we believe in fishing more and sharpening less. Fashioned with a larger 9" trailing point MagnaCut® steel blade with SelectEdge® tech, the Fishcrafter™ excels at cutting medium to large fish where that extra length makes a smooth cut for a clean fillet. Featuring a long, straighter edge for stability in the cut and upswept tip for aiding in deboning, the 9" Fishcrafter™ knife's durable Santoprene® handle has a finger guard with jimping to prevent slipping during push-cuts.

- MagnaCut® steel with SelectEdge®
- White logo lasermark prevents corrosion
- Santoprene® handle provides solid grip
- 5", 7", and 9" blade options

PRECISION FILLETING

Featured on page 83

Undercurrent™

18040S BENCHMADE

WATER OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Sheepsfoot
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Santoprene®
- **BLADE LENGTH** - 4.321'' (10.98cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 9.4353'' (23.97cm)
- **WEIGHT** - 5.38oz (152.52g)
- **HANDLE THICKNESS** - 0.846'' (21.49mm)
- **SHEATH** - Sonar Gray injection molded
- **SHEATH WEIGHT** - 1.6oz (45.36g)



CONFIGURATIONS/MSRP

18040S	SERR	$225

Intersect™

18050 BENCHMADE

WATER OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Santoprene®
- **BLADE LENGTH** - 2.68'' (6.81cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 6.55'' (16.64cm)
- **WEIGHT** - 2.36oz (66.9g)
- **HANDLE THICKNESS** - 0.625'' (15.88mm)
- **SHEATH** - Sonar Gray injection molded
- **SHEATH WEIGHT** - 1.54oz (43.66g)





CONFIGURATIONS/MSRP

18050		$175

Intersect™

18050S BENCHMADE

WATER OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Santoprene®
- **BLADE LENGTH** - 2.68'' (6.81cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 6.55'' (16.64cm)
- **WEIGHT** - 2.36oz (66.9g)
- **HANDLE THICKNESS** - 0.846'' (21.49mm)
- **SHEATH** - Sonar Gray injection molded
- **SHEATH WEIGHT** - 1.54oz (43.66g)





CONFIGURATIONS/MSRP

18050S	SERR	$175

WATER

BENCHMADE

THE INTERSECT™

18050 Intersect™

A fisherman's minimalist, tough-as-nails cutting tool, the Intersect™ is a versatile fixed blade built for convenient and quick access when seconds matter. An EDC for the adventurist, the Intersect™ dons a 2.75" drop-point blade forged of MagnaCut® steel. This compact knife is ideal for finer tasks like cutting tangled line. The Intersect™ features a Santoprene handle and spine jimping for a secure grip and pinch cuts when wet. Purposefully designed with a quick mount sheath that attaches to pockets, belts, backpacks, waders, and beyond.

→ BEST FOR GENERAL CUTTING TASKS

→ MagnaCut® steel

→ White logo lasermark prevents corrosion

→ Santoprene® handle provides solid grip

→ Long spine jimping for increased blade control

Featured on page 85

THE MINI ADIRA™

18065BT-01 Mini Adira™

The mini variant of our waterman's favorite folder, the versatile Mini Adira™ is a heavy-use EDC built for tasks in wet environments. Featuring a 3.21" drop-point blade made of MagnaCut® stainless steel, this pocket-ready fisherman's folder uses an AXIS® Lock mechanism with stainless steel springs for corrosion resistance. From prepping bait on a hook to slicing lines for a new rig, the Mini Adira™'s got your back on and off the water.

BEST FOR HARD USE, BAIT PREP, EDC AND GENERAL CUTTING TASKS

- Paracord lanyard + bead
- White logo lasermark prevents corrosion
- Grivory® handle with texture for a lightweight feel
- Higher corrosion resistant 17-7PH omega spring

Featured on page 91

Adira™
18060 BENCHMADE

WATER OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Grivory®
- **BLADE LENGTH** - 3.88'' (9.86cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 9'' (22.86cm)
- **WEIGHT** - 4.23oz (119.92g)
- **HANDLE THICKNESS** - 0.663'' (16.84mm)





CONFIGURATIONS/MSRP

18060		$250

Adira™
18060S BENCHMADE

WATER OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Depth Blue - Grivory®
- **BLADE LENGTH** - 3.88'' (9.86cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 9'' (22.86cm)
- **WEIGHT** - 4.23oz (119.92g)
- **HANDLE THICKNESS** - 0.663'' (16.84mm)





CONFIGURATIONS/MSRP

18060S	SERR	$250

Adira™
18060BT-01 BENCHMADE

WATER OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Tempest Gray - Grivory®
- **BLADE LENGTH** - 3.88'' (9.86cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 9'' (22.86cm)
- **WEIGHT** - 4.23oz (119.92g)
- **HANDLE THICKNESS** - 0.663'' (16.84mm)





CONFIGURATIONS/MSRP

18060BT-01		BLUE	$250

Adira™

18060SBT-01 BENCHMADE

WATER OUTDOOR

» **MECHANISM** - AXIS® Lock
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
» **HANDLE** - Tempest Gray - Grivory®
» **BLADE LENGTH** - 3.88'' (9.86cm)
» **BLADE THICKNESS** - 0.114'' (2.9mm)
» **OPEN** - 9'' (22.86cm)
» **WEIGHT** - 4.23oz (119.92g)
» **HANDLE THICKNESS** - 0.663'' (16.84mm)





CONFIGURATIONS/MSRP

18060SBT-01	SERR	BLUE	$250

Mini Adira™

18065 BENCHMADE

WATER OUTDOOR

» **MECHANISM** - AXIS® Lock
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
» **HANDLE** - Depth Blue - Grivory®
» **BLADE LENGTH** - 3.21'' (8.15cm)
» **BLADE THICKNESS** - 0.114'' (2.9mm)
» **OPEN** - 7.46'' (18.95cm)
» **WEIGHT** - 3.09oz (87.6g)
» **HANDLE THICKNESS** - 0.64'' (16.26mm)





CONFIGURATIONS/MSRP

18065			$225

Mini Adira™

18065S BENCHMADE

WATER

» **MECHANISM** - AXIS® Lock
» **BLADE STYLE** - Drop-Point
» **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
» **HANDLE** - Depth Blue - Grivory®
» **BLADE LENGTH** - 3.21'' (8.15cm)
» **BLADE THICKNESS** - 0.114'' (2.9mm)
» **OPEN** - 7.46'' (18.95cm)
» **WEIGHT** - 3.09oz (87.6g)
» **HANDLE THICKNESS** - 0.64'' (16.26mm)





CONFIGURATIONS/MSRP

18065S	SERR		$225




Mini Adira™

18065BT-01 BENCHMADE

WATER

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Tempest Gray - Grivory®
- **BLADE LENGTH** - 3.21'' (8.15cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 3.09oz (87.6g)
- **HANDLE THICKNESS** - 0.64'' (16.26mm)





CONFIGURATIONS/MSRP

18065BT-01		BLUE	$225

Mini Adira™

18065SBT-01 BENCHMADE

WATER

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Tempest Gray - Grivory®
- **BLADE LENGTH** - 3.21'' (8.15cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.46'' (18.95cm)
- **WEIGHT** - 3.09oz (87.6g)
- **HANDLE THICKNESS** - 0.175'' (4.45mm)





CONFIGURATIONS/MSRP

18065SBT-01	SERR	BLUE	$250



BENCHMADE®

GAME DAY READY

HUNT

TRACKING WHITETAIL

FROM FIELD TO FREEZER, HUNT CLASS KNIVES ARE MADE TO PERFORM.

Raghorn®

15600-01 BENCHMADE

HUNT

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 4'' (10.16cm)
- **BLADE THICKNESS** - 0.105'' (2.67mm)
- **OPEN** - 8.9'' (22.61cm)
- **WEIGHT** - 3.56oz (100.92g)
- **HANDLE THICKNESS** - 0.64'' (16.26mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 1.6oz (45.36g)



CONFIGURATIONS/MSRP

15600-01		$325

Steep Country

15006-01 BENCHMADE

HUNT OUTDOOR

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Olive - Santoprene®
- **BLADE LENGTH** - 3.54'' (8.99cm)
- **BLADE THICKNESS** - 0.121'' (3.07mm)
- **OPEN** - 6.42'' (16.31cm)
- **WEIGHT** - 2.95oz (83.63g)
- **HANDLE THICKNESS** - 0.58'' (14.73mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 1.2oz (34.02g)



CONFIGURATIONS/MSRP

15006-01		$175

Saddle Mountain Skinner

15002-1 BENCHMADE

HUNT

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S90V Stainless Steel (59-61HRC)
- **HANDLE** - Chocolate/Brown/Maple, Orange G10 - Richlite/G10
- **BLADE LENGTH** - 4.2'' (10.67cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 8.7'' (22.1cm)
- **WEIGHT** - 4.38oz (124.17g)
- **HANDLE THICKNESS** - 0.66'' (16.76mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 1.38oz (39.12g)



CONFIGURATIONS/MSRP

15002-1		$300
15002		$250

BENCHMADE

SADDLE MOUNTAIN SKINNER

15002-1 Saddle Mountain Skinner

At Benchmade, we build knives that are made for these moments — crisp mornings, steady hands, and the relentless pursuit of whitetail. Every blade we craft carries the same promise: durability, performance, and the confidence to finish what you start. The Saddle Mountain Skinner is built for the final, critical moment of the hunt — when precision, control, and sharpness matter most.

- CPM-S90V stainless steel
- Drop point blade style
- Richlite with Orange Base Layer handle
- Black/Orange Boltaron® sheath



YOUR EDGE IN THE FIELD

Featured on page 95

Hidden Canyon Hunter

15017 BENCHMADE

HUNT

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Brown Wood - Stabilized Wood
- **BLADE LENGTH** - 2.79'' (7.09cm)
- **BLADE THICKNESS** - 0.12'' (3.05mm)
- **OPEN** - 6.42'' (16.31cm)
- **WEIGHT** - 2.81oz (79.66g)
- **HANDLE THICKNESS** - 0.55'' (13.97mm)
- **SHEATH** - Brown leather
- **SHEATH WEIGHT** - 2.01oz (56.98g)



CONFIGURATIONS/MSRP

15017	$225
15017-1	$275

Meatcrafter® 6"

15500-3 BENCHMADE

HUNT

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - S45VN Stainless Steel (60-62 HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 6.077'' (15.44cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 11.059'' (28.09cm)
- **WEIGHT** - 5.13oz (145.43g)
- **HANDLE THICKNESS** - 0.55'' (13.97mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 2.15oz (60.95g)



CONFIGURATIONS/MSRP

15500-3	$375

Meatcrafter® 6"

15500-04 BENCHMADE

HUNT

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Dark Olive - Santoprene®
- **BLADE LENGTH** - 6.09'' (15.47cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 11.08'' (28.14cm)
- **WEIGHT** - 3.24oz (91.85g)
- **HANDLE THICKNESS** - 0.67'' (17.02mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 1.7oz (48.19g)



CONFIGURATIONS/MSRP

15500-04	$200

BENCHMADE

FIELD READY

Get the right Benchmade hunting knives to meet your needs in the field. From field processing game animals and upland birds to outdoor tasks and camp chores, Benchmade's tough and reliable hunting knives are purpose-built for optimum performance season after season.

THE MEATCRAFTER 4"

CPM-154 Stainless Steel (58-61HRC)

Santoprene® handle

Featuring SelectEdge® technology

Trailing-point blade style

Featured on page 99

Meatcrafter® 4"

15505 BENCHMADE

HUNT

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Dark Olive - Santoprene®
- **BLADE LENGTH** - 4.01'' (10.19cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.86'' (22.5cm)
- **WEIGHT** - 2.71oz (76.83g)
- **HANDLE THICKNESS** - 0.67'' (17.02mm)
- **SHEATH** - Boltaron®
- **SHEATH WEIGHT** - 1.1oz (31.18g)



CONFIGURATIONS/MSRP

15505 | | $175

Crooked River

15080-2 BENCHMADE

HUNT OUTDOOR EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Brown Wood - Stabilized Wood
- **BLADE LENGTH** - 4'' (10.16cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 9.3'' (23.62cm)
- **WEIGHT** - 5.41oz (153.37g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

15080-2 | | $375

Mini Crooked River

15085-2 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Brown Wood - Stabilized Wood
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.89'' (20.04cm)
- **WEIGHT** - 3.29oz (93.27g)
- **HANDLE THICKNESS** - 0.52'' (13.21mm)



CONFIGURATIONS/MSRP

15085-2 | | $325

Crooked River

15080BK-04 BENCHMADE

EVERYDAY CARRY OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Burnt Copper/Black - 6061-T6 Aluminum/Canvas Micarta
- **BLADE LENGTH** - 4'' (10.16cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 9.3'' (23.62cm)
- **WEIGHT** - 5.019oz (142.29g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

15080BK-04 | | BLACK | $375

Mini Crooked River

15085BK-04 BENCHMADE

EVERYDAY CARRY OUTDOOR

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Burnt Copper/Black - 6061-T6 Aluminum/Canvas Micarta
- **BLADE LENGTH** - 3.4'' (8.64cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 7.89'' (20.04cm)
- **WEIGHT** - 2.5oz (70.87g)
- **HANDLE THICKNESS** - 0.52'' (13.21mm)



CONFIGURATIONS/MSRP

15085BK-04 | | BLACK | $325

Trackpoint

15090 BENCHMADE

HUNT OUTDOOR SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Dark Brown Wood - Stabilized Wood
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.25'' (20.96cm)
- **WEIGHT** - TBD
- **HANDLE THICKNESS** - 0.551'' (14.0mm)



CONFIGURATIONS/MSRP

15090 | | $300

EST SHIP DATE: AUG

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Trackpoint
15090-01 BENCHMADE

HUNT · OUTDOOR · SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Rust Orange - G10
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 8.25'' (20.96cm)
- **WEIGHT** - TBD
- **HANDLE THICKNESS** - 0.551'' (14.0mm)



CONFIGURATIONS/MSRP

15090-01		$300

EST SHIP DATE: AUG
IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Grizzly Creek
15062 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Brown Wood - Stabilized Wood
- **BLADE LENGTH** - 3.49'' (8.86cm)
- **BLADE THICKNESS** - 0.124'' (3.15mm)
- **OPEN** - 7.81'' (19.84cm)
- **WEIGHT** - 4.18oz (118.5g)
- **HANDLE THICKNESS** - 0.6'' (15.24mm)



CONFIGURATIONS/MSRP

15062		$325

North Fork
15032 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Drop-Point
- **BLADE STEEL** - S30V Stainless Steel (58-60HRC)
- **HANDLE** - Dark Brown Wood - Wood
- **BLADE LENGTH** - 2.97'' (7.54cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 6.87'' (17.45cm)
- **WEIGHT** - 3.82oz (108.3g)
- **HANDLE THICKNESS** - 0.53'' (13.46mm)



CONFIGURATIONS/MSRP

15032		$250

Taggedout®
15536 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - S45VN Stainless Steel (60-62 HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.13'' (20.65cm)
- **WEIGHT** - 2.889oz (81.9g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15536		$325

Taggedout®
15535 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Orange - Grivory®
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.13'' (20.65cm)
- **WEIGHT** - 2.1oz (59.53g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15535		$175

Taggedout®
15535OR-01 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Black - Carbon Fiber
- **BLADE LENGTH** - 3.48'' (8.84cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.15'' (20.7cm)
- **WEIGHT** - 2.44oz (69.17g)
- **HANDLE THICKNESS** - 0.48'' (12.19mm)



CONFIGURATIONS/MSRP

15535OR-01		ORANGE	$350

Taggedout®

15536GN-01 BENCHMADE

HUNT EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - Elmax Stainless powder steel (59-61 HRC)
- **HANDLE** - Tan - Grivory®
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.13'' (20.65cm)
- **WEIGHT** - 2.1oz (59.53g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15536GN-01	GREEN	$225

Taggedout®

15536TN-02 BENCHMADE

HUNT EVERYDAY CARRY

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - Elmax Stainless powder steel (59-61 HRC)
- **HANDLE** - Deep Olive - Grivory®
- **BLADE LENGTH** - 3.5'' (8.89cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 8.13'' (20.65cm)
- **WEIGHT** - 2.1oz (59.53g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15536TN-02	TAN	$225

Mini Taggedout®

15533 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Orange - Grivory®
- **BLADE LENGTH** - 3.04'' (7.72cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.12'' (18.08cm)
- **WEIGHT** - 1.68oz (47.63g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15533		$150

Mini Taggedout®

15534 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - S45VN Stainless Steel (60-62 HRC)
- **HANDLE** - OD Green - G10
- **BLADE LENGTH** - 3.04'' (7.72cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.12'' (18.08cm)
- **WEIGHT** - 2.33oz (66.05g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15534		$300

Mini Taggedout®

15533OR-01 BENCHMADE

HUNT

- **MECHANISM** - AXIS® Lock
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- **HANDLE** - Carbon Fiber - Carbon Fiber
- **BLADE LENGTH** - 3.04'' (7.72cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 7.12'' (18.08cm)
- **WEIGHT** - 2.33oz (66.05g)
- **HANDLE THICKNESS** - 0.49'' (12.45mm)



CONFIGURATIONS/MSRP

15533OR-01	ORANGE	$325

THE MINI TAGGEDOUT®

A HUNTER'S EDC

15534 Mini Taggedout®

The 15534 Mini Taggedout® is a lightweight, compact folder built for both Hunt and EDC. Its CPM-S45VN clip point blade with SelectEdge® delivers excellent edge retention and corrosion resistance, while the OD green G10 handle with orange accents ensures durability and style. Perfect for field dressing or everyday tasks, it's the pocket-sized folder hunters have been waiting for.

- CPM-S45VN Stainless Steel (60-62 HRC)
- OD Green G10 handle
- AXIS® lock mechanism
- Clip-point blade style

Featured on page 104

Trackpoint Fixed

15650 BENCHMADE

HUNT · OUTDOOR · SEASON 2

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - Elmax Stainless Powder Steel (59-61HRC)
- » **HANDLE** - Dark Brown Wood - Stabilized Wood
- » **BLADE LENGTH** - 3.7'' (9.4cm)
- » **BLADE THICKNESS** - 0.114'' (2.9mm)
- » **OPEN** - 8.11'' (20.6cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.616'' (15.65mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - TBD



HUNT NEW CLASS 2026 2026

CONFIGURATIONS/MSRP

15650	$275
15650-KIT	$350

EST SHIP DATE: AUG

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Trackpoint Fixed

15650-01 BENCHMADE

HUNT · OUTDOOR · SEASON 2

- » **MECHANISM** - AXIS® Lock
- » **BLADE STYLE** - Clip-Point featuring SelectEdge®
- » **BLADE STEEL** - MagnaCut® Stainless Steel (60-62 HRC)
- » **HANDLE** - Rust Orange - G10
- » **BLADE LENGTH** - 3.7'' (9.4cm)
- » **BLADE THICKNESS** - 0.114'' (2.9mm)
- » **OPEN** - 8.11'' (20.6cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.616'' (15.65mm)
- » **SHEATH** - TBD
- » **SHEATH WEIGHT** - TBD



HUNT NEW CLASS 2026 2026

CONFIGURATIONS/MSRP

15650-01	$275
15650-01-KIT	$350

EST SHIP DATE: AUG

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Trackpoint Hook

110R BENCHMADE

HUNT · OUTDOOR · SEASON 2

- » **MECHANISM** - Hook
- » **BLADE STYLE** - Hook
- » **BLADE STEEL** - 440C Stainless Steel (58-60HRC)
- » **HANDLE** - Rust Orange Cerakote®
- » **BLADE LENGTH** - 0.75" (1.91cm)
- » **BLADE THICKNESS** - 0.125" (3.18mm)
- » **OPEN** - 4.82" (12.24cm)
- » **WEIGHT** - TBD
- » **HANDLE THICKNESS** - 0.125" (3.18mm)
- » **SHEATH** - Boltaron®
- » **SHEATH WEIGHT** - TBD



HUNT NEW CLASS 2026 2026

CONFIGURATIONS/MSRP

110R	ORANGE	$75

EST SHIP DATE: AUG

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

BENCHMADE

MASTER THE GRILL

CUTLERY

MASTERING THE GRILL

FROM BRISKET TO BACKSTRAP, BENCHMADE CUTLERY DELIVERS POWER AND PRECISION.

Featured on page 111



MASTER THE GRILL

From brisket to backstrap, the Station Knife is built to dominate the grill. Designed with the power of a chef's knife and the precision of a paring blade, it handles everything—trimming, slicing, carving—with zero compromise.


Featured on page 111



BUILT TO TAKE THE HEAT



Chef Matt Groark
@groarkboysbbq



Featured on page 112

Station Knife

4010BK-01 BENCHMADE

CUTLERY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - OD and Black - G10
- **BLADE LENGTH** - 5.97'' (15.16cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 10.88'' (27.64cm)
- **WEIGHT** - 6.36oz (180.30g)
- **HANDLE THICKNESS** - 0.61'' (15.49mm)
- **BLADE GUARD WEIGHT** - 1.161oz (32.91g)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4010BK-01	BLACK	$350

Station Knife

4010-02 BENCHMADE

CUTLERY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- **BLADE LENGTH** - 5.97'' (15.16cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 10.88'' (27.64cm)
- **WEIGHT** - 6.36oz (180.30g)
- **HANDLE THICKNESS** - 0.61'' (15.49mm)
- **BLADE GUARD WEIGHT** - 1.161oz (32.91g)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4010-02		$350

BENCHMADE

THE STATION KNIFE

4010-02 Station Knife

A minimalist workhorse, this ultra-versatile kitchen tool was built, designed, and manufactured to perform. From field to table, this knife combines the power and exceptional quality of Benchmade's proprietary SelectEdge® technology for a cut like no other. The gray blade guard is included for safe storage and easy transport from camp to the kitchen.

→ A CHEF'S EDC

→ CPM-154 wear resistant stainless steel (58-61HRC)

→ Maple Valley Richlite with black G10 bolster

→ Satin blade finish

→ Comes with a gray blade guard

Featured on page 111

3 Piece Set

4005BK-01 BENCHMADE

CUTLERY SEASON 1

» **MECHANISM** - Fixed Blade
» **BLADE STYLE** - 4050 Training-Point featuring SelectEdge® / 4070/4045 Clip-Point featuring SelectEdge®
» **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
» **HANDLE** - OD and Black - G10
» **EXTRA -** Gold Pivot Rings

CONFIGURATIONS/MSRP

4005BK-01		BLACK	$900

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



Paring Knife

BLADE LENGTH - 4.12'' (10.46cm)
BLADE THICKNESS - 0.09'' (2.29mm)
OPEN - 8.54'' (21.69cm)
WEIGHT - 2.67oz (75.69g)
HANDLE THICKNESS - 0.47'' (11.94mm)



Meatcrafter®

BLADE LENGTH - 6.14'' (15.6cm)
BLADE THICKNESS - 0.09'' (2.29mm)
OPEN - 11.13'' (28.27cm)
WEIGHT - 5.13oz (145.43g)
HANDLE THICKNESS - 0.584'' (14.83mm)



Wildcoast

BLADE LENGTH - 6.83'' (17.35cm)
BLADE THICKNESS - 0.114'' (2.9mm)
OPEN - 11.79'' (29.95cm)
WEIGHT - 6.26oz (177.47g)
HANDLE THICKNESS - 0.61'' (15.49mm)

3 Piece Set

4005-02 BENCHMADE

CUTLERY SEASON 1

» **MECHANISM** - Fixed Blade
» **BLADE STYLE** - 4050 Training-Point featuring SelectEdge® / 4070/4045 Clip-Point featuring SelectEdge®
» **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
» **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
» **EXTRA -** Gold Pivot Rings

CONFIGURATIONS/MSRP

4005-02			$900

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE



Paring Knife

BLADE LENGTH - 4.12'' (10.46cm)
BLADE THICKNESS - 0.09'' (2.29mm)
OPEN - 8.54'' (21.69cm)
WEIGHT - 2.67oz (75.69g)
HANDLE THICKNESS - 0.47'' (11.94mm)



Meatcrafter®

BLADE LENGTH - 6.14'' (15.6cm)
BLADE THICKNESS - 0.09'' (2.29mm)
OPEN - 11.13'' (28.27cm)
WEIGHT - 5.13oz (145.43g)
HANDLE THICKNESS - 0.584'' (14.83mm)



Wildcoast


BLADE LENGTH - 6.83'' (17.35cm)
BLADE THICKNESS - 0.114'' (2.9mm)
OPEN - 11.79'' (29.95cm)
WEIGHT - 6.26oz (177.47g)
HANDLE THICKNESS - 0.61'' (15.49mm)

Chef Knife

4025BK-01 BENCHMADE

CUTLERY SEASON 1

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - OD and Black - G10
- **BLADE LENGTH** - 8.04'' (20.42cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 13.02'' (33.07cm)
- **WEIGHT** - 7.37oz (208.94g)
- **HANDLE THICKNESS** - 0.61'' (15.44mm)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4025BK-01	BLACK	$400

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Chef Knife

4025-02 BENCHMADE

CUTLERY SEASON 1

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Drop-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- **BLADE LENGTH** - 8.04'' (20.42cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 13.02'' (33.07cm)
- **WEIGHT** - 7.37oz (208.94g)
- **HANDLE THICKNESS** - 0.61'' (15.44mm)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4025-02		$400

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Meatcrafter®

4050BK-01 BENCHMADE

CUTLERY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - OD and Black - G10
- **BLADE LENGTH** - 6.14'' (15.6cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 11.13'' (28.27cm)
- **WEIGHT** - 5.13oz (145.43g)
- **HANDLE THICKNESS** - 0.584'' (14.83mm)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4050BK-01	BLACK	$350

Meatcrafter®

4050-02 BENCHMADE

CUTLERY

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Trailing-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- **BLADE LENGTH** - 6.14'' (15.6cm)
- **BLADE THICKNESS** - 0.09'' (2.29mm)
- **OPEN** - 11.13'' (28.27cm)
- **WEIGHT** - 5.13oz (145.43g)
- **HANDLE THICKNESS** - 0.584'' (14.83mm)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4050-02		$350

Table Knife Set

4001 BENCHMADE

CUTLERY

» **MECHANISM** - Fixed Blade
» **BLADE STYLE** - Clip-Point featuring SelectEdge®
» **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
» **HANDLE** - Black - G10
» **BLADE LENGTH** - 5.13'' (13.03cm)
» **BLADE THICKNESS** - 0.09'' (2.29mm)
» **OPEN** - 9.2'' (23.37cm)
» **WEIGHT** - 3.19oz (90.43g)
» **HANDLE THICKNESS** - 0.59'' (14.99mm)



CONFIGURATIONS/MSRP

4001		$700



Featured on page 117

Paring Knife

4045BK-01 BENCHMADE

CUTLERY SEASON 1

» **MECHANISM** - Fixed Blade
» **BLADE STYLE** - Clip-Point featuring SelectEdge®
» **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
» **HANDLE** - OD and Black - G10
» **BLADE LENGTH** - 4.12'' (10.46cm)
» **BLADE THICKNESS** - 0.09" (2.29mm)
» **OPEN** - 8.54'' (21.69cm)
» **WEIGHT** - 2.67oz (75.69g)
» **HANDLE THICKNESS** - 0.47'' (11.94mm)
» **EXTRA** - Satin pivot rings



CONFIGURATIONS/MSRP

4045BK-01		BLACK	$250

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Paring Knife

4045-02 BENCHMADE

CUTLERY SEASON 1

» **MECHANISM** - Fixed Blade
» **BLADE STYLE** - Clip-Point featuring SelectEdge®
» **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
» **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
» **BLADE LENGTH** - 4.12'' (10.46cm)
» **BLADE THICKNESS** - 0.09'' (2.29mm)
» **OPEN** - 8.54'' (21.69cm)
» **WEIGHT** - 2.67oz (75.69g)
» **HANDLE THICKNESS** - 0.47'' (11.94mm)
» **EXTRA** - Satin Pivot Rings



CONFIGURATIONS/MSRP

4040-02		$250

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE




Featured on page 120

Wildcoast

4070BK-01 BENCHMADE

CUTLERY S2 SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - OD and Black - G10
- **BLADE LENGTH** - 6.83'' (17.35cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 11.79'' (29.95cm)
- **WEIGHT** - 6.26oz (177.47g)
- **HANDLE THICKNESS** - 0.61'' (15.49mm)
- **BLADE GUARD WEIGHT** - 1.83oz (51.88g)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4070BK-01		BLACK	$350

EST SHIP DATE: MAR


IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

Wildcoast

4070-02 BENCHMADE

CUTLERY S2 SEASON 2

- **MECHANISM** - Fixed Blade
- **BLADE STYLE** - Clip-Point featuring SelectEdge®
- **BLADE STEEL** - CPM-154 Stainless Steel (58-61HRC)
- **HANDLE** - Maple Valley Richlite w/ Black G10 Bolster
- **BLADE LENGTH** - 6.83'' (17.35cm)
- **BLADE THICKNESS** - 0.114'' (2.9mm)
- **OPEN** - 11.79'' (29.95cm)
- **WEIGHT** - 6.26oz (177.47g)
- **HANDLE THICKNESS** - 0.61'' (15.49mm)
- **BLADE GUARD WEIGHT** - 1.83oz (51.88g)
- **EXTRA** - Gold Pivot Rings



CONFIGURATIONS/MSRP

4070-02			$350

EST SHIP DATE: MAR

IMAGE RENDERING I DETAILS SUBJECT TO CHANGE

SHARPENERS



20° Guided Hone Tool

20º Guided Hone Tool with a controlled 20-degree angle featuring a ceramic rod and leather strop to keep your edge sharp.

50080 (Single)
✚ PRICE - $30.00

50081 (12 Pack)
✚ PRICE - $360.00



Guided Field Sharpener

20º controlled-angle sharpener, perfect for knives, fish hooks, broadheads, and more.

100604F
✚ PRICE - $50.00

SHEATHS

Hunt

Model Specific

102637F - 15017-1 Boltaron® (Orange/Black)
✚ PRICE - $40.00
102638F - 15002 Boltaron®
✚ PRICE - $40.00
103195F - 15017 Hidden Canyon
✚ PRICE - $35.00
103193F - 15002 Saddle Mt. (Brown leather)
✚ PRICE - $35.00
105387F - 15006 Steep Country
✚ PRICE - $40.00
105045F - 15505 - Meatcrafter® 4" (Boltaron Orng/Gry)
✚ PRICE - $40.00
105235F - 15500-04 - Meatcrafter® 6" (Boltaron Orng/Gry)
✚ PRICE - $40.00

Blue Class

Model Specific

104747F - 163 Leather
✚ PRICE - $40.00
104562F - 163 PIM
✚ PRICE - $40.00
104764F - 165 PIM
✚ PRICE - $35.00
104765F - 165 Leather
✚ PRICE - $35.00
102658F - Necron 99 (Black Nylon)
✚ PRICE - $30.00
104997F - Laro 82 (Black Boltaron)
✚ PRICE - $25.00

Black Class

Model Specific

987592F - 375BK-1 Fixed Adamas® (Black)
✚ PRICE - $50.00
102803F - 375FE-1 Fixed Adamas® (Ranger green)
✚ PRICE - $50.00
101622F - 173BK Mini SOCP®
✚ PRICE - $25.00
987495F - 176BK SOCP® (Black)
✚ PRICE - $25.00
987496F - 176BK SOCP® (Sand)
✚ PRICE - $25.00
102119F - KIT SOCP® Leather Tab
✚ PRICE - $10.00

Water

Model Specific

104950 - Fishcrafter™ 7"
✚ PRICE - $25.00
104976 - Fishcrafter™ 9"
✚ PRICE - $25.00
105002 - Undercurrent
✚ PRICE - $25.00
104773 - Intersect
✚ PRICE - $25.00



Soft Sheaths

All soft sheaths are 1680-denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

981086F - Soft Sheath, small (1.625" W x 5" D), black
981087F - Soft Sheath, large (2" W x 5.25" D), black
981717F - Soft Sheath, 4" Bali-Song® Series, black
✚ PRICE - $15.00



7-Hook

(MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA.

984166F - Black
984205F - Foliage Green
984204F - Coyote
✚ PRICE - $15.00



8-Hook Pouch

(MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the MALICE CLIP® (sold separately). Made in USA..

985398F - Black
985570F - Foliage Green
985569F - Coyote
✚ PRICE - $18.00



Soft Sheath

with MALICE Clip

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the MALICE CLIP® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized true fit. Made in USA.

984818F - Black
✚ PRICE - $30.00



Tek-Lok™

Multiple position options, with compatible sheath..

981609F - Tek-Lok™, large size
✚ PRICE - $20.00

ACCESSORIES



BlueLube® Lubricant

983900F

✚ PRICE - $15.00

BlueLube® Lubricant

983901F

✚ PRICE - $20.00

Clean, lubricate, and protect your Benchmade.



Benchmade Ferro Rod

50023 - BLUE

50024 - GRAY

- » **STYLE** - Ferro Rod
- » **MATERIAL** - Blue anodized 6061-T6 aluminum tinder capsule
- » **STRIKER** - 5/16" by 3.10" ferrocerium rod
- » **EXTRA** - QuickLIGHT™ waterproof tinder
- » **ORIGIN** - Made in the USA by Exotac

✚ PRICE - $50.00



Lanyards

103488F - Lanyard, Bead, Blue

103489F - Lanyard, Bead, Rose Gold

104331F - Lanyard, Bead, DLC

104984F - Lanyard, Nylon Bead, Black

✚ PRICE - $20.00



Malice Clips®

Add MALICE® Clips to Fight Light

102789F - Short Blk (3" size)

102790F - Short Snd (3" size)

103226F - Long Blk (5" size)

✚ PRICE - $4.00



Knife Roll

50019

- » **STYLE** - Knife Roll
- » **COLOR** - Gray with black accents
- » **MATERIAL** - 1680 nylon and urethane coating construction
- » **CAPACITY** - Holds up to eleven knives and two pens
- » **EXTRA** - Two integrated loop panels for morale patches

✚ PRICE - $75.00



Multi-Bit Driver

50141 - Hanging

✚ PRICE - $75.00

104688F - Replacement bit

✚ PRICE - $30.00



Cutlery Knife Roll

50088

- » **STYLE** - Knife Roll
- » **COLOR** - Black with leather accents
- » **MATERIAL** - Waxed canvas and leather
- » **CAPACITY** - Holds up to 5 cutlery knives
- » **EXTRA** - Full-length zipper pocket

✚ PRICE - $180.00

BENCHMADE®

DESIGNER COLLABORATIONS

Benchmade's collaborations with custom designers has created the most innovative and functional designs in the the industry. These skilled artisans and craftsmen poured their passion into these designs and agonized over every detail. By collaborating with a selection of world-class custom designers, we were able to tap into innovative locking mechanisms, modern materials, and custom blending and finishing techniques.

MEL PARDUE

MEL PARDUE

The most senior design team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the every day knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

McHenry & Williams

BILL MCHENRY & JASON WILLIAMS

Talented designers and developers of several innovations in the knife-making world including the Benchmade AXIS® mechanism.

OSBORNE DESIGN

WARREN OSBORNE

Bridging the gap between custom and production knives, Warren created some of Benchmade's most iconic and loved models like the 940 series, Barrage, Rift and Contego. Warren set very high standards for himself and we are proud that his work has become ingrained in Benchmade's DNA.

SIBERT

SHANE SIBERT

Since 1994, Shane Sibert's goal has been to design and create unique knives that evoke pride of ownership while at the same time perform tasks and challenges with exceptional ease. A lifelong avid backpacker, Shane draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts and enjoys scuba diving in Oregon's chilly waters.

SOCP

GREG THOMPSON

Greg used an extensive background in mixed martial arts to create the Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 15 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the XVIII Airborne Corps at Fort Bragg, NC



7 BLKW PG50



8 BLKW PG50



8 BLKWMED PG50



11OR PG106



82 PG75



99 PG76



99BK-1 PG76



99T PG76



112SBK-BLK PG41



163-1 PG78



165-1 PG78



173BK PG41



174BK PG42



174GY PG42



174SN PG42



176BK PG43



176BK-COMBO PG43



176BKSN PG43



176BKSN-COMBO PG44



176T PG44



177BK PG41



177GN PG47



177GY PG44



177SN PG47



179GRY PG47



185BK PG48



185BK-1 PG48



185T PG48



203-04 PG79



203BK-02 PG79



203BT-03 PG79



273-03 PG23



273FE-2 PG23



275SGY-1 PG23



290BK PG24



290BK-1 PG24



290BK-2 PG24



315 PG75



315BK-01 PG75



375BK-1 PG40

375FE-1 PG40

393SBK PG49

393SSN-01 PG49

430BK-02 PG21

431SBK-1 PG21

491 PG73

491BK-02 PG73

491GY-01 PG73

495 PG74

533 PG57

533-3 PG58

533BK-1 PG58

533BK-2 PG58

533SL-10 PG60

533TN-2601 PG60

534BK PG57

535 PG53

535-3 PG54

535-09 PG55

535BK-2 PG53

535BK-4 PG54

535BK-07 PG55

535BK-08 PG55

535GRY-1 PG53

535FE-05 PG54

535FE-2601 PG57

535SL-13 PG56

535TN-11 PG56

535TN-2601 PG56

537-09 PG19

537BK-06 PG18

537BK-07 PG19

537FE-02 PG17

537FE-2601 PG19

537GY-1 PG17

537GY-03 PG18

537SGY-03 PG18

537SGY-1 PG17

539GY PG78

550-S30V PG66

551-S30V PG66

555-S30V PG67

556SBK-S30V PG67

560-03 PG69

560BK-1 PG69

565BK-02 PG70

570-1 PG21

575-1 PG22

580 PG67

581BK-04 PG68

583SBK PG68

585 PG68

585BK-04 PG69

593BK PG72

593BK-01 PG72

593GY-02 PG72

710FE-24 PG74

710-25 PG74

743 PG61

743BK-01 PG61

748 PG60

748BK-01 PG61

865-02 PG25

865BK-01 PG25

865SBK PG25

916SBK PG22

917SBK PG22

940 PG63

940-1 PG63

940-2 PG63

940-04 PG64

940BK-03 PG64

940FE-2601 PG64

945 PG65

945-04 PG66

945BK-03 PG65

945BK-1 PG65

15002-1 PG95

15006-01 PG95

15017 PG97

15032 PG101

15062 PG101

15080-2 PG99

15080BK-04 PG100

15085-2 PG99

15085BK-04 PG100

15090 PG100

15090-01 PG101

15500-3 PG97

15500-04 PG97

15505 PG99

15533 PG103

15533OR-01 PG104

15534 PG104

15535 PG102

15535OR-01 PG102

15536 PG102

15536GN-01 PG103

15536TN-02 PG103

15600-01 PG95

15650 PG106

15650-01 PG106

18010 PG83

18020 PG83

18030 PG83

18040S PG85

18050 PG85

18050S PG85

18060 PG88

18060BT-01 PG88

18060S PG88

18060SBT-01 PG89

18065 PG89

18065BT-01 PG91

18065S PG89

18065SBT-01 PG91

2730-03 PG26

2750GY-3 PG26

3300BK PG38

3350BK PG39

3370GY PG36

3370GY-1 PG37

3370SGY PG36

3370SGY-1 PG37

3375GY-1 PG37

3400BK PG39

3400BK-1 PG39

3400BK-2 PG40

4001 PG117

4005-02 PG114

4005BK-01 PG113

4010-02 PG111

4010BK-01 PG111

4025-02 PG115

4025BK-01 PG115

4045-02 PG118

4045BK-01 PG118

4050-02 PG116

4050BK-01 PG116

4070-02 PG120

4070BK-01 PG120

4170BK PG27

4300-1 PG28

4300BK PG27

4300BK-02 PG28

4400BK PG28

4600DLC PG38

4600DLC-1 PG38

5370FE PG33

5370FE-01 PG33

5370FE-02 PG34

5371BK-01 PG34

5371FE PG34

5371FE-2601 PG36

5700SBK PG26

8551BK PG31

9051SBK PG32

9070BK PG31

9070SBK-1 PG31

9071BK PG32

9101SBK PG33

9170SBK PG27

9400 PG30

9400BK PG30

9400BK-03 PG30

9570BK-1 PG32

BENCHMADE®

YOURS, FOR LIFE.



USA DEALERS

CUSTOMER
SERVICE/SALES

TELEPHONE:
Local: 503.354.1406
Toll Free: 855.569.4738

CUSTOMER
SERVICE FAX:
503.496.1896

EMAIL:
info@benchmade.com
SalesTeam@benchmade.com

WEB:
dealer.benchmade.com

LAW ENFORCEMENT

CUSTOMER
SERVICE/SALES

TELEPHONE:
855.569.4738
(ASK FOR LE SALES)

EMAIL:
lesales@benchmade.com

WEB:
benchmade.com

FEDERAL GOVERNMENT

CUSTOMER
SERVICE/SALES

TELEPHONE:
855.569.4738
(ASK FOR FED/GOV SALES)

FED/GOV FAX:
503.496.1896

EMAIL:
military@benchmade.com

WEB:
benchmade.com

CAGE CODE:
041N2

INTERNATIONAL

CUSTOMER
SERVICE/SALES

TELEPHONE:
1.503.354.1406
(ASK FOR INTERNATIONAL SALES)

EMAIL:
international@benchmade.com

WEB:
benchmade.com

CONSUMER CUSTOMER SERVICE

CUSTOMER
SERVICE/SALES

TELEPHONE:
Toll Free: 1.833.557.2526
International: 1-503-655-6004

EMAIL:
info@benchmade.com
SalesTeam@benchmade.com

WEB:
benchmade.com

BENCHMADE

2026 BENCHMADE KNIFE CO, INC

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045