



BROCK XR
THE PROFESSIONALS' CHOICE



BROCOCK HERITAGE

Founded in 1989, Brocock has been a significant UK airgun manufacturer for over a quarter of a century. In 2014, Brocock was purchased by Diana Group, owners of Daystate, MTC Optics and Marocchi & Breda, a group that has been a major force worldwide since it was founded in 1922. Under its new ownership, Brocock has completely revamped and re-invented its airgun line up, modernising and improving its designs and styles to the fantastic range we present to you here.



USED BY CHAMPIONS

Brocock rifles come with a two year warranty, but are built to last a lifetime. Whilst intended for rugged hunting and general sports environments, such is their reputation and quality, Brocock rifles are also used in the world of competition shooting, notably winning the 2018 Extreme Bench Rest Competition.

MODERN TIMES

Brocock designers have gone to extraordinary lengths to deliver a range of dependable and reliable airguns. The modular design approach applied to modern Brocock air rifles enables parts and components to be interchangeable across models in the range to accommodate different stocks and bottle/cylinder configurations. In addition, the design philosophy means owners can customise and adapt their Brocock rifle with aftermarket products to suit their individual needs.

THE PROFESSIONALS' CHOICE

Because of their reliable and solid construction, professional pest controllers from Tampa to Timbuktu choose Brocock.




HUMA AIR REGULATOR

A regulator is a small high-pressure device that regulates the air pressure in a precharged pneumatic airgun such as a Brocock rifle.

The regulator reduces the primary high pressure to a lower, constant, pre-set pressure needed to achieve the required pellet speed. This means the same constant pellet speed and point of impact shot after shot.

The Huma-Air regulator is a highly advanced system developed in partnership with Dutch regulator specialists Huma-Air and fitted as standard only to rifles from Brocock and its sister company, Daystate. When combined with the XR's latest hammer design that is optimised for a regulator, the technologically advanced Huma-Air regulator precisely meters air release to totally eradicate any power curve and ensure minimal shot-to-shot deviation as the rifle cycles through its usable air charge – both important factors in improving downrange accuracy. The Huma-Air regulator also returns an even higher number of shots per fill-up.



CONTENTS

Ranger XR	4
Concept XR	6
Commander XR	8
Commander XR Magnum	10
Sniper XR	12
Sniper XR Magnum	14
Safari XR	16
Pellets & Slugs	18
Alpha Bipod	18
Sling Kits	18
Clothing & Accessories	18
OdB Silencer	19

RANGER XR

Brocock is the choice of some of the world's top professional pest controllers, so when red squirrel conservation ranger Jerry Moss requested a super-compact, full-power PCP rifle incorporating a folding stock, we were happy to oblige. The Ranger XR will particularly suit airgunners who need to travel light, roam large areas or who shoot in confined environments, just like the environment that Jerry shoots in. In its UK compliant 12 foot pound form, the Ranger XR measures a carbine length 600mm with its folding stock deployed, and just 400mm with it retracted. It weighs a featherlight 2.5kg (5.5lbs), yet will deliver around 35 shots in .177 and .22 calibre – slightly more if the on-board power adjuster is turned down. Export models can produce energy up to 20 foot pounds.

Belying its compact size, the sidelever action Ranger XR is as accurate as full-length rifles courtesy of its improved hammer design and highly advanced regulator system. When combined with the Ranger XR's latest hammer design, the regulator precisely meters the air release to totally eradicate any power curve.

In addition, the Ranger XR runs Brocock's latest self-indexing magazine that also delivers increased shot capacity. To accommodate scopes with larger parallax adjustment sidewheels, these magazines also deploy from right of the breech.



FEATURES

- Ambidextrous stock with folding, telescopic stock
- Huma-Air regulated
- Ergonomic sidelever operation
- New, removable self-indexing 13-shot (.177) or 11-shot (.22) rotary magazine with flip-open loading gate
- Single-shot tray
- Three power settings via side power adjuster
- 11mm dovetail rail for precise scope mounting. Additional Picatinny rail option available
- Picatinny accessory rails for bipod, torch etc.
- Two-stage adjustable trigger
- Resettable safety catch
- Adaptor for optional 0dB moderator

MAIN SPECIFICATIONS

- **Overall Length**
16" to 23" (400mm-600mm)
- **Barrel Length**
10.1ins (256mm)
- **Weight**
5.5lbs (2.56kg)
- **Available Calibres**
.177/4.5mm, .22/5.5mm
- **Power**
12-20 ft/lbs (16-27J)

CONCEPT XR

The modular gun platform: it started with assault rifles and now its coming to airguns.

Brocock's XR series is designed to be modular with many components interchangeable across the range. Or if you prefer, you can fit an array of aftermarket 'AR' style upgrades and accessories. The Concept XR, for example, features an adjustable telescopic stock that allows pull-length adjustment and tailored gun fit for different shooting scenarios and stances. An AK style pistol grip, Picatinny-style forend rail and the option of a folding stock, make the Concept XR the ideal choice for hunters looking for a small, compact yet powerful carbine-style rifle.

Fitted with a very latest and greatest Huma-Air regulator and a high-grade shrouded barrel, high-powered versions of the Concept XR can produce up to 40 foot pounds (52 joules) of energy, whilst delivering a high number of shots.

In common with other XR series rifles, the Concept uses a slick sidelever action for light and fast shooting from the self-indexing magazine.



brocock.co.uk

@BrocockOfficialPage

@brocockairguns

FEATURES

- Ambidextrous stock with adjustable butt
- Huma-Air regulated
- Ergonomic sidelever operation
- Removable self-indexing 13/10 shot self-indexing rotary magazine with flip-open loading gate
- Single-shot tray
- Multiple power settings via side power adjuster
- Optional 11mm dovetail or Picatinny for precise scope mounting
- Picatinny side and base accessory rails for bipod, torch etc.
- Two-stage adjustable trigger
- Resettable safety catch
- Built-in moderator with adaptor for second stage silencer
- Adaptor for optional 0dB moderator

MAIN SPECIFICATIONS

- **Overall Length**
32.7" to 36" (830mm-915mm)
- **Barrel Length**
17ins (432mm)
- **Weight**
5.5lbs (2.56kg)
- **Available Calibres**
.177/4.5mm, .22/5.5mm, .25/6.36mm
- **Power**
12-40 ft/lbs (16-54J)

COMMANDER XR

The XR range is designed to be modular, accepting parts and fitments across the range and compatible with AR upgrade parts and accessories. The firing system has been developed and refined using the very latest CNC machinery. The side lever Commander XR matches performance and style in one highly practical and versatile package.

Indicated by its twin air gauges, the Commander XR incorporates the Huma-Air advanced regulator system to totally eradicate any power curve.

The Commander's telescopic stock can be adjusted to suit the shooter's size and environment. There is even a folding option that takes compactness one stage further.*

The stock is made from a lightweight, yet tough polymer, which is allied to an AR compatible buffer tube. Out front there is a lightweight 480cc carbon fibre wrapped air bottle that helps to reduce the Commander's XR's weight even further.

The Commander XR also runs Brocock's latest self-indexing magazine that delivers an increased shot capacity. To accommodate scopes with larger parallax adjustment sidewheels, these magazines also deploy from right of the breech.



brocock.co.uk

@BrocockOfficialPage

@brocockairguns

FEATURES

- Ergonomic sidelever operation
- Huma-Air regulator
- Multiple power settings via side power adjuster
- Removable 10 shot (.25), 11 shot (.22), 13 shot (.177) self-indexing magazine
- Polymer ambidextrous stock with AK grip
- Telescopic stock with folding option
- Choice of Black or Desert Sand colours
- Underside picatinny rail
- Revised hammer and valve assembly
- Two stage trigger
- Resettable safety catch
- 432mm match quality barrel
- Full length, built in silencer with adaptor for 0dB moderator

MAIN SPECIFICATIONS

- **Overall Length**
33.6" - 37" (855mm-940mm)
- **Barrel Length**
17ins (432mm)
- **Weight**
6.4lbs (2.9kg)
- **Available Calibres**
.177/4.5mm, .22/5.5mm, .25/6.36mm
- **Power**
12-46 ft/lbs (16-68J)

COMMANDER XR MAGNUM

With all the features of the Commander XR, the Commander XR Magnum has 20% more power. Available in .22 and .25 calibres, the Commander XR Magnum uses an advanced regulator system which is exclusively supplied to Brocock by Huma-Air. With a longer 56cm match grade barrel, the rifle can deliver up to 46 foot pounds of energy in a .22 configuration and 55 foot pounds in .25. The usual 'power curve' that unregulated PCPs suffer from on high powered airguns has been eradicated as measured air control ensures minimal shot-to-shot deviation as the rifle cycles through its usable air charge, not only improving downrange accuracy but returning a shot count that reflects the huge hunting capabilities of this rifle.

An on-the-fly power adjuster, removable self-indexing magazine, match grade barrel with integral shroud and adjustable trigger completes the package.



brocock.co.uk



@BrocockOfficialPage



@brocockairguns

FEATURES

- Ergonomic sidelever operation
- Huma-Air regulator
- Multiple power settings via side power adjuster
- Removable 10 shot (.25), 11 shot (.22) self-indexing magazine
- Polymer ambidextrous stock with AK grip
- Telescopic stock with folding option
- Choice of Black or Desert Sand colours
- ½ UNF threaded muzzle
- Underside picatinny rail
- Two stage trigger
- Resettable safety catch
- 600mm match quality barrel
- Full length, built in silencer with adaptor for second stage silencer

MAIN SPECIFICATIONS

- **Overall Length**
41" to 46" (1,010mm-1,117mm)
- **Barrel Length**
23ins (600mm)
- **Weight**
6.7lbs (3kg)
- **Available Calibres**
.22/5.5mm, .25/6.36mm
- **Power**
46-55 ft/lbs (62-74J)

SNIPER XR

The Brocock Sniper XR, Brocock Sniper XR Mini and Brocock XR are compact, sidelever-operated PCPs. With a host of technical innovations, increasing power output, shot-count and reliability, Brocock's innovative semi-bullpup design results in vastly improved gun handling and rifle 'pointability'. The Sniper XR series rank among the shortest of air rifles on the market, with the Mini XR measuring just 820mm from its adjustable butt to its shrouded muzzle.

There are two versions, the unregulated Brocock XR and the Brocock Sniper XR, which benefits from a Huma-Air regulator.

Fitted with a rugged thumb-hole stock in black polymer that features cheek-piece and butt pad adjustment for a perfect gun fit.

An on-the-fly power adjuster, removable self-indexing magazine, match grade barrel with integral shroud and adjustable trigger completes the super compact package of this unique and handy airgun.



brocock.co.uk



@BrocockOfficialPage



@brocockairguns

FEATURES

- Ergonomic sidelever operation
- Huma-Air regulator (Sniper XR)
- Multiple power settings via side power adjuster
- Removable 10 shot (.25), 11 shot (.22), 13 shot (.177) self-indexing magazine
- Polymer or laminate ambidextrous stock
- Adjustable cheek piece and butt pad
- Underside picatinny rail on (optional on XR)
- Two stage trigger
- Resettable safety catch
- 432mm match quality barrel
- Full length, built in silencer with adaptor for 0dB moderator

MAIN SPECIFICATIONS

- **Overall Length**
34" (863mm)
- **Mini Version Length**
32" (820mm)
- **Barrel Length**
17ins (432mm)
- **Weight**
7.3lbs (3.3kg)
- **Available Calibres**
.177/4.5mm, .22/5.5mm, .25/6.36mm
- **Power**
12-50 ft/lbs (16-68J)

SNIPER XR MAGNUM

Brocock's innovative Sniper XR semi-bullpup has a more powerful XR Magnum version with a longer barrel that increases power by 20%. The Sniper XR Magnum uses a special fast flow Huma-Air regulator. With a longer 56cm match grade barrel, the rifle can deliver up to 46 foot pounds of energy in a .22 configuration and 55 foot pounds in .25. The usual 'power curve' that unregulated PCPs suffer from on high powered airguns has been eradicated through measured air control to ensure minimal shot-to-shot deviation as the rifle cycles through its usable air charge. This not only improves downrange accuracy but returns a shot count that reflects the huge hunting capabilities of this rifle.

An on-the-fly power adjuster, removable self-indexing magazine, match grade barrel with integral shroud and adjustable trigger completes the package.



brocock.co.uk



@BrocockOfficialPage



@brocockairguns

FEATURES

- Ergonomic sidelever operation
- Huma-Air regulator
- Multiple power settings via side power adjuster
- Removable 10 shot (.25), 11 shot (.22) self-indexing magazine
- Polymer ambidextrous stock
- Adjustable cheek piece and butt pad
- Underside picatinny rail
- Picatinny or 11/12mm dovetail top rail
- Two stage trigger
- Resettable safety catch
- 600mm match quality barrel
- Full length, built in silencer with adaptor for 0dB moderator

MAIN SPECIFICATIONS

- **Overall Length**
39" (990mm)
- **Barrel Length**
23ins (600mm)
- **Weight**
7.3lbs (3.3kg)
- **Available Calibres**
.22/5.5mm, .25/6.36mm
- **Power**
46-55 ft/lbs (62-74J)

SAFARI XR / SAFARI XR MAGNUM

Now for the bigger game

Retaining the Sniper XR's classic looks, the Safari model elevates things a stage further courtesy of a unique textured ambidextrous stock and a full suite of Picatinny mounting rails.

In common with the rest of the sidelever-operated XR range, the new Safari XR is based around Brocock's innovative semi-bullpup design that vastly improves gun handling and 'pointability'. The new Safari maintains the XR's highly-advanced Huma-Air regulator system.

The Safari XR also sports Brocock's removable self-indexing magazine with flip-open loading gate and retains all the XR line's highly versatile features: the adjustable stock, on-the-fly power adjuster and match-feel, adjustable two-stage trigger. Its barrel is also complemented by an integral shrouded silencer and is available in three calibre options: .177/4.5mm, .22/5.5mm and .25/6.35mm, and .22 or .25 in the magnum version.



brocock.co.uk



@BrocockOfficialPage



@brocockairguns

FEATURES

- Ergonomic sidelever operation
- Huma-Air regulator
- Multiple power settings via side power adjuster
- Removable 10 shot (.25), 11 shot (.22), 13 shot (.177) self-indexing magazine
- Textured wooden hand-finished ambidextrous stock
- Adjustable cheek piece and butt pad
- Underside picatinny rail
- Two stage trigger
- Resettable safety catch
- Match quality barrel
- Full length, built in silencer with adaptor for 0dB moderator

MAIN SPECIFICATIONS

- **Overall Length**
34" (863mm)
- **Barrel Length**
17" (432mm),
23" (600mm) Magnum
- **Weight**
7.3-8.1lbs (3.3-3.7kg)
- **Available Calibres**
.177/4.5mm, .22/5.5mm,
.25/6.36mm
- **Power**
12-55 ft/lbs (16-75J)

RANGEMASTER PELLETS & AIRGUN SLUGS



Even the finest air rifles in the world, are only as good as the ammo they're fed. Rangemaster has partnered with manufacturers around the world to develop the Rangemaster range - a comprehensive line up of high performance ammo that exploits the full potential of Brocock's highly acclaimed air rifles..

Precision-made to exacting tolerances, the Rangemaster range spans calibres from .177 to .30 (4.5mm to 7.62mm) and weights from 8.44 grains to 50.15 grains (0.547 grams to 3.240 grams).

Each of the Rangemaster types has been specially matched to suit specific purposes, from short and long-range hunting to field target and benchrest competition, with ballistic configurations to cater for rifles that produce sub-12ft/lbs (16J) power output to those in excess of 100+ft/lbs (135+J).

Now supplied in new, easily identifiable colour-coded tins of 150 to 500 according to type/calibre, Rangemaster is the line that's got every shooting scenario covered.

ALPHA BIPOD

- Strong aluminium construction
- Adjustable for length in five stages from 150-230mm (6-9 inches)
- Fits Picatinny rail and has non-slip rubber feet
- Compact design folds forwards and back in 30 degree increments



SLING KITS

High quality sling and swivel kits for your Brocock rifle



CLOTHING & ACCESSORIES



Baseball cap

Cool-dry polo shirt

Fleece jacket

Earthenware mug

Spare magazine

brocock.co.uk @BrocockOfficialPage @brocockairguns

0dB SILENCER

An exciting range of airgun silencers. Available in two lengths, two colour options and three, calibre-specific versions, the 0dB performs as impressively as its look suggests.

Externally, stylish flutes work to diffuse reflections while, internally, a specially developed baffle and mesh system dissipates both noise and air turbulence. This ensures the pellet not only exits a 0dB silencer with a barely-audible report, but that it begins its downrange journey in the calmest air possible.

Designed in lightweight aluminium and CNC-engineered with the highest quality components, there are two 0dB silencer models - 110mm and 160mm lengths (4.3" and 6.3" respectively).

The 0dB silencer is female threaded to the industry standard 1/2" UNF fitting and adds minimal weight - 108g (3.8oz) for the 110C and 147g (5.2oz) for the 160S.

Each model is also close-machined to rifle bore sizes to maximise sound suppression efficiency, with size-specific designs for .177/.22, .25 caliber Brocock airguns denoted by a star rating on the 0dB's end cap.

Effective and beautiful, both models are available in two colours - anodised matt black and cerakote finish tan - making the 0dB silencer a classy complement as well as the perfect performance upgrade.

- **Two models**
110C Compact 110mm (108g), 160S Standard 160mm (147g)
- **Two finishes**
Stealth matt black, cerakote tan
- **Caliber specific**
.177/.22, .25,
- **CNC-engineered in aluminium**
- **32mm outer diameter**
- **Threaded 1/2" UNF (female)**
Other thread sizes available to specific order



160mm

110mm



Stealth matt black

Cerakote tan



BROCK

HUMA-AIR
EVOLVED



Brocock Ltd, Unit 3, Raleigh Hall Industrial Estate, Eccleshall, Staffordshire ST21 6JL, United Kingdom. office@brocock.co.uk
brocock.co.uk

© Brocock Limited, 2021.v1. E&OE