



**Kershaw®**

**2025**

**#2**

# kershaw®

## SINCE 1974

### TABLE OF CONTENTS

2	NEW PRODUCTS <b>NEW</b>	62	KITCHEN
10	AUTOMATIC <b>NEW</b>	64	GEAR <b>NEW</b>
18	STARTER <b>NEW</b>	69	BLADE STYLES, FINISHES
22	EVERYDAY CARRY - MANUAL <b>NEW</b>	70	BLADE STEEL INFO
34	EVERYDAY CARRY - ASSISTED <b>NEW</b>	72	OPENING, LOCKS, HANDLES, POCKETCLIPS
52	MULTI-FUNCTION	74	KNIFE SIZES
56	FIXED BLADE	76	INDEX
58	OUTDOOR	79	WARRANTY INFO
60	FISHING	80	PROP 65 INFO





# NEW PRODUCT RELEASE

2025 #2



**LAUNCH 21**  
7106 • P.11



**OUTFIELD**  
1428 • P.18



**BEL AIR -  
CLIP POINT**  
6106 • P.23



**REMNANT**  
2054 • P.23



**RUNOFF**  
1429 • P.24



**SEQUENCE**  
1426 • P.24



**CONDUIT -  
SERRATED**  
1407ST • P.43



**BRAWLER -  
SERRATED**  
1990ST • P.43



**SHORELINE -  
SERRATED**  
1845ST • P.43



**OUTRIGHT BLACK -  
SERRATED**  
8320BLKST • P.44



## 2025 PRODUCT RELEASE 1



**LIVEWIRE -  
REVERSE TANTO**  
9000R • P.11



**LAUNCH IRIDIUM**  
7038 • P.12



**MISDIRECT -  
RAINBOW**  
1365RBW • P.18



**KINDRED**  
2053 • P.24



**BROADSIDE**  
2052 • P.24



**MINI IRIDIUM -  
REVERSE TANTO**  
2051R • P.24



**MINI IRIDIUM -  
REVERSE TANTO,  
BLACK**  
2051RBLK • P.27




**IRIDIUM - REVERSE  
TANTO, BLACK**  
2038RBLK • P.27



**LEEK - RAINBOW  
TROUT**  
1660TROUT • P.35



**LEEK - USA FLAG**  
1660USA • P.35



**OUTCOME -  
RAINBOW**  
2044RBW • P.44

# kershaw®

## ORIGINALS



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this  
icon designating  
KERSHAW  
ORIGINALS.





# 2025 CATALOG

## ICON GUIDE

Find these icons on products with special features and materials:



Made In USA



Kershaw Original



Premium blade steel



KVT ball-bearing opening



G10 handle scales



Canvas micarta handle scales



Carbon fiber handle scales



Emerson Wave Shaped Feature®



Sheath included



Composite Blade



# kershaw®

## MANUFACTURING



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. This kind of manufacturing depth enables us to build products for every budget and meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.





## QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the-art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

## DESIGN

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

## SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

## JOBS

Kershaw employs hundreds of employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.

# BLADE STEELS

Kershaw proudly uses high quality materials to construct its designs. Choosing the right blade steel is one of the most important decisions we make when designing a knife. Many Kershaws now use the highest quality steels like M4 and MagnaCut. Our expert heat treatment gets the most out of these materials. It means that you can carry Kershaws with confidence, knowing that your blade will stay sharp and work reliably for a lifetime.



CPM MAGNACUT

HRC 62-64

TOUGHNESS: 8/10

EDGE RETENTION: 7.5/10

CORROSION RESISTANCE: 9/10

SHARPENING EASE: 2/10

This Crucible powdered metallurgy steel eliminates chromium during heat treatment, allowing for vanadium and niobium to form greater carbides near the cutting edge. This formula creates an exceptional balance of edge retention, toughness, and corrosion resistance.



CPM M4

HRC 60-62

TOUGHNESS: 7/10

EDGE RETENTION: 9/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

The formula for this premium tool steel includes high amounts of vanadium and molybdenum. This composition creates exceptional edge retention and toughness.

## CPM MAGNACUT

- 9000R

NEW
- 9000CF
- 9000DE
- 9000T
- 9000BLK
- 9000
- 7038

NEW
- 7900CF
- 7950
- 7951
- 6105CF
- 6105BLK
- 6105
- 6106

NEW
- 17760LSW

## CPM M4

- 7106

NEW
- 7105
- 71050LBK



# DURALOCK



Since its introduction in 2023, DuraLock has become a preferred locking mechanism thanks to its rock-solid reliability and easy-to-use crossbar design. The lineup continues to grow with new additions in 2025. Among our most popular designs are new variations to choose from, including the Sequence and clip point Bel Air. With so many options, there's a DuraLock for you.

## NEW BUTTON LOCK



Kershaw is introducing a new blade lock in 2025, a manual button lock. Folders using this lock take advantage of a plunge mechanism, which secures the blade in place for secure lockup. Simply press the button to disengage the lock and experience drop shut action on KVT ball-bearings. The button lock combines the best of both security and smoothness.

**1429**  
NEW



**2054**  
NEW



**2053**  
NEW



## DURALOCK

**1426**  
NEW



**2052**  
NEW



**6106**  
NEW



**6105CF**



**6105BLK**



**6105**



**2051R**  
NEW



**2051RBLK**  
NEW



**2051BLK**



**2051**



**2038RBLK**  
NEW



**2038R**



**2038BLK**



**2038**



**2042**



**2041**



**2037**



**2047**



**8337**





# AUTOMATIC SECTION

## OVERVIEW

- 24 TOTAL • 3 NEW
- 24 MADE IN USA
- 21 ORIGINAL DESIGNS
- 24 PREMIUM BLADE STEEL



Kershaw automatics are a collection of sleek, fast, instant-open knives. The lineup includes out-the-side and out-the-front opening knives. Either way, activating the button releases the lock, and the blade deploys lightning-fast, ready for use.



**NEW**

## LAUNCH 21

7106

a KERSHAW ORIGINALS design

<b>STEEL</b>	CPM M4, black PVD coating
<b>HANDLE</b>	6061-T6 aluminum, FDE anodized, G10 inserts
<b>BLADE</b>	3.45 in. (8.8 cm)
<b>CLOSED</b>	4.95 in. (12.6 cm)
<b>OVERALL</b>	8.4 in. (21.3 cm)
<b>WEIGHT</b>	4.1 oz. (116 g)
<b>BOX</b>	087171069524
<b>CLAM</b>	-



<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Oversized jimping for secure grip



**NEW**

## LIVEWIRE - REVERSE TANTO

9000R a KERSHAW ORIGINALS & MATT DISKIN design

<b>STEEL</b>	CPM MagnaCut, black PVD coating with satin grinds
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.3 in. (8.4 cm)
<b>CLOSED</b>	4.8 in. (12.2 cm)
<b>OVERALL</b>	8.1 in. (20.6 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171068732
<b>CLAM</b>	-



<b>OPENING</b>	Out-The-Front Automatic
<b>LOCK</b>	OTF Internal Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip down)
<b>FEATURES</b>	Handle texturing for a stylish look and secure grip



## LIVEWIRE - CARBON FIBER

9000CF

a KERSHAW ORIGINALS & MATT DISKIN design

<b>STEEL</b>	CPM MagnaCut, stonewashed finish with satin grinds
<b>HANDLE</b>	Carbon fiber front, 6061-T6 aluminum, black anodized
<b>BLADE</b>	3.35 in. (8.5 cm)
<b>CLOSED</b>	4.8 in. (12.2 cm)
<b>OVERALL</b>	8.15 in. (20.7 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171066677
<b>CLAM</b>	-



<b>OPENING</b>	Out-The-Front Automatic
<b>LOCK</b>	OTF Internal Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip down)
<b>FEATURES</b>	Handle texturing for a stylish look and secure grip



## LIVEWIRE - DOUBLE EDGE

9000DE

a KERSHAW ORIGINALS & MATT DISKIN design

<b>STEEL</b>	CPM MagnaCut, black PVD coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.45 in. (8.8 cm)
<b>CLOSED</b>	4.8 in. (12.2 cm)
<b>OVERALL</b>	8.25 in. (21 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171066684
<b>CLAM</b>	-



<b>OPENING</b>	Out-The-Front Automatic
<b>LOCK</b>	OTF Internal Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip down)
<b>FEATURES</b>	Handle texturing for a stylish look and secure grip



## LIVEWIRE - TANTO

9000T

a KERSHAW ORIGINALS & MATT DISKIN design

<b>STEEL</b>	CPM MagnaCut, black-oxide BlackWash™ finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.3 in. (8.4 cm)
<b>CLOSED</b>	4.8 in. (12.2 cm)
<b>OVERALL</b>	8.1 in. (20.6 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171065892
<b>CLAM</b>	-



<b>OPENING</b>	Out-The-Front Automatic
<b>LOCK</b>	OTF Internal Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip down)
<b>FEATURES</b>	Handle texturing for a stylish look and secure grip



AUTOMATIC

kershaw

KERSHAWKNIVES.COM



**LIVEWIRE - BLACK**

9000BLK

a KERSHAW ORIGINALS &amp; MATT DISKIN design



**STEEL** CPM MagnaCut, black PVD coating  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.3 in. (8.4 cm)  
**CLOSED** 4.8 in. (12.2 cm)  
**OVERALL** 8.1 in. (20.6 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171065663  
**CLAM** -

**OPENING** Out-The-Front Automatic  
**LOCK** OTF Internal Lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip down)  
**FEATURES** Handle texturing for a stylish look and secure grip

**LIVEWIRE**

9000

a KERSHAW ORIGINALS &amp; MATT DISKIN design



**STEEL** CPM MagnaCut, stonewashed finish  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.3 in. (8.4 cm)  
**CLOSED** 4.8 in. (12.2 cm)  
**OVERALL** 8.1 in. (20.6 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171064550  
**CLAM** -

**OPENING** Out-The-Front Automatic  
**LOCK** OTF Internal Lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip down)  
**FEATURES** Handle texturing for a stylish look and secure grip

**NEW****LAUNCH IRIDIUM**

7038

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, working finish  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.45 in. (8.8 cm)  
**CLOSED** 4.55 in. (11.6 cm)  
**OVERALL** 8 in. (20.3 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171068381  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, gray anodized backspacer and lanyard hole

**LAUNCH 1**

7100BW

a KERSHAW ORIGINALS design



**STEEL** CPM 154, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 8 in. (20.3 cm)  
**WEIGHT** 4 oz. (114 g)  
**BOX** 087171039534  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Integrated backspacer, lanyard tie-off

**LAUNCH 4**

7500BLK

a KERSHAW ORIGINALS design



**STEEL** CPM 154, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 1.9 in. (4.8 cm)  
**CLOSED** 3.2 in. (8.1 cm)  
**OVERALL** 5.1 in. (13 cm)  
**WEIGHT** 1.8 oz. (51 g)  
**BOX** 087171041100  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Single-position (right, tip-up)  
**FEATURES** Integrated backspacer



AUTOMATIC

**kershaw**

KERSHAWKNIVES.COM





## LAUNCH 6

7800BLK

a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 154, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.75 in. (9.5 cm)
<b>CLOSED</b>	4.9 in. (12.4 cm)
<b>OVERALL</b>	8.7 in. (22.1 cm)
<b>WEIGHT</b>	3.8 oz. (108 g)
<b>BOX</b>	087171044484
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer, lanyard hole



## LAUNCH 7 - CARBON FIBER

7900CF

a TIM GALYEAN design



<b>STEEL</b>	CPM MagnaCut, stonewashed finish
<b>HANDLE</b>	Carbon fiber front, 6061-T6 aluminum, black anodized
<b>BLADE</b>	3.7 in. (9.4 cm)
<b>CLOSED</b>	4.9 in. (12.4 cm)
<b>OVERALL</b>	8.6 in. (21.8 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171067018
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer



## LAUNCH 7

7900GRYBLK

a TIM GALYEAN design



<b>STEEL</b>	CPM 154, black Cerakote coating
<b>HANDLE</b>	6061-T6 aluminum, gray anodized
<b>BLADE</b>	3.7 in. (9.4 cm)
<b>CLOSED</b>	4.9 in. (12.4 cm)
<b>OVERALL</b>	8.6 in. (21.8 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171048574
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated backspacer



## LAUNCH 8

7150

a MATT DISKIN design



<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, gray anodized, carbon fiber insert front
<b>BLADE</b>	3.5 in. (9 cm)
<b>CLOSED</b>	4.75 in. (12.2 cm)
<b>OVERALL</b>	8.25 in. (21 cm)
<b>WEIGHT</b>	2.3 oz. (68 g)
<b>BOX</b>	087171055008
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Integrated finger guards



## LAUNCH 11

7550

a KERSHAW ORIGINALS design



<b>STEEL</b>	CPM 154, black-oxide BlackWash™ finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.8 in. (9.9 cm)
<b>OVERALL</b>	6.75 in. (16.6 cm)
<b>WEIGHT</b>	2.1 oz. (60 g)
<b>BOX</b>	087171058771
<b>CLAM</b>	-

<b>OPENING</b>	Push-button open
<b>LOCK</b>	Push-button lock release
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Bronze anodized titanium trim ring, integrated backspacer with lanyard tie-off, weight-relieving handle window



## LAUNCH 13

7650  
a KERSHAW ORIGINALS design



**STEEL** CPM 154, black Cerakote coating with satin grinds  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 8 in. (20.3 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171060620  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom triangular pivot, integrated backspacer with lanyard tie-off, weight-relieving handle windows



## LAUNCH 14

7850  
a KERSHAW ORIGINALS design



**STEEL** CPM 154, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, gray anodized, carbon fiber scale front  
**BLADE** 3.375 in. (8.6 cm)  
**CLOSED** 4.375 in. (11.1 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 3.2 oz. (91 g)  
**BOX** 087171062105  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Bronze anodized titanium tube spacer, integrated backspacer with lanyard hole



## LAUNCH 15

7950  
a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, black anodized, canvas micarta inserts  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.9 in. (12.4 cm)  
**OVERALL** 8.5 in. (21.3 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171064529  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Thin canvas micarta backspacer



## LAUNCH 16 - OLIVE, BLACK

71050LBLK  
a KERSHAW ORIGINALS design



**STEEL** CPM M4, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, olive Cerakote coating, Trac-Tec inserts  
**BLADE** 3.45 in. (8.8 cm)  
**CLOSED** 4.95 in. (12.6 cm)  
**OVERALL** 8.4 in. (21.3 cm)  
**WEIGHT** 4.1 oz. (116 g)  
**BOX** 087171066530  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Oversized jumping for secure grip





## LAUNCH 16

7105

a KERSHAW ORIGINALS design



**STEEL** CPM M4, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.45 in. (8.8 cm)  
**CLOSED** 4.95 in. (12.6 cm)  
**OVERALL** 8.4 in. (21.3 cm)  
**WEIGHT** 4 oz. (113 g)  
**BOX** 087171065335  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Oversized jimping for secure grip



## LAUNCH 17

7951

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, gray anodized, textured G10 inserts  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.95 in. (12.6 cm)  
**OVERALL** 8.45 in. (21.5 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171066561  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Thin G10 backspacer



## LAUNCH 18

7551

a KERSHAW ORIGINALS design



**STEEL** CPM 154, stonewashed finish  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 2.79 in. (7.1 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 6.79 in. (17.2 cm)  
**WEIGHT** 2.3 oz. (65 g)  
**BOX** 087171066578  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Ceramic bead-blasted titanium trim ring, integrated backspacer with lanyard tie-off



## LAUNCH 19

7851

a KERSHAW ORIGINALS design



**STEEL** CPM 154, black Cerakote coating with satin grinds  
**HANDLE** 6061-T6 aluminum, black anodized, earth brown G10 scale  
**BLADE** 3.3 in. (8.4 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.7 in. (19.6 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171066691  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bronze anodized titanium tube spacer, integrated backspacer with lanyard hole



## LAUNCH 20

7050

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, satin finish with stonewashed flats  
**HANDLE** 6061-T6 aluminum, raw finish, clear anodized, marbled carbon fiber inserts  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.2 in. (18.3 cm)  
**WEIGHT** 2.3 oz. (65 g)  
**BOX** 087171067094  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Integrated backspacer with lanyard tie-off



AUTOMATIC

**kershaw**

KERSHAWKNIVES.COM





# STARTER SECTION

## OVERVIEW

17 TOTAL • 2 NEW  
17 ORIGINAL DESIGNS

This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

NEW

## OUTFIELD

1428

a KERSHAW ORIGINALS design

**STEEL** 4Cr14, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.8 in. (7.1 cm)  
**CLOSED** 3.62 in. (9.2 cm)  
**OVERALL** 6.42 in. (16.3 cm)  
**WEIGHT** 2.2 oz. (62 g)  
**BOX** 087171069159  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard pin



NEW

## MISDIRECT - RAINBOW


1365RBW

a KERSHAW ORIGINALS design

**STEEL** 4Cr14, polished rainbow PVD coating  
**HANDLE** Stainless steel, polished rainbow PVD coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171069197  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** 3-position (right/left, tip up; right, tip-down)  
**FEATURES** Lanyard hole



## MISDIRECT

1365

a KERSHAW ORIGINALS design

**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 3.2 oz. (91 g)  
**BOX** 087171055169  
**CLAM** 087171055688



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** 3-position (right/left, tip up; right, tip-down)  
**FEATURES** Lanyard hole



## WHARF

1414

a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.8 in. (7.1 cm)  
**CLOSED** 3.9 in. (9.9 cm)  
**OVERALL** 6.7 in. (17 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171065809  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard pin





## FLATBED

1376  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish  
**BLADE** 3.125 in. (7.9 cm)  
**CLOSED** 4.125 in. (10.5 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.2 oz. (91 g)  
**BOX** 087171061986  
**CLAM** 087171064406



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer



## JETPACK

1401  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Stainless steel, stonewashed finish, glass-filled nylon overlays  
**BLADE** 2.75 in. (7 cm)  
**CLOSED** 3.75 in. (9.5 cm)  
**OVERALL** 6.5 in. (16.5 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171061764  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer



## LIGHTYEAR

1395  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.125 in. (7.9 cm)  
**CLOSED** 4.125 in. (10.5 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171058863  
**CLAM** 087171060941



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole



## TREMOLO

1390  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.125 in. (7.9 cm)  
**CLOSED** 4.125 in. (10.5 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171060934  
**CLAM** 087171062488



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Steel handle inlays





## CAMSHAFT

1370  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.1 oz. (90 g)  
**BOX** 087171057637  
**CLAM** 087171060453



**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, decorative pivot cap, custom backspacer



## AIRLOCK

1385  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.5 cm)  
**WEIGHT** 2.9 oz. (84 g)  
**BOX** 087171058405  
**CLAM** 087171059044



**OPENING** Assisted opening with flipper  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole, weight-relieving handle window, decorative pivot cap




## STARTER

1301BW  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20.1 cm)  
**WEIGHT** 6.4 oz. (183 g)  
**BOX** 087171037646  
**CLAM** 087171037653



**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## LIFTER

1302BW  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20.1 cm)  
**WEIGHT** 5.8 oz. (167 g)  
**BOX** 087171037660  
**CLAM** 087171037677



**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## FILTER

1306BW  
a KERSHAW ORIGINALS design

**STEEL** 4Cr14, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 5 oz. (143 g)  
**BOX** 087171039213  
**CLAM** 087171039220



**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)



## KORRA

1409  
a KERSHAW ORIGINALS design

<b>STEEL</b>	5Cr15MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	3.75 in. (9.5 cm)
<b>OVERALL</b>	6.5 in. (16.5 cm)
<b>WEIGHT</b>	2.2 oz. (62 g)
<b>BOX</b>	087171064864
<b>CLAM</b>	-




<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard pin



## SPOKE

1313BLK  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Stainless steel, black-oxide coating
<b>BLADE</b>	2 in. (5.1 cm)
<b>CLOSED</b>	2.8 in. (7.1 cm)
<b>OVERALL</b>	4.75 in. (12.1 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171044446
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)



## VALVE

1375  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	2.25 in. (5.7 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.5 in. (14 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171057910
<b>CLAM</b>	087171059532



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-up)
<b>FEATURES</b>	Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer



## CATHODE

1324  
a KERSHAW ORIGINALS design

<b>STEEL</b>	4Cr14, stonewashed finish
<b>HANDLE</b>	Stainless steel, hot-stamped texture
<b>BLADE</b>	2.25 in. (5.7 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.5 in. (14 cm)
<b>WEIGHT</b>	2.7 oz. (77 g)
<b>BOX</b>	087171044903
<b>CLAM</b>	087171044910



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)





# EDC-MANUAL SECTION

OVERVIEW

41 TOTAL • 9 NEW  
7 MADE IN USA  
34 ORIGINAL DESIGNS  
24 PREMIUM BLADE STEEL



Manual-opening knives can be opened with a thumb stud, flipper, sliding button, or hollow in the blade. Some also feature our KVT ball-bearing opening that enables the blade to move out of the handle smoothly when you pull back on the flipper. KVT makes opening manual knives as easy as assisted.



**NEW****BEL AIR - CLIP POINT**

6106

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, working finish  
**HANDLE** Olive canvas micarta  
**BLADE** 3.05 in. (7.7 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 2.6 oz. (74 g)  
**BOX** 087171069722  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Bead-blasted locking dowel and black oxide tube spacers

**BEL AIR - CARBON FIBER**

6105CF

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, satin finish with stonewashed flats  
**HANDLE** Marbled carbon fiber  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.3 in. (18.5 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171068428  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Bead-blasted locking dowel and tube spacers

**BEL AIR - BLACK**

6105BLK

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, black PVD coating  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.3 in. (18.5 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171067544  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Black-oxide locking dowel and tube spacers

**BEL AIR**

6105

a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, nickel Cerakote coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.2 in. (18.3 cm)  
**WEIGHT** 2.9 oz. (82 g)  
**BOX** 087171066073  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Dark bronze Cerakote-coated locking dowel and tube spacers

**NEW****REM NANT**

2054

a KERSHAW ORIGINALS design



**STEEL** D2, stonewashed finish  
**HANDLE** Black linen micarta  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.38 in. (11.1 cm)  
**OVERALL** 7.63 in. (19.4 cm)  
**WEIGHT** 2.7 oz. (76 g)  
**BOX** 087171069395  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** Button Lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom pivot, bronze anodized tube spacers, steel liners with weight-relieving pockets





**NEW****RUNOFF**

1429

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.05 in. (10.3 cm)
<b>OVERALL</b>	7.15 in. (18.2 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	08717109029
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Button Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, olive backspacer with lanyard hole

**NEW****KINDRED**

2053

a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	6061-T4 aluminum, black anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.2 in. (18.3 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171068411
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	Button Lock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, lanyard hole

**NEW****SEQUENCE**

1426

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.32 in. (8.4 cm)
<b>CLOSED</b>	4.38 in. (11.1 cm)
<b>OVERALL</b>	7.7 in. (19.6 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171068947
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, custom backspacer, lanyard hole

**NEW****BROADSIDE**

2052

a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.85 in. (12.3 cm)
<b>OVERALL</b>	8.35 in. (21.2 cm)
<b>WEIGHT</b>	5.1 oz. (145 g)
<b>BOX</b>	087171068374
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Chocolate PVD coated liners, custom pivot, custom backspacer, lanyard hole

**NEW****MINI IRIDIUM - REVERSE TANTO**

2051R a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, satin finish with stonewashed flats
<b>HANDLE</b>	6061-T6 aluminum, gray anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171068909
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, ice blue anodized backspacer and lanyard hole











**NEW****MINI IRIIDIUM - REVERSE TANTO, BLACK**

2051RBLK a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, black-oxide coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171068930
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom black anodized pivot, backspacer, and lanyard hole

**MINI IRIIDIUM - BLACK**

2051BLK

a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, black-oxide coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171068251
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom black anodized pivot, backspacer and lanyard hole

**MINI IRIIDIUM**

2051

a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, ice blue anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	2.5 oz. (71 g)
<b>BOX</b>	087171066738
<b>CLAM</b>	087171067056



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom gold PVD pivot, gold anodized backspacer and lanyard hole

**NEW****IRIDIUM - REVERSE TANTO, BLACK**

2038RBLK a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, black-oxide coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.45 in. (8.7 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.95 in. (20.2 cm)
<b>WEIGHT</b>	3.5 oz. (99 g)
<b>BOX</b>	087171068923
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom black anodized pivot, backspacer, and lanyard hole

**IRIDIUM - REVERSE TANTO**

2038R a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.5 oz. (99 g)
<b>BOX</b>	087171066349
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, clear-anodized backspacer and lanyard hole





**IRIDIUM - BLACK**

2038BLK

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, black-oxide coating
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171065601
<b>CLAM</b>	-

<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, black-anodized backspacer and lanyard hole

**IRIDIUM**

2038

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish with satin grinds
<b>HANDLE</b>	6061-T6 aluminum, gray anodized
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171063973
<b>CLAM</b>	087171065366

<b>OPENING</b>	Manual KVT ball-bearing opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, bronze-anodized backspacer and lanyard hole

**COVALENT**

2042

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.2 in. (8.1 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.6 in. (19.3 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171063997
<b>CLAM</b>	087171065373

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, custom backspacer, lanyard hole

**MONITOR**

2041

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.2 in. (18.3 cm)
<b>WEIGHT</b>	2.7 oz. (77 g)
<b>BOX</b>	087171063980
<b>CLAM</b>	-

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, custom backspacer, lanyard hole

**HEIST**

2037

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.2 in. (8.1 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.6 in. (19.3 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171063966
<b>CLAM</b>	087171065359


<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom pivot, custom backspacer, lanyard hole



## BALANZA

4950TR  
a KERSHAW ORIGINALS design

<b>STEEL</b>	Stainless steel, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	4.3 in. (10.9 cm)
<b>CLOSED</b>	5.6 in. (14.2 cm)
<b>OVERALL</b>	9.6 in. (24.4 cm)
<b>WEIGHT</b>	4.8 oz. (136 g)
<b>BOX</b>	087171064000
<b>CLAM</b>	-




<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>FEATURES</b>	Unsharpened blade, rounded tip, latch, steel internal stop pins




## LUCHA - TRAINER

5150TR  
a KERSHAW ORIGINALS design

<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	4.6 in. (11.7 cm) unsharpened
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	6 oz. (170 g)
<b>BOX</b>	087171060187



<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>FEATURES</b>	Unsharpened edge, rounded tip, anti-stick latch with rounded head profile, steel internal stop pins



## LUCHA - BLACKWASH™

5150BW  
a KERSHAW ORIGINALS design

<b>STEEL</b>	14C28N, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	4.6 in. (11.7 cm)
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	5.9 oz. (168 g)
<b>BOX</b>	087171060446



<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>FEATURES</b>	Anti-stick latch with rounded head profile, steel internal stop pins



## LUCHA

5150  
a KERSHAW ORIGINALS design

<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	4.6 in. (11.7 cm)
<b>CLOSED</b>	5.8 in. (15 cm)
<b>OVERALL</b>	10.25 in. (26 cm)
<b>WEIGHT</b>	5.9 oz. (168 g)
<b>BOX</b>	087171058412



<b>OPENING</b>	Dual KVT ball-bearing opening
<b>LOCK</b>	Latch
<b>FEATURES</b>	Anti-stick latch with rounded head profile, steel internal stop pins




## ENDGAME

2095  
a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Stainless steel with glass-filled nylon insert, bead-blasted finish
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171060705
<b>CLAM</b>	-



<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot cap, bronze PVD coated steel handle overlays







## INTERSTELLAR

1195

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.7 in. (6.9 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	6.9 in. (17.5 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171063225
<b>CLAM</b>	087171065847

### OPENING LOCK POCKETCLIP FEATURES

Manual with sliding button  
Sliding button lock  
Single-position deep-carry (right, tip-up)  
Partially serrated blade, backspacer with integrated bottle opener






## CYBERNET

2046  
a KERSHAW ORIGINALS design



**STEEL** D2, satin finish with stonewashed flats  
**HANDLE** Stainless steel, stonewashed finish  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.55 in. (9 cm)  
**OVERALL** 5.95 in. (15.1 cm)  
**WEIGHT** 3.1 oz. (88 g)  
**BOX** 087171064871  
**CLAM** -

**OPENING** Manual opening with sliding button  
**LOCK** Sliding button  
**POCKETCLIP** Single position deep-carry (right, tip-up)  
**FEATURES** Steel button, bronze PVD coating, unique deep-carry pocketclip



## KAPSULE

1190  
a JENS ANSØ design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 1.9 in. (4.8 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5 in. (12.7 cm)  
**WEIGHT** 2 oz. (57 g)  
**BOX** 087171060644  
**CLAM** 087171062464

**OPENING** Manual with sliding button  
**LOCK** Sliding button lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Blue anodized aluminum button



## FRONTRUNNER

2039  
a KERSHAW ORIGINALS design



**STEEL** D2, stonewashed finish  
**HANDLE** Stainless steel, stonewashed finish with gray PVD coating, bronze PVD coating, G10  
**BLADE** 2.9 in. (7.4 cm)  
**CLOSED** 4.3 in. (10.9 cm)  
**OVERALL** 7.2 in. (18.3 cm)  
**WEIGHT** 4.1 oz. (116 g)  
**BOX** 087171063959  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-up)  
**FEATURES** Single tube spacer works as lanyard pin



## STRATA-CLEAVER

2078  
a KERSHAW ORIGINALS design



**STEEL** D2, stonewashed finish  
**HANDLE** G10 front, stainless steel back, bead-blasted finish  
**BLADE** 4 in. (10.2 cm)  
**CLOSED** 5.3 in. (13.5 cm)  
**OVERALL** 9.3 in. (23.6 cm)  
**WEIGHT** 4 oz. (113 g)  
**BOX** 087171063928  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position extra-deep-carry (right, tip-up)  
**FEATURES** Bronze PVD coated decorative pivot ring and tube spacers




## STRATA

2076  
a KERSHAW ORIGINALS design



**STEEL** D2, bead-blasted finish  
**HANDLE** G10 front, stainless steel back, bead-blasted finish  
**BLADE** 4.5 in. (11.4 cm)  
**CLOSED** 5.4 in. (13.7 cm)  
**OVERALL** 9.9 in. (25.1 cm)  
**WEIGHT** 3.7 oz. (105 g)  
**BOX** 087171060651  
**CLAM** -

**OPENING** Manual KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position extra-deep-carry (right, tip-up)  
**FEATURES** Copper anodized decorative pivot cap and tube spacers





## STATIC

3445

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, satin finish
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	6.75 in. (17.1 cm)
<b>WEIGHT</b>	4 oz. (113 g)
<b>BOX</b>	087171055749
<b>CLAM</b>	087171059037

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Weight-relieving handle window



## REVERB

1220

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, titanium carbo-nitride coating with satin flats
<b>HANDLE</b>	G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	6.1 in. (15.6 cm)
<b>WEIGHT</b>	1.6 oz. (46 g)
<b>BOX</b>	087171048642
<b>CLAM</b>	087171048765

<b>OPENING</b>	Manual opening with nail nick
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position extra-deep-carry, (right, tip-up)
<b>FEATURES</b>	Carabiner clip



## FAULTLINE

8760

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, rubber insert
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.4 oz. (99 g)
<b>BOX</b>	087171052762
<b>CLAM</b>	087171053516

<b>OPENING</b>	Manual KVT ball-bearing opening with flipper
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-up)



## IREDALE


4386

a KERSHAW ORIGINALS design



<b>STEEL</b>	7Cr17MoV, satin finish
<b>HANDLE</b>	Canvas micarta, polished finish, stainless steel bolsters, satin finish
<b>BLADE</b>	2.6 in. (6.6 cm) • 2.2 in. (5.6 cm) • 1.6 in. (4.1 cm)
<b>CLOSED</b>	3.6 in. (9.1 cm)
<b>OVERALL</b>	6.2 in. (15.7 cm)
<b>WEIGHT</b>	2.2 oz. (62 g)
<b>BOX</b>	087171061795
<b>CLAM</b>	087171064413

<b>OPENING</b>	Manual slipjoint with nail nick
<b>LOCK</b>	Slipjoint
<b>FEATURES</b>	Three blades, brass liners



## CHILL

3410

an R.J. MARTIN design



<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	G10
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	3.9 in. (9.8 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171030432
<b>CLAM</b>	087171030456

<b>OPENING</b>	Manual opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



## CQC-4K

6054BRNBLK  
an ERNEST EMERSON design

**STEEL** 8Cr14MoV, black-oxide coating  
**HANDLE** G10 front; 410 stainless steel back, black-oxide coating  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.4 in. (18.8 cm)  
**WEIGHT** 4.1 oz. (116 g)  
**BOX** 087171037592  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## CQC-6K D2

6034D2  
an ERNEST EMERSON design

**STEEL** D2, stonewashed finish with satin flats  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 5.1 oz. (146 g)  
**BOX** 087171056166  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## CQC-7K

6034T  
an ERNEST EMERSON design

**STEEL** 8Cr14MoV, stonewashed finish with satin flats  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 5 oz. (142 g)  
**BOX** 087171037295  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## CQC-8K

6044TBLK  
an ERNEST EMERSON design

**STEEL** 8Cr14MoV, black-oxide coating  
**HANDLE** G10  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 8.1 in. (20.6 cm)  
**WEIGHT** 5.3 oz. (152 g)  
**BOX** 087171037318  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## E-TRAIN

6034TRAINER  
an ERNEST EMERSON design

**STEEL** 3Cr13, stonewashed finish  
**HANDLE** G10 front; 410 stainless steel back, bead-blasted finish  
**BLADE** 3.2 in. (8.1 cm) unsharpened  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.7 in. (19.6 cm)  
**WEIGHT** 5.1 oz. (146 g)  
**BOX** 08717039664  
**CLAM** -



**OPENING** Manual opening with thumb disk or Emerson Wave Shaped Feature®  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Unsharpened blade, rounded tip, lanyard hole





# EDC-ASSISTED SECTION

OVERVIEW

77 TOTAL • 7 NEW  
34 MADE IN USA  
41 ORIGINAL DESIGNS  
9 PREMIUM BLADE STEEL



Kershaw's assisted opening knives are ultra-fast and ultra-reliable. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.



## LINK - OLIVE, STONEWASH

1776OLSW  
a KERSHAW ORIGINALS design



**STEEL** CPM MagnaCut, stonewashed finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3.25 in. (8.4 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 4.7 oz. (134 g)  
**BOX** 087171058474  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole



## DIVIDEND - COMPOSITE

1812OLCB  
a KERSHAW ORIGINALS design



**STEEL** D2, N690, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.5 cm)  
**WEIGHT** 2.8 oz. (82 g)  
**BOX** 087171058481  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position deep-carry (right/left; tip-up/down)  
**FEATURES** Lanyard hole



## LEEK - RAINBOW TROUT

1660TROUT  
a KEN ONION design



**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, custom UF1® coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.6 oz. (74 g)  
**BOX** 087171069432  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## LEEK - USA FLAG

1660USA  
a KEN ONION design



**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, custom UF1® coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.6 oz. (74 g)  
**BOX** 087171069449  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## LEEK

1660ST • 1660  
a KEN ONION design



**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171166100 serrated  
087171166001 plain  
087171166117 serrated  
087171166018 plain  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole





**LEEK - BLACK**


1660CKTST • 1660CKT

a KEN ONION design



<b>STEEL</b>	14C28N, black Cerakote coating
<b>HANDLE</b>	410 stainless steel, black Cerakote coating
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171166148 serrated 087171166049 plain
<b>CLAM</b>	087171166216 plain

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



1660CKT



1660CKTST

**LEEK - BLACK STONEWASH**



1660SWBLK

a KEN ONION design



<b>STEEL</b>	14C28N, stonewashed finish
<b>HANDLE</b>	6061-T6 aluminum, black anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035079
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**LEEK - BLACKWASH™**

1660BLKW

a KEN ONION design



<b>STEEL</b>	14C28N, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	3 oz. (85 g)
<b>BOX</b>	087171038049
<b>CLAM</b>	087171166490

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**LEEK - COPPER**

1660CU

a KEN ONION design



<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	Copper, brushed satin finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	4 oz. (115 g)
<b>BOX</b>	087171058078
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole

**LEEK - CARBON FIBER**

1660CF

a KEN ONION design



<b>STEEL</b>	CPM 154, stonewashed finish
<b>HANDLE</b>	Carbon fiber
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (69 g)
<b>BOX</b>	087171048550
<b>CLAM</b>	087171050324

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



## RANDOM LEEK - BLACKWASH™

1660RBW

a KEN ONION design



<b>STEEL</b>	14C28N, black-oxide BlackWash™ finish
<b>HANDLE</b>	410 stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171060965
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Reverse tanto blade, lanyard hole



## RANDOM LEEK

1660R

a KEN ONION design



<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171060958
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Reverse tanto blade, lanyard hole



## LEEK - OLIVE

1660OL

a KEN ONION design



<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, olive anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035116
<b>CLAM</b>	087171035123

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



## LEEK - TEAL

1660TEAL

a KEN ONION design



<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, teal anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171037561
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole



## LEEK - ORANGE

1660OR

a KEN ONION design



<b>STEEL</b>	14C28N, bead-blasted finish
<b>HANDLE</b>	6061-T6 aluminum, orange anodized
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.2 cm)
<b>OVERALL</b>	7 in. (17.9 cm)
<b>WEIGHT</b>	2.4 oz. (68 g)
<b>BOX</b>	087171035130
<b>CLAM</b>	087171035147

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP</b>	Reversible (right, tip-up/down)
<b>FEATURES</b>	Lanyard hole





**LEEK - PURPLE**1660PUR  
a KEN ONION design


**STEEL** 14C28N, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, purple anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 2.4 oz. (68 g)  
**BOX** 087171035093  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**BLUR - BLACK**1670BLKST • 1670BLK  
a KEN ONION design

**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171167107 serrated  
 087171167008 plain  
**CLAM** 087171167114 serrated

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**BLUR - BLACKWASH™**1670BW  
a KEN ONION design

**STEEL** 14C28N, black-oxide BlackWash™ coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171036335  
**CLAM** -

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**BLUR - NAVY BLUE STONEWASH**1670NBSW  
a KEN ONION design

**STEEL** 14C28N, stonewashed finish  
**HANDLE** 6061-T6 aluminum, blue anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171039473  
**CLAM** -

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole

**BLUR - OLIVE/BLACK**1670OLBLK  
a KEN ONION design

**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, olive anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171031644  
**CLAM** -

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## BLUR - GLASS BREAKER

1670GBBLKST  
a KEN ONION design



**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171033761  
**CLAM** -

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Carbide glassbreaker tip, lanyard hole



## BLUR - TANTO BLACK

1670TBLKST  
a KEN ONION design



**STEEL** 14C28N, black Cerakote coating  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.9 oz. (111 g)  
**BOX** 087171167602  
**CLAM** 087171167336

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## BLUR - S30V STONEWASH

1670S30V  
a KEN ONION design



**STEEL** CPM S30V, stonewashed finish  
**HANDLE** 6061-T6 aluminum, black anodized, Trac-Tec inserts  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 4 oz. (113 g)  
**BOX** 087171167275  
**CLAM** -

**OPENING** Assisted opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole








## SCALLION

1620ST • 1620  
a KEN UNION design



<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.3 oz. (65 g)
<b>BOX</b>	087171162102 serrated 087171162003 plain
<b>CLAM</b>	087171162010 plain

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock with Tip-Lock Slider
<b>POCKETCLIP FEATURES</b>	Single-position (right, tip-down) Lanyard hole



## SCALLION - FRAME LOCK

1620FL  
a KEN UNION design



<b>STEEL</b>	420HC, bead-blasted finish
<b>HANDLE</b>	410 stainless steel, bead-blasted finish
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.9 oz. (82 g)
<b>BOX</b>	087171162201
<b>CLAM</b>	087171162225

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock with Tip-Lock Slider
<b>POCKETCLIP FEATURES</b>	Single-position (right, tip-down) Lanyard hole



## SCALLION - NAVY BLUE

1620NB  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, navy blue anodized  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171035178  
**CLAM** 087171035185

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole



## SCALLION - OLIVE DRAB

1620OL  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171035192  
**CLAM** 087171035208

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole




## SCALLION - PURPLE

1620PUR  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, purple anodized  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171035154  
**CLAM** 087171035161

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole



## CHIVE

1600  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 1.9 in. (4.8 cm)  
**CLOSED** 2.9 in. (7.4 cm)  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.7 oz. (48 g)  
**BOX** 087171160009  
**CLAM** 087171160016

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole





## CHIVE - PINK

1600PINK  
a KEN ONION design



**STEEL** 420HC, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, pink anodized  
**BLADE** 1.9 in. (4.8 cm)  
**CLOSED** 2.9 in. (7.4 cm)  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.5 oz. (43 g)  
**BOX** 087171160276  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock with Tip-Lock Slider  
**POCKETCLIP** Single-position (right, tip-down)  
**FEATURES** Lanyard hole









**NEW**

## CONDUIT - SERRATED

1407ST

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.8 in. (17.3 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171069579
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Partially serrated blade, lanyard hole

## CONDUIT

1407

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.8 in. (17.3 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171064420
<b>CLAM</b>	087171065120



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole


**NEW**

## BRAWLER - SERRATED

1990ST

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171069593
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position (right/left, tip-up/down)
<b>FEATURES</b>	Partially serrated blade

## BRAWLER

1990

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.5 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	3.9 oz. (111 g)
<b>BOX</b>	087171033044
<b>CLAM</b>	087171033075



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position (right/left, tip-up/down)

**NEW**

## SHORELINE - SERRATED

1845ST

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.4 cm)
<b>OVERALL</b>	7.1 in. (18 cm)
<b>WEIGHT</b>	2.6 oz. (74 g)
<b>BOX</b>	087171069562
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, partially serrated blade



## SHORELINE

1845  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 2.6 oz. (74 g)  
**BOX** 087171064062  
**CLAM** 087171065090

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole



NEW

## OUTRIGHT - BLACK, SERRATED

8320BLKST a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black PVD coating  
**HANDLE** Stainless steel, black PVD coating, G10 overlay front  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.4 in. (11.1 cm)  
**OVERALL** 7.1 in. (18.1 cm)  
**WEIGHT** 4 oz. (113 g)  
**BOX** 087171069555  
**CLAM** -

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Partially serrated blade




## OUTRIGHT - BLACK

8320BLK a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black PVD coating  
**HANDLE** Stainless steel, black PVD coating, G10 overlay front  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.4 in. (11.1 cm)  
**OVERALL** 7.1 in. (18.1 cm)  
**WEIGHT** 4 oz. (114 g)  
**BOX** 087171061061  
**CLAM** -

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)



## OUTRIGHT

8320 a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, blue PVD coating  
**HANDLE** Stainless steel, blue PVD coating, G10 overlay front  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.4 in. (11.1 cm)  
**OVERALL** 7.1 in. (18.1 cm)  
**WEIGHT** 4 oz. (114 g)  
**BOX** 087171052298  
**CLAM** -

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)




NEW

## OUTCOME - RAINBOW

2044RBW a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, polished rainbow PVD coating  
**HANDLE** Stainless steel, polished rainbow PVD coating  
**BLADE** 2.8 in. (7.1 cm)  
**CLOSED** 3.9 in. (9.9 cm)  
**OVERALL** 6.7 in. (17 cm)  
**WEIGHT** 3.4 oz. (96 g)  
**BOX** 087171068831  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom backspacer



## OUTCOME

2044

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Stainless steel, bead-blasted finish
<b>BLADE</b>	2.8 in. (7.1 cm)
<b>CLOSED</b>	3.9 in. (9.9 cm)
<b>OVERALL</b>	6.7 in. (17 cm)
<b>WEIGHT</b>	3.4 oz. (96 g)
<b>BOX</b>	087171064543
<b>CLAM</b>	087171065113



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Custom backspacer



## DAWNSTAR

1423

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5. (8.9 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.9 in. (20.1 cm)
<b>WEIGHT</b>	3.4 oz. (96 g)
<b>BOX</b>	087171067414
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Hawkbill blade, custom backspacer



## LAYUP

2047

a KERSHAW ORIGINALS design

<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	7.9 in. (20.1 cm)
<b>WEIGHT</b>	3.6 oz. (102 g)
<b>BOX</b>	087171065748
<b>CLAM</b>	087171067476



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	DuraLock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Steel accents with blue PVD coating



## SANCTUM

1815

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	2.98 in. (7.6 cm)
<b>CLOSED</b>	4.22 in. (10.7 cm)
<b>OVERALL</b>	7.2 in. (18.3 cm)
<b>WEIGHT</b>	3.7 oz. (105 g)
<b>BOX</b>	087171066622
<b>CLAM</b>	087171067964



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer



## HELITACK

5570

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, gray PVD coating
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	3.26 in. (8.3 cm)
<b>CLOSED</b>	4.49 in. (11.4 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	3.8 oz. (108 g)
<b>BOX</b>	087171066370
<b>CLAM</b>	087171067957



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole





**SCOUR**1416  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 3.3 in. (8.4 cm)  
**CLOSED** 4.45 in. (11.3 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.3 oz. (122 g)  
**BOX** 087171065854  
**CLAM** 087171067971



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole

**THERMAL**1411  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black oxide coating with satin grinds  
**HANDLE** Stainless steel, gray PVD coating  
**BLADE** 2.95 in. (7.5 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.05 in. (17.9 cm)  
**WEIGHT** 4.3 oz. (122 g)  
**BOX** 087171065717  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Custom backspacer

**ALIGN**1405  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, satin finish  
**HANDLE** Stainless steel, gray PVD coating  
**BLADE** 3.15 in. (8 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.6 oz. (102 g)  
**BOX** 087171064383  
**CLAM** 087171065397



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer

**RATE**1408  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 1.85 in. (4.7 cm)  
**CLOSED** 3 in. (7.6 cm)  
**OVERALL** 4.85 in. (12.3 cm)  
**WEIGHT** 2.5 oz. (71 g)  
**BOX** 087171064789  
**CLAM** -



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry pocketclip (right/left, tip-up)  
**FEATURES** Lanyard hole, custom backspacer

**FLYBY**1404  
a KERSHAW ORIGINALS design

**STEEL** D2, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, gray PVD coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.4 oz. (96 g)  
**BOX** 087171064352  
**CLAM** 087171065342



**OPENING** Assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position extra-deep-carry (right, tip-up)  
**FEATURES** Custom backspacer



## LATERAL

1645  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.3 in. (10.9 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171064048
<b>CLAM</b>	087171065144



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer



## LATERAL - BLACK SERRATED

1645BLKST  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.1 in. (7.9 cm)
<b>CLOSED</b>	4.3 in. (10.9 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	3.2 oz. (91 g)
<b>BOX</b>	087171064055
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible extra-deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole, custom backspacer



## RADAR

5560  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	2.9 in. (7.4 cm)
<b>CLOSED</b>	3.8 in. (9.7 cm)
<b>OVERALL</b>	6.7 in. (17 cm)
<b>WEIGHT</b>	3.3 oz. (94 g)
<b>BOX</b>	087171064512
<b>CLAM</b>	-



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	4-position deep-carry (right/left, tip-up/down)
<b>FEATURES</b>	Lanyard hole




## ANALYST

2062ST  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19 cm)
<b>WEIGHT</b>	3.5 oz. (99 g)
<b>BOX</b>	087171060699
<b>CLAM</b>	087171062495



<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	4-position deep-carry (right/left; tip-up/down)
<b>FEATURES</b>	Lanyard hole, blade serrations



## OUTLIER

2064  
a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, G10 texture
<b>BLADE</b>	2.6 in. (6.6 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	3.6 oz. (102 g)
<b>BOX</b>	087171063188
<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock



<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Karambit-style blade; steel finger ring





## LUCID

2036

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon front, stainless steel back, stonewashed finish
<b>BLADE</b>	3.2 in. (8.1 cm)
<b>CLOSED</b>	4.2 in. (10.7 cm)
<b>OVERALL</b>	7.4 in. (18.8 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171063683
<b>CLAM</b>	087171065380

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot and pivot collar, custom backspacer, back handle inlay



## CANNONBALL

2061

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, gray PVD coating
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.5 in. (11.4 cm)
<b>OVERALL</b>	8 in. (20.3 cm)
<b>WEIGHT</b>	5.4 oz. (153 g)
<b>BOX</b>	087171060163
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Decorative pivot cap, custom backspacer, lanyard hole



## BRACKET

3455

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon front, stainless steel back, stonewashed finish
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.4 in. (11.2 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.3 oz. (122 g)
<b>BOX</b>	087171060392
<b>CLAM</b>	087171062549

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame Lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole



## PAYOUT

2075

a KERSHAW ORIGINALS design



<b>STEEL</b>	D2, stonewashed finish
<b>HANDLE</b>	Stainless steel, stonewashed finish, with G10 handle scale
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	4.9 in. (12.6 cm)
<b>OVERALL</b>	8.3 in. (21.3 cm)
<b>WEIGHT</b>	5.3 oz. (150 g)
<b>BOX</b>	087171058085
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position extra-deep-carry (right, tip-up)
<b>FEATURES</b>	Bronze anodized pivot ring, lanyard hole



## GRAVEL

2065

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel, black-oxide BlackWash™ finish
<b>BLADE</b>	2.5 in. (6.4 cm)
<b>CLOSED</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	5.9 in. (15 cm)
<b>WEIGHT</b>	2.7 oz. (78 g)
<b>BOX</b>	087171056487
<b>CLAM</b>	087171056494

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)



## KURO - SERRATED

1835TBLKST

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.2 oz. (90 g)  
**BOX** 087171033747  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 3-position (right/left, tip-up; right, tip-down)  
**FEATURES** Lanyard hole



## DUOJET

8300

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating, dual carbon fiber inlays front  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.8 oz. (137 g)  
**BOX** 087171051956  
**CLAM** -

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## FRINGE

8310

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 3.5 oz. (101 g)  
**BOX** 087171052281  
**CLAM** 087171052786

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## FATBACK

1935

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 3.6 oz. (102 g)  
**BOX** 087171046105  
**CLAM** 087171045740

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)



## GRID

2200

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 3.7 in. (9.4 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 8.4 in. (21.3 cm)  
**WEIGHT** 5.3 oz. (150 g)  
**BOX** 087171040912  
**CLAM** 087171045597

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)





**ERIS**

1881

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish with satin flats
<b>HANDLE</b>	Stainless steel, titanium carbo-nitride coating
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.1 in. (10.4 cm)
<b>OVERALL</b>	7.2 in. (18.1 cm)
<b>WEIGHT</b>	4.7 oz. (133 g)
<b>BOX</b>	087171047737
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**FLOURISH**


3935

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish with satin flats
<b>HANDLE</b>	G10 with carbon fiber overlay
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	5.3 oz. (150 g)
<b>BOX</b>	087171048512
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Lanyard hole

**FLITCH**

3930

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.6 in. (11.7 cm)
<b>OVERALL</b>	7.75 in. (19.7 cm)
<b>WEIGHT</b>	4.7 oz. (133 g)
<b>BOX</b>	087171048505
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)

**BARSTOW**

3960

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4 in. (10.1 cm)
<b>OVERALL</b>	7 in. (17.7 cm)
<b>WEIGHT</b>	3.4 oz. (98 g)
<b>BOX</b>	087171048628
<b>CLAM</b>	087171050454

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Single-edge sharpened, anodized aluminum accents

**DECIMUS**

1559

a RICK HINDERER design

<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Stainless steel with stonewashed finish, glass-filled nylon overlay
<b>BLADE</b>	3.25 in. (8.3 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.5 in. (19.1 cm)
<b>WEIGHT</b>	4.3 oz. (123 g)
<b>BOX</b>	087171052380
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-up)
<b>FEATURES</b>	Single-edge sharpened



## OSO SWEET

1830  
a KEN ONION design

**STEEL** 8Cr13MoV, satin finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 2.8 oz. (80 g)  
**BOX** 087171183008  
**CLAM** 087171183015

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## CLASH - BLACK, SERRATED

1605CKTST  
a KEN ONION design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.25 in. (10.7 cm)  
**OVERALL** 7.4 in. (18.7 cm)  
**WEIGHT** 4.3 oz. (122 g)  
**BOX** 087171031491  
**CLAM** -

**OPENING** Assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)



## CRYO

1555TI  
a RICK HINDERER design

**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** 410 stainless steel, titanium carbo-nitride coating  
**BLADE** 2.75 in. (7 cm)  
**CLOSED** 3.75 in. (9.5 cm)  
**OVERALL** 6.5 in. (16.5 cm)  
**WEIGHT** 4.1 oz. (116 g)  
**BOX** 087171033686  
**CLAM** 087171033693

**OPENING** Assisted opening with flipper or thumb stud  
**LOCK** Frame lock with lockbar stabilizer  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)  
**FEATURES** Lanyard hole





# MULTI-FUNCTION SECTION

## OVERVIEW

- 16 TOTAL
- 14 ORIGINAL DESIGNS

When you're looking for a knife that does more, look to our multi-function pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.

## SELECT FIRE

1920

a GRANT & GAVIN HAWK design

<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.4 in. (8.6 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7.6 in. (19.4 cm)
<b>WEIGHT</b>	5 oz. (142 g)
<b>BOX</b>	087171030319
<b>CLAM</b>	087171030333

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Reversible (right/left, tip-down)
<b>FEATURES</b>	.25 in. hex drive, two flat head, two Phillips® bits, ruler



## FUNXION EMT

8100

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ insert
<b>BLADE</b>	3 in. (7.6 cm)
<b>CLOSED</b>	4.25 in. (10.7 cm)
<b>OVERALL</b>	7.25 in. (18.4 cm)
<b>WEIGHT</b>	4.8 oz. (137 g)
<b>BOX</b>	087171033853
<b>CLAM</b>	-

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip



## BARRICADE

8650

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>CLOSED</b>	5 in. (12.7 cm)
<b>OVERALL</b>	8.5 in. (21.6 cm)
<b>WEIGHT</b>	4.5 oz. (128 g)
<b>BOX</b>	087171048529
<b>CLAM</b>	087171050362

<b>OPENING</b>	Assisted opening with flipper or thumb stud
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	Single-position deep-carry (right, tip-down)
<b>FEATURES</b>	Carbide glassbreaker tip, built-in cord/seatbelt cutter



## SHUFFLE DIY

8720

a KERSHAW ORIGINALS design

<b>STEEL</b>	8Cr13MoV, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	3.5 oz. (100 g)
<b>BOX</b>	087171048932
<b>CLAM</b>	087171048949

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Single-position (right, tip-down)
<b>FEATURES</b>	Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole





## CRAZE

8337  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.35 in. (6 cm)  
**CLOSED** 3.55 in. (9 cm)  
**OVERALL** 5.9 in. (15 cm)  
**WEIGHT** 2.6 oz. (74 g)  
**BOX** 087171066769  
**CLAM** 087171067063

**OPENING** Manual KVT ball-bearing opening with thumb stud  
**LOCK** DuraLock  
**POCKETCLIP** Reversible extra-deep-carry (right/left, tip-up)  
**FEATURES** Bottle opener, lanyard hole



## SHUFFLE II - OLIVE

8750TOLBW  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.6 in. (6.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 6.3 in. (16 cm)  
**WEIGHT** 3 oz. (86 g)  
**BOX** 087171048345  
**CLAM** 087171046204

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right/left, tip-down)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole



## SHUFFLE II - BLACK

8750TBLKBW  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.6 in. (6.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 6.3 in. (16 cm)  
**WEIGHT** 3 oz. (86 g)  
**BOX** 087171039367  
**CLAM** 087171039374

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right/left, tip-down)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole




## SHUFFLE II - TAN

8750TTANBW  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 2.6 in. (6.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 6.3 in. (16 cm)  
**WEIGHT** 3 oz. (86 g)  
**BOX** 087171039343  
**CLAM** 087171039350

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible (right/left, tip-down)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole





**SHUFFLE - BLACK**8700BLK  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171037134  
**CLAM** 087171037127

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole

**SHUFFLE**8700  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171035468  
**CLAM** 087171035475

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole

**SHUFFLE - TEAL**8700TEALBW  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 2.4 in. (6.1 cm)  
**CLOSED** 3.25 in. (8.3 cm)  
**OVERALL** 5.75 in. (14.6 cm)  
**WEIGHT** 2.8 oz. (79 g)  
**BOX** 087171038728  
**CLAM** 087171038735

**OPENING** Manual on washers opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bottle opener, flat head screwdriver, lanyard hole



## SHUFFLE - LIME

8700LIMEBW

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171038681
<b>CLAM</b>	087171038698

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole



## SHUFFLE - PURPLE


8700PURBW

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, black-oxide BlackWash™ finish
<b>HANDLE</b>	Glass-filled nylon, K-Texture™ grip
<b>BLADE</b>	2.4 in. (6.1 cm)
<b>CLOSED</b>	3.25 in. (8.3 cm)
<b>OVERALL</b>	5.75 in. (14.6 cm)
<b>WEIGHT</b>	2.8 oz. (79 g)
<b>BOX</b>	087171039107
<b>CLAM</b>	087171039114

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Inset liner lock
<b>POCKETCLIP</b>	Reversible deep-carry (right/left, tip-up)
<b>FEATURES</b>	Bottle opener, flat head screwdriver, lanyard hole



## ANTIC

8710

a KERSHAW ORIGINALS design



<b>STEEL</b>	8Cr13MoV, bead-blasted finish
<b>HANDLE</b>	Stainless steel, blue PVD coating
<b>BLADE</b>	1.7 in. (4.4 cm)
<b>CLOSED</b>	3.8 in. (9.7 cm)
<b>OVERALL</b>	5.5 in. (14 cm)
<b>WEIGHT</b>	3.1 oz. (88 g)
<b>BOX</b>	087171054063
<b>CLAM</b>	087171055671

<b>OPENING</b>	Manual on washers opening with thumb stud
<b>LOCK</b>	Frame lock
<b>POCKETCLIP</b>	Single-position (right, tip-down)
<b>FEATURES</b>	Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring



## DIODE


1230

a KERSHAW ORIGINALS design



<b>STEEL</b>	3Cr13, bead-blasted finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.6 in. (4.1 cm)
<b>CLOSED</b>	2.9 in. (7.5 cm)
<b>OVERALL</b>	4.5 in. (11.5 cm)
<b>WEIGHT</b>	1.1 oz. (33 g)
<b>BOX</b>	-
<b>CLAM</b>	087171058627

<b>OPENING</b>	Manual on washers opening with nail nick
<b>LOCK</b>	Liner lock
<b>POCKETCLIP</b>	-
<b>FEATURES</b>	Flat head screwdriver/pry bar, lanyard/keychain hole



## CINDER

1025

a RICK HINDERER design



<b>STEEL</b>	3Cr13, stonewashed finish
<b>HANDLE</b>	Glass-filled nylon
<b>BLADE</b>	1.4 in. (3.6 cm)
<b>CLOSED</b>	2.6 in. (6.6 cm)
<b>OVERALL</b>	4 in. (10.2 cm)
<b>WEIGHT</b>	0.9 oz. (26 g)
<b>BOX</b>	-
<b>CLAM</b>	087171044514

<b>OPENING</b>	Manual opening with thumb stud
<b>LOCK</b>	Liner lock
<b>FEATURES</b>	Bottle opener, lanyard hole





# FIXED BLADE SECTION

## OVERVIEW

- 9 TOTAL
- 9 ORIGINAL DESIGNS
- 5 PREMIUM BLADE STEEL

Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.

### STEPPE

2048  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Polypropylene with thermoplastic rubber overmold; skeletonized steel  
**BLADE** 3.55 in. (9 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 2.5 oz. (71 g)  
3.7 oz. (105 g) with sheath  
**BOX** 087171066165  
**CLAM** -



**OPENING FEATURES** Full-tang construction  
Polypropylene sheath with belt clip, webbing slots, and drainage hole



### DESCHUTES SKINNER - GUT HOOK

1883GH a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Polypropylene, rubber overlay  
**BLADE** 3.9 in. (9.9 cm)  
**OVERALL** 8.65 in. (22 cm)  
**WEIGHT** 3.2 oz. (91 g)  
4.8 oz. (136 g) with sheath  
**BOX** 087171065779  
**CLAM** -



**OPENING FEATURES** Full-tang construction  
Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole



### DESCHUTES SKINNER

1883  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Polypropylene, rubber overlay  
**BLADE** 3.9 in. (9.9 cm)  
**OVERALL** 8.65 in. (22 cm)  
**WEIGHT** 3.3 oz. (94 g)  
4.9 oz. (139 g) with sheath  
**BOX** 087171063423  
**CLAM** -



**OPENING FEATURES** Full-tang construction  
Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole



### DESCHUTES CAPER

1882  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Polypropylene, rubber overlay  
**BLADE** 3.3 in. (8.4 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 1.7 oz. (48 g)  
3 oz. (85 g) with sheath  
**BOX** 087171063416  
**CLAM** -



**OPENING FEATURES** Full-tang construction  
Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap





## CAMP 5

1083  
a KERSHAW ORIGINALS design



**STEEL** D2, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 4.75 in. (12.2 cm)  
**OVERALL** 9.125 in. (23.3 cm)  
**WEIGHT** 5.7 oz. (162 g)  
7.5 oz. (213 g) with sheath

**OPENING FEATURES** Full-tang construction  
Glass-filled nylon sheath with lock, snap-down strap, belt loop, webbing slots, and tie holes  
**BOX** 087171057965



## BRACE

2085  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** 8Cr13MoV with glass-filled nylon overlay, stonewashed finish  
**BLADE** 2 in. (5.1 cm)  
**OVERALL** 4.9 in. (12.4 cm)  
**WEIGHT** 0.9 oz. (26 g)  
1.6 oz. (45 g) with sheath

**OPENING FEATURES** Full-tang construction  
Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes, lanyard hole  
**BOX** 087171060859  
**CLAM** 087171062471




## ION - 3-KNIFE SET

1747BW  
a KERSHAW ORIGINALS design



**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**HANDLE** Full-tang, paracord wrapped  
**BLADE** 4.5 in. (11.4 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 3.9 oz. (113 g)  
14.4 oz. (409 g) 3 knives with sheath

**OPENING FEATURES** Full-tang construction  
Spear point, lanyard hole, three-knife set, includes sheath  
**CLAM** 087171039084



## DUNE

4008  
a KERSHAW ORIGINALS design



**STEEL** 3Cr13, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.8 in. (9.7 cm)  
**OVERALL** 7.7 in. (19.6 cm)  
**WEIGHT** 2.2 oz. (65 g)  
2.7 oz. (79 g) with sheath

**OPENING FEATURES** Full-tang construction  
Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord  
**CLAM** 087171039459



## SECRET AGENT

4007  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Rubberized co-molded  
**BLADE** 4.4 in. (11.2 cm)  
**OVERALL** 8.7 in. (22.1 cm)  
**WEIGHT** 3.1 oz. (90 g)  
4.7 oz. (136 g) with sheath

**OPENING FEATURES** Full-tang construction  
Single-edged spear point, lanyard hole, molded dual-carry sheath  
**BOX** 087171036977  
**CLAM** 087171037165





# OUTDOOR SECTION

## OVERVIEW

5 TOTAL PRODUCTS  
5 ORIGINAL DESIGNS



We love it out there. If you do, too, you know how handy a knife is for everything from cutting rope to building a campfire. Kershaw has a range of outdoor cutting and chopping tools to make your outdoor life better.

## LONEROCK RBK 2

1891  
a KERSHAW ORIGINALS design

<b>STEEL</b>	Surgical stainless steel, blade type #60A
<b>HANDLE</b>	Glass-filled nylon with rubber overmold
<b>BLADE</b>	2.75 in. (7 cm)
<b>CLOSED</b>	4.25 in. (10.8 cm)
<b>OVERALL</b>	7 in. (17.8 cm)
<b>WEIGHT</b>	2 oz. (57 g)
<b>BOX</b>	087171060897
<b>CLAM</b>	-



**OPENING** Manual opening with thumb stud  
**LOCK** Liner lock  
**FEATURES** Exchangeable blades  
Lanyard hole  
Includes sheath, "buddy" handle, & 15 extra blades



**REPLACEMENT BLADES**  
**1890RB**  
087171040721

## TASKMASTER SAW 2

2556  
a KERSHAW ORIGINALS design

<b>STEEL</b>	High-carbon steel, nickel-plated
<b>HANDLE</b>	Glass-filled nylon with rubber grip
<b>BLADE</b>	7 in. (17.8 cm)
<b>CLOSED</b>	9.125 in. (23.2 cm)
<b>OVERALL</b>	15.9 in. (40.4 cm)
<b>WEIGHT</b>	8.7 oz. (247 g)
<b>BOX</b>	087171058993
<b>CLAM</b>	-



**OPENING** Manual opening  
**LOCK** Push-button lock  
**FEATURES** Textured rubber grip  
Lanyard hole



## DESCHUTES

1075  
a KERSHAW ORIGINALS design

<b>STEEL</b>	3Cr13, black-oxide coating
<b>HANDLE</b>	Glass-filled nylon, rubber overlay
<b>BLADE</b>	3.5 in. (8.9 cm)
<b>OVERALL</b>	14 in. (35.6 cm)
<b>WEIGHT</b>	1 lb. 9 oz. (711 g)
<b>BOX</b>	1 lb. 12 oz. (803 g) with sheath
<b>CLAM</b>	-



**FEATURES** Glass-filled nylon sheath with removable shoulder strap  
Textured, rubberized grip  
Weight-relieving blade window



## CAMP 10

1077  
a KERSHAW ORIGINALS design

<b>STEEL</b>	65Mn, powdercoat
<b>HANDLE</b>	Rubber overmold
<b>BLADE</b>	10 in. (25.4 cm)
<b>OVERALL</b>	16 in. (40.6 cm)
<b>WEIGHT</b>	1 lb. 2.3 oz. (521 g)
<b>BOX</b>	1 lb. 8 oz. (681 g) with sheath
<b>CLAM</b>	087171033594



**FEATURES** Full-tang construction  
Textured, rubberized grip  
Includes glass-filled nylon sheath with gear straps and belt loop  
Dual lanyard holes



## CAMP 10 - TAN

1077TAN  
a KERSHAW ORIGINALS design

<b>STEEL</b>	65Mn, powdercoat
<b>HANDLE</b>	Rubber overmold
<b>BLADE</b>	10 in. (25.4 cm)
<b>OVERALL</b>	16 in. (40.6 cm)
<b>WEIGHT</b>	1 lb. 2.3 oz. (521 g)
<b>BOX</b>	1 lb. 8 oz. (681 g) with sheath
<b>CLAM</b>	087171052748



**FEATURES** Full-tang construction  
Textured, rubberized grip  
Includes glass-filled nylon sheath with gear straps and belt loop  
Dual lanyard holes





# FISHING SECTION

## OVERVIEW

- 8 TOTAL PRODUCTS
- 8 ORIGINAL DESIGNS

What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet knife to turn your catch into the fish dinner of your dreams.

### 7-IN. FILLET

1257  
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	7 in. (17.8 cm)
OVERALL	12.25 in. (31.1 cm)
WEIGHT	3.3 oz. (96 g)
	4.7 oz. (135 g) with sheath
BOX	087171066516
CLAM	087171125701



- FEATURES**
- Neon accents for improved visibility
  - Includes molded sheath with belt loop

### 9-IN. FILLET

1259  
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	9 in. (22.9 cm)
OVERALL	14.25 in. (36.2 cm)
WEIGHT	3.6 oz. (104 g)
	5.2 oz. (147 g) with sheath
BOX	-
CLAM	087171125909



- FEATURES**
- Neon accents for improved visibility
  - Includes molded sheath with belt loop

### 7-IN. BONING WITH SPOON

1243SH  
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold
	K-Texture™ grip
BLADE	7 in. (17.8 cm)
OVERALL	14.5 in. (36.8 cm)
WEIGHT	3.6 oz. (104 g)
	4.3 oz. (123 g) with blade protector
BOX	-
CLAM	087171037042




- FEATURES**
- Handle ensures grip in marine conditions
  - Flexible blade
  - Includes blade protector

### 7.5-IN. FILLET

1247  
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold,
	K-Texture™ grip
BLADE	7.5 in. (19.1 cm)
OVERALL	12.7 in. (32.3 cm)
WEIGHT	2.9 oz. (84 g)
	3.7 oz. (105 g) with blade protector
BOX	-
CLAM	087171037059



- FEATURES**
- Handle ensures grip in marine conditions
  - Flexible blade
  - Includes blade protector




## 9.5-IN. FILLET

1249  
a KERSHAW ORIGINALS design



**STEEL** 420J2, satin finish  
**HANDLE** Glass-filled nylon, rubber overmold, K-Texture™ grip  
**BLADE** 9.5 in. (24.1 cm)  
**OVERALL** 14.8 in. (37.6 cm)  
**WEIGHT** 3.3 oz. (94 g)  
**BOX** 4.1 oz. (116 g) with blade protector  
**CLAM** 087171037066  
**CLAM** -

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 12-IN. CURVED

1241  
a KERSHAW ORIGINALS design



**STEEL** 420J2, satin finish  
**HANDLE** Glass-filled nylon, rubber overmold, K-Texture™ grip  
**BLADE** 12 in. (30.5 cm)  
**OVERALL** 17.7 in. (45 cm)  
**WEIGHT** 8.6 oz. (244 g)  
**BOX** 10.6 oz. (301 g) with blade protector  
**CLAM** -  
**CLAM** 087171037028

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 9-IN. CURVED

1242GE  
a KERSHAW ORIGINALS design



**STEEL** 420J2, satin finish  
**HANDLE** Glass-filled nylon, rubber overmold, K-Texture™ grip  
**BLADE** 9 in. (22.9 cm)  
**OVERALL** 14.7 in. (37.3 cm)  
**WEIGHT** 5.2 oz. (149 g)  
**BOX** 6.4 oz. (182 g) with blade protector  
**CLAM** -  
**CLAM** 087171037035

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## FOLDING FILLET

1258  
a KERSHAW ORIGINALS design



**STEEL** 420J2, satin finish  
**HANDLE** Glass-filled nylon, rubber overmold, K-Texture™ grip  
**BLADE** 6.25 in. (15.9 cm)  
**CLOSED** 7.5 in. (19.1 cm)  
**OVERALL** 13.75 in. (34.9 cm)  
**WEIGHT** 4.9 oz. (138.9 g)  
**BOX** 087171068398  
**CLAM** 087171037073

**OPENING** Manual opening  
**LOCK** Mid-lock  
**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Lanyard hole





# KITCHEN SERIES

OVERVIEW

7 TOTAL PRODUCTS



Level up your cooking game with the Kershaw Kitchen Series. When prepping food, choose the right blade shape for the job. All of them are razor sharp, stylish, and comfortable in-hand. Some come serrated, others plain edge, and each is a helpful companion in the kitchen.



6-PIECE KITCHEN SET K6BLOCK

STEEL DIN 1.4116, satin finish  
HANDLE Polypropylene

KITCHEN SET INCLUDES:  
8-inch Chef's Knife  
8-inch Bread Knife  
6.5-inch Santoku  
6-inch Utility Knife  
3.5-inch Paring Knife  
6-Slot Wood Block

BOX 087171066615



KITCHEN SET KNIVES ALSO SOLD INDIVIDUALLY

CHEF'S KNIFE 1780	BREAD KNIFE 1781	SANTOKU KNIFE 1782	UTILITY KNIFE 1783	PARING KNIFE 1784	4-PIECE STEAK KNIFE SET 1785
CLAM 0871710666172	CLAM 0871710666189	CLAM 0871710666196	CLAM 0871710666202	CLAM 0871710666219	CLAM 0871710666608
SHEATH INCLUDED 	SHEATH INCLUDED 	SHEATH INCLUDED 	SHEATH INCLUDED 	SHEATH INCLUDED 	STEEL DIN 1.4116, satin finish HANDLE Polypropylene
BLADE 8 in. (20.3 cm) OVERALL 12.75 in. (32.4 cm) WEIGHT 3.6 oz. (102 g)	BLADE 8 in. (20.3 cm) OVERALL 12.75 in. (32.4 cm) WEIGHT 2.5 oz. (71 g)	BLADE 6.5 in. (16.5 cm) OVERALL 11.15 in. (28.3 cm) WEIGHT 2.9 oz. (82 g)	BLADE 6 in. (15.3 cm) OVERALL 10.6 in. (26.9 cm) WEIGHT 2.3 oz. (65 g)	BLADE 3.5 in. (8.9 cm) OVERALL 8.1 in. (20.6 cm) WEIGHT 1.3 oz. (37 g)	BLADE 5 in. (12.7 cm) OVERALL 9.5 in. (24.1 cm) WEIGHT 1.4 oz. (40 g)



# GEAR SECTION



From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.



### HAT - KERSHAW K

CAPKER24

Six-panel, stretch fit closure  
UPC 087171069258



### HAT - KERSHAW KNIVES GRAY

CAPKER22

Six-panel, fabric strap with hook & loop closure  
UPC 087171064857



### HAT - KERSHAW SINCE 1974

CAPKER1974

Five-panel, mesh back, snab tab closure  
UPC 087171064840



### KERSHAW GRAY BEANIE

BEANIRKER2023

Polyester super stretch, 2.5 in. cuff, faux leather patch  
UPC 087171065236



### T-SHIRT - BASS

SHIRTKERBASS

NEW

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERBASSS 087171069739	<b>XL</b>	SHIRTKERBASSXL 087171069760
<b>M</b>	SHIRTKERBASSM 087171069746	<b>XXL</b>	SHIRTKERBASSXXL 087171069777
<b>L</b>	SHIRTKERBASSL 087171069753		



### T-SHIRT - BUCK

SHIRTKERBUCK

NEW

- 100% pre-shrunk, ring-spun cotton
- Classic fit with tear away label

<b>S</b>	SHIRTKERBUCKS 087171069784	<b>XL</b>	SHIRTKERBUCKXL 087171069814
<b>M</b>	SHIRTKERBUCKM 087171069791	<b>XXL</b>	SHIRTKERBUCKXXL 087171069821
<b>L</b>	SHIRTKERBUCKL 087171069807		



### T-SHIRT - BACKCOUNTRY LIFE

SHIRTKERELK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERELKS 087171065052	<b>XL</b>	SHIRTKERELKXL 087171064932
<b>M</b>	SHIRTKERELKM 087171064918	<b>XXL</b>	SHIRTKERELKXXL 087171064949
<b>L</b>	SHIRTKERELKL 087171064925		



### T-SHIRT - MOUNTAIN SUNSET

SHIRTKERHILLS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERHILLSS 087171065007	<b>XL</b>	SHIRTKERHILLSXL 087171065038
<b>M</b>	SHIRTKERHILLSM 087171065014	<b>XXL</b>	SHIRTKERHILLSXXL 087171065045
<b>L</b>	SHIRTKERHILLSL 087171065021		



### T-SHIRT - OFF ROADING

SHIRTKERTRUCK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

<b>S</b>	SHIRTKERTRUCKS 087171064956	<b>XL</b>	SHIRTKERTRUCKXL 087171064987
<b>M</b>	SHIRTKERTRUCKM 087171064963	<b>XXL</b>	SHIRTKERTRUCKXXL 087171064994
<b>L</b>	SHIRTKERTRUCKL 087171064970		





## FIRE STARTER

1019  
a KERSHAW ORIGINALS design

**STEEL** Magnesium firesteel  
**HANDLE** Molded plastic  
**OVERALL** 3.1 in. (7.9 cm)  
**WEIGHT** 1.1 oz. (31 g)  
**CLAM** 087171101910



## PT-1

8800  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™  
**OVERALL** 2.75 in. (7 cm)  
**WEIGHT** 0.8 oz. (24 g)  
**CLAM** 087171048659

• Bottle opener • Pry bar  
• Flat head screwdriver  
• Lanyard hole



## PT-2

8810  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™  
**OVERALL** 3.25 in. (8.2 cm)  
**WEIGHT** 0.8 oz. (24 g)  
**CLAM** 087171048536

• Bottle/can opener • Flat head & Phillips screwdrivers • Three sizes of hex drives • Wire scraper • Pry bar • Lanyard hole



## K-TOOL

KTOOL  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**OVERALL** 2 in. (5.1 cm)  
**WEIGHT** 0.7 oz. (22 g)  
**CLAM** 087171039657

• Bottle opener • Lanyard hole  
• Flat head screwdriver  
• Box cutter



## RECAP

8830  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, stonewashed finish  
**OVERALL** 2.37 in. (6 cm)  
**WEIGHT** 0.3 oz. (9 g)  
**CLAM** 087171063638

• Bottle opener • Pry bar  
• Flat head screwdriver  
• Key ring/lanyard hole



## RATION - XL

1145 • 1145GRN  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**OVERALL** 7.3 in. (18.6 cm)  
**WEIGHT** 2.1 oz. (60 g)  
**CLAM** 087171052465  
087171052458 • GRN

• Fork • Spoon • Bottle opener  
• Carabiner gate • Food-safe coating



## RATION - XL

1145 • 1145GRN  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**OVERALL** 7.3 in. (18.6 cm)  
**WEIGHT** 2.1 oz. (60 g)  
**CLAM** 087171052465  
087171052458 • GRN

• Fork • Spoon • Bottle opener  
• Carabiner gate • Food-safe coating



## RATION

1140  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**OVERALL** 4.6 in. (11.7 cm)  
**WEIGHT** 1.3 oz. (36 g)  
**CLAM** 087171046389

• Fork • Spoon • Bottle opener  
• Carabiner gate • Food-safe coating



## ULTRA-TEK SHARPENER

2535  
a KERSHAW ORIGINALS design

**STEEL** 600-grit, diamond-coated oval shaft  
**HANDLE** 6061-T6 anodized aluminum  
**SHAFT** 4 in. (10.2 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 1.7 oz. (51 g)  
**CLAM** 087171253503



## TX-TOOL

TXTOOL  
a KERSHAW ORIGINALS design

**HANDLE** Aluminum  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.1 oz. (32 g)  
**BOX** 087171044989  
For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits



## TASKMASTER SHEARS 2

1121  
a KERSHAW ORIGINALS design

**STEEL** 420J2, satin finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.5 in. (8.9 cm)  
**OVERALL** 8.9 in. (22.5 cm)  
**WEIGHT** 5.1 oz. (145 g)  
**BOX** 087171057514  
**CLAM** 087171059549

• Nutcracker • Cap lifter  
• Flat head screwdriver tips  
• Blades separate for easy cleaning



## SKEETER III

1216  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, satin finish  
**HANDLE** Polypropylene  
**BLADE** 1.25 in. (3.2 cm)  
**OVERALL** 4.25 in. (10.8 cm)  
**WEIGHT** 0.7 oz. (22 g)  
**CLAM** 087171056630



## MANICURE SET

KMCURE

a KERSHAW ORIGINALS design

**STEEL** Stainless steel, satin finish  
**OVERALL** 4.25 in. (10.8 cm)  
**WEIGHT** 3.9 oz. (113 g)  
**BOX** 087171056609  
 • Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case



## KNIFE OIL

KEROIL

a KERSHAW ORIGINALS design

0.68 fl oz. (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula  
**UPC** 087171054087

**kershaw®**

## WINDOW CLING - LARGE

KERCLING24


10 × 2.5 in., transparent background, fade resistant color  
**UPC** 08717109371

**kershaw®**

## WINDOW CLING

KERCLING17

6 × 2 in., transparent background, fade resistant color  
**UPC** 087171049144



## USA KNIVES DECAL

DECALUSAKNIVES

Clear poly, permanent adhesive on back  
 3 × 5 in. (7.6 × 12.7 cm)  
**UPC** 087171063676



## LUCHA DECAL

DECALLUCHA

Clear poly, permanent adhesive on back  
 5 in. diameter (12.7 cm)  
**UPC** 087171063669



## CHALLENGE COIN

CHALLENGECOINKER

Zinc alloy with antique nickel plating  
 • Diameter 1.75 in. (4.4 cm)  
 • Weight 0.9 oz. (25 g)  
**UPC** 087171059341



## KERSHAW KNIFE MAT

MATKER50

Foam-backed, water resistant acrylic front  
 • Width 15 in. (38.1 cm)  
 • Height 10 in. (25.4 cm)  
**UPC** 087171067285



## KEYCHAIN LANYARD

KERKEYLANYARD

Polyester + zinc alloy, Kershaw logo on both sides  
 • Length 7 in. (17.8 cm) • Width 1.25 in. (3.2 cm) Strap Width 1 in. (2.5 cm)  
**UPC** 087171064673



## SINGLE-KNIFE POUCH

POUCHKER

Cordura exterior, zipper closure, soft interior  
**UPC** 087171059334



## KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with eight-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 × 7.5 in. (33 × 19 cm) • Weight 12 oz. (340 g)  
**UPC** 087171045634



## SINGLE-BLADE STAND

DISPLAYKERB14

**UPC** 087171046808



## SINGLE-KNIFE STAND

DISPLAYKER114

**UPC** 087171064673



## TRIPLE-KNIFE STAND

DISPLAYKER314

**UPC** 087171046792







# BLADE STYLES

## AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.



## CLEAVER

The cleaver blade shape is a high-utility style, defined by its slightly curved belly and a distinctive downturned tip. This versatile shape makes an excellent EDC or utility knife, perfectly suited for precise slicing and efficient chopping tasks.



## CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.



## DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.



## HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.




## RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.




## REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.



## SHEEPSFOOT

A sheepsfoot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.



## SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.



## TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.



## WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.



# BLADE FINISHES & COATINGS

## BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or lighter blade color.



## BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



## BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.



## CERAKOTE COATING

Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.



## POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.



## PVD COATING

PVD stands for Physical Vapor Deposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.



## POLISHED RAINBOW PVD COATING

A type of PVD coating that combines a special mix of raw materials and technical gases to create a rainbow appearance. This thin layer is fade and abrasion resistant.



## SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



## STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.



## TITANIUM CARBO-NITRIDE

Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



## TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.



## WORKING FINISH

A Kershaw working finish is designed as a hard-use finish that helps hide scuffs and scratches even better than stonewashed.





# KERSHAW BLADE STEEL INFORMATION

## CPM MAGNACUT

HRC 62-64

TOUGHNESS: 8/10



EDGE RETENTION: 7.5/10



CORROSION RESISTANCE: 9/10



SHARPENING EASE: 2/10



This Crucible powdered metallurgy steel eliminates chromium during heat treatment, allowing for vanadium and niobium to form greater carbides near the cutting edge. This formula creates an exceptional balance of edge retention, toughness, and corrosion resistance.

## CPM S35VN

HRC 60-62

TOUGHNESS: 6/10



EDGE RETENTION: 8/10



CORROSION RESISTANCE: 7/10



SHARPENING EASE: 5/10



Crucible's S35VN modifies the formula of S30V for enhanced toughness and resistance to edge chipping with no loss of wear resistance. Its formula promotes the formation of niobium carbides along with the vanadium and chromium carbides. It provides a sharper, longer lasting edge.

## CPM M4

HRC 60-62


TOUGHNESS: 7/10




EDGE RETENTION: 9/10



CORROSION RESISTANCE: 2/10



SHARPENING EASE: 3/10




The formula for this premium tool steel includes high amounts of vanadium and molybdenum. This composition creates exceptional edge retention and toughness.

## CPM 154

HRC 58-60

TOUGHNESS: 4/10



EDGE RETENTION: 6/10



CORROSION RESISTANCE: 6/10



SHARPENING EASE: 5/10



This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

## CPM 20CV

HRC 59-61

TOUGHNESS: 6/10




EDGE RETENTION: 9/10



CORROSION RESISTANCE: 7/10



SHARPENING EASE: 2/10



This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.

## 14C28N

HRC 58-60

TOUGHNESS: 6/10



EDGE RETENTION: 4/10



CORROSION RESISTANCE: 6/10



SHARPENING EASE: 6/10



This high-performance steel was developed in a partnership between Kershaw and a Swedish engineering company specializing in stainless and special steel alloys. 14C28N offers excellent corrosion resistance.

## CPM S30V

HRC 59.5-61

TOUGHNESS: 5/10



EDGE RETENTION: 7/10



CORROSION RESISTANCE: 7/10



SHARPENING EASE: 5/10



Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

## 8CR13MOV

HRC 57-59


TOUGHNESS: 5/10



EDGE RETENTION: 3/10



CORROSION RESISTANCE: 3/10



SHARPENING EASE: 8/10



Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

ELEMENT ▶ STEEL ▼	CARBON (C)	CHROMIUM (Cr)	MOLYBDENUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	Cobalt (Co)	NICKEL (Ni)	MANGANESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHORUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
CPM M4	1.4%	4.0%	5.2%	4.0 %	5.5%	-	-	0.3%	0.55%	0.06%	0.03%	-	-	-
CPM MAGNACUT	1.15%	10.7%	2.00%	4.0%	-	-	-	-	-	-	-	-	2.0%	0.2%
CPM 20CV	1.9%	20%	1.0%	4.0%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
CPM S30V	1.45%	14%	2.0%	4.0%	-	-	-	-	-	-	-	-	-	0.2%
CPM S35VN	1.4%	14%	2.0%	3.0%	-	-	-	-	-	-	-	-	0.5%	-
CPM 154	1.05%	14%	4.0%	-	-	-	-	-	-	-	-	-	-	-
14C28N	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
8Cr14MoV	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
7Cr17MoV	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
420HC	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
420J	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
D2	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
DIN 1.4116	0.45-0.55%	14-15%	0.5-0.8%	0.1-0.2%	-	-	-	1	1	0.015%	0.04%	-	-	-
65Mn	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
3Cr13	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
4Cr14	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-

420HC

HRC 60-62

TOUGHNESS: 5/10

EDGE RETENTION: 3/10

CORROSION RESISTANCE: 8/10

SHARPENING EASE: 9/10

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

8CR14MOV

HRC 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

7CR17MOV

HRC 57-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

420J

HRC 60-62

TOUGHNESS: 5/10

EDGE RETENTION: 2/10

CORROSION RESISTANCE: 8/10

SHARPENING EASE: 9/10

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

65MN

HRC 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

3CR13

HRC 54-56

A value-priced high-chromium stainless steel.

D2

HRC 59-60

TOUGHNESS: 6/10

EDGE RETENTION: 8/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

4CR14

HRC 55-57

A value-priced steel; very highly stain resistant.

DIN 1.4116

HRC 55-57

German stainless steel with high corrosion resistance and toughness. A popular choice for kitchen cutlery.



## OPENING SYSTEMS

### ASSISTED OPENING

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

### PUSH-BUTTON AUTOMATIC

A push-button lock holds the blade in place, put under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

### DOUBLE-ACTION OUT-THE-FRONT

Apply pressure to the sliding button to open and close the blade. Sliding the button releases a steel bar from the locked position and activates the blade. This mechanism found in OTF automatics.

### MANUAL

No springs or torsion bars are used; these folders rely on washers for a simple, smooth, and reliable pivot open. Washers are made of various durable materials: usually plastic or bronze.

### MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

### SLIPJOINT

These folders usually feature a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open, simply overcome the detent manually. Some slipjoints use a double detent system with two steel detent balls, one on each side of the blade, for safe carry and controlled opening and closing.

## OPENS WITH

### FLIPPER

The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

### NAIL NICK

The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders and slipjoints.

### PUSH BUTTON

The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

### THUMB STUD

The thumb stud is a small stud located at the top of the blade near the pivot. It may be positioned on one or both sides of the blade.

### THUMB DISK


The thumb disk is a small flat disk typically found at the top of the blade.

### EMERSON WAVE SHAPED FEATURE®

This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.

### OTF SLIDING BUTTON

The sliding button is conveniently found on the spine of the handle. It is primarily used to open and close out-the-front automatic knives.



## LOCKS

### DURALOCK

The DuraLock, also known as a crossbar lock, is strong, safe, and easy to operate. The solid steel crossbar engages with the blade tang and locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

### FRAME LOCK

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.

### LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

### INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.

### MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

### OTF INTERNAL LOCK

A pair of opposing steel pawls move under spring tension on arcing paths to lock the blade in the open and closed positions. Sliding the button moves a ramp against the corresponding pawl to release it and open or close the blade.

### PUSH-BUTTON LOCK AUTO

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

### BUTTON LOCK

The blade is secured with a dependable button lock in the open position. Press the button to disengage the lock for manual drop shut action.

### SLIPJOINT

A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.

### TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive assisted open knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.




## HANDLE MATERIALS




### ANODIZED ALUMINUM

Aluminum is a lightweight, yet strong and durable material. Anodizing makes aluminum even stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



### CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven tightly together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is both extremely strong and extremely lightweight.



### COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.



### CO-POLYMER PLASTIC

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



### G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes an excellent handle and handle scale material for knives.



### STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive



### K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.



### MICARTA

A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.




### GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.



### TITANIUM

Titanium is a lightweight, corrosion-resistant metal with high tensile strength.



### TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.

## POCKETCLIPS

### SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



### REVERSIBLE

Right-handed, tip-up or tip-down  
OR  
Right- or left-handed, tip-up



### 3-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up



### 4-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up or tip-down



### DEEP-CARRY

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.



### EXTRA-DEEP-CARRY


This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.





KNIFE SIZES

ALPHABETICAL BY PRODUCT NAME



\*AVERAGE HUMAN HAND SIZE (ACCORDING TO NASA)

	LENGTH	BREADTH	CIRCUMFERENCE
MALE	7.6 IN.	3.5 IN.	8.6 IN.
FEMALE	6.8 IN.	3.1 IN.	7.0 IN.

\*AVERAGE POCKET SIZE, FROM A 2018 STUDY OF 80 STYLES FROM 20 POPULAR BLUE JEAN BRANDS:

	WIDTH	HEIGHT
MALE	6.4 IN.	9.1 IN.
FEMALE	6.1 IN.	5.6 IN.
BACK	5.3 IN.	6.1 IN.





























Series representative, not all variants shown





# INDEX

## NUMERICAL BY PRODUCT NUMBER

MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		66
1025	CINDER		55
1075	DESCHUTES		59
1083	CAMP 5		57
1077	CAMP 10		59
1077TAN	CAMP 10 - TAN		59
1121	TASKMASTER SHEARS 2		66
1140	RATION		66
1145	RATION - XL		66
1145GRN	RATION XL - GREEN		66
1190	KAPSULE		31
1195	INTERSTELLAR		30
1216	SKEETER III		66
1220	REVERB		32
1230	DIODE		55
1241	12-IN. CURVED		61
1242GE	9-IN. CURVED		61
1243SH	7-IN. BONING WITH SPOON		60
1247	7.5-IN. FILLET		60
1249	9.5-IN. FILLET		61
1257	7-IN. FILLET		60
1258	FOLDING FILLET		61
1259	9-IN. FILLET		60
1301BW	STARTER		20
1302BW	LIFTER		20
1306BW	FILTER		20
1313BLK	SPOKE		21
1324	CATHODE		21

1365	MISDIRECT		18
1365RBW NEW	MISDIRECT - RAINBOW		18
1370	CAMSHAFT		20
1375	VALVE		21
1376	FLATBED		19
1385	AIRLOCK		20
1390	TREMOLO		19
1395	LIGHTYEAR		19
1401	JETPACK		19
1404	FLYBY		46
1405	ALIGN		46
1407	CONDUIT		43
1407ST NEW	CONDUIT - SERRATED		43
1408	RATE		46
1409	KORRA		21
1411	THERMAL		46
1414	WHARF		18
1416	SCOUR		46
1423	DAWNSTAR		45
1426 NEW	SEQUENCE		24
1428 NEW	OUTFIELD		18
1429 NEW	RUNOFF		24
1555T1	CRYO		51
1559	DECIMUS		50
1600	CHIVE		41
1600PINK	CHIVE - PINK		41
1605CKTST	CLASH - BLACK, SERRATED		51
1620	SCALLION		40
1620FL	SCALLION - FRAME LOCK		40
















1620ST	SCALLION - SERRATED		40
1620NB	SCALLION - NAVY BLUE		41
16200L	SCALLION - OLIVE DRAB		41
1620PUR	SCALLION - PURPLE		41
1645	LATERAL		47
1645BLKST	LATERAL - BLACK SERRATED		47
1660	LEEK		35
1660ST	LEEK - SERRATED		35
1660BLKW	LEEK - BLACKWASH™		36
1660CF	LEEK - CARBON FIBER		36
1660CKT	LEEK - BLACK		36
1660CKTST	LEEK - BLACK, SERRATED		36
1660CU	LEEK - COPPER		36
16600L	LEEK - OLIVE		37
16600R	LEEK - ORANGE		37
1660PUR	LEEK - PURPLE		38
1660R	LEEK - RANDOM		37
1660RBW	LEEK - RANDOM BLACKWASH™		37
1660SWBLK	LEEK - BLACK, STONEWASH		36
1660TEAL	LEEK - TEAL		37
1660TROUT NEW	LEEK - RAINBOW TROUT		35
1660USA NEW	LEEK - USA FLAG		35
1670BLK	BLUR - BLACK		38
1670BLKST	BLUR - BLACK, SERRATED		38
1670BW	BLUR - BLACKWASH™		38
1670GBLKST	BLUR - GLASS BREAKER		39
1670NBSW	BLUR - NAVY BLUE STONEWASH		38
16700LBLK	BLUR - OLIVE/BLACK		38
1670S30V	BLUR - S30V STONEWASH		39












1670TBLKST	BLUR - TANTO, BLACK, SERRATED		39
1747BW	ION		57
17760LSW	LINK - OLIVE STONEWASH		35
1780	CHEF'S KNIFE		63
1781	BREAD KNIFE		63
1782	SANTOKU KNIFE		63
1783	UTILITY KNIFE		63
1784	PARING KNIFE		63
1785	4-PIECE STEAK KNIFE SET		63
18120LCB	DIVIDEND - OLIVE COMPOSITE BLADE		35
1815	SANCTUM		45
1830	OSO SWEET		51
1835TBLKST	KURO - SERRATED		49
1845	SHORELINE		44
1845ST NEW	SHORELINE - SERRATED		43
1881	ERIS		50
1882	DESCHUTES CAPER		56
1883	DESCHUTES SKINNER		56
1883GH	DESCHUTES SKINNER - GUT HOOK		56
1891	LONEROCK RBK 2		59
1890RB	LONEROCK RBK BLADES		59
1920	SELECT FIRE		52
1935	FATBACK		49
1990	BRAWLER		43
1990ST NEW	BRAWLER - SERRATED		43
2036	LUCID		48
2037	HEIST		28
2038	IRIDIUM		28
2038BLK	IRIDIUM - BLACK		28
















2038R	IRIDIUM - REVERSE TANTO		27
2038RBLK NEW	IRIDIUM - REVERSE TANTO BLACK		27
2039	FRONTRUNNER		31
2041	MONITOR		28
2042	COVALENT		28
2044	OUTCOME		45
2044RBW NEW	OUTCOME - RAINBOW		44
2046	CYBERNET		31
2047	LAYUP		45
2048	STEPPE		56
2051	MINI IRIDIUM		27
2051BLK	MINI IRIDIUM - BLACK		27
2051R NEW	MINI IRIDIUM - REVERSE TANTO		24
2051RBLK NEW	MINI IRIDIUM - REVERSE TANTO BLACK		27
2052 NEW	BROADSIDE		24
2053 NEW	KINDRED		24
2054 NEW	REMNANT		23
2061	CANNONBALL		48
2062ST	ANALYST		47
2064	OUTLIER		47
2065	GRAVEL		48
2075	PAYOUT		48
2076	STRATA		31
2078	STRATA - CLEAVER		31
2085	BRACE		57
2095	ENDGAME		29
2200	GRID		49
2535	ULTRA-TEK SHARPENER		66
2556	TASKMASTER SAW 2		59

3410	CHILL		32
3445	STATIC		32
3455	BRACKET		48
3930	FLITCH		50
3935	FLOURISH		50
3960	BARSTOW		50
4007	SECRET AGENT		57
4008	DUNE		57
4386	IREDALE		32
4950TR	BALANZA		29
5150	LUCHA		29
5150BW	LUCHA - BLACKWASH™		29
5150TR	LUCHA - TRAINER		29
5560	RADAR		47
5570	HELITACK		45
6034D2	CQC-6K D2		33
6034T	CQC-7K		33
6034TRAINER	E-TRAIN		33
6044TBLK	CQC-8K		33
6054BRNBLK	CQC-4K		33
6105	BEL AIR		23
6105BLK	BEL AIR - BLACK		23
6105CF	BEL AIR - CARBON FIBER		23
6106 NEW	BEL AIR - CLIP POINT		23
7038 NEW	LAUNCH IRIDIUM		12
7050	LAUNCH 20		16
7100BW	LAUNCH 1		12
7105	LAUNCH 16		16
71050LBLK	LAUNCH 16 - OLIVE, BLACK		15



<b>7106</b> <b>NEW</b>	LAUNCH 21		11
<b>7150</b>	LAUNCH 8		14
<b>7500BLK</b>	LAUNCH 4		12
<b>7550</b>	LAUNCH 11		14
<b>7551</b>	LAUNCH 18		16
<b>7650</b>	LAUNCH 13		15
<b>7800BLK</b>	LAUNCH 6		14
<b>7850</b>	LAUNCH 14		15
<b>7851</b>	LAUNCH 19		16
<b>7900CF</b>	LAUNCH 7 - CARBON FIBER		14
<b>7900GRYBLK</b>	LAUNCH 7		14
<b>7950</b>	LAUNCH 15		15
<b>7951</b>	LAUNCH 17		16
<b>8100</b>	FUNXION EMT		52
<b>8300</b>	DUOJET		49

<b>8310</b>	FRINGE		49
<b>8320</b>	OUTRIGHT		44
<b>8320BLK</b>	OUTRIGHT BLACK		44
<b>8320BLKST</b> <b>NEW</b>	OUTRIGHT BLACK - SERRATED		44
<b>8337</b>	CRAZE		53
<b>8650</b>	BARRICADE		52
<b>8700</b>	SHUFFLE		54
<b>8700BLK</b>	SHUFFLE - BLACK		54
<b>8700LIMEBW</b>	SHUFFLE - LIME		55
<b>8700PURBW</b>	SHUFFLE - PURPLE		55
<b>8700TEALBW</b>	SHUFFLE - TEAL		54
<b>8710</b>	ANTIC		55
<b>8720</b>	SHUFFLE - DIY		52
<b>8750TBLKBW</b>	SHUFFLE II - BLACK		53
<b>8750TTANBW</b>	SHUFFLE II - TAN		53

<b>8750TOLBW</b>	SHUFFLE II - OLIVE		53
<b>8760</b>	FAULTLINE		32
<b>8800</b>	PT-1		66
<b>8810</b>	PT-2		66
<b>9000</b>	LIVEWIRE		12
<b>9000BLK</b>	LIVEWIRE - BLACK		12
<b>9000CF</b>	LIVEWIRE - CARBON FIBER		11
<b>9000DE</b>	LIVEWIRE - DOUBLE EDGE		11
<b>9000R</b> <b>NEW</b>	LIVEWIRE - REVERSE TANTO		11
<b>9000T</b>	LIVEWIRE - TANTO		11
<b>K6BLOCK</b>	6-PIECE KITCHEN KNIFE SET		63
<b>KEROIL</b>	KERSHAW KNIFE OIL		67
<b>KMCURE</b>	MANICURE SET		67
<b>KT00L</b>	K-TOOL		66
<b>TXT00L</b>	TX-TOOL		66



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.



#### AUTHORIZED DEALERS

Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: [kershawknives.com](http://kershawknives.com)

#### LIMITED LIFETIME WARRANTY



Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: [kershawknives.com](http://kershawknives.com)

#### BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipped to Kai USA. Please see our website for shipping and warranty service information.

#### REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

#### VOUCHERS

There may be cases when your knife has been evaluated and is eligible for warranty service but is not able to be repaired or replaced. This can be true with discontinued models of which we no longer have stock. In such cases, at our discretion, we will offer a voucher for a replacement knife of equal or lesser value, as defined by the Manufacturer's Suggested Retail Price (MSRP). The voucher can only be used through

the Kai USA Warranty Department and some exclusions apply. If you prefer to have your original knife returned instead of using the voucher, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If you do not call us to let us know by then, the knife will be recycled.

#### LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

#### WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents. Here is a list of past and present patents that we have utilized.

4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.





## ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to “cause cancer, birth defects or other reproductive harm.” This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don't always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

### GENERAL: ⚠ WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### LEAD: ⚠ WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### BENZENE: ⚠ WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### CARBON MONOXIDE: ⚠ WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### DEHP/BPA: ⚠ WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**LIST OF ALL PRODUCTS THAT MAY CONTAIN  
THE ITEMS LISTED ON PAGE 84**

MODEL #	CHEMICAL
1019	CARBON MONOXIDE
1025	LEAD
1075	LEAD
1077	BENZENE
1077TAN	BENZENE
1083	LEAD
1170	LEAD
1190	LEAD
1195	LEAD
1216	LEAD
1220	LEAD
1225	LEAD
1230	LEAD
1241	LEAD
1242GE	LEAD
1243SH	LEAD
1247	LEAD
1249	LEAD
1257	LEAD
1259	LEAD
1313BLK	LEAD
1376	LEAD
1401	LEAD
1404	LEAD
1405	LEAD
1407	LEAD
1407ST	LEAD
1411	LEAD
1416	LEAD
1426	LEAD
1429	LEAD
1555TI	LEAD
1559	LEAD
1605CKTST	LEAD
1645	LEAD
1645BLKST	LEAD
1660CF	BPA
1780	PFAS
1781	PFAS
1782	PFAS
1783	PFAS
1784	PFAS


MODEL #	CHEMICAL
1785	PFAS
1815	LEAD
1830	LEAD
1835TBLKST	LEAD
1845	LEAD
1845ST	LEAD
1881	LEAD
1883	LEAD
1883GH	LEAD
1920	LEAD
1935	LEAD
1990	LEAD
1990ST	LEAD
2031	LEAD
2034	LEAD
2036	LEAD
2038	LEAD
2038BLK	LEAD
2038R	LEAD
2038RBLK	LEAD
2039	LEAD
2044	LEAD
2047	LEAD
2048	LEAD
2049	LEAD
2051	LEAD
2051BLK	LEAD
2051R	LEAD
2051RBLK	LEAD
2052	LEAD
2053	LEAD
2054	LEAD
2061	LEAD
2062ST	LEAD
2064	LEAD
2065	LEAD
2075	LEAD
2076	LEAD
2078	BENZENE
2085	LEAD
2095	LEAD
2200	LEAD

MODEL #	CHEMICAL
2556	LEAD
3410	LEAD
3445	LEAD
3455	LEAD
3930	LEAD
3935	LEAD
3960	LEAD
4007	LEAD
4008	LEAD
5560	LEAD
5570	LEAD
6034T	LEAD
6044TBLK	LEAD
6054BRNBLK	LEAD
6105CF	BPA
7050	BPA
7150	BPA
7850	BPA
7900CF	BPA
8100	LEAD
8300	LEAD
8310	LEAD
8320	LEAD
8320BLK	LEAD
8320BLKST	LEAD
8337	LEAD
8650	LEAD
8700	LEAD
8700BLK	LEAD
8700LIME	LEAD
8700PUR	LEAD
8700TEAL	LEAD
8710	LEAD
8720	LEAD
8750TBLKBW	LEAD
8750TOLBW	LEAD
8750TTANBW	LEAD
8760	LEAD
9000CF	BPA
TXTOOL	LEAD



**kershaw**

KERSHAWKNIVES.COM

 kai U.S.A. Ltd.

18600 SW Teton Avenue  
Tualatin, OR 97062  
USA  
800.325.2891

