



Kershaw®

2026



NEXT LEVEL

TABLE OF CONTENTS

2	NEW PRODUCTS NEW	66	KITCHEN
8	AUTOMATIC	68	GEAR
18	STARTER	73	BLADE STYLES, FINISHES
22	EVERYDAY CARRY - MANUAL NEW	74	BLADE STEEL INFO
34	EVERYDAY CARRY - ASSISTED NEW	76	OPENING, LOCKS, HANDLES, POCKETCLIPS
52	MULTI-FUNCTION NEW	78	KNIFE SIZES
58	FIXED BLADE	80	INDEX
62	OUTDOOR	83	WARRANTY INFO
64	FISHING	84	PROP 65 INFO



SINCE 1974

kershaw®

NEW PRODUCT RELEASE

2026

#1



**IRIDIUM
BUTTON
LOCK**
3038 • P.23



**BAREKNUCKLE
DURALOCK**
6777 • P.25



DUSTER
2059 • P.26



AIRSPACE
2063 • P.26



PROXIMAL
2058 • P.27



**LEEK -
KINGS CAMO™**
1660KC • P.35



**BLUR -
KINGS CAMO™**
1670KC • P.38



**SHORELINE -
BASS**
1845BASS • P.43



**BEL AIR XL
EMT**
6110EMT • P.53



**BEL AIR XL
EMT - ORANGE**
6110EMTOR • P.53

kershaw®

ORIGINALS



Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this
icon designating
KERSHAW
ORIGINALS.



2026 CATALOG

ICON GUIDE

Find these icons on products with special features and materials:



Made In USA



Kershaw Original



Premium blade steel



KVT ball-bearing opening



G10 handle scales



Canvas micarta handle scales



Carbon fiber handle scales



Emerson Wave Shaped Feature®



Sheath included



Composite Blade



MANUFACTURING



Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. This kind of manufacturing depth enables us to build products for every budget and meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



Look for this icon designating knives proudly made in our Oregon USA factory.

All other Kershaw knives are proudly designed, prototyped, engineered, and quality controlled in the USA, and manufactured in China.





AMERICAN



QUALITY

Every Kershaw knife is manufactured to last a lifetime of quality performance. Kai USA's state-of-the-art factory pushes the latest technologies and innovations, manufacturing over one million individual knives every year. Even for models that are imported overseas, all of Kershaw's quality control is meticulously maintained in the USA. No matter what Kershaw you buy, you're guaranteed a dependable tool.

DESIGN

Kershaw's innovative Original Designs are conceptualized by the USA design team. For other models, Kershaw collaborates with many well-known custom knifemakers. In either case, Kershaw's USA team oversees the project from the drawing board to completion.

SERVICE

Kershaw knives are backed by a Limited Lifetime Warranty against manufacturing defects, serviced in the USA. Sharpening, parts replacement, and general customer service are also available.

JOBS

Kershaw employs hundreds of employees in the USA, stimulating Oregon's economy and providing jobs in assembly, customer service, packaging, quality control, and more.

AUTOMATIC SECTION

OVERVIEW

26 TOTAL
26 MADE IN USA
23 ORIGINAL DESIGNS
26 PREMIUM BLADE STEEL



Kershaw automatics are a collection of sleek, fast, instant-open knives. The lineup includes out-the-side and out-the-front opening knives. Either way, activating the button releases the lock, and the blade deploys lightning-fast, ready for use.

LIVEWIRE

9000

a KERSHAW ORIGINALS & MATT DISKIN design



STEEL CPM MagnaCut, stonewashed finish
HANDLE 6061-T6 aluminum, black anodized
BLADE 3.3 in. (8.4 cm)
CLOSED 4.8 in. (12.2 cm)
OVERALL 8.1 in. (20.6 cm)
WEIGHT 3 oz. (85 g)
BOX 087171064550
CLAM -

OPENING Out-The-Front Automatic
LOCK OTF Internal Lock
POCKETCLIP Reversible deep-carry (right/left, tip down)
FEATURES Handle texturing for a stylish look and secure grip



LIVEWIRE - REVERSE TANTO

9000R

a KERSHAW ORIGINALS & MATT DISKIN design



STEEL CPM MagnaCut, black PVD coating with satin grinds
HANDLE 6061-T6 aluminum, black anodized
BLADE 3.3 in. (8.4 cm)
CLOSED 4.8 in. (12.2 cm)
OVERALL 8.1 in. (20.6 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171068732
CLAM -

OPENING Out-The-Front Automatic
LOCK OTF Internal Lock
POCKETCLIP Reversible deep-carry (right/left, tip down)
FEATURES Handle texturing for a stylish look and secure grip



LIVEWIRE - CARBON FIBER

9000CF

a KERSHAW ORIGINALS & MATT DISKIN design



STEEL CPM MagnaCut, stonewashed finish with satin grinds
HANDLE Carbon fiber front, 6061-T6 aluminum, black anodized
BLADE 3.35 in. (8.5 cm)
CLOSED 4.8 in. (12.2 cm)
OVERALL 8.15 in. (20.7 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171066677
CLAM -

OPENING Out-The-Front Automatic
LOCK OTF Internal Lock
POCKETCLIP Reversible deep-carry (right/left, tip down)
FEATURES Handle texturing for a stylish look and secure grip



LIVEWIRE - DOUBLE EDGE

9000DE

a KERSHAW ORIGINALS & MATT DISKIN design



STEEL CPM MagnaCut, black PVD coating
HANDLE 6061-T6 aluminum, black anodized
BLADE 3.45 in. (8.8 cm)
CLOSED 4.8 in. (12.2 cm)
OVERALL 8.25 in. (21 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171066684
CLAM -

OPENING Out-The-Front Automatic
LOCK OTF Internal Lock
POCKETCLIP Reversible deep-carry (right/left, tip down)
FEATURES Handle texturing for a stylish look and secure grip



LIVEWIRE - TANTO

9000T

a KERSHAW ORIGINALS & MATT DISKIN design



STEEL CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE 6061-T6 aluminum, black anodized
BLADE 3.3 in. (8.4 cm)
CLOSED 4.8 in. (12.2 cm)
OVERALL 8.1 in. (20.6 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171065892
CLAM -

OPENING Out-The-Front Automatic
LOCK OTF Internal Lock
POCKETCLIP Reversible deep-carry (right/left, tip down)
FEATURES Handle texturing for a stylish look and secure grip



LIVEWIRE - BLACK

9000BLK

a KERSHAW ORIGINALS & MATT DISKIN design



STEEL	CPM MagnaCut, black PVD coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.8 in. (12.2 cm)
OVERALL	8.1 in. (20.6 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171065663
CLAM	-

OPENING	Out-The-Front Automatic
LOCK	OTF Internal Lock
POCKETCLIP	Reversible deep-carry (right/left, tip down)
FEATURES	Handle texturing for a stylish look and secure grip

**LAUNCH IRIDIUM**

7038

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, working finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.45 in. (8.8 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171068381
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, gray anodized backspacer and lanyard hole

**LAUNCH IRIDIUM - G10**

7038G10

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	G10 front, 6061-T6 aluminum back, black anodized
BLADE	3.45 in. (8.8 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171071305
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, black anodized backspacer and lanyard hole

**LAUNCH 1**

7100BW

a KERSHAW ORIGINALS design



STEEL	CPM 154, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	4 oz. (114 g)
BOX	087171039534
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Integrated backspacer, lanyard tie-off

**LAUNCH 4**

7500BLK

a KERSHAW ORIGINALS design



STEEL	CPM 154, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	1.9 in. (4.8 cm)
CLOSED	3.2 in. (8.1 cm)
OVERALL	5.1 in. (13 cm)
WEIGHT	1.8 oz. (51 g)
BOX	087171041100
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Single-position (right, tip-up)
FEATURES	Integrated backspacer





AUTOMATIC

Kershaw

KERSHAWKNIVES.COM

=

AUTOMATIC

kershaw

KERSHAWKNIVES.COM



LAUNCH 6

7800BLK

a KERSHAW ORIGINALS design



STEEL CPM 154, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized
BLADE 3.75 in. (9.5 cm)
CLOSED 4.9 in. (12.4 cm)
OVERALL 8.7 in. (22.1 cm)
WEIGHT 3.8 oz. (108 g)
BOX 087171044484
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Integrated backspacer, lanyard hole



LAUNCH 7-CARBON FIBER

7900CF

a TIM GALYEAN design



STEEL CPM MagnaCut, stonewashed finish
HANDLE Carbon fiber front, 6061-T6 aluminum, black anodized
BLADE 3.7 in. (9.4 cm)
CLOSED 4.9 in. (12.4 cm)
OVERALL 8.6 in. (21.8 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171067018
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Integrated backspacer



LAUNCH 7

7900GRYBLK

a TIM GALYEAN design



STEEL CPM 154, black Cerakote coating
HANDLE 6061-T6 aluminum, gray anodized
BLADE 3.7 in. (9.4 cm)
CLOSED 4.9 in. (12.4 cm)
OVERALL 8.6 in. (21.8 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171048574
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Integrated backspacer



LAUNCH 8

7150

a MATT DISKIN design



STEEL CPM 154, stonewashed finish
HANDLE 6061-T6 aluminum, gray anodized, carbon fiber insert front
BLADE 3.5 in. (9 cm)
CLOSED 4.75 in. (12.2 cm)
OVERALL 8.25 in. (21 cm)
WEIGHT 2.3 oz. (68 g)
BOX 087171055008
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Integrated finger guards



LAUNCH 11

7550

a KERSHAW ORIGINALS design



STEEL CPM 154, black-oxide BlackWash™ finish
HANDLE 6061-T6 aluminum, black anodized
BLADE 2.75 in. (7 cm)
CLOSED 3.8 in. (9.9 cm)
OVERALL 6.75 in. (16.6 cm)
WEIGHT 2.1 oz. (60 g)
BOX 087171058771
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Bronze anodized titanium trim ring, integrated backspacer with lanyard tie-off, weight-relieving handle window



LAUNCH 13

7650

a KERSHAW ORIGINALS design



STEEL	CPM 154, black Cerakote coating with satin grinds
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.5 in. (8.9 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171060620
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom triangular pivot, integrated backspacer with lanyard tie-off, weight-relieving handle windows



LAUNCH 15

7950

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, black anodized, canvas micarta inserts
BLADE	3.5 in. (8.9 cm)
CLOSED	4.9 in. (12.4 cm)
OVERALL	8.5 in. (21.3 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171064529
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Thin canvas micarta backspacer



LAUNCH 16

7105

a KERSHAW ORIGINALS design



STEEL	CPM M4, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.45 in. (8.8 cm)
CLOSED	4.95 in. (12.6 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4 oz. (113 g)
BOX	087171065335
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Oversized jimping for secure grip



LAUNCH 16 - OLIVE, BLACK

7105OLBLK

a KERSHAW ORIGINALS design



STEEL	CPM M4, black Cerakote coating
HANDLE	6061-T6 aluminum, olive Cerakote coating, Trac-Tec inserts
BLADE	3.45 in. (8.8 cm)
CLOSED	4.95 in. (12.6 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4.1 oz. (116 g)
BOX	087171066530
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Oversized jimping for secure grip



LAUNCH 17

7951

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black Cerakote coating
HANDLE	6061-T6 aluminum, gray anodized, textured G10 inserts
BLADE	3.5 in. (8.9 cm)
CLOSED	4.95 in. (12.6 cm)
OVERALL	8.45 in. (21.5 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171066561
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Thin G10 backspacer





LAUNCH 18

7551

a KERSHAW ORIGINALS design



STEEL CPM 154, stonewashed finish
HANDLE 6061-T6 aluminum, gray anodized
BLADE 2.79 in. (7.1 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 6.79 in. (17.2 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171066578
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Ceramic bead-blasted titanium trim ring, integrated backspacer with lanyard tie-off



LAUNCH 19

7851

a KERSHAW ORIGINALS design



STEEL CPM 154, black Cerakote coating with satin grinds
HANDLE 6061-T6 aluminum, black anodized, earth brown G10 scale
BLADE 3.3 in. (8.4 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 3 oz. (85 g)
BOX 087171066691
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bronze anodized titanium tube spacer, integrated backspacer with lanyard hole



LAUNCH 20

7050

a KERSHAW ORIGINALS design



STEEL CPM MagnaCut, satin finish with stonewashed flats
HANDLE 6061-T6 aluminum, raw finish, clear anodized, marbled carbon fiber inserts
BLADE 3 in. (7.6 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171067094
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Integrated backspacer with lanyard tie-off



LAUNCH 21

7106

a KERSHAW ORIGINALS design



STEEL CPM M4, black PVD coating
HANDLE 6061-T6 aluminum, FDE anodized, G10 inserts
BLADE 3.45 in. (8.8 cm)
CLOSED 4.95 in. (12.6 cm)
OVERALL 8.4 in. (21.3 cm)
WEIGHT 4.1 oz. (116 g)
BOX 087171069524
CLAM -

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Oversized jimping for secure grip



LAUNCH 22

7205

a KERSHAW ORIGINALS design



STEEL CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE 6061-T6 aluminum, OD green anodized, black canvas micarta inserts
BLADE 3.45 in. (8.8 cm)
CLOSED 4.75 in. (12.1 cm)
OVERALL 8.2 in. (20.8 cm)
WEIGHT 3.7 oz. (105 g)
BOX 087171071114

OPENING Push-button open
LOCK Push-button lock release
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Spear point blade





LAUNCH 23

7305

a KERSHAW ORIGINALS design



STEEL	CPM 154, black Cerakote coating with satin grinds
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.3 in. (8.4 cm)
CLOSED	4.35 in. (11 cm)
OVERALL	7.65 in. (19.4 cm)
WEIGHT	3.3 oz. (93 g)
BOX	087171071176
CLAM	-

OPENING	Push-button open
LOCK	Push-button lock release
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Trailing point blade, machined grooves for secure grip



STARTER SECTION

OVERVIEW

18 TOTAL
18 ORIGINAL DESIGNS

This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

RAYGUN

1427

a KERSHAW ORIGINALS design

STEEL 4Cr14, stonewashed finish
HANDLE Glass-filled nylon
BLADE 2.8 in. (7.1 cm)
CLOSED 3.95 in. (10 cm)
OVERALL 6.75 in. (17.1 cm)
WEIGHT 2.3 oz. (65 g)
BOX 087171069937
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bead-blasted tube spacers



OUTFIELD

1428

a KERSHAW ORIGINALS design

STEEL 4Cr14, stonewashed finish
HANDLE Glass-filled nylon
BLADE 2.8 in. (7.1 cm)
CLOSED 3.62 in. (9.2 cm)
OVERALL 6.42 in. (16.3 cm)
WEIGHT 2.2 oz. (62 g)
BOX 087171069159
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard pin



MISDIRECT - RAINBOW

1365RBW

a KERSHAW ORIGINALS design

STEEL 4Cr14, polished rainbow PVD coating
HANDLE Stainless steel, polished rainbow PVD coating
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171069197
CLAM -



OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 3-position (right/left, tip up; right, tip-down)
FEATURES Lanyard hole



MISDIRECT

1365

a KERSHAW ORIGINALS design

STEEL 4Cr14, black-oxide BlackWash™ finish
HANDLE Stainless steel, bead-blasted finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171055169
CLAM 087171055688



OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP 3-position (right/left, tip up; right, tip-down)
FEATURES Lanyard hole





WHARF

1414
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 2.8 in. (7.1 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.7 in. (17 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171065809
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard pin

FLATBED

1376
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, steel inlay, black-oxide BlackWash™ finish
BLADE 3.125 in. (7.9 cm)
CLOSED 4.125 in. (10.5 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171061986
CLAM 087171064406



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer

JETPACK

1401
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Stainless steel, stonewashed finish, glass-filled nylon overlays
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171061764
CLAM -



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer

LIGHTYEAR

1395
a KERSHAW ORIGINALS design

STEEL 4Cr14, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3.125 in. (7.9 cm)
CLOSED 4.125 in. (10.5 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171058863
CLAM 087171060941



OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole

KORRA

1409

a KERSHAW ORIGINALS design



STEEL	5Cr15MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.75 in. (7 cm)
CLOSED	3.75 in. (9.5 cm)
OVERALL	6.5 in. (16.5 cm)
WEIGHT	2.2 oz. (62 g)
BOX	087171064864
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard pin



TREMOLDO

1390

a KERSHAW ORIGINALS design



STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.125 in. (7.9 cm)
CLOSED	4.125 in. (10.5 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171060934
CLAM	087171062488

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Steel handle inlays



CAMSHAFT

1370

a KERSHAW ORIGINALS design



STEEL	4Cr14, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	3.1 oz. (90 g)
BOX	087171057637
CLAM	087171060453

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole, decorative pivot cap, custom backspacer



AIRLOCK

1385

a KERSHAW ORIGINALS design



STEEL	4Cr14, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.5 cm)
WEIGHT	2.9 oz. (84 g)
BOX	087171058405
CLAM	087171059044

OPENING	Assisted opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole, weight-relieving handle window, decorative pivot cap



STARTER


1301BW

a KERSHAW ORIGINALS design



STEEL	4Cr14, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20.1 cm)
WEIGHT	6.4 oz. (183 g)
BOX	087171037646
CLAM	087171037653

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Lanyard hole



LIFTER

1302BW
a KERSHAW ORIGINALS design



STEEL 4Cr14, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 3.5 in. (8.9 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20.1 cm)
WEIGHT 5.8 oz. (167 g)
BOX 087171037660
CLAM 087171037677

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Lanyard hole



FILTER

1306BW
a KERSHAW ORIGINALS design



STEEL 4Cr14, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 5 oz. (143 g)
BOX 087171039213
CLAM 087171039220

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)




SPOKE

1313BLK
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Stainless steel, black-oxide coating
BLADE 2 in. (5.1 cm)
CLOSED 2.8 in. (7.1 cm)
OVERALL 4.75 in. (12.1 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171044446
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



VALVE

1375
a KERSHAW ORIGINALS design



STEEL 4Cr14, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 2.25 in. (5.7 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.5 in. (14 cm)
WEIGHT 3 oz. (85 g)
BOX 087171057910
CLAM 087171059532

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer



CATHODE

1324
a KERSHAW ORIGINALS design



STEEL 4Cr14, stonewashed finish
HANDLE Stainless steel, hot-stamped texture
BLADE 2.25 in. (5.7 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.5 in. (14 cm)
WEIGHT 2.7 oz. (77 g)
BOX 087171044903
CLAM 087171044910

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)



EDC-MANUAL SECTION

OVERVIEW

45 TOTAL • 5 NEW
11 MADE IN USA
38 ORIGINAL DESIGNS
26 PREMIUM BLADE STEEL



Manual-opening knives can be opened with a thumb stud, flipper, sliding button, or hollow in the blade. Some also feature our KVT ball-bearing system for smooth, reliable opening and closing everytime. KVT makes opening manual knives as easy as assisted.

NEW

IRIDIUM BUTTON LOCK

3038

a KERSHAW ORIGINALS design



STEEL CPM MagnaCut, satin finish with stonewashed flats
HANDLE G10
BLADE 3.45 in. (8.8 cm)
CLOSED 4.55 in. (11.5 cm)
OVERALL 8 in. (20.3 cm)
WEIGHT 3.5 oz. (99 g)
BOX 087171072555
CLAM -

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK Button Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, olive-anodized aluminum backspacer with lanyard hole



REMNANT

2054

a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Black linen micarta
BLADE 3.25 in. (8.3 cm)
CLOSED 4.38 in. (11.1 cm)
OVERALL 7.63 in. (19.4 cm)
WEIGHT 2.7 oz. (76 g)
BOX 087171069395
CLAM -

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK Button Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, bronze anodized tube spacers, steel liners with weight-relieving pockets



RUNOFF

1429

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, satin finish
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.05 in. (10.3 cm)
OVERALL 7.15 in. (18.2 cm)
WEIGHT 3 oz. (85 g)
BOX 08717109029
CLAM -

OPENING Manual KVT ball-bearing opening with flipper
LOCK Button Lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, olive backspacer with lanyard hole



KINDRED

2053

a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE 6061-T4 aluminum, black anodized
BLADE 3 in. (7.6 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.6 oz. (74 g)
BOX 087171068411
CLAM -

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK Button Lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Custom pivot, lanyard hole



BEL AIR

6105

a KERSHAW ORIGINALS design



STEEL CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE 6061-T6 aluminum, nickel Cerakote coating
BLADE 3 in. (7.6 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171066073
CLAM -

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Dark bronze Cerakote-coated locking dowel and tube spacers



BEL AIR - CLIP POINT, BLACK

6106BLK

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black PVD coating
HANDLE	G10
BLADE	3.05 in. (7.7 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.7 oz. (76 g)
BOX	087171071268
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Black-oxide locking dowel and tube spacers



BEL AIR - CLIP POINT

6106

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, working finish
HANDLE	Olive canvas micarta
BLADE	3.05 in. (7.7 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069722
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Bead-blasted locking dowel and black oxide tube spacers



BEL AIR - CARBON FIBER

6105CF

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, satin finish with stonewashed flats
HANDLE	Marbled carbon fiber
BLADE	3.1 in. (7.9 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.3 in. (18.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171068428
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Bead-blasted locking dowel and tube spacers



BEL AIR - BLACK

6105BLK

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black PVD coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.1 in. (7.9 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.3 in. (18.5 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171067544
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Black-oxide locking dowel and tube spacers



BEL AIR XL

6110

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, stonewashed finish
HANDLE	G10
BLADE	3.4 in. (8.6 cm)
CLOSED	4.55 in. (11.6 cm)
OVERALL	7.95 in. (20.2 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171070230
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Bead-blasted locking dowel and black oxide tube spacers





NEW

BAREKNUCKLE - DURALOCK

6777 a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, black PVD coating
HANDLE	Aluminum, OD green anodized
BLADE	3.5 in. (8.9 cm)
CLOSED	4.74 in. (12 cm)
OVERALL	8.24 in. (20.9 cm)
WEIGHT	3.4 oz. (96 g)
BOX	087171071077
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Black-oxide locking dowel and tube spacers




NEW

DUSTER

2059

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	2.9 in. (7.4 cm)
CLOSED	3.85 in. (9.8 cm)
OVERALL	6.75 in. (17.1 cm)
WEIGHT	2 oz. (57 g)
BOX	087171070643
CLAM	-

OPENING

Manual KVT ball-bearing opening with thumb stud

LOCK

DuraLock

POCKETCLIP

Reversible deep-carry (right/left, tip-up)

FEATURES

Custom pivot, black-anodized aluminum backspacer with lanyard hole


NEW

AIRSPACE

2063

a KERSHAW ORIGINALS design



STEEL	14C28N, satin finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.05 in. (10.3 cm)
OVERALL	7.05 in. (17.9 cm)
WEIGHT	1.7 oz. (48 g)
BOX	087171069852
CLAM	-

OPENING

Manual KVT ball-bearing opening with thumb stud

LOCK

DuraLock

POCKETCLIP

Reversible deep-carry (right/left, tip-up)

FEATURES

Custom pivot, wishbone backspacer



NEW

PROXIMAL

2058

a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE G10
BLADE 3.15 in. (8 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.55 in. (19.2 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171070629
CLAM -



OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Custom pivot, gold-anodized aluminum pivot collar and backspacer with lanyard hole



BROADSIDE

2052

a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE G10
BLADE 3.5 in. (8.9 cm)
CLOSED 4.85 in. (12.3 cm)
OVERALL 8.35 in. (21.2 cm)
WEIGHT 5.1 oz. (145 g)
BOX 087171068374
CLAM -



OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Chocolate PVD coated liners, custom pivot, custom backspacer, lanyard hole



SEQUENCE

1426

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.32 in. (8.4 cm)
CLOSED 4.38 in. (11.1 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 3 oz. (85 g)
BOX 087171068947
CLAM -



OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



MINI IRIDIUM - REVERSE TANTO

2051R

a KERSHAW ORIGINALS design

STEEL D2, satin finish with stonewashed flats
HANDLE 6061-T6 aluminum, gray anodized
BLADE 3 in. (7.6 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.9 in. (17.5 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171068909
CLAM -



OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, ice blue anodized backspacer and lanyard hole



MINI IRIDIUM - REVERSE TANTO, BLACK

2051RBLK

a KERSHAW ORIGINALS design

STEEL D2, black-oxide coating
HANDLE 6061-T6 aluminum, black anodized
BLADE 3 in. (7.6 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.9 in. (17.5 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171068930
CLAM -



OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom black anodized pivot, backspacer, and lanyard hole



MINI IRIIDIUM - BLACK

2051BLK

a KERSHAW ORIGINALS design



STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171068251
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom black anodized pivot, backspacer and lanyard hole

**MINI IRIIDIUM**

2051

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	6061-T6 aluminum, ice blue anodized
BLADE	3 in. (7.6 cm)
CLOSED	3.9 in. (9.9 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	2.5 oz. (71 g)
BOX	087171066738
CLAM	087171067056

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom gold PVD pivot, gold anodized backspacer and lanyard hole

**IRIDIUM - REVERSE TANTO, BLACK**

2038RBLK

a KERSHAW ORIGINALS design



STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.45 in. (8.7 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.95 in. (20.2 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171068923
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom black anodized pivot, backspacer, and lanyard hole

**IRIDIUM - REVERSE TANTO**

2038R a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171066349
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, clear-anodized backspacer and lanyard hole

**IRIDIUM - BLACK**

2038BLK

a KERSHAW ORIGINALS design



STEEL	D2, black-oxide coating
HANDLE	6061-T6 aluminum, black anodized
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171065601
CLAM	-

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Custom pivot, black-anodized backspacer and lanyard hole



IRIDIUM

2038
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish with satin grinds
HANDLE 6061-T6 aluminum, gray anodized
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.3 oz. (94 g)
BOX 087171063973
CLAM 087171065366

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, bronze-anodized backspacer and lanyard hole




COVALENT

2042
a KERSHAW ORIGINALS design

STEEL D2, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 3.2 in. (8.1 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171063997
CLAM 087171065373

OPENING Manual KVT ball-bearing opening with flipper
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



MONITOR

2041
a KERSHAW ORIGINALS design

STEEL D2, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 2.7 oz. (77 g)
BOX 087171063980
CLAM -

OPENING Manual KVT ball-bearing opening with flipper
LOCK DuraLock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



HEIST

2037
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.2 in. (8.1 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171063966
CLAM 087171065359

OPENING Manual opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom pivot, custom backspacer, lanyard hole



STATIC

3445
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, satin finish
HANDLE Stainless steel, gray PVD coating
BLADE 2.9 in. (7.4 cm)
CLOSED 3.9 in. (9.8 cm)
OVERALL 6.75 in. (17.1 cm)
WEIGHT 4 oz. (113 g)
BOX 087171055749
CLAM 087171059037

OPENING Manual KVT ball-bearing opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Weight-relieving handle window



REVERB

1220
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, titanium carbo-nitride coating with satin flats
HANDLE	G10, carbon fiber overlay front; steel back, titanium carbo-nitride coating
BLADE	2.5 in. (6.4 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	6.1 in. (15.6 cm)
WEIGHT	1.6 oz. (46 g)
BOX	087171048642
CLAM	087171048765

OPENING	Manual opening with nail nick
LOCK	Frame lock
POCKETCLIP	Single-position extra-deep-carry, (right, tip-up)
FEATURES	Carabiner clip



STRATA

2076
a KERSHAW ORIGINALS design



STEEL	D2, bead-blasted finish
HANDLE	G10 front, stainless steel back, bead-blasted finish
BLADE	4.5 in. (11.4 cm)
CLOSED	5.4 in. (13.7 cm)
OVERALL	9.9 in. (25.1 cm)
WEIGHT	3.7 oz. (105 g)
BOX	087171060651
CLAM	-

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Frame lock
POCKETCLIP	Single-position extra-deep-carry (right, tip-up)
FEATURES	Copper anodized decorative pivot cap and tube spacers



FAULTLINE

8760
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, rubber insert
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	3.4 oz. (99 g)
BOX	087171052762
CLAM	087171053516

OPENING	Manual KVT ball-bearing opening with flipper
LOCK	Inset liner lock
POCKETCLIP	Single-position deep-carry (right, tip-up)




IREDALE

4386
a KERSHAW ORIGINALS design



STEEL	7Cr17MoV, satin finish
HANDLE	Canvas micarta, polished finish, stainless steel bolsters, satin finish
BLADE	2.6 in. (6.6 cm) • 2.2 in. (5.6 cm) • 1.6 in. (4.1 cm)
CLOSED	3.6 in. (9.1 cm)
OVERALL	6.2 in. (15.7 cm)
WEIGHT	2.2 oz. (62 g)
BOX	087171061795
CLAM	087171064413

OPENING	Manual slipjoint with nail nick
LOCK	Slipjoint
FEATURES	Three blades, brass liners



CHILL

3410
an RJ MARTIN design



STEEL	8Cr13MoV, bead-blasted finish
HANDLE	G10
BLADE	3.1 in. (7.9 cm)
CLOSED	3.9 in. (9.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171030432
CLAM	087171030456

OPENING	Manual opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole





LUCHA

5150
a KERSHAW ORIGINALS design



STEEL 14C28N, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 4.6 in. (11.7 cm)
CLOSED 5.8 in. (15 cm)
OVERALL 10.25 in. (26 cm)
WEIGHT 5.9 oz. (168 g)
BOX 087171058412

OPENING Dual KVT ball-bearing opening
LOCK Latch
FEATURES Anti-stick latch with rounded head profile, steel internal stop pins



LUCHA - BLACKWASH™

5150BW
a KERSHAW ORIGINALS design



STEEL 14C28N, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 4.6 in. (11.7 cm)
CLOSED 5.8 in. (15 cm)
OVERALL 10.25 in. (26 cm)
WEIGHT 5.9 oz. (168 g)
BOX 087171060446

OPENING Dual KVT ball-bearing opening
LOCK Latch
FEATURES Anti-stick latch with rounded head profile, steel internal stop pins





LUCHA - TRAINER

5150TR
a KERSHAW ORIGINALS design



STEEL 14C28N, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 4.6 in. (11.7 cm) unsharpened
CLOSED 5.8 in. (15 cm)
OVERALL 10.25 in. (26 cm)
WEIGHT 6 oz. (170 g)
BOX 087171060187

OPENING Dual KVT ball-bearing opening
LOCK Latch
FEATURES Unsharpened edge, rounded tip, anti-stick latch with rounded head profile, steel internal stop pins




BALANZA

4950TR
a KERSHAW ORIGINALS design



STEEL Stainless steel, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 4.3 in. (10.9 cm)
CLOSED 5.6 in. (14.2 cm)
OVERALL 9.6 in. (24.4 cm)
WEIGHT 4.8 oz. (136 g)
BOX 087171064000
CLAM -

OPENING Dual KVT ball-bearing opening
LOCK Latch
FEATURES Unsharpened blade, rounded tip, latch, steel internal stop pins






KAPSULE

1190
a JENS ANSØ design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	1.9 in. (4.8 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5 in. (12.7 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060644
CLAM	087171062464

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Blue anodized aluminum button



CYBERNET

2046
a KERSHAW ORIGINALS design

STEEL	D2, satin finish with stonewashed flats
HANDLE	Stainless steel, stonewashed finish
BLADE	2.4 in. (6.1 cm)
CLOSED	3.55 in. (9 cm)
OVERALL	5.95 in. (15.1 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171064871
CLAM	-

OPENING	Manual opening with sliding button
LOCK	Sliding button
POCKETCLIP	Single position deep-carry (right, tip-up)
FEATURES	Steel button, bronze PVD coating, unique deep-carry pocketclip



INTERSTELLAR

1195
a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.7 in. (6.9 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	6.9 in. (17.5 cm)
WEIGHT	3.1 oz. (88 g)
BOX	087171063225
CLAM	087171065847

OPENING	Manual with sliding button
LOCK	Sliding button lock
POCKETCLIP	Single-position deep-carry (right, tip-up)
FEATURES	Partially serrated blade, backspacer with integrated bottle opener



CQC-4K

6054BRNBLK
an ERNEST EMERSON design

STEEL 8Cr14MoV, black-oxide coating
HANDLE G10 front; 410 stainless steel back, black-oxide coating
BLADE 3.25 in. (8.3 cm)
CLOSED 4.2 in. (10.7 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 4.1 oz. (116 g)
BOX 087171037592
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole



CQC-6K D2

6034D2
an ERNEST EMERSON design

STEEL D2, stonewashed finish with satin flats
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 5.1 oz. (146 g)
BOX 087171056166
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole




CQC-7K

6034T
an ERNEST EMERSON design

STEEL 8Cr14MoV, stonewashed finish with satin flats
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.25 in. (8.3 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 5 oz. (142 g)
BOX 087171037295
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole



CQC-8K

6044TBLK
an ERNEST EMERSON design

STEEL 8Cr14MoV, black-oxide coating
HANDLE G10
BLADE 3.5 in. (8.9 cm)
CLOSED 4.6 in. (11.7 cm)
OVERALL 8.1 in. (20.6 cm)
WEIGHT 5.3 oz. (152 g)
BOX 087171037318
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Liner lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Lanyard hole



E-TRAIN

6034TRAINER
an ERNEST EMERSON design

STEEL 3Cr13, stonewashed finish
HANDLE G10 front; 410 stainless steel back, bead-blasted finish
BLADE 3.2 in. (8.1 cm) unsharpened
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 5.1 oz. (146 g)
BOX 08717039664
CLAM -



OPENING Manual opening with thumb disk or Emerson Wave Shaped Feature®
LOCK Frame lock
POCKETCLIP Reversible (right/left, tip-up)
FEATURES Unsharpened blade, rounded tip, lanyard hole



EDC-ASSISTED SECTION

OVERVIEW

74 TOTAL • 3 NEW
34 MADE IN USA
39 ORIGINAL DESIGNS
5 PREMIUM BLADE STEEL



Kershaw's assisted opening knives are ultra-fast and ultra-reliable. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.

LINK - OLIVE, STONEWASHED

1776OLSW

a KERSHAW ORIGINALS design



STEEL	CPM MagnaCut, stonewashed finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3.25 in. (8.4 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.6 in. (19.3 cm)
WEIGHT	4.7 oz. (134 g)
BOX	087171058474
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



DIVIDEND - OLIVE COMPOSITE BLADE

1812OLCB

a KERSHAW ORIGINALS design



STEEL	D2, N690, bead-blasted finish
HANDLE	6061-T6 aluminum, olive anodized
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.25 in. (18.5 cm)
WEIGHT	2.8 oz. (82 g)
BOX	087171058481
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left; tip-up/down)
FEATURES	Lanyard hole



NEW LEEK - KINGS CAMO™

1660KC

a KEN ONION design



STEEL	14C28N, black-oxide BlackWash™ finish
HANDLE	6061-T6 aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171072500
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



LEEK - RAINBOW TROUT

1660TROUT

a KEN ONION design



STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069432
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



LEEK - USA FLAG

1660USA

a KEN ONION design



STEEL	14C28N, bead-blasted finish
HANDLE	6061-T6 aluminum, custom CCI coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171069449
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



LEEK1660ST • 1660
a KEN UNION design

STEEL	14C28N, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171166100 serrated 087171166001 plain
CLAM	087171166117 serrated 087171166018 plain

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



1660




1660ST

LEEK - BLACK1660CKTST • 1660CKT
a KEN UNION design

STEEL	14C28N, black Cerakote coating
HANDLE	410 stainless steel, black Cerakote coating
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171166148 serrated 087171166049 plain
CLAM	087171166216 plain

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



1660CKT





1660CKTST

LEEK - BLACK, STONEWASH1660SWBLK
a KEN UNION design

STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, black anodized
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.4 oz. (68 g)
BOX	087171035079
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

**LEEK - BLACKWASH™**1660BLKW
a KEN UNION design

STEEL	14C28N, black-oxide BlackWash™ finish
HANDLE	410 stainless steel, black-oxide BlackWash™ finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	3 oz. (85 g)
BOX	087171038049
CLAM	087171166490

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

**RANDOM LEEK**1660R
a KEN UNION design

STEEL	14C28N, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	7 in. (17.9 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171060958
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Reverse tanto blade, lanyard hole



RANDOM LEEK - BLACKWASH™

1660RBW

a KEN ONION design



STEEL 14C28N, black-oxide BlackWash™ finish
HANDLE 410 stainless steel, black-oxide BlackWash™ finish
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.9 oz. (82 g)
BOX 087171060965
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Reverse tanto blade, lanyard hole



LEEK - TEAL

1660TEAL

a KEN ONION design



STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, teal anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171037561
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - OLIVE

1660OL

a KEN ONION design



STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035116
CLAM 087171035123

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - ORANGE

1660OR

a KEN ONION design



STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, orange anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035130
CLAM 087171035147

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



LEEK - PURPLE

1660PUR

a KEN ONION design



STEEL 14C28N, bead-blasted finish
HANDLE 6061-T6 aluminum, purple anodized
BLADE 3 in. (7.6 cm)
CLOSED 4 in. (10.2 cm)
OVERALL 7 in. (17.9 cm)
WEIGHT 2.4 oz. (68 g)
BOX 087171035093
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



**NEW****BLUR - KINGS CAMO™**

1670KC

a KEN UNION design



STEEL	14C28N, stonewashed finish
HANDLE	6061-T6 aluminum, custom CCI coating, clear Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	4 oz. (113 g)
BOX	087171072869
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

**BLUR - BLACK**


1670BLKST • 1670BLK

a KEN UNION design



STEEL	14C28N, black Cerakote coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171167107 serrated 087171167008 plain
CLAM	087171167114 serrated

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole

**BLUR - BLACKWASH™**

1670BW

a KEN UNION design



STEEL	14C28N, black-oxide BlackWash™ coating
HANDLE	6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE	3.4 in. (8.6 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	7.9 in. (20 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171036335
CLAM	-

OPENING	Assisted opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right, tip-up/down)
FEATURES	Lanyard hole



BLUR - NAVY BLUE, STONEWASH

1670NBSW

a KEN ONION design



STEEL 14C28N, stonewashed finish
HANDLE 6061-T6 aluminum, blue anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171039473
CLAM -

OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - OLIVE, BLACK

1670OLBLK

a KEN ONION design



STEEL 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, olive anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171031644
CLAM -

OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - GLASS BREAKER, BLACK, SERRATED

1670GBBLKST

a KEN ONION design



STEEL 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171033761
CLAM -

OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Carbide glassbreaker tip, lanyard hole



BLUR - TANTO, BLACK, SERRATED

1670TBLKST

a KEN ONION design



STEEL 14C28N, black Cerakote coating
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 3.9 oz. (111 g)
BOX 087171167602
CLAM 087171167336

OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



BLUR - S30V, BLACK, STONEWASH

1670S30V

a KEN ONION design



STEEL CPM S30V, stonewashed finish
HANDLE 6061-T6 aluminum, black anodized, Trac-Tec inserts
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20 cm)
WEIGHT 4 oz. (113 g)
BOX 087171167275
CLAM -

OPENING Assisted opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole






SCALLION

1620ST • 1620
a KEN UNION design




STEEL	420HC, bead-blasted finish
HANDLE	Glass-filled nylon
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.3 oz. (65 g)
BOX	087171162102 serrated 087171162003 plain
CLAM	087171162010 plain

OPENING	Assisted opening with flipper
LOCK	Liner lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole



1620



1620ST

SCALLION - STAINLESS

1620FL
a KEN UNION design



STEEL	420HC, bead-blasted finish
HANDLE	410 stainless steel, bead-blasted finish
BLADE	2.4 in. (6.1 cm)
CLOSED	3.5 in. (8.9 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.9 oz. (82 g)
BOX	087171162201
CLAM	087171162225

OPENING	Assisted opening with flipper
LOCK	Frame lock with Tip-Lock Slider
POCKETCLIP	Single-position (right, tip-down)
FEATURES	Lanyard hole



SCALLION - NAVY BLUE

1620NB

a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, navy blue anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035178
CLAM 087171035185

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - OLIVE

1620OL

a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, olive anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035192
CLAM 087171035208

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



SCALLION - PURPLE

1620PUR

a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, purple anodized
BLADE 2.4 in. (6.1 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171035154
CLAM 087171035161

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



CHIVE

1600

a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 410 stainless steel, bead-blasted finish
BLADE 1.9 in. (4.8 cm)
CLOSED 2.9 in. (7.4 cm)
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.7 oz. (48 g)
BOX 087171160009
CLAM 087171160016

OPENING Assisted opening with flipper
LOCK Frame lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole



CHIVE - PINK


1600PINK

a KEN ONION design



STEEL 420HC, bead-blasted finish
HANDLE 6061-T6 aluminum, pink anodized
BLADE 1.9 in. (4.8 cm)
CLOSED 2.9 in. (7.4 cm)
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.5 oz. (43 g)
BOX 087171160276
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock with Tip-Lock Slider
POCKETCLIP Single-position (right, tip-down)
FEATURES Lanyard hole





NEW

SHORELINE - BASS

1845BASS

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Aluminum, custom CCI coating
BLADE 3 in. (7.6 cm)
CLOSED 4.15 in. (10.5 cm)
OVERALL 7.15 in. (18.2 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171072432
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Single-position deep-carry (right, tip-up)
FEATURES Custom backspacer



SHORELINE

1845

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 2.6 oz. (74 g)
BOX 087171064062
CLAM 087171065090

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



SHORELINE - SERRATED

1845ST

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 2.6 oz. (74 g)
BOX 087171069562
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, partially serrated blade, custom backspacer



CONDUIT

1407

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 2.9 in. (7.4 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.8 in. (17.3 cm)
WEIGHT 2.6 oz. (74 g)
BOX 087171064420
CLAM 087171065120

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole



CONDUIT - SERRATED

1407ST

a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 2.9 in. (7.4 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.8 in. (17.3 cm)
WEIGHT 2.6 oz. (74 g)
BOX 087171069579
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Partially serrated blade, lanyard hole



BRAWLER - SERRATED


1990ST

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171069593
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position (right/left, tip-up/down)
FEATURES	Partially serrated blade

**BRAWLER**

1990

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.5 cm)
OVERALL	7.1 in. (18 cm)
WEIGHT	3.9 oz. (111 g)
BOX	087171033044
CLAM	087171033075

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position (right/left, tip-up/down)

**OUTRIGHT - BLACK, SERRATED**

8320BLKST

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black PVD coating
HANDLE	Stainless steel, black PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (113 g)
BOX	087171069555
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Partially serrated blade

**OUTRIGHT - BLACK**

8320BLK

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black PVD coating
HANDLE	Stainless steel, black PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171061061
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)

**OUTRIGHT**

8320

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, blue PVD coating
HANDLE	Stainless steel, blue PVD coating, G10 overlay front
BLADE	3 in. (7.6 cm)
CLOSED	4.4 in. (11.1 cm)
OVERALL	7.1 in. (18.1 cm)
WEIGHT	4 oz. (114 g)
BOX	087171052298
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Single-position deep-carry (right, tip-down)



OUTCOME - RAINBOW



2044RBW

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, polished rainbow PVD coating
HANDLE Stainless steel, polished rainbow PVD coating
BLADE 2.8 in. (7.1 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.7 in. (17 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171068831
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom backspacer



OUTCOME

2044

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 2.8 in. (7.1 cm)
CLOSED 3.9 in. (9.9 cm)
OVERALL 6.7 in. (17 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171064543
CLAM 087171065113

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom backspacer



DAWNSTAR

1423

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon
BLADE 3.5. (8.9 cm)
CLOSED 4.4 in. (11.2 cm)
OVERALL 7.9 in. (20.1 cm)
WEIGHT 3.4 oz. (96 g)
BOX 087171067414
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Hawkbill blade, custom backspacer



LAYUP

2047

a KERSHAW ORIGINALS design



STEEL D2, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.4 in. (8.6 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.9 in. (20.1 cm)
WEIGHT 3.6 oz. (102 g)
BOX 087171065748
CLAM 087171067476

OPENING Assisted opening with flipper
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Steel accents with blue PVD coating



HELITACK

5570

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, gray PVD coating
HANDLE Stainless steel, gray PVD coating
BLADE 3.26 in. (8.3 cm)
CLOSED 4.49 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 3.8 oz. (108 g)
BOX 087171066370
CLAM 087171067957

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Lanyard hole





THERMAL

1411
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black oxide coating with satin grinds
HANDLE	Stainless steel, gray PVD coating
BLADE	2.95 in. (7.5 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.05 in. (17.9 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171065717
CLAM	-

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Custom backspacer



SCOUR

1416
a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Stainless steel, bead-blasted finish
BLADE	3.3 in. (8.4 cm)
CLOSED	4.45 in. (11.3 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171065854
CLAM	087171067971

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole



SANCTUM

1815
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Stainless steel, gray PVD coating
BLADE 2.98 in. (7.6 cm)
CLOSED 4.22 in. (10.7 cm)
OVERALL 7.2 in. (18.3 cm)
WEIGHT 3.7 oz. (105 g)
BOX 087171066622
CLAM 087171067964

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



ALIGN

1405
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, satin finish
HANDLE Stainless steel, gray PVD coating
BLADE 3.15 in. (8 cm)
CLOSED 4.1 in. (10.4 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.6 oz. (102 g)
BOX 087171064383
CLAM 087171065397

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



RATE

1408
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish
HANDLE Stainless steel, bead-blasted finish
BLADE 1.85 in. (4.7 cm)
CLOSED 3 in. (7.6 cm)
OVERALL 4.85 in. (12.3 cm)
WEIGHT 2.5 oz. (71 g)
BOX 087171064789
CLAM -

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



LATERAL

1645
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, stonewashed finish
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171064048
CLAM 087171065144

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



LATERAL - BLACK SERRATED

1645BLKST
a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.3 in. (10.9 cm)
OVERALL 7.4 in. (18.8 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171064055
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible extra-deep-carry (right/left, tip-up)
FEATURES Lanyard hole, custom backspacer



RADAR

5560

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Stainless steel, black-oxide BlackWash™ finish
BLADE	2.9 in. (7.4 cm)
CLOSED	3.8 in. (9.7 cm)
OVERALL	6.7 in. (17 cm)
WEIGHT	3.3 oz. (94 g)
BOX	087171064512
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole




ANALYST

2062ST

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7.5 in. (19 cm)
WEIGHT	3.5 oz. (99 g)
BOX	087171060699
CLAM	087171062495

OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	4-position deep-carry (right/left, tip-up/down)
FEATURES	Lanyard hole, blade serrations



LUCID

2036

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE	3.2 in. (8.1 cm)
CLOSED	4.2 in. (10.7 cm)
OVERALL	7.4 in. (18.8 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171063683
CLAM	087171065380

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot and pivot collar, custom backspacer, back handle inlay



CANNONBALL

2061

a KERSHAW ORIGINALS design

STEEL	D2, black-oxide BlackWash™ finish
HANDLE	Stainless steel, gray PVD coating
BLADE	3.5 in. (8.9 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8 in. (20.3 cm)
WEIGHT	5.4 oz. (153 g)
BOX	087171060163
CLAM	-

OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Decorative pivot cap, custom backspacer, lanyard hole



BRACKET

3455

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon front, stainless steel back, stonewashed finish
BLADE	3.4 in. (8.6 cm)
CLOSED	4.4 in. (11.2 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.3 oz. (122 g)
BOX	087171060392
CLAM	087171062549

OPENING	Assisted opening with flipper
LOCK	Frame Lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Lanyard hole



GRAVEL

2065
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Stainless steel, black-oxide BlackWash™ finish
BLADE 2.5 in. (6.4 cm)
CLOSED 3.5 in. (8.9 cm)
OVERALL 5.9 in. (15 cm)
WEIGHT 2.7 oz. (78 g)
BOX 087171056487
CLAM 087171056494

OPENING Assisted opening with flipper
LOCK Frame lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)



KURO - SERRATED

1835TBLKST
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7.25 in. (18.4 cm)
WEIGHT 3.2 oz. (90 g)
BOX 087171033747
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP 3-position (right/left, tip-up; right, tip-down)
FEATURES Lanyard hole




DUOJET

8300
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating, dual carbon fiber inlays front
BLADE 3.25 in. (8.3 cm)
CLOSED 4.5 in. (11.4 cm)
OVERALL 7.75 in. (19.7 cm)
WEIGHT 4.8 oz. (137 g)
BOX 087171051956
CLAM -

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Lanyard hole



FRINGE

8310
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 3.5 oz. (101 g)
BOX 087171052281
CLAM 087171052786

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Lanyard hole



OUTLIER

2064
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide BlackWash™ finish
HANDLE Glass-filled nylon, G10 texture
BLADE 2.6 in. (6.6 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 7 in. (17.8 cm)
WEIGHT 3.6 oz. (102 g)
BOX 087171063188
OPENING Assisted opening with flipper or thumb stud
LOCK Liner lock

POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Karambit-style blade; steel finger ring



GRID

2200

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Stainless steel, titanium carbo-nitride coating
BLADE	3.7 in. (9.4 cm)
CLOSED	4.5 in. (11.4 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	5.3 oz. (150 g)
BOX	087171040912
CLAM	087171045597



OPENING	Assisted opening with flipper or thumb stud
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)

ERIS

1881

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish with satin flats
HANDLE	Stainless steel, titanium carbo-nitride coating
BLADE	3 in. (7.6 cm)
CLOSED	4.1 in. (10.4 cm)
OVERALL	7.2 in. (18.1 cm)
WEIGHT	4.7 oz. (133 g)
BOX	087171047737
CLAM	-




OPENING	Assisted opening with flipper
LOCK	Frame lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

FLOURISH

3935

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish with satin flats
HANDLE	G10 with carbon fiber overlay
BLADE	3.5 in. (8.9 cm)
CLOSED	5 in. (12.7 cm)
OVERALL	8.5 in. (21.6 cm)
WEIGHT	5.3 oz. (150 g)
BOX	087171048512
CLAM	-



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible (right/left, tip-up)
FEATURES	Lanyard hole

FLITCH

3930

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	3.25 in. (8.3 cm)
CLOSED	4.6 in. (11.7 cm)
OVERALL	7.75 in. (19.7 cm)
WEIGHT	4.7 oz. (133 g)
BOX	087171048505
CLAM	-



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)

BARSTOW

3960

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	3 in. (7.6 cm)
CLOSED	4 in. (10.1 cm)
OVERALL	7 in. (17.7 cm)
WEIGHT	3.4 oz. (98 g)
BOX	087171048628
CLAM	087171050454



OPENING	Assisted opening with flipper
LOCK	Liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Single-edge sharpened, anodized aluminum accents

OSO SWEET

1830
a KEN ONION design

STEEL 8Cr13MoV, satin finish
HANDLE Glass-filled nylon
BLADE 3 in. (7.6 cm)
CLOSED 4.1 in. (10.5 cm)
OVERALL 7.1 in. (18 cm)
WEIGHT 2.8 oz. (80 g)
BOX 087171183008
CLAM 087171183015

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)
FEATURES Lanyard hole



CLASH - BLACK, SERRATED

1605CKTST
a KEN ONION design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.1 in. (7.9 cm)
CLOSED 4.25 in. (10.7 cm)
OVERALL 7.4 in. (18.7 cm)
WEIGHT 4.3 oz. (122 g)
BOX 087171031491
CLAM -

OPENING Assisted opening with flipper
LOCK Liner lock
POCKETCLIP Reversible (right, tip-up/down)



CRYO

1555TI
a RICK HINDERER design

STEEL 8Cr13MoV, titanium carbo-nitride coating
HANDLE 410 stainless steel, titanium carbo-nitride coating
BLADE 2.75 in. (7 cm)
CLOSED 3.75 in. (9.5 cm)
OVERALL 6.5 in. (16.5 cm)
WEIGHT 4.1 oz. (116 g)
BOX 087171033686
CLAM 087171033693

OPENING Assisted opening with flipper or thumb stud
LOCK Frame lock with lockbar stabilizer
POCKETCLIP 4-position deep-carry (right/left, tip-up/down)
FEATURES Lanyard hole



MULTI-FUNCTION SECTION

OVERVIEW

19 TOTAL • 2 NEW
2 MADE IN USA
17 ORIGINAL DESIGNS
2 PREMIUM BLADE STEEL



When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.

NEW

BEL AIR EMT

6110EMT

a KERSHAW ORIGINALS design



STEEL CPM MagnaCut, black-oxide BlackWash™ finish
HANDLE G10
BLADE 3.25 in. (8.3 cm)
CLOSED 4.61 in. (11.7 cm)
OVERALL 7.86 in. (20 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171071879
CLAM -

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Carbide glassbreaker tip, black-anodized aluminium backspacer with lanyard hole



NEW

BEL AIR EMT - ORANGE

6110EMTOR

a KERSHAW ORIGINALS design



STEEL CPM MagnaCut, stonewashed finish
HANDLE G10
BLADE 3.25 in. (8.3 cm)
CLOSED 4.61 in. (11.7 cm)
OVERALL 7.86 in. (20 cm)
WEIGHT 3.2 oz. (91 g)
BOX 087171073002
CLAM -

OPENING Manual KVT ball-bearing opening with thumb stud
LOCK DuraLock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Carbide glassbreaker tip, FDE-anodized aluminium backspacer with lanyard hole



SELECT FIRE

1920

a GRANT & GAVIN HAWK design

STEEL 8Cr13MoV, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 3.4 in. (8.6 cm)
CLOSED 4.25 in. (10.8 cm)
OVERALL 7.6 in. (19.4 cm)
WEIGHT 5 oz. (142 g)
BOX 087171030319
CLAM 087171030333

OPENING Manual on washers opening with thumb stud
LOCK Liner lock
POCKETCLIP Reversible (right/left, tip-down)
FEATURES .25 in. hex drive, two flat head, two Phillips® bits, ruler



BARRICADE - SERRATED

8650ST

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.5 in. (8.9 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 8.5 in. (21.6 cm)
WEIGHT 4.5 oz. (128 g)
BOX 087171069586
CLAM -

OPENING Assisted opening with flipper or thumb stud
LOCK Liner lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Carbide glassbreaker tip, built-in cord/seatbelt cutter



BARRICADE

8650

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.5 in. (8.9 cm)
CLOSED 5 in. (12.7 cm)
OVERALL 8.5 in. (21.6 cm)
WEIGHT 4.5 oz. (128 g)
BOX 087171048529
CLAM 087171050362

OPENING Assisted opening with flipper or thumb stud
LOCK Liner lock
POCKETCLIP Single-position deep-carry (right, tip-down)
FEATURES Carbide glassbreaker tip, built-in cord/seatbelt cutter



MULTI-FUNCTION

kershaw

KERSHAWKNIVES.COM

CRAZE

8337

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.35 in. (6 cm)
CLOSED	3.55 in. (9 cm)
OVERALL	5.9 in. (15 cm)
WEIGHT	2.6 oz. (74 g)
BOX	087171066769
CLAM	087171067063

OPENING	Manual KVT ball-bearing opening with thumb stud
LOCK	DuraLock
POCKETCLIP	Reversible extra-deep-carry (right/left, tip-up)
FEATURES	Bottle opener, lanyard hole



FUNXION EMT

8100

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide coating
HANDLE	Glass-filled nylon, K-Texture™ insert
BLADE	3 in. (7.6 cm)
CLOSED	4.25 in. (10.7 cm)
OVERALL	7.25 in. (18.4 cm)
WEIGHT	4.8 oz. (137 g)
BOX	087171033853
CLAM	-

OPENING	Assisted opening with flipper or thumb stud
LOCK	Liner lock
POCKETCLIP	Single-position deep-carry (right, tip-down)
FEATURES	Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip



SHUFFLE II - OLIVE

8750TOLBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171048345
CLAM	087171046204

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE II - BLACK

8750TBLKBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039367
CLAM	087171039374

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole




SHUFFLE II - TAN

8750TTANBW

a KERSHAW ORIGINALS design

STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon
BLADE	2.6 in. (6.6 cm)
CLOSED	4 in. (10.2 cm)
OVERALL	6.3 in. (16 cm)
WEIGHT	3 oz. (86 g)
BOX	087171039343
CLAM	087171039350

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible (right/left, tip-down)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole







SHUFFLE - TEAL


8700TEALBW

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171038728
CLAM	087171038735

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - PURPLE

8700PURBW

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171039107
CLAM	087171039114

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - LIME

8700LIMEBW

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, black-oxide BlackWash™ finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171038681
CLAM	087171038698

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE

8700

a KERSHAW ORIGINALS design



STEEL	8Cr13MoV, bead-blasted finish
HANDLE	Glass-filled nylon, K-Texture™ grip
BLADE	2.4 in. (6.1 cm)
CLOSED	3.25 in. (8.3 cm)
OVERALL	5.75 in. (14.6 cm)
WEIGHT	2.8 oz. (79 g)
BOX	087171035468
CLAM	087171035475

OPENING	Manual on washers opening with thumb stud
LOCK	Inset liner lock
POCKETCLIP	Reversible deep-carry (right/left, tip-up)
FEATURES	Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE - BLACK

8700BLK

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon, K-Texture™ grip
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 2.8 oz. (79 g)
BOX 087171037134
CLAM 087171037127

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Reversible deep-carry (right/left, tip-up)
FEATURES Bottle opener, flat head screwdriver, lanyard hole



SHUFFLE DIY

8720

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, black-oxide coating
HANDLE Glass-filled nylon
BLADE 2.4 in. (6.1 cm)
CLOSED 3.25 in. (8.3 cm)
OVERALL 5.75 in. (14.6 cm)
WEIGHT 3.5 oz. (100 g)
BOX 087171048932
CLAM 087171048949

OPENING Manual on washers opening with thumb stud
LOCK Inset liner lock
POCKETCLIP Single-position (right, tip-down)
FEATURES Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole



ANTIC

8710

a KERSHAW ORIGINALS design



STEEL 8Cr13MoV, bead-blasted finish
HANDLE Stainless steel, blue PVD coating
BLADE 1.7 in. (4.4 cm)
CLOSED 3.8 in. (9.7 cm)
OVERALL 5.5 in. (14 cm)
WEIGHT 3.1 oz. (88 g)
BOX 087171054063
CLAM 087171055671

OPENING Manual on washers opening with thumb stud
LOCK Frame lock
POCKETCLIP Single-position (right, tip-down)
FEATURES Bottle opener, screwdriver/pry tip, oversized lanyard attachment/key ring



DIODE

1230

a KERSHAW ORIGINALS design



STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon
BLADE 1.6 in. (4.1 cm)
CLOSED 2.9 in. (7.5 cm)
OVERALL 4.5 in. (11.5 cm)
WEIGHT 1.1 oz. (33 g)
BOX -
CLAM 087171058627

OPENING Manual on washers opening with nail nick
LOCK Liner lock
POCKETCLIP -
FEATURES Flat head screwdriver/pry bar, lanyard/keychain hole



CINDER

1025

a RICK HINDERER design

STEEL 3Cr13, stonewashed finish
HANDLE Glass-filled nylon
BLADE 1.4 in. (3.6 cm)
CLOSED 2.6 in. (6.6 cm)
OVERALL 4 in. (10.2 cm)
WEIGHT 0.9 oz. (26 g)
BOX -
CLAM 087171044514

OPENING Manual opening with thumb stud
LOCK Liner lock
FEATURES Bottle opener, lanyard hole



FIXED BLADE SECTION

OVERVIEW

- 11 TOTAL
- 1 MADE IN USA
- 11 ORIGINAL DESIGNS
- 6 PREMIUM BLADE STEEL



Fixed blades are among your most reliable tools during an adventure, providing users with full-tang construction and an ultra-strong blade. Kershaw offers fixed blades in everything from camping tools to everyday carry and more.

PACK MULE

1089
a KERSHAW ORIGINALS design

STEEL	N690, working finish
HANDLE	G10 scales
BLADE	3.9 in. (9.9 cm)
OVERALL	8.4 in. (21.3 cm)
WEIGHT	4.7 oz. (133 g)
	7.2 oz. (204 g) with sheath
BOX	087171070223
CLAM	-



OPENING Full-tang construction
FEATURES USA-made Kydex sheath with retention strap and drainage hole



ATREIDES

1088
a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Polypropylene scales with rubber overmolds
BLADE	5.7 in. (14.5 cm)
OVERALL	11.4 in. (29 cm)
WEIGHT	8.1 oz. (230 g)
	10.7 oz. (303 g) with sheath
BOX	087171069340
CLAM	-



OPENING Full-tang construction
FEATURES Polypropylene sheath with molded retention, reversible belt loop/strap, and tie holes




DESCHUTES SKINNER - GUT HOOK

1883GH a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Polypropylene, rubber overlay
BLADE	3.9 in. (9.9 cm)
OVERALL	8.65 in. (22 cm)
WEIGHT	3.2 oz. (91 g)
	4.8 oz. (136 g) with sheath
BOX	087171065779
CLAM	-



OPENING Full-tang construction
FEATURES Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole



DESCHUTES SKINNER

1883
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Polypropylene, rubber overlay
BLADE	3.9 in. (9.9 cm)
OVERALL	8.65 in. (22 cm)
WEIGHT	3.3 oz. (94 g)
	4.9 oz. (139 g) with sheath
BOX	087171063423
CLAM	-



OPENING Full-tang construction
FEATURES Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap, lanyard hole




DESCHUTES CAPER

1882
a KERSHAW ORIGINALS design

STEEL	D2, stonewashed finish
HANDLE	Polypropylene, rubber overlay
BLADE	3.3 in. (8.4 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	1.7 oz. (48 g)
	3 oz. (85 g) with sheath
BOX	087171063416
CLAM	-



OPENING Full-tang construction
FEATURES Glass-filled nylon sheath with webbing slots, drainage hole, and removable belt strap



**CAMP 5**

1083

a KERSHAW ORIGINALS design



STEEL	D2, stonewashed finish
HANDLE	Glass-filled nylon
BLADE	4.75 in. (12.2 cm)
OVERALL	9.125 in. (23.3 cm)
WEIGHT	5.7 oz. (162 g)
	7.5 oz. (213 g) with sheath
BOX	087171057965
CLAM	-

**OPENING
FEATURES**

Full-tang construction
Glass-filled nylon sheath with
lock, snap-down strap, belt loop,
webbing slots, and tie holes



STEPPE

2048
a KERSHAW ORIGINALS design

STEEL D2, stonewashed finish
HANDLE Polypropylene with thermoplastic rubber overmold; skeletonized steel
BLADE 3.55 in. (9 cm)
OVERALL 7.6 in. (19.3 cm)
WEIGHT 2.5 oz. (71 g)
3.7 oz. (105 g) with sheath
BOX 087171066165
CLAM -

OPENING Full-tang construction
FEATURES Polypropylene sheath with belt clip, webbing slots, and drainage hole



BRACE

2085
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, stonewashed finish
HANDLE 8Cr13MoV with glass-filled nylon overlay, stonewashed finish
BLADE 2 in. (5.1 cm)
OVERALL 4.9 in. (12.4 cm)
WEIGHT 0.9 oz. (26 g)
1.6 oz. (45 g) with sheath
BOX 087171060859
CLAM 087171062471

OPENING Full-tang construction
FEATURES Polypropylene neck sheath with adjustable cord, webbing slots, and tie holes, lanyard hole




ION - 3-KNIFE SET

1747BW
a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide BlackWash™ finish
HANDLE Full-tang, paracord wrapped
BLADE 4.5 in. (11.4 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT Single - 3.9 oz. (113 g)
Set - 14.4 oz. (409 g)
BOX -
CLAM 087171039084

OPENING Full-tang construction
FEATURES Spear point, lanyard hole, three-knife set, includes sheath



DUNE

4008
a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide coating
HANDLE Glass-filled nylon
BLADE 3.8 in. (9.7 cm)
OVERALL 7.7 in. (19.6 cm)
WEIGHT 2.2 oz. (65 g)
2.7 oz. (79 g) with sheath
BOX -
CLAM 087171039459

OPENING Full-tang construction
FEATURES Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord



SECRET AGENT

4007
a KERSHAW ORIGINALS design

STEEL 8Cr13MoV, black-oxide coating
HANDLE Rubberized co-molded
BLADE 4.4 in. (11.2 cm)
OVERALL 8.7 in. (22.1 cm)
WEIGHT 3.1 oz. (90 g)
4.7 oz. (136 g) with sheath
BOX 087171036977
CLAM 087171037165

OPENING Full-tang construction
FEATURES Single-edged spear point, lanyard hole, molded dual-carry sheath



OUTDOOR SECTION

OVERVIEW

- 5 TOTAL PRODUCTS
- 5 ORIGINAL DESIGNS



We love it out there. If you do, too, you know how handy a knife is for everything from cutting rope to building a campfire. Kershaw has a range of outdoor cutting and chopping tools to make your outdoor life better.

LONEROCK RBK 2

1891
a KERSHAW ORIGINALS design

STEEL	Surgical stainless steel, blade type #60A
HANDLE	Glass-filled nylon with rubber overmold
BLADE	2.75 in. (7 cm)
CLOSED	4.25 in. (10.8 cm)
OVERALL	7 in. (17.8 cm)
WEIGHT	2 oz. (57 g)
BOX	087171060897
CLAM	-



OPENING Manual opening with thumb stud
LOCK Liner lock
FEATURES Exchangeable blades
Lanyard hole
Includes sheath, "buddy" handle, & 15 extra blades



REPLACEMENT BLADES
1890RB
087171040721

TASKMASTER SAW 2

2556
a KERSHAW ORIGINALS design

STEEL	High-carbon steel, nickel-plated
HANDLE	Glass-filled nylon with rubber grip
BLADE	7 in. (17.8 cm)
CLOSED	9.125 in. (23.2 cm)
OVERALL	15.9 in. (40.4 cm)
WEIGHT	8.7 oz. (247 g)
BOX	087171058993
CLAM	-



OPENING Manual opening
LOCK Push-button lock
FEATURES Textured rubber grip
Lanyard hole



DESCHUTES

1075
a KERSHAW ORIGINALS design

STEEL	3Cr13, black-oxide coating
HANDLE	Glass-filled nylon, rubber overlay
BLADE	3.5 in. (8.9 cm)
OVERALL	14 in. (35.6 cm)
WEIGHT	1 lb. 9 oz. (711 g) 1 lb. 12 oz. (803 g) with sheath
BOX	-
CLAM	087171057439



FEATURES Glass-filled nylon sheath with removable shoulder strap
Textured, rubberized grip
Weight-relieving blade window



CAMP 10

1077
a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Rubber overmold
BLADE	10 in. (25.4 cm)
OVERALL	16 in. (40.6 cm)
WEIGHT	1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath
BOX	087171033594
CLAM	087171034065



FEATURES Full-tang construction
Textured, rubberized grip
Includes glass-filled nylon sheath with gear straps and belt loop
Dual lanyard holes



CAMP 10 - TAN

1077TAN
a KERSHAW ORIGINALS design

STEEL	65Mn, powdercoat
HANDLE	Rubber overmold
BLADE	10 in. (25.4 cm)
OVERALL	16 in. (40.6 cm)
WEIGHT	1 lb. 2.3 oz. (521 g) 1 lb. 8 oz. (681 g) with sheath
BOX	087171052748
CLAM	-



FEATURES Full-tang construction
Textured, rubberized grip
Includes glass-filled nylon sheath with gear straps and belt loop
Dual lanyard holes



FISHING SECTION

OVERVIEW

- 8 TOTAL PRODUCTS
- 8 ORIGINAL DESIGNS

What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet knife to turn your catch into the fish dinner of your dreams.

7-IN. FILLET

1257
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	7 in. (17.8 cm)
OVERALL	12.25 in. (31.1 cm)
WEIGHT	3.3 oz. (96 g)
	4.7 oz. (135 g) with sheath
BOX	087171066516
CLAM	087171125701



FEATURES Neon accents for improved visibility
Includes molded sheath with belt loop



9-IN. FILLET

1259
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Co-polymer
BLADE	9 in. (22.9 cm)
OVERALL	14.25 in. (36.2 cm)
WEIGHT	3.6 oz. (104 g)
	5.2 oz. (147 g) with sheath
BOX	-
CLAM	087171125909



FEATURES Neon accents for improved visibility
Includes molded sheath with belt loop




7-IN. BONING WITH SPOON

1243SH
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold K-Texture™ grip
BLADE	7 in. (17.8 cm)
OVERALL	14.5 in. (36.8 cm)
WEIGHT	3.6 oz. (104 g)
	4.3 oz. (123 g) with blade protector
BOX	-
CLAM	087171037042



FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector




7.5-IN. FILLET

1247
a KERSHAW ORIGINALS design

STEEL	420J2, satin finish
HANDLE	Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE	7.5 in. (19.1 cm)
OVERALL	12.7 in. (32.3 cm)
WEIGHT	2.9 oz. (84 g)
	3.7 oz. (105 g) with blade protector
BOX	-
CLAM	087171037059



FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector




9.5-IN. FILLET

1249
a KERSHAW ORIGINALS design

STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 9.5 in. (24.1 cm)
OVERALL 14.8 in. (37.6 cm)
WEIGHT 3.3 oz. (94 g)
BOX 4.1 oz. (116 g) with blade protector
CLAM 087171037066

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



12-IN. CURVED

1241
a KERSHAW ORIGINALS design

STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 12 in. (30.5 cm)
OVERALL 17.7 in. (45 cm)
WEIGHT 8.6 oz. (244 g)
BOX 10.6 oz. (301 g) with blade protector
CLAM 087171037028

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector




9-IN. CURVED

1242GE
a KERSHAW ORIGINALS design

STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 9 in. (22.9 cm)
OVERALL 14.7 in. (37.3 cm)
WEIGHT 5.2 oz. (149 g)
BOX 6.4 oz. (182 g) with blade protector
CLAM 087171037035

FEATURES Handle ensures grip in marine conditions
Flexible blade
Includes blade protector



FOLDING FILLET

1258
a KERSHAW ORIGINALS design

STEEL 420J2, satin finish
HANDLE Glass-filled nylon, rubber overmold, K-Texture™ grip
BLADE 6.25 in. (15.9 cm)
CLOSED 7.5 in. (19.1 cm)
OVERALL 13.75 in. (34.9 cm)
WEIGHT 4.9 oz. (138.9 g)
BOX 087171068398
CLAM 087171037073

OPENING LOCK Manual opening
FEATURES Mid-lock
Handle ensures grip in marine conditions
Flexible blade
Lanyard hole



KITCHEN SERIES

OVERVIEW

7 TOTAL PRODUCTS



Level up your cooking game with the Kershaw Kitchen Series. When prepping food, choose the right blade shape for the job. All of them are razor sharp, stylish, and comfortable in-hand. Some come serrated, others plain edge, and each is a helpful companion in the kitchen.

6-PIECE KITCHEN SET K6BLOCK

STEEL DIN 1.4116, satin finish
HANDLE Polypropylene

KITCHEN SET INCLUDES:

8-inch Chef's Knife
8-inch Bread Knife

6.5-inch Santoku
6-inch Utility Knife

3.5-inch Paring Knife
6-Slot Wood Block

BOX 087171066615



KITCHEN SET KNIVES ALSO SOLD INDIVIDUALLY

CHEF'S KNIFE 1780	BREAD KNIFE 1781	SANTOKU KNIFE 1782	UTILITY KNIFE 1783	PARING KNIFE 1784	4-PIECE STEAK KNIFE SET 1785
CLAM 087171066172	CLAM 087171066189	CLAM 087171066196	CLAM 087171066202	CLAM 087171066219	CLAM 087171066608
					
SHEATH INCLUDED	SHEATH INCLUDED	SHEATH INCLUDED	SHEATH INCLUDED	SHEATH INCLUDED	
					
BLADE 8 in. (20.3 cm) OVERALL 12.75 in. (32.4 cm) WEIGHT 3.6 oz. (102 g)	BLADE 8 in. (20.3 cm) OVERALL 12.75 in. (32.4 cm) WEIGHT 2.5 oz. (71 g)	BLADE 6.5 in. (16.5 cm) OVERALL 11.15 in. (28.3 cm) WEIGHT 2.9 oz. (82 g)	BLADE 6 in. (15.3 cm) OVERALL 10.6 in. (26.9 cm) WEIGHT 2.3 oz. (65 g)	BLADE 3.5 in. (8.9 cm) OVERALL 8.1 in. (20.6 cm) WEIGHT 1.3 oz. (37 g)	BLADE 5 in. (12.7 cm) OVERALL 9.5 in. (24.1 cm) WEIGHT 1.4 oz. (40 g)
					STEEL DIN 1.4116, satin finish HANDLE Polypropylene

GEAR SECTION



From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.



HAT - KERSHAW K

CAPKER24

Six-panel, stretch fit closure
UPC 087171069258



T-SHIRT - BASS

SHIRTKERBASS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERBASSS 087171069739	XL	SHIRTKERBASSXL 087171069760
M	SHIRTKERBASSM 087171069746	XXL	SHIRTKERBASSXXL 087171069777
L	SHIRTKERBASSL 087171069753		



T-SHIRT - BUCK

SHIRTKERBUCK

- 100% pre-shrunk, ring-spun cotton
- Classic fit with tear away label

S	SHIRTKERBUCKS 087171069784	XL	SHIRTKERBUCKXL 087171069814
M	SHIRTKERBUCKM 087171069791	XXL	SHIRTKERBUCKXXL 087171069821
L	SHIRTKERBUCKL 087171069807		



T-SHIRT - BACKCOUNTRY LIFE

SHIRTKERELK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERELKS 087171065052	XL	SHIRTKERELKXL 087171064932
M	SHIRTKERELKM 087171064918	XXL	SHIRTKERELKXXL 087171064949
L	SHIRTKERELKL 087171064925		



T-SHIRT - MOUNTAIN SUNSET

SHIRTKERHILLS

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERHILLSS 087171065007	XL	SHIRTKERHILLSXL 087171065038
M	SHIRTKERHILLSM 087171065014	XXL	SHIRTKERHILLSXXL 087171065045
L	SHIRTKERHILLSL 087171065021		



T-SHIRT - OFF ROADING

SHIRTKERTRUCK

- 65/35 polyester/cotton blend, with moisture-wicking properties
- Classic fit with tear away label

S	SHIRTKERTRUCKS 087171064956	XL	SHIRTKERTRUCKXL 087171064987
M	SHIRTKERTRUCKM 087171064963	XXL	SHIRTKERTRUCKXXL 087171064994
L	SHIRTKERTRUCKL 087171064970		



FIRE STARTER

1019
a KERSHAW ORIGINALS design

STEEL Magnesium firesteel
HANDLE Molded plastic
OVERALL 3.1 in. (7.9 cm)
WEIGHT 1.1 oz. (31 g)
CLAM 087171101910



PT-1

8800
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™
OVERALL 2.75 in. (7 cm)
WEIGHT 0.8 oz. (24 g)
CLAM 087171048659

• Bottle opener • Pry bar
• Flat head screwdriver
• Lanyard hole



PT-2

8810
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
HANDLE Glass-filled nylon, K-Texture™
OVERALL 3.25 in. (8.2 cm)
WEIGHT 0.8 oz. (24 g)
CLAM 087171048536

• Bottle/can opener • Flat head & Phillips screwdrivers • Three sizes of hex drives • Wire scraper • Pry bar • Lanyard hole



K-TOOL

KTOOL
a KERSHAW ORIGINALS design

STEEL 3Cr13, black-oxide BlackWash™ finish
OVERALL 2 in. (5.1 cm)
WEIGHT 0.7 oz. (22 g)
CLAM 087171039657
• Bottle opener • Lanyard hole
• Flat head screwdriver
• Box cutter



RECAP

8830
a KERSHAW ORIGINALS design

STEEL 3Cr13, stonewashed finish
OVERALL 2.37 in. (6 cm)
WEIGHT 0.3 oz. (9 g)
CLAM 087171063638

• Bottle opener • Pry bar
• Flat head screwdriver
• Key ring/lanyard hole



RATION XL

1145
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
OVERALL 7.3 in. (18.6 cm)
WEIGHT 2.1 oz. (60 g)
CLAM 087171052465
087171052458 • GRN

• Fork • Spoon • Bottle opener
• Carabiner gate • Food-safe coating



RATION

1140
a KERSHAW ORIGINALS design

STEEL 3Cr13, bead-blasted finish
OVERALL 4.6 in. (11.7 cm)
WEIGHT 1.3 oz. (36 g)
CLAM 087171046389

• Fork • Spoon • Bottle opener
• Carabiner gate • Food-safe coating



MANICURE SET

KMCURE
a KERSHAW ORIGINALS design

STEEL Stainless steel, satin finish
OVERALL 4.25 in. (10.8 cm)
WEIGHT 3.9 oz. (113 g)
BOX 087171056609

• Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case



ULTRA-TEK SHARPENER

2535
a KERSHAW ORIGINALS design

STEEL 600-grit, diamond-coated oval shaft
HANDLE 6061-T6 anodized aluminum
SHAFT 4 in. (10.2 cm)
OVERALL 9 in. (22.9 cm)
WEIGHT 1.7 oz. (51 g)
CLAM 087171253503



TX-TOOL

TXTOOL
a KERSHAW ORIGINALS design

HANDLE Aluminum
OVERALL 4.8 in. (12.2 cm)
WEIGHT 1.1 oz. (32 g)
BOX 087171044989
For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits



TASKMASTER SHEARS 2

1121
a KERSHAW ORIGINALS design

STEEL 420J2, satin finish
HANDLE Glass-filled nylon
BLADE 3.5 in. (8.9 cm)
OVERALL 8.9 in. (22.5 cm)
WEIGHT 5.1 oz. (145 g)
BOX 087171057514
CLAM 087171059549
• Nutcracker • Cap lifter
• Flat head screwdriver tips
• Blades separate for easy cleaning



SKEETER III

1216
a KERSHAW ORIGINALS design

STEEL 3Cr13, satin finish
HANDLE Polypropylene
BLADE 1.25 in. (3.2 cm)
OVERALL 4.25 in. (10.8 cm)
WEIGHT 0.7 oz. (22 g)
CLAM 087171056630

**KNIFE OIL**

KEROIL
a KERSHAW ORIGINALS design

0.68 fl oz. (20 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals for an even conditioning • Non-migrating, non-toxic formula

UPC 087171054087

**WINDOW CLING - LARGE**

KERCLING24

10 × 2.5 in., transparent background, fade resistant color

UPC 08717109371

**WINDOW CLING**

KERCLING17

6 × 2 in., transparent background, fade resistant color

UPC 087171049144

**USA KNIVES DECAL**

DECALUSAKNIVES

Clear poly, permanent adhesive on back

3 × 5 in. (7.6 × 12.7 cm)

UPC 087171063676

**LUCHA DECAL**

DECALLUCHA

Clear poly, permanent adhesive on back

5 in. diameter (12.7 cm)

UPC 087171063669

**CHALLENGE COIN**

CHALLENGECOINKER

Zinc alloy with antique nickel plating

• Diameter 1.75 in. (4.4 cm)

• Weight 0.9 oz. (25 g)

UPC 087171059341

**KEYCHAIN LANYARD**

KERKEYLANYARD

Polyester + zinc alloy, Kershaw logo on both sides

• Length 7 in. (17.8 cm) • Width 1.25 in. (3.2 cm) Strap Width 1 in. (2.5 cm)

UPC 087171064673

**SINGLE-KNIFE POUCH**

POUCHKER

Cordura exterior, zipper closure, soft interior

UPC 087171059334

**KNIFE STORAGE BAG**

Z997

Accommodates up to 18 folding knives, with eight-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 × 7.5 in. (33 × 19 cm) • Weight 12 oz. (340 g)

UPC 087171045634

**SINGLE-KNIFE STAND**

DISPLAYKER114

UPC 087171064673

**TRIPLE-KNIFE STAND**

DISPLAYKER314

UPC 087171046792

**SINGLE-BLADE STAND**

DISPLAYKERB14


UPC 087171046808



BLADE STYLES


AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.



CLEAVER

The cleaver blade shape is a high-utility style, defined by its slightly curved belly and a distinctive downturned tip. This versatile shape makes an excellent EDC or utility knife, perfectly suited for precise slicing and efficient chopping tasks.



CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.



DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.



HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.




RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.




REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.



SHEEPSFOOT

A sheepsfot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.



SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.



TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.



WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, wood carving, general cutting, and utility work.



BLADE FINISHES & COATINGS

BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or lighter blade color.



BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw uses its black-oxide coating with the BlackWash™ finish.



CERAKOTE COATING

Cerakote enhances corrosion resistance and wear resistance. This fine yet durable coating gives the blade a unique look.



POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.




PVD COATING

PVD stands for Physical Vapor Deposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.



POLISHED RAINBOW PVD COATING

A type of PVD coating that combines a special mix of raw materials and technical gases to create a rainbow appearance. This thin layer is fade and abrasion resistant.



SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which give the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide use scratches and fingerprints.



TITANIUM CARBO-NITRIDE

Kershaw uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.



WORKING FINISH

A Kershaw working finish is designed as a hard-use finish that helps hide scuffs and scratches even better than stonewashed.



KERSHAW BLADE STEEL INFORMATION

CPM MAGNACUT

HRC 62-64

TOUGHNESS: 8/10

EDGE RETENTION: 7.5/10

CORROSION RESISTANCE: 9/10

SHARPENING EASE: 2/10

This Crucible powdered metallurgy steel eliminates chromium during heat treatment, allowing for vanadium and niobium to form greater carbides near the cutting edge. This formula creates an exceptional balance of edge retention, toughness, and corrosion resistance.

N690

HRC 58-60

TOUGHNESS: 3.5/10

EDGE RETENTION: 4.5/10

CORROSION RESISTANCE: 8/10

SHARPENING EASE: 6.5/10

Böhler's N690 stainless steel offers high chromium for corrosion resistance, with cobalt and tungsten enhancing edge stability and wear resistance. The result is a balanced steel known for durability, sharpness, and reliability in everyday and outdoor use.

CPM M4

HRC 60-62

TOUGHNESS: 7/10

EDGE RETENTION: 9/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

The formula for this premium tool steel includes high amounts of vanadium and molybdenum. This composition creates exceptional edge retention and toughness.

CPM S35VN

HRC 60-62

TOUGHNESS: 6/10

EDGE RETENTION: 8/10

CORROSION RESISTANCE: 7/10

SHARPENING EASE: 5/10

Crucible's S35VN modifies the formula of S30V for enhanced toughness and resistance to edge chipping with no loss of wear resistance. Its formula promotes the formation of niobium carbides along with the vanadium and chromium carbides. It provides a sharper, longer lasting edge.

CPM 20CV

HRC 59-61

TOUGHNESS: 6/10

EDGE RETENTION: 9/10

CORROSION RESISTANCE: 7/10

SHARPENING EASE: 2/10

This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.

CPM 154

HRC 58-60

TOUGHNESS: 4/10

EDGE RETENTION: 6/10

CORROSION RESISTANCE: 6/10

SHARPENING EASE: 5/10

This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

CPM S30V

HRC 59.5-61

TOUGHNESS: 5/10

EDGE RETENTION: 7/10

CORROSION RESISTANCE: 7/10

SHARPENING EASE: 5/10

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

14C28N

HRC 58-60

TOUGHNESS: 6/10

EDGE RETENTION: 4/10

CORROSION RESISTANCE: 6/10

SHARPENING EASE: 6/10

This high-performance steel was developed in a partnership between Kershaw and a Swedish engineering company specializing in stainless and special steel alloys. 14C28N offers excellent corrosion resistance.

ELEMENT ▶ STEEL ▼	CARBON (C)	CHROMIUM (Cr)	MOLYBDENUM (Mo)	VANADIUM (V)	TUNGSTEN (W)	COBALT (Co)	NICKEL (Ni)	MANGANESE (Mn)	SILICON (Si)	SULPHUR (S)	PHOSPHORUS (P)	COPPER (Cu)	NIOBIUM (Nb)	NITROGEN (N)
N690	1.08%	17.3%	1.1%	0.1 %	5.5%	1.5%	-	0.4%	0.4%	-	-	-	-	-
CPM M4	1.4%	4.0%	5.2%	4.0 %	5.5%	-	-	0.3%	0.55%	0.06%	0.03%	-	-	-
CPM MAGNACUT	1.15%	10.7%	2.00%	4.0%	-	-	-	-	-	-	-	-	2.0%	0.2%
CPM 20CV	1.9%	20%	1.0%	4.0%	0.6%	-	-	0.3%	0.3%	-	-	-	-	-
CPM S30V	1.45%	14%	2.0%	4.0%	-	-	-	-	-	-	-	-	-	0.2%
CPM S35VN	1.4%	14%	2.0%	3.0%	-	-	-	-	-	-	-	-	0.5%	-
CPM 154	1.05%	14%	4.0%	-	-	-	-	-	-	-	-	-	-	-
14C28N	0.62%	14%	0.55%	-	-	-	-	-	0.25	0.015	0.03	-	-	0.08%
8Cr13MoV	0.8%	13%	0.15%	0.1%	-	-	0.2%	0.4%	0.5%	0.01%	0.02%	-	-	-
8Cr14MoV	0.75-0.8%	13.5-14%	0.20-0.25%	0.10-0.15%	-	-	-	0.3-0.6%	0.3-0.6%	0.03%	0.035%	-	-	-
7Cr17MoV	0.6-0.75%	16-18%	0.75%	-	-	-	0.6%	1%	1%	0.03%	0.04%	-	-	-
420HC	0.46%	13%	-	0.3%	-	-	-	0.40%	0.4%	-	-	-	-	-
420J	0.4-0.5%	12-14%	0.6%	0.18%	-	-	-	0.8%	1%	0.02%	0.05%	-	-	-
D2	1.4-1.6%	11-13%	0.7-1.2%	1.1%	-	-	0.3%	0.6%	0.6%	-	-	-	-	-
DIN 1.4116	0.45-0.55%	14-15%	0.5-0.8%	0.1-0.2%	-	-	-	1	1	0.015%	0.04%	-	-	-
65Mn	0.57-0.70%	-	-	-	-	-	-	0.6-0.9%	-	0.05%	0.04%	-	-	-
3Cr13	0.35%	13.5%	0.6%	-	-	-	0.5%	0.5%	0.8%	-	-	-	-	-
4Cr14	0.38%	13.94%	0.12%	0.08%	-	-	0.14%	0.41	0.41%	0.003%	0.02%	-	-	-

8CR13MOV

HRC 57-59

TOUGHNESS: 5/10

EDGE RETENTION: 3/10

CORROSION RESISTANCE: 3/10

SHARPENING EASE: 8/10

Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

8CR14MOV

HRC 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

420HC

HRC 60-62

TOUGHNESS: 5/10

EDGE RETENTION: 3/10

CORROSION RESISTANCE: 8/10

SHARPENING EASE: 9/10

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

7CR17MOV

HRC 57-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

65MN

HRC 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

420J

HRC 60-62

TOUGHNESS: 5/10

EDGE RETENTION: 2/10

CORROSION RESISTANCE: 8/10

SHARPENING EASE: 9/10

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

3CR13

HRC 54-56

A value-priced high-chromium stainless steel.

D2

HRC 59-60

TOUGHNESS: 6/10

EDGE RETENTION: 8/10

CORROSION RESISTANCE: 2/10

SHARPENING EASE: 3/10

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

4CR14

HRC 55-57

A value-priced steel; very highly stain resistant.

DIN 1.4116

HRC 55-57

German stainless steel with high corrosion resistance and toughness. A popular choice for kitchen cutlery.

OPENING SYSTEMS

ASSISTED OPENING

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

PUSH-BUTTON AUTOMATIC

A push-button lock holds the blade in place, put under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

DOUBLE-ACTION OUT-THE-FRONT

Apply pressure to the sliding button to open and close the blade. Sliding the button releases a steel bar from the locked position and activates the blade. This mechanism found in OTF automatics.

MANUAL

No springs or torsion bars are used; these folders rely on washers for a simple, smooth, and reliable pivot open. Washers are made of various durable materials: usually plastic or bronze.

MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

SLIPJOINT

These folders usually feature a detent system (a tension rod or ball and groove) that biases the blade open or closed. To open, simply overcome the detent manually. Some slipjoints use a double detent system with two steel detent balls, one on each side of the blade, for safe carry and controlled opening and closing.

OPENS WITH

FLIPPER

The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

NAIL NICK

The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders and slipjoints.

PUSH BUTTON

The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

THUMB STUD

The thumb stud is a small stud located at the top of the blade near the pivot. It may be positioned on one or both sides of the blade.

THUMB DISK

The thumb disk is a small flat disk typically found at the top of the blade.

EMERSON WAVE SHAPED FEATURE®

This is a wave-shaped hook built into the back end of the blade, similar to the flipper. It allows users to open the knife as it exits the pocket by hooking onto the pants material.

OTF SLIDING BUTTON

The sliding button is conveniently found on the spine of the handle. It is primarily used to open and close out-the-front automatic knives.



LOCKS

DURALOCK

The DuraLock, also known as a crossbar lock, is strong, safe, and easy to operate. The solid steel crossbar engages with the blade tang and locks the blade in place. Pull back on the ambidextrous lock to safely close the blade.

FRAME LOCK

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.

LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.

INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.

MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.

OTF INTERNAL LOCK

A pair of opposing steel pawls move under spring tension on arcing paths to lock the blade in the open and closed positions. Sliding the button moves a ramp against the corresponding pawl to release it and open or close the blade.

PUSH-BUTTON LOCK AUTO

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.

BUTTON LOCK

The blade is secured with a dependable button lock in the open position. Press the button to disengage the lock for manual drop shut action.

SLIPJOINT

A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.

TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive assisted open knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.



HANDLE MATERIALS



ANODIZED ALUMINUM

Aluminum is a lightweight, yet strong and durable material. Anodizing makes aluminum even stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven tightly together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is both extremely strong and extremely lightweight.



COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.



CO-POLYMER PLASTIC

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes an excellent handle and handle scale material for knives.



STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements that are alloyed to enhance specific characteristics. As a handle material, stainless steel is strong and attractive



K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.




MICARTA

A mixture of fiber cloth materials soaked in resin and hardened to create a strong, lightweight, and long-lasting handle. Kershaw micarta handles can be polished or feature a canvas-like texture in a variety of colors.




GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.



TITANIUM

Titanium is a lightweight, corrosion-resistant metal with high tensile strength.



TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.

POCKETCLIPS

SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



REVERSIBLE

Right-handed, tip-up or tip-down
OR
Right- or left-handed, tip-up



3-POSITION

Right-handed, tip-up or tip-down
AND
Left-handed, tip-up



4-POSITION

Right-handed, tip-up or tip-down
AND
Left-handed, tip-up or tip-down



DEEP-CARRY

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.




EXTRA-DEEP-CARRY

This wrap-around pocket clip design goes even deeper in the pocket, extending slightly beyond the length of the handle.



KNIFE SIZES

ALPHABETICAL BY PRODUCT NAME



*AVERAGE HUMAN HAND SIZE (ACCORDING TO NASA)

	LENGTH	BREADTH	CIRCUMFERENCE
MALE	7.6 IN.	3.5 IN.	8.6 IN.
FEMALE	6.8 IN.	3.1 IN.	7.0 IN.

*AVERAGE POCKET SIZE, FROM A 2018 STUDY OF 80 STYLES FROM 20 POPULAR BLUE JEAN BRANDS:

	WIDTH	HEIGHT
MALE	6.4 IN.	9.1 IN.
FEMALE	6 IN.	5.6 IN.
BACK	5.3 IN.	6.1 IN.


Series representative, not all variants shown



INDEX

NUMERICAL BY PRODUCT NUMBER

MODEL	NAME	PHOTO	P.
1019	FIRE STARTER		70
1025	CINDER		57
1075	DESCHUTES		63
1077	CAMP 10		63
1077TAN	CAMP 10 - TAN		63
1083	CAMP 5		60
1088	ATREIDES		59
1089	PACK MULE		59
1121	TASKMASTER SHEARS 2		70
1140	RATION		70
1145	RATION - XL		70
1190	KAPSULE		32
1195	INTERSTELLAR		32
1216	SKEETER III		70
1220	REVERB		30
1230	DIODE		57
1241	12-IN. CURVED		65
1242GE	9-IN. CURVED		65
1243SH	7-IN. BONING WITH SPOON		64
1247	7.5-IN. FILLET		64
1249	9.5-IN. FILLET		65
1257	7-IN. FILLET		64
1258	FOLDING FILLET		65
1259	9-IN. FILLET		64
1301BW	STARTER		20
1302BW	LIFTER		21
1306BW	FILTER		21
1313BLK	SPOKE		21

1324	CATHODE		21
1365	MISDIRECT		18
1365RBW	MISDIRECT - RAINBOW		18
1370	CAMSHAFT		20
1375	VALVE		21
1376	FLATBED		19
1385	AIRLOCK		20
1390	TREMOLO		20
1395	LIGHTYEAR		19
1401	JETPACK		19
1405	ALIGN		47
1407	CONDUIT		43
1407ST	CONDUIT - SERRATED		43
1408	RATE		47
1409	KORRA		20
1411	THERMAL		46
1414	WHARF		19
1416	SCOUR		46
1423	DAWNSTAR		45
1426	SEQUENCE		27
1427	RAYGUN		18
1428	OUTFIELD		18
1429	RUNOFF		23
1555TI	CRYO		51
1600	CHIVE		41
1600PINK	CHIVE - PINK		41
1605CKTST	CLASH - BLACK, SERRATED		51
1620	SCALLION		40
1620FL	SCALLION - STAINLESS		40

1620ST	SCALLION - SERRATED		40
1620NB	SCALLION - NAVY BLUE		41
1620OL	SCALLION - OLIVE DRAB		41
1620PUR	SCALLION - PURPLE		41
1645	LATERAL		47
1645BLKST	LATERAL - BLACK SERRATED		47
1660	LEEK		36
1660ST	LEEK - SERRATED		36
1660BLKW	LEEK - BLACKWASH™		36
1660CKT	LEEK - BLACK		36
1660CKTST	LEEK - BLACK, SERRATED		36
1660KC NEW	LEEK - KINGS CAMO		35
1660OL	LEEK - OLIVE		37
1660OR	LEEK - ORANGE		37
1660PUR	LEEK - PURPLE		37
1660R	RANDOM LEEK		36
1660RBW	RANDOM LEEK - BLACKWASH™		37
1660SWBLK	LEEK - BLACK, STONEWASH		36
1660TEAL	LEEK - TEAL		37
1660TROUT	LEEK - RAINBOW TROUT		35
1660USA	LEEK - USA FLAG		35
1670BLK	BLUR - BLACK		38
1670BLKST	BLUR - BLACK, SERRATED		38
1670BW	BLUR - BLACKWASH™		38
1670GBLKST	BLUR - GLASS BREAKER, BLACK, SERRATED		39
1670KC NEW	BLUR - KINGS CAMO		38
1670NBSW	BLUR - NAVY BLUE, STONEWASH		39
1670OLBLK	BLUR - OLIVE, BLACK		39
1670S30V	BLUR - S30V, BLACK STONEWASH		39


1670TBLKST	BLUR - TANTO, BLACK, SERRATED		39
1747BW	ION		61
17760LSW	LINK - OLIVE, STONEWASH		35
1780	CHEF'S KNIFE		67
1781	BREAD KNIFE		67
1782	SANTOKU KNIFE		67
1783	UTILITY KNIFE		67
1784	PARING KNIFE		67
1785	4-PIECE STEAK KNIFE SET		67
18120LCB	DIVIDEND - OLIVE COMPOSITE BLADE		35
1815	SANCTUM		47
1830	OSO SWEET		51
1835TBLKST	KURO - SERRATED		49
1845	SHORELINE		43
1845BASS NEW	SHORELINE - BASS		43
1845ST	SHORELINE - SERRATED		43
1881	ERIS		50
1882	DESCHUTES CAPER		59
1883	DESCHUTES SKINNER		59
1883GH	DESCHUTES SKINNER - GUT HOOK		59
1891	LONEROCK RBK 2		63
1890RB	LONEROCK RBK BLADES		63
1920	SELECT FIRE		53
1990	BRAWLER		44
1990ST	BRAWLER - SERRATED		44
2036	LUCID		48
2037	HEIST		29
2038	IRIDIUM		29
2038BLK	IRIDIUM - BLACK		28

2038R	IRIDIUM - REVERSE TANTO		28
2038RBLK	IRIDIUM - REVERSE TANTO BLACK		28
2041	MONITOR		29
2042	COVALENT		29
2044	OUTCOME		45
2044RWB	OUTCOME - RAINBOW		45
2046	CYBERNET		32
2047	LAYUP		45
2048	STEPPE		61
2051	MINI IRIIDIUM		28
2051BLK	MINI IRIIDIUM - BLACK		28
2051R	MINI IRIIDIUM - REVERSE TANTO		27
2051RBLK	MINI IRIIDIUM - REVERSE TANTO BLACK		27
2052	BROADSIDE		27
2053	KINDRED		23
2054	REMNANT		23
2058 NEW	PROXIMAL		27
2059 NEW	DUSTER		26
2061	CANNONBALL		48
2062ST	ANALYST		48
2063 NEW	AIRSPACE		26
2064	OUTLIER		49
2065	GRAVEL		49
2076	STRATA		30
2085	BRACE		61
2200	GRID		50
2535	ULTRA-TEK SHARPENER		70
2556	TASKMASTER SAW 2		63
3038 NEW	IRIDIUM BUTTON-LOCK		23

3410	CHILL		30
3445	STATIC		29
3455	BRACKET		48
3930	FLITCH		50
3935	FLOURISH		50
3960	BARSTOW		50
4007	SECRET AGENT		61
4008	DUNE		61
4386	IREDALE		30
4950TR	BALANZA		31
5150	LUCHA		31
5150BW	LUCHA - BLACKWASH™		31
5150TR	LUCHA - TRAINER		31
5560	RADAR		48
5570	HELITACK		45
6034D2	CQC-6K D2		33
6034T	CQC-7K		33
6034TRAINER	E-TRAIN		33
6044TBLK	CQC-8K		33
6054BRNBLK	CQC-4K		33
6105	BEL AIR		23
6105BLK	BEL AIR - BLACK		24
6105CF	BEL AIR - CARBON FIBER		24
6106	BEL AIR - CLIP POINT		24
6106BLK	BEL AIR - CLIP POINT, BLACK		24
6110	BEL AIR XL		24
6100EMT NEW	BEL AIR XL - EMT		53
6100EMTOR NEW	BEL AIR XL - EMT, ORANGE		53
6777 NEW	BAREKNUCKLE - DURALOCK		25

7038	LAUNCH IRIIDIUM		10
7038G10	LAUNCH IRIIDIUM - G10		10
7050	LAUNCH 20		16
7100BW	LAUNCH 1		10
7105	LAUNCH 16		14
71050LBLK	LAUNCH 16 - OLIVE, BLACK		14
7106	LAUNCH 21		16
7150	LAUNCH 8		13
7205	LAUNCH 22		16
7305	LAUNCH 23		17
7500BLK	LAUNCH 4		10
7550	LAUNCH 11		13
7551	LAUNCH 18		16
7650	LAUNCH 13		14
7800BLK	LAUNCH 6		13
7851	LAUNCH 19		16
7900CF	LAUNCH 7 - CARBON FIBER		13
7900GRYBLK	LAUNCH 7		13

7950	LAUNCH 15		14
7951	LAUNCH 17		14
8100	FUNXION EMT		54
8300	DUOJET		49
8310	FRINGE		49
8320	OUTRIGHT		44
8320BLK	OUTRIGHT BLACK		44
8320BLKST	OUTRIGHT BLACK - SERRATED		44
8337	CRAZE		54
8650	BARRICADE		53
8650ST	BARRICADE - SERRATED		53
8700	SHUFFLE		56
8700BLK	SHUFFLE - BLACK		57
8700LIMEBW	SHUFFLE - LIME		56
8700PURBW	SHUFFLE - PURPLE		56
8700TEALBW	SHUFFLE - TEAL		56
8710	ANTIC		57
8720	SHUFFLE - DIY		57

8750TBLKBW	SHUFFLE II - BLACK		54
8750TTANBW	SHUFFLE II - TAN		54
8750TOLBW	SHUFFLE II - OLIVE		54
8760	FAULTLINE		30
8800	PT-1		70
8810	PT-2		70
8830	RECAP		70
9000	LIVEWIRE		10
9000BLK	LIVEWIRE - BLACK		9
9000CF	LIVEWIRE - CARBON FIBER		9
9000DE	LIVEWIRE - DOUBLE EDGE		9
9000R	LIVEWIRE - REVERSE TANTO		9
9000T	LIVEWIRE - TANTO		9
K6BLOCK	6-PIECE KITCHEN KNIFE SET		67
KEROIL	KERSHAW KNIFE OIL		71
KMCURE	MANICURE SET		71
KT00L	K-TOOL		70
TXT00L	TX-TOOL		70



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed by a Limited Lifetime Warranty.



AUTHORIZED DEALERS

Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area on our website: kershawknives.com

LIMITED LIFETIME WARRANTY



Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: kershawknives.com

BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$25. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipped to Kai USA. Please see our website for shipping and warranty service information.

REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

VOUCHERS

There may be cases when your knife has been evaluated and is eligible for warranty service but is not able to be repaired or replaced. This can be true with discontinued models of which we no longer have stock. In such cases, at our discretion, we will offer a voucher for a replacement knife of equal or lesser value, as defined by the Manufacturer's Suggested Retail Price (MSRP). The voucher can only be used through

the Kai USA Warranty Department and some exclusions apply. If you prefer to have your original knife returned instead of using the voucher, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If you do not call us to let us know by then, the knife will be recycled.

LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

WARNING!

Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw products are covered by one or more pending and issued U.S. patents. Here is a list of past and present patents that we have utilized.

4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.



ABOUT THE PROP 65 NOTIFICATION

You may have seen more Prop 65 warnings on our products lately.

First, understand that nothing has changed with the materials or manufacturing processes Kai USA uses to make our products.

The one thing that HAS changed are the notification requirements of Proposition 65.

Prop 65 is a 1986 California law that requires California residents to be notified of products that could expose them to chemicals known by the state of California to "cause cancer, birth defects or other reproductive harm." This law was recently expanded to apply to all retailers as well as those who sell products under a private label.

In fact, there are hundreds of chemicals on the California Prop 65 list—including things like nickel and chromium that have always been a part of knife steel. As a responsible manufacturer, we are including the warning as required by the law. Since we don't always know where our products are sold, this protects our company and our authorized retailers.

But again, nothing except the notification requirement has changed. Carrying and using our products is no more hazardous than before Prop 65. It will continue to be an important part of the tools you carry with you and use every day.

GENERAL: ⚠ WARNING

This product can expose you to a chemical (or chemicals) that are known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov.

LEAD: ⚠ WARNING

This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

BENZENE: ⚠ WARNING

This product can expose you to chemicals including benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

CARBON MONOXIDE: ⚠ WARNING

This product can expose you to chemicals including carbon monoxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

DEHP/BPA: ⚠ WARNING

This product can expose you to chemicals including di(2-ethylhexyl)phthalate (DEHP), which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

LIST OF ALL PRODUCTS THAT MAY CONTAIN
THE ITEMS LISTED ON PAGE 84

MODEL #	CHEMICAL
1019	CARBON MONOXIDE
1025	LEAD
1075	LEAD
1077	BENZENE
1077TAN	BENZENE
1083	LEAD
1089	LEAD
1170	LEAD
1190	LEAD
1195	LEAD
1216	LEAD
1220	LEAD
1225	LEAD
1230	LEAD
1241	LEAD
1242GE	LEAD
1243SH	LEAD
1247	LEAD
1249	LEAD
1257	LEAD
1259	LEAD
1313BLK	LEAD
1376	LEAD
1401	LEAD
1405	LEAD
1407	LEAD
1407ST	LEAD
1411	LEAD
1416	LEAD
1426	LEAD
1429	LEAD
1555TI	LEAD
1605CKTST	LEAD
1645	LEAD
1645BLKST	LEAD
1780	PFAS
1781	PFAS
1782	PFAS
1783	PFAS
1784	PFAS
1785	PFAS

MODEL #	CHEMICAL
1812OLCB	LEAD
1815	LEAD
1830	LEAD
1835TBLKST	LEAD
1845	LEAD
1845ST	LEAD
1845BASS	LEAD
1881	LEAD
1883	LEAD
1883GH	LEAD
1920	LEAD
1990	LEAD
1990ST	LEAD
2031	LEAD
2034	LEAD
2036	LEAD
2038	LEAD
2038BLK	LEAD
2038R	LEAD
2038RBLK	LEAD
2044	LEAD
2047	LEAD
2048	LEAD
2049	LEAD
2051	LEAD
2051BLK	LEAD
2051R	LEAD
2051RBLK	LEAD
2052	LEAD
2053	LEAD
2054	LEAD
2058	LEAD
2059	LEAD
2061	LEAD
2062ST	LEAD
2064	LEAD
2065	LEAD
2076	LEAD
2085	LEAD
2200	LEAD
2556	BENZENE

MODEL #	CHEMICAL
3410	LEAD
3445	LEAD
3455	LEAD
3930	LEAD
3935	LEAD
3960	LEAD
4007	LEAD
4008	LEAD
5560	LEAD
5570	LEAD
6034T	LEAD
6044TBLK	LEAD
6054BRNBLK	LEAD
6105CF	BPA
7050	BPA
7150	BPA
7900CF	BPA
8100	LEAD
8300	LEAD
8310	LEAD
8320	LEAD
8320BLK	LEAD
8320BLKST	LEAD
8337	LEAD
8650	LEAD
8650ST	LEAD
8700	LEAD
8700BLK	LEAD
8700LIME	LEAD
8700PUR	LEAD
8700TEAL	LEAD
8710	LEAD
8720	LEAD
8750TBLKBW	LEAD
8750TOLBW	LEAD
8750TTANBW	LEAD
8760	LEAD
9000CF	BPA
TXTOOL	LEAD

kershaw

KERSHAWKNIVES.COM

 kai U.S.A. Ltd.

18600 SW Teton Avenue
Tualatin, OR 97062
USA
800.325.2891



KERLITCAT2026
Printed in USA