


PSE
PRECISION DRIVEN.

2027 HUNTING LINE

EZ.220



EZ.220 SYSTEM

Dial in with precision—fast. The EZ.220™ snap spacer system lets you adjust cam lean in precise 0.020" increments without extended time in the press. Shift, snap, shoot.


CGM CABLE GUARD



CGM CABLE GUARD

Our proprietary Cable Guard Mounted (CGM) system is built for the real world—immune to weather, debris, and field abuse. It integrates seamlessly with our two-piece quiver and requires virtually zero maintenance.

LIMB VISE 2



NEW LIMB VISE POCKETS

Engineered for lockdown stability. The Limb Vise pocket ensures perfect limb-to-riser alignment at any limb bolt setting, thanks to a redesigned pivot interface that stays centered—no matter what.


KILLSHOK



RISER MOUNTED DAMPER

Kill vibration at the source. The Killshok riser-mounted damper neutralizes residual feedback after the shot. Add modular weights for customizable stabilization.


FDS



FULL DRAW STABILITY

Hold it like it matters—because it does. FDS keeps you rock-solid at full draw by eliminating torque and reducing micro-movements. The result? Tighter groups. Predictable shots. More wins.

PICATINNY



PICATINNY SIGHT MOUNT

Picatinny rail delivers direct-to-riser sight mounting for rigidity, reduced weight, and full compatibility with today's most trusted sight systems.

PBTS



PRECISION BUSS TUNING

Micro-tune, macro results. PBTS™ uses a three-piece string configuration for fine-grain adjustability, letting advanced shooters zero in on peak performance.

QAD INTEGRATE



INTEGRATE MOUNT


QAD's dovetail IMS™ locks your rest to the riser—no rotation, no drift. Cleaner integration, tighter tolerances, and a streamlined profile for better accessory clearance.



DFC TECHNOLOGY

Stronger. Lighter. Quieter. Our DFC riser uses Monocoque construction for unmatched strength-to-weight ratio and dead-in-the-hand performance. Warm to the touch, whisper-quiet on release, and tuned for elite precision.

BOW FINISHES



FDS XL

FDS CAM



Built for the Moment That Matters.

The NEW FDSXL Cams add 1.5" of power stroke over FDS Cams, delivering increased performance and more options for longer-draw archers. Greater FDS and an improved string angle enhance shooting comfort, while a smoother draw force curve provides an easier draw, even at overlapping draw lengths.

The FDS Cam system delivers a rock-solid wall so your aim stays steady and your release stays clean—even on steep angles or unstable terrain. Oversized 5/8" bearings boost long-term durability, while a recessed cable post reduces cam lean, improving shot consistency and simplifying the tuning process.

FDS VS. THE COMPETITION

Head-to-Head with yesterday's best.

	COMPETITOR A	COMPETITOR B	PSE FDS
Total Energy Storage	95.97 ft-lbs	98.12 ft-lbs	97.47
Speed	325 fps	326 fps	332 fps
Efficiency	85.56%	84.20%	87.91%

THE RESULTS SPEAK FOR THEMSELVES.

In raw speed, energy storage, and efficiency, the FDS cam redefines what top-tier really means. When precision matters and performance is measured in fractions. FDS and FDSXL delivers a clear advantage.

NO GIMMICKS. JUST THE BEST ENGINEERING.

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

SICARIO FDSXL

PRO SERIES

THE FASTEST CARBON BOW EVER BUILT. PERIOD.


At 33" axle-to-axle with a 5-1/2" brace height, the Sicario launches arrows at blistering velocity, delivering laser-flat trajectories and tighter pin gaps. And with incredible kinetic energy, it packs enough punch to take down the biggest game on the planet.



The Sicario combines that raw power with a remarkably smooth and quiet shooting experience. The new FDS XL Cam System ensures a crisp, silky draw and a solid back wall, while PSE's Dead Frequency Carbon riser kills vibration for a dead-in-the-hand feel and near-silent release.

Despite its extreme speed, the Sicario remains forgiving and easy to tune. Oversized 5/8" cam bearings, precise geometry and PSE's proven Full Draw Stability system keep your shot steady under pressure. Adjustable let-off from 70% to 85% lets you fine-tune your hold for the perfect balance of comfort and control.

Lightweight at just 3.9 lbs and brutally fast, the 2027 PSE Sicario Carbon is built for real hunts. Because when the shot of a lifetime comes, speed changes everything.






PSE SICARIO FDS XL

PART # 2733FDSX

AXLE-TO-AXLE:	*33"*
BRACE HEIGHT:	*5 ½"*
EFFECTIVE BRACE HEIGHT:	*7"*
IBO SPEED (FPS):	*366 @ 31 ½"*
DRAW LENGTH RANGE:	*26"- 31 ½"*
DRAW WEIGHTS (LBS.):	*50, 60, 70, 80*
MAX LIMB BOLT TURNS:	*7*
LET-OFF:	*70% - 85% (70,75, 80, 85)*
MASS WEIGHT:	*3.9 lbs.*
CAM SYSTEM:	*FDS XL*



2027 SICARIO FDS XL MOD CHART

FDSXL LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J	K	L
31 ½"	31"	30 ½"	30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDSXL

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

SICARIO FDS CAM

PRO SERIES

THE FASTEST CARBON BOW EVER BUILT. PERIOD.


At 33" axle-to-axle with a 5-1/2" brace height, the Sicario launches arrows at blistering velocity, delivering laser-flat trajectories and tighter pin gaps. And with incredible kinetic energy, it packs enough punch to take down the biggest game on the planet.




The Sicario combines that raw power with a remarkably smooth and quiet shooting experience. The FDS and new FDS XL Cam Systems ensure a crisp, silky draw and a solid back wall, while PSE's Dead Frequency Carbon riser kills vibration for a dead-in-the-hand feel and near-silent release.

Despite its extreme speed, the Sicario remains forgiving and easy to tune. Oversized 5/8" cam bearings, precise geometry and PSE's proven Full Draw Stability system keep your shot steady under pressure. Adjustable let-off from 70% to 85% lets you fine-tune your hold for the perfect balance of comfort and control.

Lightweight at just 3.9 lbs and brutally fast, the 2027 PSE Sicario Carbon is built for real hunts. Because when the shot of a lifetime comes, speed changes everything.







PSE SICARIO FDS

PART # 2734FDS

AXLE-TO-AXLE:	33"
BRACE HEIGHT:	5 ¼"
EFFECTIVE BRACE HEIGHT:	6 ½"
IBO SPEED (FPS):	357"
DRAW LENGTH RANGE:	24 ½"- 30"
DRAW WEIGHTS (LBS.):	50, 60, 70, 80
MAX LIMB BOLT TURNS:	7
LET-OFF:	70% - 85% (70,75, 80, 85)
MASS WEIGHT:	3.9 lbs.
CAM SYSTEM:	FDS

2027 SICARIO FDS MOD CHART

FDS LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J	K	L
30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"	25"	24 ½"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDS CAM

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

PRO SERIES

ODIN FDSXL

A NEW STANDARD IN HUNTING PRECISION.

Introducing the all-new 2027 PSE Odin FDS XL. A bold evolution of PSE's flagship hunting platform, designed from the ground up to deliver a new standard in precision, stability and performance.




The Odin features a completely redesigned carbon riser, engineered in-house and handcrafted in Tucson, AZ. The riser delivers 10% greater stiffness, with an enhanced internal core that significantly reduces vibration for a smoother, more stable shooting experience.

While nearly every aspect of the Odin has been reimagined, one thing remains: PSE's proven FDS cam system. Combined with the new EZ220-equipped Limb Vice pockets, it allows precise press-free tuning at the pro shop or in the field.


Available in two purpose-built configurations, the Odin 34 delivers the stability and forgiveness demanded by Western spot-and-stalk hunters, while the compact Odin Sub-30 brings flagship performance to the tight confines of treestands and ground blinds.

Developed with input from PSE's professional hunting staff and cycle-tested beyond 100,000 shots, the Odin is engineered for exceptional precision, consistency and reliability.

PSE ODIN. BUILT FOR THE MOMENT THAT MATTERS.







PSE ODIN FDS

PART # 2731FDSX

AXLE-TO-AXLE:	34"
BRACE HEIGHT:	6 ¾"
EFFECTIVE BRACE HEIGHT:	8 ⅜"
IBO SPEED (FPS):	366 @ 33"
DRAW LENGTH RANGE:	27 ½ "- 33 "
DRAW WEIGHTS (LBS.):	50, 60, 70, 80
MAX LIMB BOLT TURNS:	7
LET-OFF:	70% - 85% (70,75, 80, 85)
MASS WEIGHT:	3.8 lbs.
CAM SYSTEM:	FDS XL

2027 ODIN FDS XL MOD CHART

FDSXL LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J
33 "	32 ½"	32"	31 ½"	31"	30 ½"	30"	29 ½"	28"	27 ½"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDSXL

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

PRO SERIES

ODIN FDS CAM

A NEW STANDARD IN HUNTING PRECISION.

Introducing the all-new 2027 PSE Odin. A bold evolution of PSE's flagship hunting platform, designed from the ground up to deliver a new standard in precision, stability and performance.




The Odin features a completely redesigned carbon riser, engineered in-house and handcrafted in Tucson, AZ. The riser delivers 10% greater stiffness, with an enhanced internal core that significantly reduces vibration for a smoother, more stable shooting experience.


While nearly every aspect of the Odin has been reimagined, one thing remains: PSE's proven FDS cam system. Combined with the new EZ220-equipped Limb Vice pockets, it allows precise press-free tuning at the pro shop or in the field.

Available in two purpose-built configurations, the Odin 34 delivers the stability and forgiveness demanded by Western spot-and-stalk hunters, while the compact Odin Sub-30 brings flagship performance to the tight confines of treestands and ground blinds.

Developed with input from PSE's professional hunting staff and cycle-tested beyond 100,000 shots, the Odin is engineered for exceptional precision, consistency and reliability.

PSE ODIN. BUILT FOR THE MOMENT THAT MATTERS.






PSE ODIN FDS

PART # 2731FDS

AXLE-TO-AXLE:	*34"*
BRACE HEIGHT:	*6 ½"*
EFFECTIVE BRACE HEIGHT:	*8"*
IBO SPEED (FPS):	*340*
DRAW LENGTH RANGE:	*26"- 31½ "*
DRAW WEIGHTS (LBS.):	*50, 60, 70, 80*
MAX LIMB BOLT TURNS:	*7*
LET-OFF:	*70% - 85% (70,75, 80, 85)*
MASS WEIGHT:	*3.8 lbs.*
CAM SYSTEM:	*FDS*



2027 ODIN FDS MOD CHART

FDSXL LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J	K	L
31 ½"	31"	30 ½"	30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDS CAM

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

PRO SERIES

ODIN SUB 30 FDSXL

A NEW STANDARD IN HUNTING PRECISION.

The all-new 2027 PSE Odin Sub-30 brings flagship-level precision, stability and performance to a compact, maneuverable hunting platform. Its redesigned, American-made carbon riser delivers 10% greater stiffness while an enhanced internal core reduces vibration for a smoother, more stable shot.






Featuring PSE's proven FDS cam system and the new EZ220-equipped Limb Vice pockets, the Odin Sub-30 delivers exceptional performance with convenient press-free tuning at the shop or in the field. Designed for hunters who demand maximum performance in tight quarters, the Odin Sub-30 delivers the stability, forgiveness and confidence needed when every shot counts

Developed with input from PSE's professional hunting staff and cycle-tested beyond 100,000 shots, the Odin is engineered for exceptional precision, consistency and reliability.


PSE ODIN. BUILT FOR THE MOMENT THAT MATTERS.



PSE ODIN FDS XL

PART # 2730FDSX

AXLE-TO-AXLE:	*29 ½ "*
BRACE HEIGHT:	*6 ¼"*
EFFECTIVE BRACE HEIGHT:	*7 ¾"*
IBO SPEED (FPS):	*357 @ 31 ½"*
DRAW LENGTH RANGE:	*26"- 31 ½"*
DRAW WEIGHTS (LBS.):	*50, 60, 70, 80*
MAX LIMB BOLT TURNS:	*7*
LET-OFF:	*70% - 85% (70,75, 80, 85)*
MASS WEIGHT:	*3.6 lbs.*
CAM SYSTEM:	*FDS XL*



2027 ODIN SUB 30 FDS XL MOD CHART

FDSXL LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J	K	L
31 ½"	31"	30 ½"	30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDSXL

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

PRO SERIES

ODIN SUB 30 FDS CAM

A NEW STANDARD IN HUNTING PRECISION.

The all-new 2027 PSE Odin Sub-30 brings flagship-level precision, stability and performance to a compact, maneuverable hunting platform. Its redesigned, American-made carbon riser delivers 10% greater stiffness while an enhanced internal core reduces vibration for a smoother, more stable shot.







Featuring PSE's proven FDS cam system and the new EZ220-equipped Limb Vice pockets, the Odin Sub-30 delivers exceptional performance with convenient press-free tuning at the shop or in the field. Designed for hunters who demand maximum performance in tight quarters, the Odin Sub-30 delivers the stability, forgiveness and confidence needed when every shot counts

Developed with input from PSE's professional hunting staff and cycle-tested beyond 100,000 shots, the Odin is engineered for exceptional precision, consistency and reliability.

PSE ODIN. BUILT FOR THE MOMENT THAT MATTERS.





PSE ODIN SUB 30 FDS

PART # 2730FDS

AXLE-TO-AXLE:	*29 ½ "*
BRACE HEIGHT:	*6"*
EFFECTIVE BRACE HEIGHT:	*7 ¼"*
IBO SPEED (FPS):	*346*
DRAW LENGTH RANGE:	*24 ½"- 30"*
DRAW WEIGHTS (LBS.):	*50, 60, 70, 80*
MAX LIMB BOLT TURNS:	*7*
LET-OFF:	*70% - 85% (70,75, 80, 85)*
MASS WEIGHT:	*3.6 lbs.*
CAM SYSTEM:	*FDS*

2027 ODIN SUB 30 FDS MOD CHART

FDS LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J	K	L
30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"	25"	24 ½"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDS CAM

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.


PRO SERIES

ODIN SPECIALIST FDSM

A NEW STANDARD IN HUNTING PRECISION.

Introducing the all-new 2027 PSE Odin Specialist. Built for archers who demand flagship-level performance at shorter draw lengths, the Specialist combines PSE's award-winning carbon technology with a smooth, refined shooting experience focused on comfort, control and precision.






Sharing the advanced carbon riser technology of the Odin Sub-30, the Specialist brings premium carbon construction to a platform purpose-built for shorter-draw archers. PSE's FDSM Cam System combines a smooth, controlled draw cycle with precise quarter-inch draw length adjustments and the performance expected from a flagship hunting bow.

Developed with input from PSE's professional hunting staff and cycle-tested beyond 100,000 shots, the Odin is engineered for exceptional precision, consistency and reliability.


THE PSE ODIN SPECIALIST. FLAGSHIP PERFORMANCE, BUILT AROUND YOU.



PSE ODIN SPECIALIST FDS M

PART # 2730FDSM

AXLE-TO-AXLE:	29 ½ "
BRACE HEIGHT:	5 ⅞"
EFFECTIVE BRACE HEIGHT:	7 ½"
IBO SPEED (FPS):	330 @ 28 ½"
DRAW LENGTH RANGE:	24 ⅛" - 28 ⅛"
DRAW WEIGHTS (LBS.):	40, 50, 60
MAX LIMB BOLT TURNS:	7
LET-OFF:	65-80%
MASS WEIGHT:	3.6 lbs.
CAM SYSTEM:	FDS M



2027 ODIN SPECIALIST FDS M MOD CHART

FDSM LET-OFF: 65-80% AND 1/4" ADJUSTMENTS

A	B	C	D	E	F	G	H	I	J
28 ⅛"	27 ⅝ "	27 ¼"	26 ¾"	26 ⅜"	25 ⅞"	25 ½"	25"	24 ⅝"	24 ⅛"

A-	B-	C-	D-	E-	F-	G-	H-	I-
27 ⅞"	27 ⅜"	27"	26 ½"	26 ⅛"	25 ⅝"	25 ¼"	24 ¾"	24 ⅜"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDSM

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRO SERIES

DECREE FDS CAM


ENGINEERED FOR THE AMERICAN BOWHUNTER.


The 2027 PSE Decree takes everything bowhunters loved about the original—and elevates it with the cutting-edge FDS Cam System. Built around a sleek 31.5" axle-to-axle platform and weighing just over 4 pounds, the Decree blends compact maneuverability with rock-solid stability. Its innovative riser ridge geometry delivers steady aiming and dependable shot execution, whether you're perched in a tree stand, climbing rugged elevation, or testing your skills at the range.

The new FDS Cam System pushes performance to the next level, offering a smoother draw, a rock-solid back wall, and an impressive +10 fps speed boost over previous models. Enhanced geometry delivers up to ⅞" more effective brace height, providing added forgiveness and helping you stay accurate even under pressure.

Full Draw Stability (FDS) technology keeps your pin locked on target, while the EZ.220™ Snap Spacer System makes tuning fast and precise, letting you adjust cam lean in 0.020" increments without extended time in the press.

Combined with the legendary CGM Cable Guard System, the 2026 Decree delivers the speed, control, and reliability serious bowhunters demand. Compact. Powerful. Uncompromising—the 2026 PSE Decree™ is built for hunters who won't settle for anything less than perfection.






PSE DECREE FDS

PART # 2636FDS

AXLE-TO-AXLE:	*31 ½"*
BRACE HEIGHT:	*6 ¼"*
EFFECTIVE BRACE HEIGHT:	*7 ⅝"*
IBO SPEED (FPS):	*347*
DRAW LENGTH RANGE:	*25"- 30 ½"*
DRAW WEIGHTS (LBS.):	*50, 60, 70. 80*
MAX LIMB BOLT TURNS:	*5*
LET-OFF:	*70% - 85%*
MASS WEIGHT:	*4.6 lbs.*
CAM SYSTEM:	*FDS*



BK
BLACK



CH
CHARCOAL



KS
KRYPTEK SKYFALL



KV
KUIU VERDE



MB
MOSSY OAK BOTTOMLAND



BB
BADLANDS BROWN



GO
GREEN OLIVE



TB
TUXEDO BROWN



TG
TUXEDO GREEN

2027 DECREE FDS MOD CHART

FDS LET-OFF: 70-85%

A	B	C	D	E	F	G	H	I	J	K	L
30 ½"	30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"	25"

PBTS CGM INTEGRATE EZ.220 LIMB VISE KILLSHOK PICATINNY FDS CAM

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

PRO SERIES


FORCE DS FDS CAM

THE LEGACY CONTINUES.

The Force DS carries forward one of PSE's most trusted hunting platforms with a modern build that delivers premium performance without a premium price tag. Now powered by our FDS Cam System with a fixed 85% module, the Force DS gives bowhunters a smooth draw cycle, a steady, confident hold, and the dependable accuracy they expect from PSE.

At 30" axle-to-axle with a 6⅝" brace height, the Force DS hits the perfect balance between maneuverability and forgiveness, right at home in tight whitetail setups, ground blinds, treestands, and western spot-and-stalk hunts. A rugged cast-aluminum riser keeps the bow tough, consistent, and ready for abuse in the field.

With an IBO rating of 336 fps, the Force DS proves that real speed and stability don't have to cost flagship money.





PSE FORCE DS FDS

PART # 2639FDS


AXLE-TO-AXLE:	*30"*
BRACE HEIGHT:	*6 ⅝"*
EFFECTIVE BRACE HEIGHT:	*8"*
IBO SPEED (FPS):	*336*
DRAW LENGTH RANGE:	*25 ½"- 31"*
DRAW WEIGHTS (LBS.):	*50, 60, 70*
MAX LIMB BOLT TURNS:	*10*
LET-OFF:	*85%*
MASS WEIGHT:	*4.5 lbs.*
CAM SYSTEM:	*FDS*



BK
BLACK RISER AND BLACK LIMBS



KSB
BLACK RISER WITH KRYPTEK SKYFALL LIMBS



MB
BLACK RISER WITH MOSSY OAK BOTTOMLAND LIMBS

FORCE DS PRO ACCESSORY PACKAGE- PART #2649FDS

The **Pro Package** includes the Torment Quiver, Phantom Drop-Away Rest, Recon 6" Stabilizer, Sierra Micro 5-Pin Sight, PSE Neoprene Sling, Mongoose Peep and Nocking Loop.

2027 FORCE DS FDS MOD CHART

FDS LET-OFF: 85%

A	B	C	D	E	F	G	H	I	J	K	L
31"	30 ½"	30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"

PBTS CGM INTEGRATE EZ.220 LIMB VISE PICATINNY FDS CAM

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE


CORE SERIES


BUTCHER EC2


MEET THE ALL-NEW PSE BUTCHER.

The PSE Butcher packs serious performance into an affordable package. Powered by PSE's proven EC2 cam system, arguably one of the most celebrated cam designs of the pastdecade, the Butcher delivers performance that punches well above its weight class.


Featuring PSE's PBTS tuning system, the Butcher brings a level of tuning flexibility rarely found in bows at this price point, giving shooters more control over their setup.








MC
MOSSY OAK MOUNTAIN LIMBS BLACK RISER



KS
KRYPTEK SKYFALL LIMBS BLACK RISER



MB
MO BOTTOMLAND LIMBS BLACK RISER



BK
BLACK LIMBS BLACK RISER

PSE BUTCHER

PART # 2659EC2

AXLE-TO-AXLE:	*30 ¼"*
BRACE HEIGHT:	*6 ⅞"*
EFFECTIVE BRACE HEIGHT:	*7 ½"*
IBO SPEED (FPS):	*328*
DRAW LENGTH RANGE:	*25 ½"- 31"*
DRAW WEIGHTS (LBS.):	*50, 60, 70*
MAX LIMB BOLT TURNS:	*10*
LET-OFF:	*80% - 90%*
MASS WEIGHT:	*4.5 lbs.*
CAM SYSTEM:	*EC2*

BUTCHER RTS ACCESSORY PACKAGE- PART #2669EC2

The **RTS Package** includes the Hunter Lite Quiver, Tru-Glo EZ Rest, FX4 Stabilizer, Sierra Lite Sight, Mongoose Peep and Nocking Loop.

BUTCHER PRO ACCESSORY PACKAGE- PART #2679EC2

The **Pro Package** includes the Torment Quiver, Phantom Drop-Away Rest, Recon 6" Stabilizer, Sierra Micro 5-Pin Sight, PSE Neoprene Sling, Mongoose Peep and Nocking Loop.

2027 BUTCHER EC2 MOD CHART

ECS LET-OFF: 80-90%

A	B	C	D	E	F	G	H	I	J	K	L
31"	30 ½"	30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"

PBTS LIMB VISE

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE 2027 HUNTING LINE

PRECISION DRIVEN.

CORE SERIES


Stinger ATK

MEET THE PSE STINGER ATK.

Bowhunters know what we truly need in a hunting bow. We need it to be smooth-drawing, hard-hitting, and deadly accurate.

But what if a compound bow could be all that and affordable too? Meet the PSE ATK Series of bows.


Affordably lethal, the PSE ATK Series gives you everything you need in a hunting bow without forcing you to pay for the things you don't. The new Stinger ATK is even powered by our "Grow With You" SS Cam, which is designed to deliver a wide range of draw lengths for growing shooters. After all, isn't it time you spend more of your hard-earned money on experiences and less at the sales counter?








BK
BLACK RISER AND BLACK LIMBS



KSB
KRYPTEK SKYFALL AND BLACK LIMBS



MB
MOSSY OAK BOTTOMLAND AND BLACK LIMBS

PSE STINGER ATK

PART # 2204SS

AXLE-TO-AXLE:	*32"*
BRACE HEIGHT:	*6 5/8"*
IBO SPEED (FPS):	*304-312*
DRAW LENGTH RANGE:	*21 ½"- 30"*
DRAW WEIGHTS (LBS.):	*50, 60, 70*
MAX LIMB BOLT TURNS:	*10*
LET-OFF:	*80%*
MASS WEIGHT:	*4 lbs.*
CAM SYSTEM:	*SS*

STINGER ATK RTS ACCESSORY PACKAGE PART #2224SS

The **Hunter Package** includes the Hunter Lite Quiver, Tru-Glo EZ Rest, FX4 Stabilizer, Sierra Lite Sight, Mongoose Peep and Nocking Loop.

STINGER ATK PRO ACCESSORY PACKAGE PART #2218SS

The **Pro Package** includes the Torment Quiver, Phantom Drop-Away Rest, Recon 6" Stabilizer, Sierra Micro 5-Pin Sight, PSE Neoprene Sling, Mongoose Peep and Nocking Loop.

2027 STINGER ATK MOD CHART
SS LET-OFF: 80%

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
30"	29 ½"	29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"	25"	24 ½"	24"	23 ½"	23"	22 ½"

2027 STINGER ATK MOD CHART (GROW WITH YOU SETTING)

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
29"	28 ½"	28"	27 ½"	27"	26 ½"	26"	25 ½"	25"	24 ½"	24"	23 ½"	23"	22 ½"	22"	21 ½"

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com

PSE PRECISION DRIVEN. 2027 ACCESSORIES

ASSEMBLED IN THE USA WITH U.S. AND GLOBAL PARTS

QUIVERS



One-Piece Bow Mount

BK BLACK

CH CHARCOAL

BB BADLANDS BROWN

GO GREEN OLIVE

CGM CABLE GUARD MOUNT



Two-Piece Cable Guard Mount

STABILIZERS

6”



BK BLACK

CH CHARCOAL

8”



10”



12”



PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE. TUCSON, AZ 85705 www.psearchery.com



PSE
PRECISION DRIVEN.

PRECISION SHOOTING EQUIPMENT, LLC
2727 N. FAIRVIEW AVE.
TUCSON, AZ 85705
www.psearchery.com

WARNING: CANCER AND REPRODUCTIVE HARM- WWW.P65WARNINGS.CA.GOV