



**TENPOINT**  
CROSSBOW TECHNOLOGIES



**2026**

PRODUCT CATALOG

**ENGINEERED TO DOMINATE.™**



TO OUR CUSTOMERS:

For over 30 years, TenPoint has led the market in crossbow quality, precision, & innovation. Hunting isn't just our business – it's our passion. Every member of our leadership/management team, from ownership to engineering to production, lives for those moments in the treestand, & understands accuracy matters most when it's time to pull the trigger.

In 2023, we tasked our engineering department with making "crossbow accuracy" its top initiative. Through hundreds of hours & tens of thousands of arrows in testing, we've uncovered critical insights, culminating in the launch of the Ultra Series Crossbows & ACU-X™ Arrows & Nocks.

Our Ultra Series crossbows are the most accurate, repeatable crossbows we've ever manufactured. Every component is designed to achieve sniper-like accuracy with category-leading reliability, featuring precision-engineered innovations that deliver 70% tighter groups at 100-yards.

**NEW** Larger 8MM Axles & **NEW** Wider X-Wide™ Limbs create a more stable, repeatable, & reliable shooting platform, while the ACU-X Arrow features spine-indexing technology & ACU-X Snap-On Nock for precision long-range accuracy while preserving string center serving life.

Our ACU-X Arrow features platform-specific spine-indexing & combines with the ACU-X Snap-On Nock to create the most accurate & consistent arrow we have ever engineered.

Our 2026 collection delivers accuracy like you've never seen before. Visit your local TenPoint dealer & experience the difference—because accuracy you can measure is accuracy you can trust.

**RICK BEDNAR**  
Executive Chairman

**PHIL BEDNAR**  
President | CEO

**STEVE BEDNAR**  
Executive Vice President | COO

ACCURACY. REDEFINED.

Over the last 18 months, our engineering team has been locked in on creating the most accurate crossbows to ever hit the market. Experience the sniper-like accuracy & unwavering reliability of our **NEW** Ultra Series at your local TenPoint dealer.



**NEW VISION™ HD**  
All Ultra Series Bows are available with the **NEW** Vision HD Digital Rangefinding Scope with Video Recording.

**NEW TRX ULTRA**

**THE FASTEST CROSSBOW IN THE WORLD!**  
Delivering 515 FPS with 70% tighter groups at 100-yards, combined with the ACUslide MAXX™ & TriggerTech trigger, the TRX Ultra is the ultimate crossbow for high-performance hunters. **PAGE: 8**

**NEW BRUSHLESS MACHINED ALUMINUM ARROW REST**  
Secures to the barrel & **NEW** riser rod, isolating it from SDS™ vibration to eliminate shift & deliver the ultimate in accuracy & shot-to-shot repeatability.

**NEW TX ULTRA 29.5**

**OUR FASTEST FORWARD DRAW CROSSBOW EVER!**  
The TX Ultra 29.5 shoots a blistering 460 FPS & measures just 6.25" narrow & 29.5" in length – providing added stability for long-range shooting situations. With multiple precision-engineered accuracy advancements, the TX 29.5 delivers 3" groups at 100-yards. **PAGE: 9**

**NEW TX ULTRA 26.5**

**OUR SHORTEST FORWARD DRAW CROSSBOW EVER!**  
Until now, 'short' & 'comfortable' have never existed in the same crossbow—but the TX Ultra 26.5 changes everything. At 26.5" in length, it delivers a comfortable shooting experience that excels in ground blinds & run-&-gun situations. With multiple precision-engineered accuracy advancements, the TX 26.5 delivers 3" groups at 100-yards. **PAGE: 10**

**NEW ACU-X ARROWS**

The 20-inch, 440-grain ACU-X 20 (designed for forward draw rail-less crossbows) & ACU-X RD (designed for reverse-draw rail-less crossbows) feature spine indexing technology & **NEW** ACU-X Snap-On Nock for incredible long-range accuracy, while preserving string center serving life. We've paired this revolutionary nock with industry-leading 2" Blazer® vanes. **PAGE: 25**



NEW FOR 2026

NEW **TURBOX™**

**OUTDOOR LIFE'S 2025 BEST CROSSBOW – NOW WITH DIGITAL RANGEFINDING SCOPE!**

Already crowned “Best Crossbow” & “Most Accurate Crossbow” by Outdoor Life, the Turbo X takes precision to unprecedented levels with the **NEW** Vision HD Digital Rangefinding Scope. Instantly range your target, get automatic aim-point compensation, & capture every heart-pounding moment with integrated video recording. **PAGE: 13**



NEW **VISION™ HD**

Digital Rangefinding Scope with Video Recording.

NEW **PHANTOM™ DE-COCK**

**OUR LIGHTEST REVERSE-DRAW EVER!**

Bringing reverse-draw performance to an unheard-of price point under \$1,000, the 400 FPS Phantom De-Cock pairs our ACUdraw De-Cock system with a newly designed stock & bow assembly. This creates a new, narrow profile for our reverse-draw crossbow, delivering better value than ever! **PAGE: 14**

NEW **TITANX™ DE-COCK**

**THE #1 SELLING CROSSBOW, NOW WITH MORE FEATURES THAN EVER!**

Our long-standing best seller just got better – we added more speed & integrated safe de-cocking at a better value! With safe, silent, tangle-free crank de-cocking combined with category-leading accuracy & a narrow front-end known for incredible reliability, the Titan X De-Cock delivers more features than ever before! **PAGE: 14**

NEW **PRO ELITE 400 SELECT**

Weighing 410-grains, the precision spine-indexed Pro Elite 400 Select increases accuracy by 33%, delivering tighter groups while maintaining the same point-of-impact as the standard Pro Elite 400 Carbon Arrows. **PAGE: 25**



NEW **STAG™ ELITE CASE**

Built tough with a rigid EVA shell & rugged canvas exterior, this case keeps your crossbow protected on every hunt. Four heavy-duty D-rings let you securely strap this case to your ATV, or throw it in the bed of your truck or UTV knowing your crossbow is well protected. **PAGE: 27**



NEW **DEADREST™ CARBON STABILITY SYSTEM**

Engineered to provide hunters with rock-solid shooting stability for standing or off-hand shots (when the shooting stick is supported against your hip). The DeadRest can also be used as a monopod while seated due to its wide range of adjustment from 20- to 42-inches in length. **PAGE: 28**

NEW **EXTREME MINI SOFT CASE**

Featuring a rugged & water repellent woven fabric exterior with foam padding throughout, this lightweight, ultra-sleek case features dual straps for crossbow security, rubber overmolded handles for comfortable transport, & premium padded shoulder straps for hands-free carrying. **PAGE: 26**



NEW **NEMESIS™ TITANIUM**

The 4-blade, 100-grain Nemesis Titanium features a one-piece machined titanium ferrule & tip that is 3x stronger than aluminum, delivering superior durability & a devastating 3.75" Total Cut. **PAGE: 26**



# ENGINEERED TO DOMINATE.

## 70% TIGHTER GROUPS AT 100-YARDS.

Every component of our **NEW** Ultra Series is designed to achieve sniper-like accuracy with category-leading reliability. Available in forward draw (two lengths) or reverse-draw, each crossbow features a precision-engineered accuracy package that delivers 70% tighter groups at 100-yards.

### **NEW** VISION HD DIGITAL RANGEFINDING SCOPE WITH RECORDING CAPABILITY

The TenPoint Vision HD 3-12X Digital Ranging Crossbow Scope is the most advanced crossbow scope on the market, combining rangefinding with **5 Pre-Loaded Arrow Ballistic Profiles** with One-Shot Zeroing, all while capturing the video & audio of your hunt!

### **ACUSLIDE MAXX** (PATENTED)

The pinnacle of crossbow cocking & safe de-cocking. Stronger, smoother, & easier to operate, the patented ACUslide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

### **AR-STYLE AMBIDEXTROUS THUMB SAFETY**

Conveniently located directly above your firing hand, the safety is effortlessly activated & deactivated with the thumb – allowing you to keep both hands on the crossbow & eyes locked on your game.

### **TRIGGERTECH PRECISION TRIGGER**

Each facet of the TX & TRX Series is designed to extract every millimeter of accuracy from the crossbow, including a custom, hand-built TriggerTech Trigger. Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp “breaks like glass” feel to improve accuracy & precision.

### **TWIN-RISER TECHNOLOGY™ (TRT)**

Foundation of lethal accuracy. 41% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

### **ACU-LOCK™ SCOPE BRIDGE**

25x stronger than traditional scope rails, the ACU-Lock Scope Bridge provides the ultimate foundation for scope stability. The full-length, dual-mounted, machined aluminum bridge allows for more scope adjustment, heavier scope options & provides maximum in-the-field durability.

### **NEW** ACU-X ARROWS WITH SNAP-ON NOCK

Features a new precision spine-indexing manufacturing technique & ACU-X Snap-On Nock for precision long-range accuracy, while preserving string center serving life.

### **ZERO-TRAC BARREL**

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.

### **BOW HANGER**

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

### **NEW** PREMIUM STRING

Built with advanced materials & a new proprietary construction method to deliver exceptional accuracy & longevity for bows with snap-on nocks. The Premium String & ACU-X nock combination virtually eliminates serving distortion & wear while extending string life by 200% compared to previous strings.

### **NEW** ZERO-TORSION™ TECHNOLOGY

**NEW** 8MM Axles (175% stronger & 215% stiffer than previous axles) & **NEW** X-Wide Limbs (20% wider & 120% stronger than previous limbs) combine to eliminate all torsional movement along the limb axis & drive long-range accuracy with market-leading reliability.

NEW

TRX

ULTRA

THE FASTEST CROSSBOW IN THE WORLD.

EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ or Vision HD Digital Rangefinding Scope.

REVERSE-DRAW ADVANTAGE

Reverse-draw design delivers unmatched speed & the flattest trajectory possible with a crossbow, while making offhand shots easier due to the balance provided by the reverse-draw platform.

SPEED

515

FPS

WIDTH

6

INCHES

LENGTH

29.5

INCHES

NEW ZERO-TORSION TECHNOLOGY

NEW 8MM Axles (175% stronger & 215% stiffer than standard axles) & NEW X-Wide Limbs (20% wider & 120% stronger than standard limbs) combine to eliminate all torsional movement along the limb axis.

NEW ACU-X RD ARROWS WITH SNAP-ON NOCK

Configured specifically for our rail-less reverse-draw crossbows, the ACU-X RD Arrow features a new precision spine-indexing manufacturing technique & ACU-X Snap-On Nock for precision long-range accuracy, while preserving string center serving life.

NEW PREMIUM STRING

Built with advanced materials & construction to deliver exceptional accuracy & longevity for bows with snap-on nocks. The Premium String & ACU-X nock combination virtually eliminates serving distortion & wear while extending string life by 200% compared to previous strings.

NEW BRUSHLESS MACHINED ALUMINUM ARROW REST

Secures to the barrel & NEW riser rod, isolating it from SDS™ vibration to eliminate shift & deliver the ultimate in accuracy & shot-to-shot repeatability.

ACUSLIDE MAXX

(Patented)

Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

TRIGGERTECH PRECISION TRIGGER & AR-STYLE AMBIDEXTROUS THUMB SAFETY

Zero-creep trigger "breaks like glass" for the ultimate in precision, & thumb safety allows you to keep both hands on the crossbow & eyes locked on target.

TWIN-RISER TECHNOLOGY™ (TRT)

Foundation of lethal accuracy. 41% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

ULTRA-NARROW

6-INCHES WIDE

AVAILABLE FINISHES

VEKTRA

MOSS GREEN

BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

LIMITED LIFETIME WARRANTY

TRIGGERTECH

FACTORY PRE-SIGHTED

SHIPS FULLY ASSEMBLED

BUILT IN AMERICA

CROSSBOWS

AVAILABLE AS COMPLETE PACKAGE SEE PAGES 16-17

TENPOINTCROSSBOWS.COM 8

NEW

TX

ULTRA 29.5

OUR FASTEST FORWARD DRAW CROSSBOW EVER!

EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ or Vision HD Digital Rangefinding Scope.

REVERSE-DRAW ADVANTAGE

Reverse-draw design delivers unmatched speed & the flattest trajectory possible with a crossbow, while making offhand shots easier due to the balance provided by the reverse-draw platform.

SPEED

460

FPS

WIDTH

6.5

INCHES

LENGTH

29.5

INCHES

NEW ZERO-TORSION TECHNOLOGY

NEW 8MM Axles (175% stronger & 215% stiffer than standard axles) & NEW X-Wide Limbs (20% wider & 120% stronger than standard limbs) combine to eliminate all torsional movement along the limb axis.

NEW ACU-X ARROWS WITH SNAP-ON NOCK

Configured specifically for our rail-less forward draw crossbows, the ACU-X Arrow features a new precision spine-indexing manufacturing technique & ACU-X Snap-On Nock for precision long-range accuracy, while preserving string center serving life.

NEW PREMIUM STRING

Built with advanced materials & construction to deliver exceptional accuracy & longevity for bows with snap-on nocks. The Premium String & ACU-X nock combination virtually eliminates serving distortion & wear while extending string life by 200% compared to previous strings.

ACUSLIDE MAXX

(Patented)

Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

TRIGGERTECH PRECISION TRIGGER & AR-STYLE AMBIDEXTROUS THUMB SAFETY

Zero-creep trigger "breaks like glass" for the ultimate in precision, & thumb safety allows you to keep both hands on the crossbow & eyes locked on target.

TWIN-RISER TECHNOLOGY™ (TRT)

Foundation of lethal accuracy. 18% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

ZERO-TRAC BARREL

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.

6.5-INCHES WIDE

AVAILABLE FINISHES

VEKTRA

MOSS GREEN

BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

LIMITED LIFETIME WARRANTY

TRIGGERTECH

FACTORY PRE-SIGHTED

SHIPS FULLY ASSEMBLED

BUILT IN AMERICA

CROSSBOWS

AVAILABLE AS COMPLETE PACKAGE SEE PAGES 16-17

9

NEW

TX

ULTRA 26.5™

OUR SHORTEST FORWARD DRAW CROSSBOW EVER!

EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ or Vision HD Digital Rangefinding Scope.

SHORT & COMFORTABLE

Until now, 'short' & 'comfortable' have never existed in the same crossbow – but the TX Ultra 26.5 changes everything, delivering a comfortable shooting experience in a small package with incredible long-range accuracy!

SPEED

410

FPS

WIDTH

7

INCHES

LENGTH

26.5

INCHES

NEW ZERO-TORSION TECHNOLOGY

NEW 8MM Axles (175% stronger & 215% stiffer than standard axles) & NEW X-Wide Limbs (20% wider & 120% stronger than standard limbs) combine to eliminate all torsional movement along the limb axis.

NEW ACU-X ARROW WITH SNAP-ON NOCK

Configured specifically for our rail-less forward draw crossbows, the ACU-X Arrow features a new precision spine-indexing manufacturing technique & ACU-X Snap-On Nock for precision long-range accuracy, while preserving string center serving life.

NEW PREMIUM STRING

Built with advanced materials & construction to deliver exceptional accuracy & longevity for bows with snap-on nocks. The Premium String & ACU-X nock combination virtually eliminates serving distortion & wear while extending string life by 200% compared to previous strings.

ACUSLIDE MAXX

Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

TRIGGERTECH PRECISION TRIGGER & AR-STYLE AMBIDEXTROUS THUMB SAFETY

Zero-creep trigger "breaks like glass" for the ultimate in precision, & thumb safety allows you to keep both hands on the crossbow & eyes locked on target.

TWIN-RISER TECHNOLOGY™ (TRT)

Foundation of lethal accuracy. 18% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

ZERO-TRAC BARREL

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.

7-INCHES WIDE

COMPACT-FOOTPRINT

26.5-INCHES

AVAILABLE FINISHES

VEKTRA™ MOSS GREEN

BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

LIMITED LIFETIME WARRANTY

TRIGGERTECH

FACTORY PRE-SIGHTED

SHIPS FULLY ASSEMBLED

BUILT IN AMERICA

MCGADORE, OHIO

TRX 26™

THE FASTEST COMPACT CROSSBOW IN THE WORLD.

AVAILABLE FINISHES

VEKTRA™ MOSS GREEN

SPEED

460

FPS

WIDTH

5.75

INCHES

LENGTH

26.5

INCHES

TWIN-RISER TECHNOLOGY (TRT)

Foundation of lethal accuracy. 41% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

ACUSLIDE MAXX

Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

TRIGGERTECH PRECISION TRIGGER & AR-STYLE AMBIDEXTROUS THUMB SAFETY

Zero-creep trigger "breaks like glass" for the ultimate in precision, & thumb safety allows you to keep both hands on the crossbow & eyes locked on target.

NEW ACU-X RD ARROWS WITH SNAP-ON NOCK

Configured specifically for our rail-less reverse-draw crossbows, the ACU-X RD Arrow features a new precision spine-indexing manufacturing technique & ACU-X Snap-On Nock for precision long-range accuracy, while preserving string center serving life.

ZERO-TRAC BARREL

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.

SHIPS FULLY ASSEMBLED

ULTRA-NARROW

5.75-INCHES WIDE

REVERSE-DRAW ADVANTAGE

Reverse-draw design delivers unmatched speed & the flattest trajectory possible with a crossbow, while making offhand shots easier due to the balance provided by the reverse-draw platform.

EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ Rangefinding Scope.

COMPACT-FOOTPRINT

26.5-INCHES

TX 28™

COMPACT CUTTING-EDGE TECHNOLOGY AT ITS BEST PRICE EVER!

AVAILABLE FINISHES

VEKTRA™ MOSS GREEN

SPEED

410

FPS

WIDTH

6.5

INCHES

LENGTH

28

INCHES

TWIN-RISER TECHNOLOGY (TRT)

Foundation of lethal accuracy. 18% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

ACUSLIDE MAXX

Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

TRIGGERTECH PRECISION TRIGGER & AR-STYLE AMBIDEXTROUS THUMB SAFETY

Zero-creep trigger "breaks like glass" for the ultimate in precision, & thumb safety allows you to keep both hands on the crossbow & eyes locked on target.

NEW ACU-X ARROWS WITH SNAP-ON NOCK

Configured specifically for our rail-less forward draw crossbows, the ACU-X Arrow features a new precision spine-indexing manufacturing technique & ACU-X Snap-On Nock for precision long-range accuracy, while preserving string center serving life.

ZERO-TRAC BARREL

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.

SHIPS FULLY ASSEMBLED

BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

ULTRA-NARROW

6.5-INCHES WIDE

CROSSBOWS

AVAILABLE AS COMPLETE PACKAGE SEE PAGES 16-17

TENPOINTCROSSBOWS.COM 10

CROSSBOWS

AVAILABLE AS COMPLETE PACKAGE SEE PAGES 16-17

11

# FLATLINE 460

A MICRO-FOOTPRINT WITH UNMATCHED MANEUVERABILITY, SPEED, & ACCURACY.

## AVAILABLE FINISH



VEIL ALPINE™



## EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ Rangefinding Scope.



## REVERSE-DRAW ADVANTAGE

Reverse-draw design delivers unmatched speed & the flattest trajectory possible with a crossbow, while making offhand shots easier due to the balance provided by the reverse-draw platform.

7.5-INCHES WIDE



# STEALTH 450

ONE OF OUR FASTEST FORWARD DRAW CROSSBOWS OFFERS INCREDIBLE “FPS FOR YOUR BUCK” PERFORMANCE!

## AVAILABLE FINISH



VEIL ALPINE™



## EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ Rangefinding Scope.

ULTRA-NARROW  
6.5-INCHES WIDE



2023

BEST CROSSBOW  
BY OUTDOOR LIFE

SPEED 460 FPS WIDTH 7.5 INCHES LENGTH 26.5 INCHES



## SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & “bulletproof” in-the-field durability.

## S2 TRIGGER

2-stage, zero-creep design features a DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

## SENTRY BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

## ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

## REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, while making offhand shots easier due to the balance provided by the reverse-draw platform.

100-YARD EVO-X® MARKSMAN™ ELITE SCOPE  
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.

SHIPS FULLY ASSEMBLED

SPEED 450 FPS WIDTH 6.5 INCHES LENGTH 33 INCHES



## SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & “bulletproof” in-the-field durability.

## SENTRY BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

## ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

## S2 TRIGGER

2-stage, zero-creep design features a DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

100-YARD EVO-X® MARKSMAN™ ELITE SCOPE  
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.

SHIPS FULLY ASSEMBLED

# TURBOX

2025 OUTDOOR LIFE BEST CROSSBOW & MOST ACCURATE CROSSBOW.

2025

BEST CROSSBOW  
BY OUTDOOR LIFE

2025

MOST ACCURATE  
CROSSBOW  
BY OUTDOOR LIFE

SPEED 415 FPS WIDTH 9.5 INCHES LENGTH 33.25 INCHES

## AVAILABLE FINISHES



VEKTRA™



MOSS GREEN




Also available with Vision HD Digital Rangefinding Scope.

## BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

9.5-INCHES WIDE



# VENOMX

2024 OUTDOOR LIFE BEST VALUE CROSSBOW.

2024

BEST VALUE  
BY OUTDOOR LIFE

SPEED 390 FPS WIDTH 9.75 INCHES LENGTH 32.5 INCHES

## AVAILABLE FINISHES



VEKTRA™




MOSS GREEN



## BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

9.5-INCHES WIDE



## SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & “bulletproof” in-the-field durability.

## SENTRY BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

## ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

## S2 TRIGGER

2-stage, zero-creep design features a DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

70-YARD PRO-VIEW™ 400 LIGHTED SCOPE  
Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

SHIPS FULLY ASSEMBLED

NEW

PHANTOM™ DE-COCK

OUR LIGHTEST REVERSE-DRAW CROSSBOW AT OUR GREATEST VALUE EVER!

AVAILABLE FINISHES

VEKTRA™

MOSS GREEN



8.4-INCHES WIDE

REVERSE-DRAW ADVANTAGE

Reverse-draw design delivers blistering speeds with a lower draw weight for quieter shots & less vibration, while making offhand shots easier due to the balance provided by the reverse-draw platform.

SILENT ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM

While other de-cocking crossbows force you to "hang on to the crank handle for dear life" - the ACUdraw De-Cock delivers safe, controlled de-cocking that anyone in the family can use with confidence.

D1 TRIGGER

2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) delivers a consistent, crisp 3 ½ - pound pull.

NEW STOCK & BARREL

Features upgrades typically found at higher price points, including a metal barrel that eliminates barrel flex & reduces friction for improved string life, plus rubber touch points for added comfort on the stock, cheek piece, butt plate, & pistol grip.

SENTRY BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

SUPERIOR SHOOTING COMFORT

We've optimized every ergonomic element — comb height, length-of-pull, grips — so our crossbows feel like natural body extensions for maximum accuracy.

SHIPS FULLY ASSEMBLED

NEW

TITANX™ DE-COCK

OUR BEST-SELLER JUST GOT BETTER—MORE SPEED, INTEGRATED SAFE DE-COCKING, & BETTER VALUE.

AVAILABLE FINISHES

VEKTRA™

MOSS GREEN



9.75-INCHES WIDE

BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

SILENT ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM

While other de-cocking crossbows force you to "hang on to the crank handle for dear life" - the ACUdraw De-Cock delivers safe, controlled de-cocking that anyone in the family can use with confidence.

D1 TRIGGER

2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) delivers a consistent, crisp 3 ½ - pound pull.

NEW STOCK & BARREL

Includes features upgrades typically found at higher price points, including a metal barrel that eliminates barrel flex & reduces friction for improved string life, plus rubber touch points for added comfort on the stock, cheek piece, butt plate, & pistol grip.

COMPACT 9.75-INCH PROFILE

Narrow front-end known for category-leading accuracy & incredible accuracy provides more mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

SUPERIOR SHOOTING COMFORT

We've optimized every ergonomic element — comb height, length-of-pull, grips — so our crossbows feel like natural body extensions for maximum accuracy.

SHIPS FULLY ASSEMBLED

TITAN 400

LEGENDARY TITAN CROSSBOW WITH SILENT COCKING & 400 FPS.

AVAILABLE FINISH

VEKTRA™



9.75-INCHES WIDE

BOW HANGER

Hang with Us! While others leave you wishing for a way to hang your crossbow, our Sentry Bow Hanger offers easy hanging while keeping your broadhead out of the dirt when hunting from a blind!

SPEED

400 FPS

WIDTH

9.75 INCHES

LENGTH

33 INCHES

LIGHTWEIGHT 6 LBS. & COMPACT 9.75-INCH PROFILE

More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

ACUDRAW SILENT™

Easiest ACUdraw to operate – providing silent cocking & reducing the draw weight for easy & effortless cocking.

INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

SHIPS FULLY ASSEMBLED




|                                                         |                                                                                                |                                                     |                                                                                                                                     |                                                                                         |                                                                                                                                                               |  |                                                                                                                                    |                                |  |  |  |  |
|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                         | <b>NEW</b><br>TRX ULTRA<br>SAFE DE-COCKING                                                                                                                                      | TRX 26<br>SAFE DE-COCKING                                                                                                            | <b>NEW</b><br>TX ULTRA 29.5<br>SAFE DE-COCKING                                                                                                                                                                         | <b>NEW</b><br>TX ULTRA 26.5<br>SAFE DE-COCKING                                                                                                                             | FLATLINE 460<br>SAFE DE-COCKING                                                                                                                                                                                                                  | TX 28<br>SAFE DE-COCKING                                                            | STEALTH 450<br>SAFE DE-COCKING                                                                                                                                                                                        | TURBO X<br>SAFE DE-COCKING                                                                                        | VENOM X<br>SAFE DE-COCKING                                                          | <b>NEW</b><br>PHANTOM DE-COCK<br>SAFE DE-COCKING                                    | <b>NEW</b><br>TITAN X DE-COCK<br>SAFE DE-COCKING                                    | TITAN 400                                                                           |
| LENGTH<br><small>WITHOUT FOOT-STIRRUP</small>           | 29.5"                                                                                                                                                                           | 26.5"                                                                                                                                | 29.5"                                                                                                                                                                                                                  | 26.5"                                                                                                                                                                      | 26.5"                                                                                                                                                                                                                                            | 28"                                                                                 | 33"                                                                                                                                                                                                                   | 33.25"                                                                                                            | 32.5"                                                                               | 28.5"                                                                               | 33"                                                                                 | 33"                                                                                 |
| WIDTH<br><small>UNCOCKED / COCKED</small>               | 11.75" / 6"                                                                                                                                                                     | 11" / 5.75"                                                                                                                          | 11" / 6.5"                                                                                                                                                                                                             | 10.75" / 7"                                                                                                                                                                | 12" / 7.5"                                                                                                                                                                                                                                       | 11" / 6.5"                                                                          | 11" / 6.5"                                                                                                                                                                                                            | 13" / 9.5"                                                                                                        | 13" / 9.75"                                                                         | 12.4" / 8.4"                                                                        | 13" / 9.75"                                                                         | 13" / 9.75"                                                                         |
| POWER STROKE                                            | 16.25"                                                                                                                                                                          | 13.6"                                                                                                                                | 13.5"                                                                                                                                                                                                                  | 10.25"                                                                                                                                                                     | 13.5"                                                                                                                                                                                                                                            | 12"                                                                                 | 13"                                                                                                                                                                                                                   | 12.75"                                                                                                            | 11.75"                                                                              | 16"                                                                                 | 12.75"                                                                              | 12"                                                                                 |
| DRAW FORCE                                              | 13.3 lbs.                                                                                                                                                                       | 13.3 lbs.                                                                                                                            | 13.3 lbs.                                                                                                                                                                                                              | 13.3 lbs.                                                                                                                                                                  | 16 lbs.                                                                                                                                                                                                                                          | 13.3 lbs.                                                                           | 14 lbs.                                                                                                                                                                                                               | 12 lbs.                                                                                                           | 12 lbs.                                                                             | 8 lbs.                                                                              | 9 lbs.                                                                              | 9 lbs.                                                                              |
| WEIGHT<br><small>WITHOUT ACCESSORIES OR STIRRUP</small> | 8.4 lbs.<br>(w/ACUslide MAXX)                                                                                                                                                   | 7.9 lbs.<br>(w/ACUslide MAXX)                                                                                                        | 8.0 lbs.<br>(w/ACUslide MAXX)                                                                                                                                                                                          | 7.7 lbs.<br>(w/ACUslide MAXX)                                                                                                                                              | 7.8 lbs.<br>(w/ACUslide)                                                                                                                                                                                                                         | 7.5 lbs.<br>(w/ACUslide MAXX)                                                       | 7.5 lbs.<br>(w/ACUslide)                                                                                                                                                                                              | 6.8 lbs.<br>(w/ACUslide)                                                                                          | 6.7 lbs.<br>(w/ACUslide)                                                            | 7.4 lbs.<br>(w/ACUdraw De-Cock)                                                     | 7.3 lbs.<br>(w/ACUdraw De-Cock)                                                     | 7 lbs.<br>(w/ACUdraw Silent)                                                        |
| <b>PERFORMANCE</b><br>FEET-PER-SECOND / FOOT-POUNDS KE  |                                                                                                                                                                                 |                                                                                                                                      |                                                                                                                                                                                                                        |                                                                                                                                                                            |                                                                                                                                                                                                                                                  |                                                                                     |                                                                                                                                                                                                                       |                                                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| PRO ELITE 400<br><small>410-GRAINS</small>              | 515 / 242                                                                                                                                                                       | 460 / 193                                                                                                                            | 460 / 193                                                                                                                                                                                                              | 410 / 153                                                                                                                                                                  | N/A                                                                                                                                                                                                                                              | 410 / 153                                                                           | 450 / 184<br>(Supplied arrow speed / KE)                                                                                                                                                                              | 415 / 157<br>(Supplied arrow speed / KE)                                                                          | 390 / 138<br>(Supplied arrow speed / KE)                                            | 400 / 146<br>(Supplied arrow speed / KE)                                            | 400 / 146<br>(Supplied arrow speed / KE)                                            | 400 / 146<br>(Supplied arrow speed / KE)                                            |
| EVO-X CENTERPUNCH 16<br><small>410-GRAINS</small>       | N/A                                                                                                                                                                             | N/A                                                                                                                                  | N/A                                                                                                                                                                                                                    | N/A                                                                                                                                                                        | 460 / 193<br>(Supplied arrow speed / KE)                                                                                                                                                                                                         | N/A                                                                                 | N/A                                                                                                                                                                                                                   | N/A                                                                                                               | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| ACU-X ARROW<br><small>440-GRAINS</small>                | 495 / 242<br>(Supplied arrow speed / KE)                                                                                                                                        | 445 / 194<br>(Supplied arrow speed / KE)                                                                                             | 440 / 189<br>(Supplied arrow speed / KE)                                                                                                                                                                               | 390 / 149<br>(Supplied arrow speed / KE)                                                                                                                                   | N/A                                                                                                                                                                                                                                              | 395 / 153<br>(Supplied arrow speed / KE)                                            | N/A                                                                                                                                                                                                                   | N/A                                                                                                               | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 | N/A                                                                                 |
| EVO-X CENTERPUNCH HPX<br><small>445-GRAINS</small>      | N/A                                                                                                                                                                             | N/A                                                                                                                                  | N/A                                                                                                                                                                                                                    | N/A                                                                                                                                                                        | N/A                                                                                                                                                                                                                                              | N/A                                                                                 | 430 / 183                                                                                                                                                                                                             | 395 / 154                                                                                                         | 370 / 135                                                                           | 380 / 143                                                                           | 380 / 143                                                                           | 380 / 143                                                                           |
| COCKING DEVICE                                          | ACUslide MAXX                                                                                                                                                                   | ACUslide MAXX                                                                                                                        | ACUslide MAXX                                                                                                                                                                                                          | ACUslide MAXX                                                                                                                                                              | ACUslide                                                                                                                                                                                                                                         | ACUslide MAXX                                                                       | ACUslide                                                                                                                                                                                                              | ACUslide                                                                                                          | ACUslide                                                                            | ACUdraw De-Cock                                                                     | ACUdraw De-Cock                                                                     | ACUdraw Silent                                                                      |
| PACKAGE INCLUDES                                        | Quiver<br>3 ACU-X RD Arrows                                                                                                                                                     | Quiver<br>3 ACU-X RD Arrows                                                                                                          | Quiver<br>3 ACU-X Arrows                                                                                                                                                                                               | Quiver<br>3 ACU-X Arrows                                                                                                                                                   | Quiver<br>6 EVO-X 16 Arrows                                                                                                                                                                                                                      | Quiver<br>3 ACU-X Arrows                                                            | Quiver<br>3 Pro Elite 400 Arrows                                                                                                                                                                                      | Quiver<br>3 Pro Elite 400 Arrows                                                                                  | Quiver<br>3 Pro Elite 400 Arrows                                                    | Quiver<br>3 Pro Elite 400 Arrows                                                    | Quiver<br>3 Pro Elite 400 Arrows                                                    | Quiver<br>3 Pro Elite 400 Arrows                                                    |
| SCOPE, FINISH,<br>& ITEM NUMBER                         | <b>Burris® Oracle X™:</b><br>Vektra: CB26001-7869<br><br><b>Vision RF:</b> CB26001-7819<br><br><b>EVO-X Marksman Elite:</b><br>Vektra: CB26001-7899<br>Moss Green: CB26001-1899 | <b>Burris® Oracle X™:</b><br>Vektra: CB25003-7869<br><br><b>RangeMaster 100:</b><br>Vektra: CB25003-7849<br>Moss Green: CB25003-1849 | <b>Burris® Oracle X™:</b><br>Vektra: CB26006-7869<br><br><b>Vision RF:</b><br>Vektra: CB26006-7819<br>Moss Green: CB26006-1819<br><br><b>EVO-X Marksman Elite:</b><br>Vektra: CB26006-7899<br>Moss Green: CB26006-1899 | <b>Burris® Oracle X™:</b><br>Vektra: CB26008-7869<br><br><b>Vision RF:</b> CB26008-7819<br><br><b>RangeMaster 100:</b><br>Vektra: CB26008-7849<br>Moss Green: CB26008-1849 | <b>Burris® Oracle X™:</b><br>Veil Alpine™: CB23008-6869<br><br><b>EVO-X Marksman Elite:</b><br>Veil Alpine™: CB23008-6889<br><br><b>RangeMaster 100:</b><br>Vektra: CB25008-7549<br>Flatline 460R<br>(3 EVO-X 16 Arrows)<br><b>(Dealer Only)</b> | <b>RangeMaster 100:</b><br>Vektra: CB25004-7849<br>Moss Green: CB25004-1849         | <b>Burris® Oracle X™:</b><br>Veil Alpine™: CB23019-6869<br><br><b>EVO-X Marksman Elite:</b><br>Veil Alpine™: CB23019-6889<br><br><b>RangeMaster 100:</b><br>Vektra: CB25019-7549<br>Stealth 450R <b>(Dealer Only)</b> | <b>Vision RF:</b> CB25020-7519<br><br><b>RangeMaster 100:</b><br>Vektra: CB25020-7549<br>Moss Green: CB25020-1549 | <b>Pro-View 400:</b><br>Vektra: CB24007-7559<br>Moss Green: CB24007-1559            | <b>Pro-View 400:</b><br>Vektra: CB26005-7858<br>Moss Green: CB26005-1858            | <b>Pro-View 400:</b><br>Vektra: CB26047-7858<br>Moss Green: CB26047-1858            | <b>Pro-View 400:</b><br>Vektra: CB24047-7556                                        |





## BUILT RIGHT. RIGHT HERE.™

AMERICA-BUILT CRAFTSMANSHIP YOU CAN DEPEND ON.



**DE-COCKING STARTING AT \$699.99**  
Lowest price ever for a de-cocking crossbow!

**PREMIUM LIGHTED SCOPES**  
All Wicked Ridge crossbows are now packaged with lighted scopes.

**MORE COMFORTABLE TO SHOOT**  
Shoulder & shoot our ACUdraw crossbows vs. competing models & feel the difference in both comfort & natural eye-to-scope alignment.

**BUILT-IN ACUDRAW & ACUDRAW DE-COCK DEVICES**  
Over 90% of consumers prefer our built-in cocking device over competitor's bulky clamp-on devices.

- Nothing to forget
- Fewer steps, less confusion
- Easier to cock



**AMERICAN-BUILT. PROVEN MORE ACCURATE.**  
During independent third-party testing in 2025, the American-Built Wicked Ridge Invader M1 was tested to be 25% more accurate than the average of the 4 major Imported crossbow brands, & shot groups that were 35% smaller than the worst performing Imported crossbow.

(\*Results from <https://www.outdoorlife.com/gear/best-crossbows/>)



**GORDON GLASS™ DOUBLE LAMINATED LIMBS**  
Crossbow limbs can make or literally break the crossbow. Mass-produced imported crossbows under \$500 use inferior imported limbs that come with a low cost, but unfortunately a high failure rate. All Wicked Ridge crossbows include Gordon Glass limbs—the finest limbs money can buy. We all save those vacation days with plans to be out in the field...don't let your limbs leave you "out on a limb" this fall!

## NEW FOR 2026



**NEW COMMANDER 400™**  
We just upped the ante when it comes to crossbow affordability! With a speed boost to 400 FPS, a built-in ACUdraw Cocking Device & a New lighted scope, the Commander 400 delivers American-Built performance, reliability, & accuracy at just \$599. **PAGE 20**

**NEW WARRIOR 400™**  
Sometimes, you get MORE than you pay for! With 400 FPS, a lighted scope, & an adjustable stock, the Warrior 400 delivers American-Built performance, reliability, & accuracy at just \$499. **PAGE 20**



**NEW DEMISE™ BROADHEAD**  
Designed for strength & precision at a great value, the 100-grain, 2-blade, rear-deploying Demise broadhead is CNC-machined from a single piece of aluminum for durability while delivering field point accuracy with a devastating 2" cut. **PAGE 26**



**NEW** **COMMANDER 400™**  
THE BEST VALUE IN AFFORDABLE CROSSBOWS...NOW EVEN BETTER!

AVAILABLE FINISH



PEAK™



**SPEED** 400 FPS  
**WIDTH** 11 INCHES  
**LENGTH** 35.75 INCHES

**BUILT-IN ACUDRAW CRANK COCKING**

Reduces draw weight to just 5 lbs. for easy & effortless cocking. Unlike competitors cocking devices, both the device & crank handle are built right into the crossbow, eliminating the need for a bulky clamp-on unit to cock the crossbow that must be installed & then removed each time you cock the crossbow.

**GORDON GLASS DOUBLE-LAMINATED LIMBS**

Imported crossbows can literally leave you "out on a limb" due to limb failure caused by low quality glass from overseas. Wicked Ridge only uses the highest quality limbs in the industry, Gordon Glass, to keep you up in your tree when it matters most.

**70-YARD PRO-VIEW 400 LIGHTED SCOPE**

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

**SUPERIOR SHOOTING COMFORT**

We've optimized every ergonomic element — comb height, length-of-pull, grips — so our crossbows feel like natural body extensions for maximum accuracy.

**PRE-SIGHTED AT 20-YARDS**

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

**BUILT IN AMERICA**

Built, tested, & inspected by American workers — ensuring superior accuracy & reliability compared to mass-produced imported crossbows.

**NEW** **WARRIOR 400™**  
UNCOMPROMISING PERFORMANCE UNDER \$500.

AVAILABLE FINISH



PEAK XT™



**SPEED** 400 FPS  
**WIDTH** 11 INCHES  
**LENGTH** 33.5 INCHES

**ADJUSTABLE STOCK FITS ALL SIZES**

Tactical Stock features an adjustable butt stock that locks in six positions & allows for 2.5-inches of extra adjustability in five different 1/2-inch increments.

**GORDON GLASS DOUBLE-LAMINATED LIMBS**

Imported crossbows can literally leave you "out on a limb" due to limb failure caused by low quality glass from overseas. Wicked Ridge only uses the highest quality limbs in the industry, Gordon Glass, to keep you up in your tree when it matters most.

**PRE-SIGHTED AT 20-YARDS**

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

**70-YARD PRO-VIEW 400 LIGHTED SCOPE**

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

**SUPERIOR SHOOTING COMFORT**

We've optimized every ergonomic element — comb height, length-of-pull, grips — so our crossbows feel like natural body extensions for maximum accuracy.

**BUILT IN AMERICA**

Built, tested, & inspected by American workers — ensuring superior accuracy & reliability compared to mass-produced imported crossbows.

**FURY 410™ DE-COCK**  
VALUE-PRICED DE-COCKING WITH REVERSE-DRAW SPEED.

AVAILABLE FINISH



PEAK XT™



**SPEED** 410 FPS  
**WIDTH** 9 INCHES  
**LENGTH** 29 INCHES

**ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM**

While other de-cocking crossbows force you to "hang on to the crank handle for dear life" - the ACUdraw De-Cock delivers safe, controlled de-cocking that anyone in the family can use with confidence.

**100-YARD RANGEMASTER® SCOPE**

Variable speed scope maximizes accuracy out to 100-yards.

**GORDON GLASS DOUBLE-LAMINATED LIMBS**

Imported crossbows can literally leave you "out on a limb" due to limb failure caused by low quality glass from overseas. Wicked Ridge only uses the highest quality limbs in the industry, Gordon Glass, to keep you up in your tree when it matters most.

**REVERSE-DRAW**

Perfectly balanced reverse-draw design eliminates the front-heavy feel of crossbows for rock-steady offhand shots, while delivering blistering speeds with a lower draw weight for quieter shots & less vibration.

**D1 TRIGGER**

(Patented)

2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) delivers a consistent, crisp 3 1/2 - pound pull.

**BUILT IN AMERICA**

Built, tested, & inspected by American workers — ensuring superior accuracy & reliability compared to mass-produced imported crossbows.

SHIPS FULLY ASSEMBLED

**RDX 410™**  
OUR BEST-SELLING WICKED RIDGE REVERSE-DRAW. SHORT. FAST. SILENT COCKING.

AVAILABLE FINISH



PEAK XT™



**SPEED** 410 FPS  
**WIDTH** 9 INCHES  
**LENGTH** 29 INCHES

**BUILT-IN ACUDRAW SILENT CRANK COCKING**

Provides silent cocking & reduces draw weight to just 5 lbs. for easy & effortless cocking. Unlike competitors cocking devices, both the device & crank handle are built right into the crossbow, eliminating the need for a bulky clamp-on unit to cock the crossbow that must be installed & then removed each time you cock the crossbow.

**GORDON GLASS DOUBLE-LAMINATED LIMBS**

Imported crossbows can literally leave you "out on a limb" due to limb failure caused by low quality glass from overseas. Wicked Ridge only uses the highest quality limbs in the industry, Gordon Glass, to keep you up in your tree when it matters most.

SHIPS FULLY ASSEMBLED

**REVERSE-DRAW**

Perfectly balanced reverse-draw design eliminates the front-heavy feel of crossbows for rock-steady offhand shots, while delivering blistering speeds with a lower draw weight for quieter shots & less vibration.

**70-YARD PRO-VIEW 400 LIGHTED SCOPE**

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

**INTEGRATED STRING STOP SYSTEM**

Reduces noise & vibration.

**BUILT IN AMERICA**

Built, tested, & inspected by American workers — ensuring superior accuracy & reliability compared to mass-produced imported crossbows.



NOCKS

NEW ACU-X SNAP-ON NOCK

The ACU-X Snap-On Nock features our innovative Snap-On design, providing an unmistakable audible “click” when properly engaged with the bowstring, eliminating lateral nock travel during the shot cycle for precision long-range accuracy, while preserving string center serving life. The ACU-X Snap-On Nock provides secure string fit & the most consistent design for rail-less crossbows.

**NOTE:** The ACU-X Snap-On Nock is required for use with TenPoint Rail-Less Crossbows. Failure to do so will void the manufacturer’s warranty.



ALPHA-NOCK HP

TenPoint’s Alpha-Nock HP & Alpha Nock HPX feature a deep bowstring groove, a large smooth radius base, & elongated ears. The string on wraps tightly around the center of the nock resulting in straight nock travel & precision down-range accuracy, while minimizing string serving wear.



The nock’s deep channel design increases the string-to-nock engagement by 28% & “holds” the bowstring in place during the shot which prevents “shoot-over” or “shoot-under”.

**NOTE:** The Alpha-Nock HP is required for use with TenPoint & Wicked Ridge Railed Crossbows. Failure to do so will void the manufacturer’s warranty.

LIGHTED NOCKS

NEW ACU-X LIGHTED SNAP-ON NOCK & ALPHA-BLAZE LIGHTED NOCK

TenPoint’s ACU-X Lighted Snap-On Nock & Alpha-Blaze Lighted Nocks contain a one-piece Nock/LED unit that is indexed with the vanes & press fits into the arrow’s Aluminum Bushing. Upon firing the crossbow, the bow string pushes the nock fully into the bushing & activates the LED light.

Deactivate the easy on/off lighted nock by pulling the nock straight out until the light turns off. The LED light system lasts for approximately 24 hours when activated. Use of the Bednar Perfect Puller 2.0 makes lighted nock deactivation extremely easy.

The lighted nock fits into TenPoint & Wicked Ridge arrows equipped with an HP Aluminum Bushing (sold separately).

BE SURE THE NOCK’S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW.

Diagram showing the components of the Lighted Nock Kits: Alpha-Blaze Nock / LED Unit, HP Aluminum Bushing, and Arrow Shaft.

**LIGHTED NOCK KITS**

|                |                                                          |
|----------------|----------------------------------------------------------|
| NEW HEA-381.3G | 3-pack ACU-X Lighted Nock for HP Bushing - Green         |
| HEA-379.3      | 3-pack Alpha-Blaze Lighted Nock for HP Bushing - Green   |
| HEA-380.3R     | 3-pack Alpha-Blaze HPX Lighted Nock for HP Bushing – Red |

ARROW COMPATIBILITY

| BOW FAMILY                                                                 | SUPPLIED        | BEST ACCURACY        |
|----------------------------------------------------------------------------|-----------------|----------------------|
| TenPoint Rail-Less Forward Draw Crossbows                                  | ACU-X           | ACU-X                |
| TenPoint Rail-Less Reverse-Draw Crossbows                                  | ACU-X RD        | ACU-X RD             |
| TenPoint Crossbows with ACUdraw, ACUslide, ACUdraw De-Cock, ACUdraw Silent | Pro Elite 400   | Pro Elite 400 Select |
| TenPoint Crossbows Requiring 16" Arrow                                     | 16" CenterPunch | 16" CenterPunch      |
| Wicked Ridge Crossbows                                                     | Match 400       | Pro Elite 400 Select |



ARROWS & LIGHTED ARROWS

NEW ACU-X 20 LIGHTED & NON-LIGHTED CARBON ARROWS: CONFIGURED SPECIFICALLY FOR OUR RAIL-LESS FORWARD DRAW CROSSBOWS 20-INCH / 440-GRAINS (+/- 1-GRAIN) / BALANCED AT 16.5% FOC / .001" STRAIGHTNESS

The 20-inch, 440-grain ACU-X arrow features a high-performance carbon shaft & a new precision spine-indexing manufacturing technique - placing the spine of the arrow in the exact configuration that has been tested & proven to perform best specifically for our rail-less forward draw crossbows, delivering the ultimate in consistency & long-range accuracy out of this platform. The ACU-X Snap-On Nock provides an audible engagement click, ensuring precise string alignment, eliminating lateral nock travel, & extending center serving life. Equipped with 2" Blazer® vanes & a 92-grain insert, the arrow achieves a 16.5% F.O.C. for enhanced stability & accuracy. Each arrow is inspected to a straightness tolerance of ±.001" & weight-matched within ±1-grain.

|           |                                |                                                             |                       |
|-----------|--------------------------------|-------------------------------------------------------------|-----------------------|
| HEA-790.3 | 3-pack (w/ACU-X Nock)          | HEA-790.6                                                   | 6-pack (w/ACU-X Nock) |
| HEA-799.3 | 3-pack (w/ACU-X lighted nocks) | NOT FOR USE WITH TENPOINT OR WICKED RIDGE RAILED CROSSBOWS. |                       |

\*All 3- & 6-packs come with 100-grain field points

TENPOINT CENTERPUNCH HPX LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 445-GRAINS (+/- 1-GRAIN) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Measuring 20-inches in length, weighing 445-grains, & featuring 15.5% FOC, the CenterPunch HPX is spine-aligned to the odd color vane. Each arrow is inspected for straightness to within .001" & each package is weight-grain matched within 1-grain per arrow. Featuring a unidirectional carbon inner layer for stiffness, & a woven carbon fiber outer layer for impact strength, the arrow is straight fletched & equipped with the patented Alpha-Nock HPX.

|           |                           |           |                                          |
|-----------|---------------------------|-----------|------------------------------------------|
| HEA-770.6 | 6-pack (w/Alpha-Nock HPX) | HEA-779.3 | 3-pack (w/Alpha-Blaze HPX lighted nocks) |
|-----------|---------------------------|-----------|------------------------------------------|

\*All 3- & 6-packs come with 100-grain field points

NEW TENPOINT PRO ELITE 400 SELECT LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 410-GRAINS (+/- 1-GRAIN) / BALANCED AT 13% FOC / .001" STRAIGHTNESS

Weighing 410-grains, the precision spine-indexed Pro Elite Select 400 is an easy accuracy upgrade for those who want to extract every millimeter of accuracy from their railed crossbow. The combination of spine indexing & stringent straightness & weight tolerance criteria allow the PE 400 Select arrow to increase accuracy by 33%, delivering tighter groups while maintaining the same point-of-impact as the standard Pro Elite 400 Carbon Arrows. The 20-inch arrow features a 3" Q2i Fusion X-II Vane fletching & is equipped with a 58-grain aluminum insert, providing a 13% F.O.C. (Front-of-Center balance). Each arrow is fitted with TenPoint's Alpha-Nock HP & HP Aluminum Bushing for enhanced strength & accuracy. Pro Elite Select 400 arrows are inspected for straightness to within .001", precision spine-indexed, & each package is weight matched within 1-grain per arrow for consistent performance.

|           |                          |           |                                      |
|-----------|--------------------------|-----------|--------------------------------------|
| HEA-670.6 | 6-pack (w/Alpha-Nock HP) | HEA-679.3 | 3-pack (w/Alpha-Blaze lighted nocks) |
|-----------|--------------------------|-----------|--------------------------------------|

\*All 3- & 6-packs come with 100-grain field points

WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 410-GRAINS (+/- 5-GRAIN) / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" & hand-sorted for weight tolerance to within 2-grains per dozen.

|           |                                      |           |                          |
|-----------|--------------------------------------|-----------|--------------------------|
| HEA-760.3 | 3-pack (w/Alpha-Nock HP)             | HEA-760.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-769.3 | 3-pack (w/Alpha-Blaze lighted nocks) |           |                          |

\*All 3- & 6-packs come with 100-grain field points



NEW ACU-X RD LIGHTED & NON-LIGHTED CARBON ARROWS: CONFIGURED SPECIFICALLY FOR OUR RAIL-LESS REVERSE-DRAW CROSSBOWS 20-INCH / 440-GRAINS (+/- 1-GRAIN) / BALANCED AT 16.5% FOC / .001" STRAIGHTNESS

The 20-inch, 440-grain ACU-X RD arrow features a high-performance carbon shaft & a new precision spine-indexing manufacturing technique - placing the spine of the arrow in the exact configuration that has been tested & proven to perform best specifically for our rail-less reverse-draw crossbows, delivering the ultimate in consistency & long-range accuracy out of this platform. The ACU-X Snap-On Nock provides an audible “click” for secure string engagement, eliminating lateral nock travel & extending serving life. Outfitted with 2" Blazer® vanes & a 92-grain insert for a 16.5% F.O.C., the ACU-X RD delivers exceptional stability & consistency. Each arrow is inspected to ±.001" straightness & weight-matched within ±1-grain.

|            |                                   |                                                             |                          |
|------------|-----------------------------------|-------------------------------------------------------------|--------------------------|
| HEA-1000.3 | 3-pack (w/ACU-X RD Nock)          | HEA-1000.6                                                  | 6-pack (w/ACU-X RD Nock) |
| HEA-1009.3 | 3-pack (w/ACU-X RD lighted nocks) | NOT FOR USE WITH TENPOINT OR WICKED RIDGE RAILED CROSSBOWS. |                          |

\*All 3- & 6-packs come with 100-grain field points

TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS 16-INCH / 410-GRAINS (+/- 1-grain) / BALANCED AT 17% FOC / .001" STRAIGHTNESS

Designed for crossbows requiring a 16-inch arrow, the CenterPunch 16-inch arrow is fletched slightly offset & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP Nock & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 & each package is weight-grain matched with-in 1-grain per arrow.

|           |                       |           |                                      |
|-----------|-----------------------|-----------|--------------------------------------|
| HEA-750.6 | 6-pack (w/Alpha-Nock) | HEA-759.3 | 3-pack (w/Alpha-Blaze lighted nocks) |
|-----------|-----------------------|-----------|--------------------------------------|

\*All 3- & 6-packs come with 100-grain field points

TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS 20-INCH / 410-GRAINS (+/- 5-GRAIN) / BALANCED AT 13% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" & hand-sorted for weight tolerance to within 2-grains per dozen.

|           |                                      |           |                          |
|-----------|--------------------------------------|-----------|--------------------------|
| HEA-660.3 | 3-pack (w/Alpha-Nock HP)             | HEA-660.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-669.3 | 3-pack (w/Alpha-Blaze lighted nocks) |           |                          |

\*All 3- & 6-packs come with 100-grain field points

WICKED RIDGE XX75 LIGHTED & NON-LIGHTED ALUMINUM ARROWS 20-INCH / 460-GRAINS / BALANCED AT 10% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset & is fitted with a 13-grain carbon insert, 3.5" Bohning X Vanes™, & TenPoint's Alpha-Nock & Alpha-Nock HP Nock Bushing.

**NOTE:** Alpha-Brite lighted arrows come with original Alpha-Nocks.

|           |                                      |           |                          |
|-----------|--------------------------------------|-----------|--------------------------|
| HEA-060.3 | 3-pack (w/Alpha-Nock HP)             | HEA-060.6 | 6-pack (w/Alpha-Nock HP) |
| HEA-068.3 | 3-pack (w/Alpha-Brite lighted nocks) |           |                          |

\*All 3- & 6-packs come with 100-grain field points

# BROADHEADS

## NEW TENPOINT NEMESIS TITANIUM

### 4-BLADE EXPANDABLE BROADHEAD

With a new titanium construction that is 3x stronger than aluminum for more pass throughs & better blood trails, the 100-grain Nemesis Broadhead is designed for maximum penetration & hemorrhage, cutting a 2-blade, 2" entry wound & a 4-blade, 2" x 1.75" exit hole for a devastating total cut of 3.75". Engineered with an unlimited speed rating to handle today's fastest crossbows, the Nemesis transfers extra energy into more lethal power, making it the most accurate mechanical broadhead that inflicts devastating damage to create a larger hole, more blood loss, & better blood trails for a faster recovery.



HEA-805.3 Nemesis Titanium Broadhead (3-pack)

## TENPOINT NEMESIS

### 4-BLADE EXPANDABLE BROADHEAD

The 100-grain Nemesis Broadhead is designed for maximum penetration & hemorrhage, cutting a 2-blade, 2" entry wound & a 4-blade, 2" x 1.75" exit hole for a devastating total cut of 3.75". Designed to transfer the extra energy of today's fastest crossbows into more lethal power, the Nemesis is the most accurate mechanical broadhead & inflicts more damage to create a larger hole, more blood loss, & better blood trails for a faster recovery.



HEA-804.3 Nemesis Broadhead (3-pack)

## TENPOINT CENTERPUNCH

### 2-BLADE EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy & a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, & scalpel sharp blades stay closed during flight – creating massive wound channels & leaving huge blood trails.



HEA-800.3 Centerpunch Broadhead (3-pack)

## TENPOINT MONTEC

### 3-BLADE FIXED BROADHEAD

Built exclusively for TenPoint by G5, this one-piece, 100-grain broadhead is designed for maximum strength & pin-point accuracy, & features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.



HEA-801.3 Montec Broadhead (3-pack)

## NEW WICKED RIDGE DEMISE

### 2-BLADE EXPANDABLE BROADHEAD

Designed for strength & precision at a great value, the 100-grain, 2-blade, rear-deploying Demise broadhead is designed for crossbows shooting up to 430 FPS & is CNC-machined from a single piece of aluminum for ultimate durability & delivers field point accuracy with a devastating 2" cut.



HEA-806.3 Demise Broadhead (3-pack)

# CROSSBOW CASES

## NEW EXTREME MINI SOFT CASE


Featuring a rugged & water repellent woven fabric exterior with foam padding throughout, this lightweight, ultra-sleek case features dual straps for crossbow security, rubber overmolded handles for comfortable transport, & premium padded shoulder straps for hands-free carrying. Two exterior side pockets keep critical equipment organized & within easy reach, with one pocket specifically designed to fit your quiver with arrows.



Extreme Mini Soft Case  
DIMENSIONS: Pack Length: 35.5" | Case Width: 14" | Case Depth: 11"

## TENPOINT HALO BOWPACK


### COMPACT CROSSBOW BOWPACK DESIGNED FOR SAFE TRANSPORT TO THE STAND OR BLIND.



HALO Bowpack - Custom Designed for TenPoint's Havoc RS440, Siege RS410, Siege 425, Flatline 460, Flatline 460R, TRX 26, TX 28, TX 440, TRX Ultra, TX Ultra 26.5, & TX Ultra 29.5  
DIMENSIONS: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"

## WICKED RIDGE AMBUSH BOWPACK

### AFFORDABLE CROSSBOW BOWPACK DESIGNED FOR SAFE TRANSPORT OF WICKED RIDGE CROSSBOWS.



AMBUSH Bowpack - Custom Designed for most 2019 Wicked Ridge Models 33" long or shorter  
DIMENSIONS: Pack Length: 33" | Pack Width 19" | Pack Depth 11"

## SOFT CASES

Built of durable nylon & polyester with foam padding throughout, these sleek, lightweight cases keep your crossbow protected on all your adventures. Dual straps keep your bow securely in place, a comfortable rubber handle makes it easy to carry, & premium padded shoulder straps provide convenient hands-free transport. The TenPoint case has two exterior, & one internal zippered pocket to fit your quiver, arrows & small items. And, the Wicked Ridge case has one external zippered pocket.



TenPoint Soft Case  
DIMENSIONS: Pack Length: 40.5" | Case Width: 18.5" | Case Depth: 10.75"

Wicked Ridge Soft Crossbow Case / Black / Fits 2018 & newer Wicked Ridge crossbows (except Ranger & Lady Ranger models)  
DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

Find model-specific fit charts at [tenpointcrossbows.com](https://www.tenpointcrossbows.com)

# NEW STAG™ ELITE CASE

Built tough with a rigid EVA shell & rugged canvas exterior, this case keeps your crossbow protected during transportation. Dual straps lock your bow in place, & four heavy-duty D-rings let you securely strap this case to your ATV, or throw it in the bed of your truck or UTV knowing your crossbow is safely stored & ready for the next trip to the tree or ground blind.



## CASE DIMENSIONS:

CASE LENGTH: 36.5" CASE WIDTH: 21" CASE DEPTH: 12"

## INTERIOR DIMENSIONS:

INTERIOR LENGTH: 36" INTERIOR WIDTH: 19" CASE DEPTH: 11.5"

RIGID EVA OUTER PROVIDES GREATER PROTECTION VS. A SOFT CASE

FOUR POCKETS (TWO SMALL, TWO LARGE) FIT QUIVER, ARROWS, & AXIS TRIPOD - ALL THE ESSENTIALS FOR A SUCCESSFUL DAY IN THE FIELD

(NOTE: pocket does not fit Axis XL Tripod).



WEATHERPROOF ZIPPERS HELP PROTECT YOUR INVESTMENT FROM THE ELEMENTS.

SIDE-HINGE DESIGN PROVIDES QUICK ACCESS ON A TAILGATE OR INSIDE OF AN SUV.

OVERMOLDED RUBBER HANDLES FOR EASY, COMFORTABLE CARRYING.

FOUR D-RINGS FOR SECURE ATV TRANSPORT.

HCA-20326 STAG Elite Crossbow Case



# HARD CASE

## AIRLINE-APPROVED HARD CASE

The all-in-one solution for protecting your crossbow & all necessary equipment during transportation to your hunt.




## EXTERIOR DIMENSIONS:

CASE LENGTH: 41" CASE WIDTH: 21" CASE DEPTH: 13.75"

## FIND MODEL-SPECIFIC FIT CHART AT TENPOINTCROSSBOWS.COM

Fits forward draw crossbows measuring up to 14.5" axle-to-axle uncocked & up to 34.25" in length. Fits reverse-draw crossbows measuring up to 13" axle-to-axle uncocked & up to 32.5" in length.



## SIX INTERIOR STORAGE AREAS ARE SPECIFICALLY DESIGNED TO FIT WHAT YOU NEED FOR THE HUNT!

- Quiver with arrows & broadheads
- Rangefinder
- Two general storage areas
- Crank handle
- Tripod or arrow tube

HCA-20425 Hard Case

# SLINGS

## TENPOINT PREMIUM SLING

The Premium Grip Crossbow Sling features an over-molded rubber shoulder pad that improves grip & silent quick-release sling swivels. The wear-resistant nylon strap adjusts from 30" – 41.5" to suit your crossbow hunting needs & the shoulder pad is textured & tapered to provide max surface area for grip at the shoulder.

HCA-00425 TenPoint Premium Sling  
HCA-004 TenPoint Neoprene Sling  
WRA004 Wicked Ridge Neoprene Sling



NEW

DEADREST™

CARBON STABILITY SYSTEM

ACHIEVE INCREDIBLE ACCURACY & PRECISION WITH OFF-HAND SHOTS.

Engineered to provide hunters with rock-solid shooting stability for off-hand shots when the shooting stick is supported against your hip. The DeadRest can also be used as a monopod while seated due to its wide range of adjustment from 20- to 42-inches in length.

1

Adjusts from 20- to 42-inches in length to function as a hip-supported shooting stick for standing & off-hand shots, or as a monopod for seated shooting.

2

Premium woven carbon fiber construction provides lightweight durability & rigidity.

3

Intuitive twist-lock leg extension allows for easy, one-handed height adjustment.

4

Lockable gimbal head delivers smooth, silent target tracking with instant lock down stability for precise shot placement.

5

Specially formulated rubber ball foot provides a comfortable & secure non-slip contact on any surface, while eliminating noise from metal-on-metal contact.

6

Quick-detach Picatinny rail system makes it easy to switch between supported & freehand shooting.

7

Compatible with all crossbows & firearms fitted with a picatinny rail.



HCA-03026

DeadRest Carbon Stability System

TRIPODS

AXIS™ XL CARBON TRIPOD

SHOOTING STABILITY & PRECISION FOR ALL HUNTING SITUATIONS

Designed for all hunting situations with ground blind to standing height adjustment, the Axis XL features premium woven carbon fiber legs that provide lightweight durability, rigidity & extends up to 58" standing height – all while maintaining an ultra-compact carry footprint.

• Extends up to 58" & collapses down to 27.5".

• Rugged 28mm Premium Woven Carbon Fiber Legs.

• Non-slip lever locks provide easy, secure height adjustment.

• Ultra-smooth ball head mount with 360-degrees of rotation & unlimited degrees of tilt.

• Built-in rubber snubber keeps the tripod legs cinched together for compact quiet carry.

• Includes two integrated bubble levels & "hunt hammock" to keep key items like your rangefinder or calls in easy reach.

• For use with both firearms & crossbows.

• Carry bag included.

COMPETITOR

AXIS XL

AXIS

FOOTPRINT VS. COMPETITOR'S FOOTPRINT  
(GROUND BLIND HUNTING SETUP)





1/4 TURN LOCK KNOB

CLAMP-ON DESIGN FOR CROSSBOW & FIREARMS

AXIS™ ALUMINUM TRIPOD

SHOOTING STABILITY SPECIFICALLY DESIGNED FOR BLIND HUNTING

Designed specifically for blind hunting, the Axis uses less than ½ the floor space of competitor tripods – allowing for more equipment & shooting coverage in the tight confines of a blind where inches make the difference. The Axis weighs 50% less than competitor tripods & collapses down to 25" to make packing & carrying your hunting kit easier than ever.

• Extends up to 40" tall & collapses down to 25".

• Slim 25mm Aluminum Legs.


• Non-slip lever locks provide easy, secure height adjustment.

• Ultra-smooth ball head mount with 360-degrees of rotation & unlimited degrees of tilt.

• Includes two integrated bubble levels & "hunt hammock" to keep key items like your rangefinder or calls in easy reach.

• For use with both firearms & crossbows.

• Carry bag included.



HCA-038

Axis Tripod


NEW

VISION™ HD

3-12X DIGITAL RANGEFINDING CROSSBOW SCOPE

The TenPoint Vision HD 3-12X Digital Rangefinding Crossbow Scope is the most advanced crossbow scope on the market, providing rangefinding with an immediate aiming solution, all while capturing the video & audio of your hunt! The Vision includes **5 Pre-Loaded TenPoint Arrow Ballistic Profiles**. This advanced digital scope delivers crystal clear imaging with advanced technology that provides unrivaled accuracy, ranging & recording clarity vs. any crossbow optic in existence. The integrated laser rangefinder precisely measures distances from 5- to 1,100-yards & pairs with one of 5 Pre-Loaded TenPoint Arrow Ballistic Profiles (or create your own custom profile with the ballistic calculator) to instantly provide accurate drop compensation based on the measured range. The scope captures every hunt with its built-in video recorder & noise-reducing microphone, featuring three smart trigger modes including Auto RAV for hands-free, recoil-triggered recording.

ONE SHOT ZEROING FOR EASY SETUP.





PRECISION BALLISTIC CALCULATION: 5-1,100-yard Laser rangefinder with 5 pre-loaded TenPoint arrow ballistic profiles

UPGRADED BATTERY LIFE: Two included batteries provide up to 10-hours of runtime so you can stay fully focused on the hunt (5 hours per battery)

RUGGED & DURABLE BUILD: waterproof, shockproof, field-ready

SHARP & CLEAR VISUALS: Sony STARVIS™ 2 sensor, 1920x1080 at 60 hz, 1800-bit display, 5 brightness levels

VERSATILE USE APPLICATION: Hunting, target shooting, long-range shooting

CAPTURE EVERY SHOT: Video recording & playback with built-in 32 GB storage

ONE-SHOT ZEROING: Quick & easy calibration

SPECIFICATIONS

• Resolution: 1920x1080 pixels

• Frame rate: 60 hz

• Digital Magnification: 3-12x

• Eye relief: 65mm / 2.7"

• Display resolution: 1920x1080 pixels

• Battery type: 21700 Battery

• Net Weight: 522 g / 18.4 oz

• Operation distance: 5-1000 m / 5-1100 yards

• Field of view: 13.9yd @ 100 yds x 7.8yd @ 100yd

PACKAGE INCLUDES

• Vision HD 3-12X Scope

• Eye cup

• Flip up cover

• 21700 flat top battery 2x

• Charger

• USB cable 2x

• User manual

• Quick start guide

• Lens cleaning cloth

HCA-09626

Vision Rangefinding Crossbow Scope

NEW

ALIGN™ 1000LR

ILLUMINATED RETICLE RANGEFINDER

Featuring a bright red reticle & digital readout to optimize clarity in changing light conditions, the 6x Align 1000LR offers 1-yard accuracy with angle compensation. The rangefinder's scanning mode provides continuous distance readings by simply holding the range button, allowing you to sweep across your field-of-view with real-time distance updates on the LED display without repeatedly pressing for each measurement.

ALIGN™ 1000LR



Range: 5-1000-Yards | Accuracy: +/- 1-yard | Angle Compensation | 6x Magnification | 20 mm | OLED Display | Weight: 6 oz. | Size: 3.8" x 3" x 3"

HCA-09425

Align 1000LR Rangefinder

ALIGN™ 800

RANGEFINDER

Pinpoint hunting precision is only possible when you know the exact distance for the shot. The Align 800 combines 1-yard accuracy with angle compensation to provide you with the exact distance to the target. The multi-coated lenses offer a crisp, bright image in low light. Includes pouch, lanyard, & lens cloth. Well concealed in Vektra camo.

ALIGN™ 800



Range: 5-800-Yards | Accuracy: +/- 1-yard | Angle Compensation | 6x Magnification | 24 mm | LCD Display | Weight: 8 oz. | Size: 1.6" x 4.25" x 3"

HCA-094

Align 800 Rangefinder

ACCESSORIES

TENPOINTCROSSBOWS.COM 28

ACCESSORIES

29

SCOPES

EVO-X® MARKSMAN™ ELITE  
RETICLE: 20-100-YARDS

The brightest & most accurate variable speed crossbow scope on the market, this scope features a variable speed & arrow drop-compensation setting for crossbows that shoot between 380 & 550 FPS. Its innovative configuration, consisting of three illuminated (red or green) dots calibrated at 20-, 30-, & 40-yards, three illuminated (red or green) crosshairs at 50-, 60- & 70-yards, & three non-illuminated chevrons at 80-, 90-, & 100-yards, presents the shooter with a simplified aiming system. Offered in black, Veil Alpine™ camo or Vektra™ camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-8x optics that increase field-of-view & brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage & elevation for unmatched long-range accuracy.



|                 |                                                                   |
|-----------------|-------------------------------------------------------------------|
| HCA-095.3VA     | EVO-X Marksman Elite Scope with flip-up scope caps – Veil Alpine™ |
| HCA-095.3       | EVO-X Marksman Elite Scope with flip-up scope caps – Black        |
| NEW HCA-095.3VK | EVO-X Marksman Elite Scope with flip-up scope caps – Vektra™      |

RANGEMASTER® 100  
RETICLE: 20-100-YARDS

This waterproof & fog-proof scope features a variable speed & drop-compensation setting for crossbows that shoot between 380 & 505 FPS. The configuration consists of nine aiming points in 10-yard increments - three illuminated dots calibrated at 20-, 30-, & 40-yards, three illuminated crosshairs at 50-, 60-, & 70-yards, & three illuminated chevrons at 80-, 90-, & 100-yards. An infinite-position rheostat controls the light intensity of the red or green illuminated dots/crosshairs/chevrons. The scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-7x optics (scope magnification dictated by arrow speed) that increase field-of-view & brightness in low light settings.



|              |                                                        |
|--------------|--------------------------------------------------------|
| HCA-09812-VK | RangeMaster 100 Scope with flip-up scope caps – Vektra |
| HCA-09812    | RangeMaster 100 Scope with flip-up scope caps – Black  |

PRO-VIEW™ 400  
RETICLE: 20-70-YARDS

Illuminated for lowlight precision & featuring aim points out to 70-yards for crossbows shooting between 380 & 420 FPS. The 4x Pro-View 400 lighted scope features an enhanced reticle that provides a cleaner view for the shooter leading to greater down-range accuracy.



|           |                                            |
|-----------|--------------------------------------------|
| HCA-097-4 | Pro-View 400 Scope with flip-up scope caps |
|-----------|--------------------------------------------|

ACCESSORIES & MAINTENANCE

REPLACEMENT CRANK HANDLES

|         |                                                                                                 |
|---------|-------------------------------------------------------------------------------------------------|
| HCA-447 | XTEND Short Crank Handle (Compatible with ACUslide crossbows)                                   |
| HCA-448 | ACUdraw DC Crank Handle (Compatible with Titan De-Cock, Fury 410 De-Cock, & Raider 400 De-Cock) |
| HCA-430 | Crank Handle (Compatible with ACUdraw & ACUdraw PRO)                                            |
| HCA-441 | 6-Inch ACUslide MAXX / ACUslide / ACUdraw De-Cock Crank Handle                                  |



BEDNAR PERFECT PULLER® 2.0 (PATENTED)

Named for & originally designed by the late Hall of Fame Archer Bill Bednar, the Bednar Perfect Puller 2.0 doubles up as an easy-to-use arrow puller & Alpha-Blaze & ACU-X Lighted Nock Deactivator. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow & compound arrows.



|           |                                                       |
|-----------|-------------------------------------------------------|
| HCA-10423 | Bednar Perfect Puller (with interchangeable grippers) |
|-----------|-------------------------------------------------------|

TENPOINT STRING WAX & CONDITIONER

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates & rejuvenates bow strings & cables.



|           |                                   |
|-----------|-----------------------------------|
| HCA-11007 | TenPoint String Wax & Conditioner |
|-----------|-----------------------------------|

LUBRICANTS

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt & grime. Recommended for strings, cables, cocking device cords, & barrel. Both feature Scorpion Venom™ Premium Lubricant.



|               |                                                     |
|---------------|-----------------------------------------------------|
| NEW HCA-11226 | Maintenance Kit (Premium Lube, Wax, & Trigger Lube) |
| HCA-111       | Flight Rail & Trigger Lube (tube)                   |
| HCA-112       | Premium Lubricant with Foam Applicator (bottle)     |

COCKING DEVICES

ACUDRAW

|            |         |
|------------|---------|
| HCA-001-AD | ACUdraw |
|------------|---------|

ACUSLED

|            |                                                          |
|------------|----------------------------------------------------------|
| HCA-000-AS | ACUslEd (Not for use on TenPoint reverse-draw crossbows) |
|------------|----------------------------------------------------------|

ACUDRAW 50

|             |                                                                               |
|-------------|-------------------------------------------------------------------------------|
| HCA-000-A50 | ACUdraw 50 (Patented) (Not for use on ultra-narrow or reverse-draw crossbows) |
|-------------|-------------------------------------------------------------------------------|

STRING & CABLE CHARTS

The following models require a complete upgrade. Please contact the Customer Experience Team at 330-628-9245 for more information:  
**Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7 & Maxim**

TENPOINT

| MODELS                                                                                                                                                                                                                                            | STRINGS     | CABLES      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|
| Turbo Extreme, Magnum Extreme, Hybrid Lite, Elite Lite, Elite X2, Magnum X2, Stealth X2, Turbo X2, Deerslayer, Pro Elite, Elite, Elite QX-4, QX-4, Pro Fusion, Pro Slider, Titan TL-9, Titan HLX, Maverick HP, Pro Elite HP, Blazer HP & Lazer HP | HCA-115     | HCA-124     |
| Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS & Carbon Fusion CLS                                                                                                                                                          | HCA-11607   | HCA-12307   |
| Stealth XLT & Turbo XLT                                                                                                                                                                                                                           | HCA-12110   | HCA-12710   |
| Turbo XLT II, Carbon Elite XLT, Stealth SS & Instinct Order                                                                                                                                                                                       | HCA-12112-R | HCA-12912-R |
| Shadow Ultra-Lite, Lady Shadow, Tactical XLT, Turbo GT & Renegade XLT                                                                                                                                                                             | HCA-12112-R | HCA-12912-R |
| Titan Xtreme                                                                                                                                                                                                                                      | HCA-11712   | HCA-12612   |
| GT Curve, GT Flex & GT Mag                                                                                                                                                                                                                        | HCA-12008   | N/A         |
| Vapor (2013-2016)                                                                                                                                                                                                                                 | HCA-11813   | HCA-12813   |
| Venom (2014-2017)                                                                                                                                                                                                                                 | HCA-12014   | HCA-12514   |
| Stealth FX4 & Venom Xtra                                                                                                                                                                                                                          | HCA-12015-O | HCA-12515-O |
| Titan SS & Renegade                                                                                                                                                                                                                               | HCA-11716-S | HCA-12616-S |
| Carbon Nitro RDX                                                                                                                                                                                                                                  | HCA-12216-R | HCA-13116-R |
| Carbon Phantom RCX, Eclipse RCX & Titan RCX                                                                                                                                                                                                       | HCA-70117   | HCA-70017   |
| Titan CLS                                                                                                                                                                                                                                         | WRA183      | WRA163      |
| Vengent S440, Stealth NXT, Shadow NXT & NXT 400                                                                                                                                                                                                   | HCA-70319   | HCA-70418   |
| Stealth 450* - see serial numbers below for exceptions:                                                                                                                                                                                           |             |             |
| Stealth 450* serial number: 0062.000001 or higher/0065.000001 or higher                                                                                                                                                                           | HCA-70319   | HCA-70418   |
| Stealth 450* serial number: 0104.000001 or higher/0105.000001 or higher                                                                                                                                                                           | HCA-70319   | HCA-70419   |
| Stealth 450R serial number: 0101.000001 or higher                                                                                                                                                                                                 | HCA-70319   | HCA-70419   |
| Vapor RS470, Havoc RS440, Siege RS410, XR-410,Nitro XRT, Nitro X, Siege 425, Nitro 505, Flatline 460 & Flatline 460R                                                                                                                              | HCA-70318   | HCA-70418   |
| Viper S400** & Turbo S1*** - see serial numbers below for exceptions:                                                                                                                                                                             | HCA-70319   | HCA-70418   |
| **Viper S400 serial number: 0041.005810 or higher                                                                                                                                                                                                 | HCA-70319   | HCA-70419   |
| ***Turbo S1 serial number: 0051.005243 or higher/0042.007498 or higher                                                                                                                                                                            | HCA-70319   | HCA-70419   |
| Turbo M1, Titan M1 & Titan De-Cock                                                                                                                                                                                                                | HCA-11619-S | HCA-11619-C |
| Viper 430 & Viper S415                                                                                                                                                                                                                            | HCA-70319   | HCA-70419   |
| Titan 400, Venom X & Turbo X                                                                                                                                                                                                                      | HCA-11621   | HCA-11622   |
| TX 440 & TX Ultra 26.5                                                                                                                                                                                                                            | HCA-70321   | HCA-70421   |
| TX 28                                                                                                                                                                                                                                             | HCA-70323   | HCA-70423   |
| TRX 515                                                                                                                                                                                                                                           | HCA-70320   | HCA-70420   |
| TRX 26                                                                                                                                                                                                                                            | HCA-70322   | HCA-70420   |
| Phantom De-Cock                                                                                                                                                                                                                                   | HCA-13420-S | HCA-13420-C |
| TX Ultra 29.5                                                                                                                                                                                                                                     | HCA-70324   | HCA-70423   |
| TRX Ultra                                                                                                                                                                                                                                         | HCA-70325   | HCA-70420   |

WICKED RIDGE

| MODELS                                                                                                                                                               | STRINGS      | CABLES       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------|
| Invader, Invader HP, Warrior & Warrior HL                                                                                                                            | WRA182       | WRA162       |
| Raider CLS                                                                                                                                                           | WRA183       | WRA163       |
| Ranger, Lady Ranger & Brood                                                                                                                                          | HCA-13215-O  | HCA-13315-O  |
| Invader G3 & Warrior G3                                                                                                                                              | HCA-13216-OB | HCA-13316-OB |
| Invader 400, Rampage 360, Rampage XS, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, Blackhawk XT, Woodsman 360, Carbon Woodsman 375 & Raider 400 De-Cock | HCA-75117    | HCA-75017    |
| M-370, Commander M1, Invader M1 & Invader M1 De-Cock                                                                                                                 | HCA-11619-S  | HCA-11619-C  |
| RDX 400, Fury 410 De-Cock, RDX 410 & RDX Silent                                                                                                                      | HCA-13419-S  | HCA-13419-C  |
| NXT400                                                                                                                                                               | HCA-70319    | HCA-70418    |
| Commander 400 & Warrior 400                                                                                                                                          | HCA-11623    | HCA-11624    |

HORTON

| MODELS            | STRINGS     | CABLES      |
|-------------------|-------------|-------------|
| Storm RDX         | HCA-12215   | HCA-13115   |
| Vortec RDX        | HCA-72717   | HCA-72617   |
| Legend Ultra Lite | HCA-11716-R | HCA-12616-S |

The below TenPoint models require a complete front end upgrade. Please contact the Customer Experience Team at 330-628-9245 for more information: Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7 & Maxim





[WWW.TENPOINTCROSSBOWS.COM](http://WWW.TENPOINTCROSSBOWS.COM)

These products are covered by one or more of the patents found at  
[www.tenpointcrossbows.com/pages/patent-technologies/](http://www.tenpointcrossbows.com/pages/patent-technologies/)

**NOTE:** TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

1325 Waterloo Road • Mogadore, OH 44260-9608

Phone: 330.628.9245 • Fax: 330.628.0999

