



2023 PRODUCTS

GLOBAL





SPORT



SYSTEM H7

UNPARALLELED OPTICAL PERFORMANCE

The ultimate optics contained in only our most advanced riflescopes. The Best.

SYSTEM H5

IMMERSIVE WIDE ANGLE OPTICS

High performance optics comprising ultra-wide angle and long eye relief. The professional's choice.

FRONTIER

RIFLESCOPES

FRONTIER 34 FFP	6
FRONTIER 30 FFP	7
FRONTIER 30 SF	7
FRONTIER 30	8
FRONTIER SF	9

SIDEWINDER

RIFLESCOPES

SIDEWINDER 30 FFP	10
SIDEWINDER 30 SF	11

ENDURANCE

RIFLESCOPES

ENDURANCE 30 WA SF	12
ENDURANCE 30 WA	13

SYSTEM H2

REDEFINING VALUE OPTICS

Our premium optics for a wide range of scopes transversing many disciplines. Dependable, Accurate, Affordable.

VANTAGE

RIFLESCOPES

VANTAGE 30 WA FD IR	14
VANTAGE 30 WA FFP IR	15
VANTAGE 30 WA SF IR	15
VANTAGE 30 WA IR	16
VANTAGE IR	17
VANTAGE SF	18
VANTAGE	18

AIRMAX

AIRGUN SCOPES

AIRMAX 30 WA FFP	20
AIRMAX 30 WA SF	21
AIRMAX 30 WA TOUCH	21
AIRMAX 30 WA SF COMPACT	22
AIRMAX WA	22

XB

CROSSBOW SCOPES	24
-----------------	----

RED DOT SIGHTS

PRISM SIGHTS	38
RED DOT SIGHTS	40
REFLEX SIGHTS	41

LASER RANGE FINDERS

FRONTIER LRF	42
ENDURANCE	44
VANTAGE	45
LRF	45

RING MOUNTS

STEEL	46
ALUMINIUM	48

ACCESSORIES

SUNSHADES & FLIP-UP COVERS	54
LASERS & LEDS	57
BIPODS & RESTS	57

FRONTIER SYSTEM H7

Nineteen models in a variety of magnifications and reticle designs offer supreme accuracy for rifle shooting, driven and hunting applications.

All models feature Hawke's H7 optics with high zoom ratio, supreme clarity and light transmission.

Available in First Focal Plane (FFP) and Second Focal Plane (SFP).

Wide Angle FOV / High volume eyepiece / 100mm eye relief / Multi-LED high intensity reticle / Exposed Zero Lock 'n' Stop elevation turret or no-snag capped turrets / High grade, low dispersion Crown glass / 21 layer Fully Multi-Coated lenses / Zoom magnification throw lever (removable) / Fast focus eyepiece with lock ring

Supplied with Professional metal flip-up covers.

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



FRONTIER 34 FFP

Exposed, Zero Lock 'n' Stop Turret | First Focal Plane | 34mm Side Focus | Illumination



18 620	3-18x50 SF	FFP Mil Pro Ext. (18x)
18 621	3-18x50 SF	FFP MOA Pro Ext. (18x)
18 640	5-30x56 SF	FFP Mil Pro Ext. (30x)
18 641	5-30x56 SF	FFP MOA Pro Ext. (30x)

18 640 SHOWN



FRONTIER 30 FFP

Exposed, Zero Lock 'n' Stop Turret | First Focal Plane | 30mm
Side Focus | Illumination



18 520	3-15x50 SF	FFP Mil Pro (15x)
18 530	4-20x50 SF	FFP Mil Pro (20x)
18 540	5-25x56 SF	FFP Mil Pro (25x)

18 540 SHOWN

FRONTIER 30 SF

Exposed, Zero Lock 'n' Stop Turret | 30mm | Side Focus
Illumination



18 420	2.5-15x50 SF	LR Dot (8x)
18 421	2.5-15x50 SF	Mil Pro (10x)
18 430	4-24x50 SF	LR Dot (16x)
18 431	4-24x50 SF	Mil Pro (20x)
18 440	5-30x56 SF	LR Dot (16x)
18 441	5-30x56 SF	Mil Pro (20x)

18 441 SHOWN



FRONTIER 30

Exposed, Zero Lock 'n' Stop Turret | 30mm | Illumination



18 402 1-6x24 Tactical Dot (6x)

FRONTIER 30

Capped Low-Profile Turrets | 30mm | Illumination



18 400 1-6x24 L4A Dot

18 401 1-6x24 Circle Dot



FRONTIER SF

Exposed, Zero Lock 'n' Stop Turret | 1 Inch | Side Focus Illumination



18 120	3-15x44 SF	Mil Pro (10x)
18 130	4-20x44 SF	Mil Pro (20x)
18 140	5-25x50 SF	Mil Pro (20x)

18 130 SHOWN

SIDEWINDER SYSTEM H5

Our best selling scope just got better!

Sidewinder is the must-have high performance multi-discipline scope. Parallax-free shooting from 9 metres to infinity assisted by an index matched rangefinding side wheel (removable).

All models feature Hawke's H5 optics which boasts a stunning 24° ultra-wide field of view with generous 100mm eye relief. Precision locking turrets with 1/10 MRAD or 1/4 MOA clicks, now feature a witness window giving you an instant visual guide to your turret's position.

Available in First Focal Plane (FFP) and Second Focal Plane (SFP).

Ultra-wide Angle 24° FOV / High volume eyepiece / 100mm eye relief / Resettable locking turrets with witness window / Side wheel - index-matched (removable) / Multi-LED high intensity reticle / High grade, low dispersion Crown glass / 18 layer Fully Multi-Coated lenses / Zoom magnification throw lever (removable) / Fast focus eyepiece with lock ring

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



SIDEWINDER 30 FFP

Exposed, Locking Turrets | First Focal Plane | 30mm Wide Angle | Side Focus | Illumination



17 450	4-16x50 SF	FFP Half Mil
--------	------------	--------------

17 451	4-16x50 SF	FFP MOA
--------	------------	---------

17 460	6-24x56 SF	FFP Half Mil
--------	------------	--------------

17 461	6-24x56 SF	FFP MOA
--------	------------	---------

17 460 SHOWN



SIDEWINDER 30 SF

Exposed, Locking Turrets | 30mm | Wide Angle
Side Focus | Illumination



17 140	4.5-14x44 SF	10x Half Mil
17 150	6.5-20x44 SF	20x Half Mil
17 250	4-16x50 SF	10x Half Mil
17 251	4-16x50 SF	SR Pro II
17 260	6-24x56 SF	20x Half Mil
17 261	6-24x56 SF	SR Pro II
17 270	8-32x56 SF	20x Half Mil
17 271	8-32x56 SF	SR Pro II

17 260 SHOWN

ENDURANCE SYSTEM H5

Designed for all hunting disciplines - from varmint to big game.

All models feature Hawke's H5 optics which boasts a stunning 24° ultra-wide field of view with generous 100mm eye relief. The H5 illumination system features multi-LED technology for high intensity illumination.

Available in MOA or MRAD (16 301), exposed locking or low-profile turrets.

Ultra-wide Angle 24° FOV / High volume eyepiece / 100mm eye relief / Multi-LED high intensity reticle / High grade, low dispersion Crown glass / 18 layer Fully Multi-Coated lenses / High torque rubber zoom ring / Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



ENDURANCE 30 WA SF

Exposed, Locking Turrets | 30mm | Wide Angle | Side Focus Illumination



16 350	4-16x50 SF	LR Dot (8x)
16 351	4-16x50 SF	.223/.308 Marksman (16x)
16 352	4-16x50 SF	LRC (16x)
16 360	6-24x50 SF	LR Dot (16x)
16 361	6-24x50 SF	.223/.308 Marksman (24x)
16 362	6-24x50 SF	LRC (24x)

16 360 SHOWN



ENDURANCE 30 WA

Exposed, Locking Turrets | 30mm | Wide Angle | Illumination



16 301	1-4x24	Tactical Dot (4x)
16 321	2.5-10x50	LRC (10x)
16 331	3-12x56	LRC (12x)

16 331 SHOWN

ENDURANCE 30 WA

Capped Low-Profile Turrets | 30mm | Wide Angle
Illumination



16 300	1-4x24	L4A Dot
16 310	1.5-6x44	L4A Dot
16 320	2.5-10x50	LR Dot (8x)
16 330	3-12x56	LR Dot (8x)

16 300 SHOWN

VANTAGE SYSTEM H2

An extensive range of scopes to suit all calibres and disciplines.

All Vantage riflescopes feature our H2 optics in a variety of configurations including 30mm FFP models as well as reticles designed specifically for slug guns, .223/.308 calibre and rimfire rifles.

Fibre optic Dot (FD) models feature intense day bright red illumination with 11 brightness levels.

IR models feature precision glass etched reticles with multi-stage illumination in both red and green.

30mm and 1 inch models / First Focal Plane options / Wide Angle FOV (30mm models) / Fibre Dot (FD) models / Illuminated glass reticles (IR models) / Exposed locking or capped turrets / Removable zoom magnification throw lever (FD models) / 11 layer Fully Multi Coated lenses / High torque zoom ring / Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Lifetime Warranty



VANTAGE 30 WA FD IR

Capped Low-Profile Turrets | 30mm | Wide Angle
Fibre Dot Illumination



● 14 500	1-4x24	L4A FD
● 14 510	1-8x24	L4A FD
● 14 530	2.5-10x50	L4A FD
● 14 540	3-12x56	L4A FD

14 510 SHOWN



VANTAGE 30 WA FFP IR

Exposed, Locking Turrets | First Focal Plane | 30mm
Wide Angle | Side Focus | Illumination



14 300	4-16x50 SF	FFP Half Mil Dot
--------	------------	------------------

14 304	6-24x50 SF	FFP Half Mil Dot
--------	------------	------------------

14 304 SHOWN

VANTAGE 30 WA SF IR

Exposed, Locking Turrets | 30mm | Wide Angle | Side Focus
Illumination



14 293	4-16x50 SF	Rimfire .22 LR Subsonic (16x)
--------	------------	-------------------------------

14 294	4-16x50 SF	Rimfire .17 HMR (16x)
--------	------------	-----------------------

14 295	4-16x50 SF	Rimfire .22 LR HV (16x)
--------	------------	-------------------------

14 296	4-16x50 SF	10x Half Mil Dot
--------	------------	------------------

14 297	6-24x50 SF	10x Half Mil Dot
--------	------------	------------------

14 297 SHOWN



VANTAGE 30 WA IR

Exposed, Locking Turrets | 30mm | Wide Angle | Illumination



14 277	3-9x42	.223/.308 Marksman (9x)
14 278	4-12x42	.223/.308 Marksman (12x)

VANTAGE 30 WA IR

Capped Low-Profile Turrets | 30mm | Wide Angle
Illumination



14 273	1-4x24	L4A Dot
● 14 400	1-8x24	L4A Dot
● 14 401	1-8x24	Circle Dot (8x)
● 14 402	1-8x24	Tactical BDC - 5.56
● 14 279	3-9x42	L4A Dot
14 276	1.5-6x44	L4A Dot
14 274	2.5-10x50	L4A Dot
14 275	3-12x56	L4A Dot

14 273 SHOWN



VANTAGE IR

Capped Low-Profile Turrets | 1 Inch | Illumination



14 205	1-4x20	Turkey Dot IR
14 209	2-7x32	Mil Dot IR
14 211	2-7x32 AO	Mil Dot IR
14 218	3-9x40	L4A Dot
14 219	3-9x40	Slug Gun/Muzzleloader
14 220	3-9x40	30/30 Centre Cross
14 221	3-9x40	Mil Dot IR
14 222	3-9x40	Rimfire .22 LR HV (9x)
14 223	3-9x40	Rimfire .22 LR Subsonic (9x)
14 225	3-9x40 AO	Mil Dot IR
14 229	3-9x50	L4A Dot
14 230	3-9x50	Mil Dot IR

CONT.

14 232	3-9x50 AO	Mil Dot IR
14 241	4-12x40 AO	Rimfire .17 HMR (12x)
14 242	4-12x40 AO	Rimfire .22 WMR
14 250	4-12x50	Mil Dot IR
14 251	4-12x50	Rimfire .22 LR Subsonic (12x)
14 254	4-12x50	L4A Dot
14 252	4-12x50 AO	Mil Dot IR
14 260	4-16x50 AO	Mil Dot IR
14 261	4-16x50 AO	Rimfire .17 HMR (16x)
14 265	6-24x50 AO	Mil Dot IR

14 265 SHOWN

CONT.



VANTAGE SF

Capped Low-Profile Turrets | 1 Inch | Side Focus



14 160	3-12x44 SF	Half Mil Dot
14 161	4-16x44 SF	Half Mil Dot
14 162	6-24x44 SF	Half Mil Dot

14 162 SHOWN

VANTAGE

Capped Low-Profile Turrets | 1 Inch



14 100	4x32	30/30 Duplex
14 101	4x32	Mil Dot
14 102	4x32 AO	Mil Dot
14 110	2-7x32	30/30 Duplex
14 111	2-7x32 AO	Mil Dot
14 120	3-9x40	30/30 Duplex
14 121	3-9x40	Mil Dot
14 122	3-9x40 AO	30/30 Duplex
14 123	3-9x40 AO	Mil Dot
14 130	3-9x50	30/30 Duplex
14 131	3-9x50	Mil Dot
14 133	3-9x50 AO	Mil Dot

CONT.



CONT.

14 139	4-12x40	30/30 Duplex
--------	---------	--------------

14 140	4-12x40 AO	30/30 Duplex
--------	------------	--------------

14 141	4-12x40 AO	Mil Dot
--------	------------	---------

14 150	4-12x50	30/30 Duplex
--------	---------	--------------

14 140 SHOWN

AIRMAX SYSTEM H2

Specialist scopes designed by airgunners
for airgunners!

Airmax scopes feature our H2 optics in a
variety of configurations designed to suit airgun
characteristics and are available in First Focal
Plane (FFP) and Second Focal Plane (SFP).

The Airmax 30 WA Touch offers an
unbelievable 37° FOV; unrivalled in sport
optics. With zero eye relief, Airmax 30 WA
Touch is ideal for PCP air rifles.

30mm and 1 inch models / Wide Angle or
Super Wide Angle FOV / Illuminated glass
reticles (IR models) / Capped target or low-
profile turrets / 16 layer Fully Multi-Coated
lenses / High torque zoom ring / Fast focus
eyebell / Side wheel (removable) / AMX reticle
designed for airguns

Nitrogen purged / Shockproof / Waterproof /
Fog proof / All calibre rated

Hawke Lifetime Warranty



AIRMAX 30 WA FFP

Capped Target Turrets | First Focal Plane | 30mm
Wide Angle | Side Focus | Illumination



13 350	4-16x50 SF	FFP AMX IR (16x)
--------	------------	------------------

13 352	6-24x50 SF	FFP AMX IR (24x)
--------	------------	------------------

13 352 SHOWN



AIRMAX 30 WA SF

Capped Target Turrets | 30mm | Wide Angle | Side Focus | Illumination



13 305	10x44 SF	AMX IR
13 311	4-16x50 SF	AMX IR
13 321	6-24x50 SF	AMX IR
13 341	8-32x50 SF	AMX IR

13 341 SHOWN

AIRMAX 30 WA TOUCH

Capped Target Turrets | Zero Eye Relief | 30mm
Super Wide Angle | Side Focus | Illumination



13 260	3-12x32 SF	AMX IR
--------	------------	--------



AIRMAX 30 WA SF COMPACT

Capped Target Turrets | 30mm | Wide Angle | Side Focus Illumination



13 200	3-12x40 SF	AMX IR
--------	------------	--------

13 210	4-16x44 SF	AMX IR
--------	------------	--------

13 220	6-24x50 SF	AMX IR
--------	------------	--------

13 220 SHOWN

AIRMAX WA

Capped Low-Profile Turrets | 1 Inch | Wide Angle



13 100	2-7x32 AO	AMX
--------	-----------	-----

13 110	3-9x40 AO	AMX
--------	-----------	-----

13 130	4-12x40 AO	AMX
--------	------------	-----

13 140	4-12x50 AO	AMX
--------	------------	-----

13 140 SHOWN



further information available at hawkeoptics.com

AIRMAX 23

XB SYSTEM H2

We didn't invent crossbow optics...
We perfected them.

Scopes designed to withstand the rigours
of crossbows with reticle and turret systems
guaranteed to make you a better shot!

XB30 and XB scopes feature our vari-speed
technology allowing any bow to be dialled in to
create unsurpassed accuracy. A locking speed
adjuster ring (XB30 & XB30 Compact) ensures
the FPS is not changed once zeroed.

30mm and 1 inch models / Illuminated glass
reticles / 1/2 MOA low-profile fingertip turrets
/ Fixed parallax at 46 metres / 11 layer Fully
Multi-Coated lenses / High torque zoom ring /
Fast focus eyepiece

Nitrogen purged / Shockproof / Waterproof /
Fog proof

Hawke Lifetime Warranty



XB30 PRO

Capped Low-Profile Turrets | 30mm | Illumination



12 230 1-5x24

XB30 Pro SR



XB30 COMPACT

Capped Low-Profile Turrets | 30mm | Wide Angle
Locking Zoom | Illumination



12 226 1.5–6x36 XB30 Compact SR

12 227 2–8x36 XB30 Compact SR

12 227 SHOWN

XB30

Capped Low-Profile Turrets | 30mm | Wide Angle
Locking Zoom | Illumination



12 224 2–7x32 XB30 SR



XB1 & XB

Capped Low-Profile Turrets | 1 Inch | Illumination



12 221	1.5-5x32	XB1 SR
12 211	3x32	XB SR


12 221 SHOWN




FRONTIER RETICLES

Designed for unparalleled accuracy in long-distance shooting. A selection of fine detailed laser etched Mil-spaced reticles in first and second focal planes create the perfect aimpoint for target disciplines. Bolder L4 style reticles offer the seasoned hunter a bolder crosshair for guaranteed success.


MIL PRO (10x)




MIL PRO (20x)




FFP MIL PRO EXT. (18x)




FFP MIL PRO EXT. (30x)




FFP MOA PRO EXT. (18x)




FFP MOA PRO EXT. (30x)




FFP MIL PRO (15x)




FFP MIL PRO (20x)




FFP MIL PRO (25x)




TACTICAL DOT (6x)




LR DOT (8x)




LR DOT (16x)



L4A DOT




CIRCLE DOT




SIDEWINDER RETICLES

Lethally sharp, multiple aimpoint reticles ensure you are ready for any situation. The Sidewinder series have reticles that deliver precise and detailed aimpoints for holdover, ranging and windage corrections. A selection of first and second focal plane optical systems stretch the boundary of what is possible in these long range optics of choice.


FFP HALF MIL




FFP MOA




SR PRO II



10x HALF MIL




20x HALF MIL




ENDURANCE RETICLES

Bold and strong reticles for the modern hunter. The Endurance series offer reticles that are clear and simple to keep more of the target visible while aiming. A selection of L4 style reticles and calibre specific reticles ensure quick target acquisition when every second counts.


.223/.308 MARKSMAN (16x)




LR DOT (8x)



.223/.308 MARKSMAN (24x)




LR DOT (16x)




ENDURANCE RETICLES


TACTICAL DOT (4x)




LRC (10x)




LRC (12x)




L4A DOT



LRC (16x)



LRC (24x)




VANTAGE RETICLES


A diverse selection of reticles offer the Vantage series a match for all shooting disciplines. Mil Dot, Duplex and L4 style reticles offer familiar classics, while the calibre specific reticles enter new territory for shooters wanting unbeatable accuracy.

The all new Vantage 30 WA FD IR models bring Fibre Dot reticles to Hawke Optics for the first time ever! These unprecedented Fibre Dot reticles give an intensely bright red illuminated centre dot that really can be called daylight bright.


RIMFIRE .22 LR
SUBSONIC (9x)




RIMFIRE .22 LR
SUBSONIC (16x)




RIMFIRE .22 LR
SUBSONIC (12x)




RIMFIRE .22 WMR



L4A FD




TACTICAL BDC - 5.56




VANTAGE RETICLES


RIMFIRE .17 HMR (12x)




RIMFIRE .22 LR HV (9x)




FFP HALF MIL DOT




10x HALF MIL DOT




RIMFIRE .17 HMR (16x)




RIMFIRE .22 LR HV (16x)




.223/.308 MARKSMAN (9x)




HALF MIL DOT




L4A DOT




TURKEY DOT IR




MIL DOT IR




30/30 CENTRE CROSS




SLUG GUN/MUZZLELOADER




CIRCLE DOT (8x)



MIL DOT




30/30 DUPLEX




AIRMAX RETICLES

The renowned AMX reticle features in all Airmax models, making this series of riflescopes a family to be recognised. Available in first and second focal plane optical systems, the AMX has etchings for holdover, windage corrections and outer brackets for distance ranging. The multiple aimpoints based on Mil spacing offer reliability when shooting air guns with loopy trajectories.


FFP AMX IR



AMX IR




AMX




XB RETICLES

Reticles designed specifically for crossbows and their arrow trajectories. The XB reticles are laser etched for precision and engraved with distance markings to match your crossbow. Select your bow speed on the magnification ring and find instant accuracy on these hunting and target mastered optics.


XB30 PRO SR




XB30 COMPACT SR




XB30 SR



XB1 SR



XB SR



PRISM SIGHTS

High quality prism sights designed for AR pattern rifles.

The 1x15 model features the Speed Dot reticle with centre dot and horseshoe. The 4x24 and 6x36 models feature a Bullet Drop Compensating (BDC) reticle designed for 5.56 NATO ammunition.

Supplied with low-profile mount and lower 1/3 co-witness mount.

10 stage digital brightness control / Exposed 1 MOA click turrets / High quality aluminium construction / Parallax error free from 100 yards / Auto shut off and shake awake / Ideal for use on ARs, hunting rifles and pistols

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

4x24 & 6x36 models are supplied with a honeycomb sunshade.

Hawke Two Year Warranty

PRISM SIGHTS

Monotube Prism Sight with Digital Control



● 12 050	1x15	Speed Dot	Weaver Rail
● 12 054	4x24	5.56 BDC Dot	Weaver Rail
● 12 058	6x36	5.56 BDC Dot	Weaver Rail



RED DOT SIGHTS

A wide range of red dot sights in both tube and reflex style in 3 MOA.

Endurance red dots are supplied with high quick release and low-profile weaver mounts.

Parallax error free from 9 metres / Ultra compact / Ideal for use on Pistols, ARs and hunting rifles / Digital brightness options / Auto brightness options / Auto shut off and shake awake (excl. Vantage models)

Nitrogen purged / Shockproof / Waterproof / Fog proof / All calibre rated

Hawke Two Year Warranty



ENDURANCE

Monotube Red Dot with Digital Control



12 127	1x25	3 MOA Dot	Weaver Rail
12 128	1x30	3 MOA Dot	Weaver Rail



VANTAGE

Monotube Red Dot



12 102	1x20	3 MOA Dot	Weaver Rail
12 103	1x25	3 MOA Dot	Weaver Rail
12 104	1x30	3 MOA Dot	Weaver Rail
12 105	1x20	3 MOA Dot	9-11mm Rail
12 106	1x25	3 MOA Dot	9-11mm Rail
12 107	1x30	3 MOA Dot	9-11mm Rail

REFLEX

Single Piece Construction with Digital Control



12 141	3 MOA Dot	Weaver Rail
12 144	3 MOA Dot (Wide View)	Weaver Rail
12 145	Circle Dot (Wide View)	Weaver Rail

FRONTIER LRF SYSTEM H7

High resolution binoculars with built in OLED display Laser Range Finder. Fully multi-coated and high light transmission optics create sharp images with true colour reproduction.

The 6 levels of OLED illumination brightness display the multiple modes available: Distance/ Scan, Horizontal Distance, Angle, Rain, Hunt and Near modes.

OLED display / Accuracy ± 1 metre / Auto shut off / Water repellent lens coatings / Replaceable twist-up eye cups

Frontier LRF binoculars are supplied with a binocular harness pack.

Waterproof to IPX7 / Fog proof

Hawke Lifetime Warranty applies to binocular optics and mechanics only. Electronic parts are covered by our Hawke Two Year Warranty.

FRONTIER LRF

OLED Display | Phase Corrected



● 38 610	8x42	Model: 1800	10-1800m
● 38 615	10x42	Model: 2300	10-2300m



LASER RANGE FINDERS

Accurate distance measurement at the press of a button!

Choose from various display qualities:
Illuminated OLED (Endurance), high light transmission LCD (Vantage), standard LCD (LRF).

Endurance and Vantage models have Distance/Scan, Horizontal Distance, Angle Compensation, Rain and Hunt modes.

LRF models have Distance/Scan, Rain, Hunt and Flag modes.

6x magnification / Adjustable dioptre / Wide angle / Accuracy ± 1 metre / Auto shut off

Water resistant / Fog proof

Hawke Two Year Warranty



ENDURANCE

Red Illuminated OLED display



41 210	Model: 700	5-700m
41 211	Model: 1000	5-1000m
41 212	Model: 1500	5-1500m



VANTAGE

High TX LCD Display



41 200	Model: 400	6-400m
41 201	Model: 600	6-600m
41 202	Model: 900	6-900m

LRF

LCD Display



41 020	Model: 400	6-400m
41 022	Model: 800	6-800m

RING MOUNTS

A vast range of steel and aluminium rings and bases to suit your set-up.

Steel / Aluminium

1 Inch / 30mm / 34mm

Low / Medium / High / Extra High

Weaver / 9-11mm / 3/8 inch

See hawekoptics.com for precise dimensions and specification.



PROFESSIONAL STEEL RING MOUNTS

Supplied with Lever & Nut



23 100	Weaver	1 Inch	Low
23 101	Weaver	1 Inch	Medium
23 102	Weaver	1 Inch	High
23 103	Weaver	1 Inch	Extra High
23 105	Weaver	30mm	Low
23 106	Weaver	30mm	Medium
23 107	Weaver	30mm	High
23 108	Weaver	30mm	Extra High



PRECISION STEEL RING MOUNTS

Supplied with Lever or Nut



23 000	Weaver	1 Inch	w/ Nut	Low
23 001	Weaver	1 Inch	w/ Nut	Medium
23 002	Weaver	1 Inch	w/ Nut	High
23 005	Weaver	30mm	w/ Nut	Low
23 006	Weaver	30mm	w/ Nut	Medium
23 007	Weaver	30mm	w/ Nut	High
23 010	Weaver	1 Inch	w/ Lever	Low
23 011	Weaver	1 Inch	w/ Lever	Medium
23 012	Weaver	1 Inch	w/ Lever	High
23 015	Weaver	30mm	w/ Lever	Low
23 016	Weaver	30mm	w/ Lever	Medium
23 017	Weaver	30mm	w/ Lever	High

CONT.

23 020	Weaver	34mm	w/ Nut	Low
23 021	Weaver	34mm	w/ Nut	Medium
23 022	Weaver	34mm	w/ Nut	High
23 030	Weaver	34mm	w/ Lever	Low
23 031	Weaver	34mm	w/ Lever	Medium
23 032	Weaver	34mm	w/ Lever	High

CONT.



TACTICAL RING MOUNTS

Triple Screw



24 101	9-11mm	1 Inch	Medium
24 102	9-11mm	1 Inch	High
24 103	9-11mm	1 Inch	Extra High
24 106	9-11mm	30mm	Medium
24 107	9-11mm	30mm	High
24 108	9-11mm	30mm	Extra High
24 109	9-11mm	34mm	Medium
24 110	9-11mm	34mm	High
24 111	Weaver	1 Inch	Medium
24 112	Weaver	1 Inch	High
24 113	Weaver	1 Inch	Extra High
24 116	Weaver	30mm	Medium

CONT.

24 117	Weaver	30mm	High
24 118	Weaver	30mm	Extra High
24 119	Weaver	34mm	Medium
24 120	Weaver	34mm	High

CONT.



TACTICAL CANTILEVER RING MOUNTS

Triple Screw



24 130	Weaver	1 Inch	High (1pc)	50mm Ext.
24 135	Weaver	30mm	High (1pc)	50mm Ext.



MATCH RING MOUNTS

Double Screw



22 100	9-11mm	1 Inch	Low
22 101	9-11mm	1 Inch	Medium
22 102	9-11mm	1 Inch	High
22 107	9-11mm	30mm	Medium
22 108	9-11mm	30mm	High
22 104	9-11mm	1 Inch (1pc)	Medium
22 105	9-11mm	1 Inch (1pc)	High
22 111	9-11mm	30mm (1pc)	High
22 112	Weaver	1 Inch	Low
22 113	Weaver	1 Inch	Medium
22 114	Weaver	1 Inch	High
22 115	Weaver	30mm	Low

CONT.

22 116	Weaver	30mm	Medium
22 117	Weaver	30mm	High

CONT.



EXTENSION RING MOUNTS

Double Screw



22 120	9-11mm	1 Inch	High	25mm Ext.
22 121	9-11mm	1 Inch	High	50mm Ext.
22 122	9-11mm	30mm	High	25mm Ext.
22 123	9-11mm	30mm	High	50mm Ext.
22 124	Weaver	1 Inch	High	25mm Ext.
22 125	Weaver	1 Inch	High	50mm Ext.
22 126	Weaver	30mm	High	25mm Ext.
22 127	Weaver	30mm	High	50mm Ext.

ADJUSTABLE RING MOUNTS

Double Screw



22 140	9-11mm	30mm	High
--------	--------	------	------



CAPS & INSERTS



22 153	1 Inch Picatinny Ring Caps (Triple Screw)
22 154	30mm Picatinny Ring Caps (Triple Screw)
22 150	1 Inch Picatinny Ring Caps (Double Screw)
22 151	30mm Picatinny Ring Caps (Double Screw)
22 160	1 Inch Mount Inserts (25 MOA Elevation)
22 161	30mm Mount Inserts (25 MOA Elevation)

ADAPTOR BASES



22 400	11mm/ $\frac{3}{8}$ " to Weaver (2pc)
22 401	11mm/ $\frac{3}{8}$ " to Weaver
22 402	11mm/ $\frac{3}{8}$ " to Weaver Ext.
22 403	$\frac{3}{8}$ " to Weaver w/ Elevation
22 404	$\frac{3}{8}$ " to Weaver Ext. w/ Elevation
22 405	$\frac{3}{8}$ " to Weaver (2pc)
22 406	Universal Weaver Base



RISERS



22 410	Picatinny to Picatinny Riser
22 411	Picatinny to Picatinny Riser Ext.
22 415	Red Dot Riser w/ Quick Release

BUBBLE LEVELS



64 100	9-11mm Bubble Level
64 101	Weaver Bubble Level

ACCESSORIES

Improve your optics with official accessories from Hawke.

See hawkeoptics.com for dimensions and scope compatibility.



HONEYCOMB SUNSHADES



62 100	Objective: 24mm
62 101	Objective: 32mm
62 102	Objective: 32mm AO
62 114	Objective: 36mm
62 103	Objective: 40mm
62 104	Objective: 40mm AO
62 105	Objective: 42mm
62 107	Objective: 44mm
62 109	Objective: 50mm
62 110	Objective: 50mm AO
62 112	Objective: 56mm

SUNSHADES



62 001	Objective: 32mm
62 002	Objective: 32mm AO
62 014	Objective: 36mm
62 003	Objective: 40mm
62 004	Objective: 40mm AO
62 005	Objective: 42mm
62 007	Objective: 44mm
62 009	Objective: 50mm
62 010	Objective: 50mm AO
62 012	Objective: 56mm
62 013	Objective: 60mm



PROFESSIONAL
FLIP-UP COVERS



- | | |
|--------|-----------------------|
| 61 151 | Ocular: 44mm Diameter |
| 61 150 | Ocular: 46mm Diameter |
| 61 100 | Objective: 24mm |
| 61 107 | Objective: 44mm |
| 61 109 | Objective: 50mm |
| 61 112 | Objective: 56mm |

FLIP-UP COVERS



- | | |
|--------|--------------------|
| 61 050 | Ocular: Size 1 |
| 61 051 | Ocular: Size 2 |
| 61 052 | Ocular: Size 3 |
| 61 000 | Objective: 24mm |
| 61 001 | Objective: 32mm |
| 61 002 | Objective: 32mm AO |
| 61 014 | Objective: 36mm |
| 61 003 | Objective: 40mm |
| 61 004 | Objective: 40mm AO |
| 61 005 | Objective: 42mm |
| 61 007 | Objective: 44mm |
| 61 009 | Objective: 50mm |

CONT.



SIDE WHEELS



CONT.

61 010 Objective: 50mm AO

61 012 Objective: 56mm

61 013 Objective: 60mm

63 020

65mm

Attachment: Type 4

63 021

65mm

Attachment: Type 5

63 024

100mm

Attachment: Type 4

63 025

100mm

Attachment: Type 5

63 002

Pointer (Fits 30mm Tube)



LASERS & LEDS



43 111	Red Laser/LED Foregrip (Weaver)
43 110	Red Laser/LED (Weaver/1 Inch/30mm)
43 100	Red Laser Kit (Weaver/1 Inch)

BIPODS & RESTS



70 001	Fixed Bipod (6-9 Inch/15-23cm)
70 002	Fixed Bipod (9-13 Inch/23-33cm)
70 005	Tilt Bipod (6-9 Inch/15-23cm)
70 006	Tilt Bipod (9-13 Inch/23-33cm)
70 010	Swivel & Tilt Bipod (6-9 Inch/15-23cm)
70 011	Swivel & Tilt Bipod (9-13 Inch/23-33cm)
70 015	Barrel Mounted Bipod (9-11 Inch/23-28cm)
70 051	PCP Bottle Bipod Adaptor (50mm)
70 052	PCP Bottle Bipod Adaptor (60mm)
70 050	Weaver/Picatinny Bipod Adaptor
70 100	Pro Benchrest



NATURE



SYSTEM H7

UNPARALLELED OPTICAL PERFORMANCE

The ultimate APO, ED and HD optics contained in only our most advanced binoculars. The Best.

SYSTEM H5

IMMERSIVE ED OPTICS

High performance optical system with ED glass. The professional's choice.

FRONTIER

BINOCULARS

FRONTIER APO	62
FRONTIER ED X	63
FRONTIER HD X	63

ENDURANCE

BINOCULARS

ENDURANCE ED	64
ENDURANCE	65

MONOCULARS

ENDURANCE ED	65
--------------	----

SPOTTING SCOPES

ENDURANCE ED	70
--------------	----

SYSTEM H2

REDEFINING VALUE OPTICS

Our premium optics in a wide range of binoculars and scopes. Dependable, Accurate, Affordable.

NATURE-TREK

BINOCULARS

NATURE-TREK 66

MONOCULARS

NATURE-TREK 67

SPOTTING SCOPES

● NATURE-TREK 72

VANTAGE

BINOCULARS

● VANTAGE 68

VANTAGE

SPOTTING SCOPES

VANTAGE 74

ACCESSORIES

DIGI-SCOPE ADAPTORS 76

TRIPODS & MOUNTING 77

MERCHANDISE 78

FRONTIER SYSTEM H7

All Frontier models feature Hawke's H7 optics, offering stunning high definition viewing with incredible colour control and phase correction. High performance lens coatings and Dielectric Coated prisms ensure the highest level of light transmission.

The Frontier APO offers extreme clarity, flat field vision along with excellent chromatic aberration control for a stunning wide angle image.

APO & ED X models benefit from Extra-low Dispersion glass for controlled chromatic aberration and the elimination of colour fringing.

Extra-low Dispersion glass (APO & ED X only)
/ Dielectric Coatings / High resolution phase corrected BAK-4 roof prisms / Water repellent lens coatings / Magnesium alloy chassis / Focus from 2m / Replaceable twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



FRONTIER APO

APO Lenses | ED Glass | Dielectric Coating | Phase Corrected



38 510	8x42	Green	FOV: 8.1°	740g
38 512	10x42	Green	FOV: 7.1°	740g



FRONTIER ED X

ED Glass | Dielectric Coating | Phase Corrected



38 405	8x32	Green	FOV: 7.7°	540g
38 406	8x32	Grey	FOV: 7.7°	540g
38 407	10x32	Green	FOV: 6.2°	540g
38 408	10x32	Grey	FOV: 6.2°	540g
38 410	8x42	Green	FOV: 8.1°	725g
38 411	8x42	Grey	FOV: 8.1°	725g
38 412	10x42	Green	FOV: 6.4°	725g
38 413	10x42	Grey	FOV: 6.4°	725g

FRONTIER HD X

Dielectric Coating | Phase Corrected



38 005	8x32	Green	FOV: 7.7°	540g
38 006	8x32	Grey	FOV: 7.7°	540g
38 007	10x32	Green	FOV: 6.2°	540g
38 008	10x32	Grey	FOV: 6.2°	540g
38 010	8x42	Green	FOV: 8.1°	725g
38 011	8x42	Grey	FOV: 8.1°	725g
38 012	10x42	Green	FOV: 6.4°	725g
38 013	10x42	Grey	FOV: 6.4°	725g

ENDURANCE SYSTEM H5

Stunning optics providing crisp, clear and bright images with enhanced light transmission.

Endurance models benefit from our System H5 optics. ED glass is utilised to reduce colour fringing. The Fully Multi-Coated lenses provide high resolution images which ensure no details are lost when viewing at distances down to 2m.

Effortless focusing and impressive depth of field makes these binoculars quick and easy to use. Water and fog proof with a high grip rubber coated body, Endurance is designed to battle the elements.

Extra-low Dispersion glass (ED models) / High resolution phase corrected BAK-4 roof prisms / Focus from 2m / Twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread (excl. 25mm models)

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



ENDURANCE ED

ED Glass | Phase Corrected



36 200	8x32	Black	FOV: 7.7°	635g
36 201	8x32	Green	FOV: 7.7°	635g
36 202	10x32	Black	FOV: 6.4°	635g
36 203	10x32	Green	FOV: 6.4°	635g
36 204	8x42	Black	FOV: 7.6°	705g
36 205	8x42	Green	FOV: 7.6°	705g
36 206	10x42	Black	FOV: 6.3°	705g
36 207	10x42	Green	FOV: 6.3°	705g
36 208	10x50	Black	FOV: 6°	805g
36 209	10x50	Green	FOV: 6°	805g
36 210	12x50	Black	FOV: 5.2°	805g
36 211	12x50	Green	FOV: 5.2°	805g



ENDURANCE ED COMPACT

ED Glass | Phase Corrected



36 110	8x25	Green	FOV: 6.8°	310g
36 111	10x25	Green	FOV: 5.5°	315g

ENDURANCE

Phase Corrected



36 220	8x56	Green	FOV: 6.7°	1005g
--------	------	-------	-----------	-------

ENDURANCE ED MONOCULAR

ED Glass | Phase Corrected



36 310	8x25	Green	FOV: 6.8°	150g
36 311	10x25	Green	FOV: 5.5°	152g
36 320	8x42	Green	FOV: 7.4°	320g
36 321	10x42	Green	FOV: 5.8°	325g

NATURE-TREK SYSTEM H2

An extensive range of binoculars in several configurations.

The Nature-Trek family utilises our System H2 optics produced in a shock resistant polycarbonate body, providing a robust yet lightweight package. The high grip rubber armour ensures a secure hold in all weather conditions.

Optics are crisp and clear with notable natural colour reproduction. The precise focusing wheel allows focussing down to 2m.

Nature-Trek offers a complete range of binoculars from the very portable 25mm models up to the oversized 50mm models, ideally suited to low light conditions where a large exit pupil diameter is required.

Fully multi-coated optics / High resolution phase corrected BAK-4 roof prisms / Focus from 2m / Twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread (excl. 25mm models)

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



NATURE-TREK

Phase Corrected | Fully Multi-Coated



35 100	8x32	Green	FOV: 7.4°	521g
35 101	10x32	Green	FOV: 5.8°	521g
35 102	8x42	Green	FOV: 7.4°	638g
35 103	10x42	Green	FOV: 5.8°	638g
35 104	10x50	Green	FOV: 5.8°	829g
35 105	12x50	Green	FOV: 4.7°	829g



NATURE-TREK COMPACT

Fully Multi-Coated



35 051	8x25	Green	FOV: 6.8°	295g
35 053	10x25	Green	FOV: 5.5°	295g

NATURE-TREK MONOCULAR

Fully Multi-Coated



35 210	8x25	Green	FOV: 6.8°	145g
35 211	10x25	Green	FOV: 5.5°	147g
35 220	8x42	Green	FOV: 7.4°	315g
35 221	10x42	Green	FOV: 5.8°	320g

VANTAGE SYSTEM H2

Vantage binoculars feature our H2 optics and provide incredible value for money.

Built from a polycarbonate body with rubber armour, Vantage binoculars are lightweight and reliable with easy-to-use features that make them perfect for new nature enthusiasts or when shopping on a budget.

They are supplied with a comfortable neck strap and padded carry case for protection and storage.

Fully coated optics / High resolution
BAK-4 roof prisms / Focus from 2m / Twist-up eye cups with position stops / Stay-on lens covers / 1/4 inch tripod adapter thread

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty

VANTAGE

Fully Coated



● 34 120	8x32	Green	FOV: 7.5°	457g
● 34 121	10x32	Green	FOV: 5.6°	452g
34 122	8x42	Green	FOV: 7°	555g
34 124	10x42	Green	FOV: 5.8°	550g
● 34 126	10x50	Green	FOV: 5.6°	748g
● 34 127	12x50	Green	FOV: 5°	743g



ENDURANCE SYSTEM H5

Endurance ED spotting scopes provide the performance to get close to the action and the durability you demand.

All magnifications are constructed with ED glass reducing the potential for chromatic aberration. ED glass controls colour fringing and allows an improvement in clarity and crispness of the image, highly recommended by nature enthusiasts.

All lenses are Fully Multi-Coated and prisms Dielectric Coated for increased reflectivity. Endurance scopes feature a dual focus knob (coarse and fine), 3x ratio eyepieces with twist-up eye cups and retractable sunshades.

Choose from a range of full size scopes with 85mm or 68mm objectives or the compact design with 60mm or 50mm objectives.

All scopes are supplied with lens covers and stay-on soft cases.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



ENDURANCE ED

ED Glass | Dielectric Coating



56 201	20-60x68	FOV: 2.1-1.1°	1495g
56 203	25-75x85	FOV: 1.7-0.9°	1825g

56 203 SHOWN



ENDURANCE ED COMPACT

ED Glass | Dielectric Coating



56 193	13-39x50	FOV: 3.3-1.7°	830g
56 194	15-45x60	FOV: 2.8-1.5°	895g

56 193 SHOWN

NATURE-TREK SYSTEM H2

The Nature-Trek spotting scope family offers exceptional optical performance in a lightweight and waterproof modern design. A Fully Multi-Coated optical system combined with BAK-4 Porro prisms produce extremely clear and sharp images.

The 65mm and 80mm optical systems have been optimised for maximum performance while keeping the scope body short in length making them ideal for hiking and travel. Featuring a rotating tripod band, retractable sunshade and stay-on cover for protection.

The ultra compact 56mm models feature barrel focussing and are available with a straight or angled eyepiece. A window mount is included with the straight eyepiece model. Both spotting scopes are supplied with a neoprene stay-on case.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty



NATURE-TREK

Fully Multi-Coated



55 200	16-48x65	FOV: 2.6-1.4°	1185g
55 201	20-60x80	FOV: 2.1-1.1°	1365g

55 201 SHOWN



NATURE-TREK COMPACT

Fully Multi-Coated



55 210 9-27x56 FOV: 4.5-2.1° 575g

NATURE-TREK COMPACT

Fully Multi-Coated | Window Mount Included



● 55 211 13-39x56 FOV: 3.1-1.5° 944g

VANTAGE

Vantage spotting scopes are supplied with everything you need to get started. Available in a choice of 24-72x or 20-60x magnification, Vantage spotting scope kits are designed to enhance your viewing pleasure.

The tough rubber coating provides a waterproof body. Both Vantage spotting scopes are supplied with a hard storage case, soft scope cover and an adjustable mini tripod with integrated window mount.

Nitrogen purged / Waterproof / Fog proof

Hawke Lifetime Warranty

VANTAGE

Fully Multi-Coated



51 100	20-60x60	FOV: 2.2-1°	795g
51 101	24-72x70	FOV: 1.6-0.8°	1045g

51 101 SHOWN



further information available at hawkeoptics.com

VANTAGE 75

ACCESSORIES

Improve your optics with official accessories from Hawke.

See hawkeoptics.com for dimensions and compatibility.



DIGI-SCOPE ADAPTORS



64 026	Endurance ED 50mm, 60mm, 68mm & 85mm Nature-Trek 65mm & 80mm
--------	---

64 025	Nature-Trek Compact 56mm
--------	--------------------------

64 024	Compact Camera – Small Ocular
--------	-------------------------------

64 027	Compact Camera – Large Ocular
--------	-------------------------------



SLR T2 CAMERA ADAPTORS



64 000	Nikon
64 001	Canon EOS
64 002	Pentax K
64 003	Minolta Maxxum
64 004	Sony Alpha
64 007	Olympus Micro 4/3
64 008	Fuji
64 010	Sony NEX-E

TRIPODS & MOUNTING



64 102	Adjustable Tripod (26-34cm)
64 103	Compact Tripod (24cm)
64 104	Binocular Tripod Mount
64 105	Spotting Scope Balance Plate
64 106	Spotting Scope Window Mount

MERCHANDISE

HATS



99 305	Black Mesh Snapback Cap
99 306	Grey/Black Mesh Snapback Cap
99 300	Black/Grey Distressed Cap
99 301	Grey/Orange Distressed Cap
99 302	Grey/Pink Distressed Cap
99 320	Black Cotton Twill Cap
99 321	Orange Cotton Twill Cap
99 322	Realtree Camp Cotton Twill Cap
99 360	Green Ripstop Cap
99 361	Black Ripstop Cap
99 340	Black Fleece Beanie
99 341	Grey Waffle Knit Beanie

T-SHIRTS



98 306	Black T-Shirt (S)
98 307	Black T-Shirt (M)
98 308	Black T-Shirt (L)
98 309	Black T-Shirt (XL)
98 310	Black T-Shirt (XXL)
98 311	Black T-Shirt (XXXL)
98 318	Olive T-Shirt (S)
98 319	Olive T-Shirt (M)
98 320	Olive T-Shirt (L)
98 321	Olive T-Shirt (XL)
98 322	Olive T-Shirt (XXL)
98 323	Olive T-Shirt (XXXL)
98 378	Black Polo-Shirt (S) - Male
98 379	Black Polo-Shirt (M) - Male
98 380	Black Polo-Shirt (L) - Male
98 381	Black Polo-Shirt (XL) - Male

RIFLESCOPE COVERS



99 210	Neoprene Scope Cover (23cm)
99 211	Neoprene Scope Cover (28cm)
99 212	Neoprene Scope Cover (33cm)
99 213	Neoprene Scope Cover (36cm)
99 214	Neoprene Scope Cover (38cm)
99 215	Neoprene Scope Cover (41cm)

BINOCULAR HARNESSSES



99 400	Binocular Harness Pro Pack
99 401	Binocular Harness Pack
99 402	Binocular Harness Strap

LENS CLEANING



98 237	Lens Cleaning Pen
98 026	Lens Cleaning Cloth

DRINKWARE



98 235	Black Coffee Mug
--------	------------------



99009

EUROPE | REST OF WORLD

Avocet House, Wilford Bridge Road,
Melton, Woodbridge, Suffolk IP12 1RB, UK

t: +44 345 345 5555

e: export@hawkeoptics.com



www.hawkeoptics.com

 Born in the UK