



2020 CATALOGUE

BE A GAME CHANGER
ICS AIRSOFT

**BE A GAME
CHANGER**



ICS obtains ISO 9001
Quality Management System
Certification




CONTENTS

ABOUT ICS	05
ICS TECHNOLOGY	07
HI-CAPA	09
SAR 9	11
KORTH PRS	15
BLE SERIES	19
HERA ARMS CQR	29
LIGHTWAY SERIES	35
CXP SERIES	43
CXP-ARK	45
CXP-MARS PDW9	49
CES-P	101
CES SERIES	105
CS4 SERIES	111
AAR SERIES	115
MAR SERIES	121
TOD SERIES	125
WORLD WAR II	129
L85 L86 SERIES	137
MGL SERIES	141
SPECIFICATIONS	145
ICON GUIDE	149



13



NEW **ICS** PRODUCTS

PREVIEW



P35



P101

P49

4|13

ABOUT ICS

The First Manufacturer to Produce AEG In Taiwan

Everyone wants to be the winner in battlefields whatever it is real or virtual. The weapon for each warrior will be the key factor which determines who is the winner. You can only see the sights and the barrel from an AEG, however, the internal parts of AEG were combined with more than 400 parts which were made by die-casting, injection, stamping press, forging, and CNC Turning and Milling...etc. over 20 complicated procedures and sophisticated technique process, to produce the high quality AEG for you. The story behind every AEG is the years enthusiasm and the hard work from the design and development team, also the spirit of high quality control demand from the production team.

The ICS founder Mr. Chu entered the airsoft replicas market in 1995 with enthusiasm and become the first AEG company in Taiwan and also the 3rd AEG company in the world which was specialized in designing and manufacturing for airsoft replicas.

As the professional airsoft replica market manufacturer, "Innovation, Efficiency, and High Quality" is the main concept of ICS. "No receive, produce, and sell the defective products" is also the principle that we insisted. By our insistence, we hold a small portion of the airsoft replica market and also leading other airsoft company in Taiwan to enter the global market. ICS also passed the ISO9001 Quality management systems.

To be the pioneer of Airsoft replica market, ICS has a strong R&D team which comprises with 16 experts from different industries. To combine the new technology with Airsofters' experience is our main design concept, therefore it made ICS possesses of the product differentiation benefits. In the future, we will devote ourselves to develop the new techniques continuously and get more patent certification, in order to provide our customers more modern and satisfied products. This is the persistent mission of ICS since always: "Innovation, Competition, Satisfaction"


ICS, The Best Thing We Create.



ICS PRECISION WORKMANSHIP


ICS invests in high precision CNC machines in order to produce high quality metal components such as receivers, RAS/RIS handguard, tactical rails and gearbox. All CNC machining components provide extremely realistic appearances as the real firearms. Even military standard 7075 aluminum can be processed for OEM customers.

WHAT'S GOOD WITH THE NEW ICS SSS E-TRIGGER?



Pre-Cocking Function

With the new pre-cocking function, it could greatly increase firing speed and accuracy.



First "Self-Diagnostic Shooting System" in whole Airsoft market!


Troubleshooting is no longer difficult. With the ICS SSS electronic trigger system, it will be easy enough if you could identify the color of the glowing LED!

Green color glowing: Everything is OK.

Red LED blinking: Gears, motor related abnormality.

Orange LED blinking: Trigger switch abnormality.

Orange LED glowing: Fire selector assembly abnormality.




Low voltage detection and Self-protection

With the new pre-cocking function, it could greatly increase firing speed and accuracy.

The SSS E-trigger will remind when the battery is running low, in order to protect the battery and your AEG.


When the battery is low, the motor will vibrate 3 times to remind that the battery will be depleted.

When the battery is depleted, the motor will vibrate once and you will not be able to fire.




Elect. Active Brake

It is also featured with motor characteristic self-learning feature, adjust its operating power efficiency automatically to provide precise gear positioning while operating.




Compatibility! Universal spec 3rd gear

All functions on the 3S E-Trigger System can be completely used without problem as long as the 3rd. gear has the universal fire selecting control cam.



SMART TRIGGER

No one ever thought about making a trigger smart, but ICS did. The smart sensing unit senses every user's unique trigger pull, and smartly identify the pull to see if the user is short busting the gun or full autoing it. On top of the smart sensing unit the entire system comes with pre-cocking and short stroked trigger, making ICS's smart trigger unit much faster than the regular AEG trigger system. The new generation of smart trigger is coming, faster is now the choice for every shooter.




Switchable Burst mode (Semi/Auto/3 round Burst)

Firing mode can be selected intuitively and with convenience.

Pull and hold the trigger for 5 second under semi-mode can switch between Auto mode and 3 round burst mode.

Firing mode will return to default setting (Semi+Auto) if you re-connect the battery.

ICS EXCLUSIVE REALISTIC DESIGN



Split Gearbox & QD Spring & Spring Release

The QD Receivers, Split Gearbox and QD spring designs of ICS are designed to simulate disassembly of real firearms. This design makes upgrading, maintenance, and troubleshooting more easily, moreover, the spring release function could extend the service life of the spring to avoid elastic fatigue and decrease of muzzle velocity.




EBB System & Battery Stock Tube & Float H-UP

We want to make perfect improvement to the EBB system.

Therefore, we detected and analyzed the cons of the traditional EBB system, thought outside of the box, and overturned the traditional design specifications. After two years of continuous research and testing, by using the simplest structural design to dispersed the impact that will cause damage to the structure, and after 100,000 tests, we finally achieved the perfect evolution that we expected.

ICS is committed to add the concept of ergonomics into the product. The design concept of the Ambidextrous fire selectors, charging handles, and magazine release button and even the design of the tactical grip and stock, is to make the products more comfortable for the players. The design of the battery stock tube can allow the battery wires to be hid in the tube, which not only can extend the battery capacity, but also the battery life.



Low Resistances Switch Assembly & Mini Fuse & Mosfet

ELECTRIC POWER is the power source of the AEGs. Constructing a low power impedance working environment is also an important issue. Therefore, ICS adopts a new conductive material and is widely used in electric switch blades and electric brake wire sets to provide a perfect low power impedance output environment. moreover, we also adopted a new type of electric brake wire set that featured with the latest wire with diameter of 16AWG, and full-silver-plated metal contacts, upgrade all fuse box to micro fuse box, which has lower power impedance, much more stable power system, generates less heat while operating, and a MOSFET is installed to eliminate the heat and power loss caused by the impedance, to maximize the power output to its best performance.



Advanced Upgrade Parts

The stock components for the ICS EBB models have been upgraded, which includes MIM processed Torque Gear, Full steel teeth with FRP piston, 8 Holes Ventilation Piston Head, Full Capacity Oversized cylinder, and Metal H-UP Set, which not only improves product service life, but also provides players a high-performance out of the box products, and the specs of the components are 100% fit the general specifications of current market.



#GameOnGameChangers

**WHAT'S NEXT
2020 COMING SOON**

CHALLENGE MORE

The Hi-Capa Challenger, like the name it was born to challenge. ICS Designed this handgun to Incorporate with our most advanced GBB pistol technologies. On the process we refined all the small imperfections to make the Challenger performs better than Tokyo Marui Hi-Capa while maintaining the compatibility. ICS would like to send this beast to compete with all the Hi-Capa products out there. We are confident to challenge, and the more we challenge the more we will improve.



SAR 9

SMART TACTICAL



SG
SARSILMAZ®

The SAR 9 is a Sarsilmaz Licensed handgun and it's design was based on all the successful handgun features & handgun Ergonomics. This makes the SAR9 the new innovation to the small firearm market. ICS has spent the past 2 years redesigning the airsoft SAR9, integrating our most advanced Gas Blow Back technology, including the Revo Valves, Fixed Barrel, and CNC machined Slide assembly. We are proud to present this beautifully innovated handgun to the airsoft market, and would like to share the amazing performance with all the users.




SARSILMAZ

The logo of SARSILMAZ® is registered trademarks of Sarsilmaz Silah San. A.S., Turkey
-www.sarsilmaz.com - and is used for airsoft replicas under worldwide exclusive license.

13

Fully licensed by Sarsilmaz Silah San. A.S., the SAR 9 is a high quality pistol built by ICS in accordance to the philosophy of "Producing the Best of the Pistols". It is a lightweight, new-generation polymer construction pistol.

SAR 9



BLE-009-SB

- Length/Retractable: 195 mm
- Inner Barrel: 104 mm
- Capacity: 22 Rds
- Weight: 750 g
- Caliber: 6 mm



NEW
2020

14

KORTH PRS

GUIDANCE OF THE LEGEND



"IT HAS ALWAYS BEEN SOMETHING VERY SPECIAL TO OWN A KORTH."

Because every Korth is unique.

It used to be and still is today.

Half a century after Willi Korth presented his very first revolver the public, the manufactory Korth runs at full speed again.

The name Korth stands for unique gunsmithing. The revolvers, which we manufacture don't just shoot extreme precisely. Their appearance makes these weapons small art works that redound the glory of any man. The exquisite and individual products are valued as gifts to express highest recognition and find their way into the exclusive collections of passionate weapon collectors. The spirit of Willi Korth to continuously improve even the very good things, you can feel in each weapon made by PTW KORTH Technologies GmbH. The best of steels, hand chosen timber and perfect mechanics are the ingredients, which are formed through experience, countless hours of hand working. Anyone, who has ever held a Korth in his Hand and felt its perfect balance, smooth operation and excellent timing, understands the phenomenon Korth. The shooting results speak for themselves and are the confirmation of this spirit and passion. A Korth is a piece of exclusivity. Exclusivity that arises solely from the personal drive of their master Willi Korth ...
... to build the best revolver in the world!



KORTH PRS 4" GBB-BK

PRS, the very 1st KORTH licensed model of ICS GBB pistol series, which combined with realistic internal structure and authorized external profile. ICS perfectly replicated the iconic fixed barrel feature on the real firearm, and along with the special designed hex-anti-slip texture on the grip plate, which leads to a higher accuracy potential and a better grip while holding.

Also, we adapted the adjustable trigger, which can be adjusted according to user's habits to make it an excellent shooting weapon.



Grip in 1911er design with double slide guide, fixed barrel and semi-rigid roller shutter. Hemisphere checkering at the front of the grip, and at the rear end of the carriage for optimized grip.

KORTH PRS

FIXED BARREL
STEEL HAMMER UNIT INTERCHANGEABLE WITH TM
LUMINOUS SIGHTS
INTERCHANGEABLE WITH TM 1911 GRIP PLATES
ADJUSTABLE TRIGGER STOKE
6.03 PRECISION INNER BARREL

AK-71
Optional: Real Wooden Grip Plates

BLE-008-SB

- Length/Retractable: 195 mm
- Inner Barrel: 85 mm
- Capacity: 15 Rds
- Weight: 770 g
- Caliber: 6 mm

18

BLE-SERIES

BM9 / PM2 / XFG / XAE



ABOUT BLE

Pistol is a "must have" in all milsims or skirmishes. You will need leopard-like characteristics and perform them during games. You will not only acquire strong and sturdy figure, high maneuverability, and intelligent, but also could maintain extremely high speed while running. Thus, ICS has chosen the image of the leopard not only to represent the capability of the ICS pistols, but also could symbolize ICS's ability to maintain leopard-like vitality, viability and competitiveness on those brutal battlefields and this fast-changing airsoft market.

MONSTERLIKE DURABILITY RELIABILITY



The classical US Armed Force pistol M9, the trigger-hammer linkage function and ambi safety design make it a ambi-operable pistol. Due to its excellent performance and good reliability, it is widely used by military units in worldwide countries.

BLE-BM9



BLE-050-SB

- Length/Retractable: 216 mm
- Inner Barrel: 110 mm
- Capacity: 20 Rds
- Weight: 1000 g
- Caliber: 6 mm



BLE-050-ST

- Length/Retractable: 216 mm
- Inner Barrel: 110 mm
- Capacity: 20 Rds
- Weight: 1000 g
- Caliber: 6 mm




THE MUFFLED ONE



*The PM2 NBB CO₂ pistol is an imitation of the classical Russian pistol Makarov. It completely reappears its Simplicity design without losing its precision.
Although the CO₂ NBB design removed its blowback and recoil features, but it is still able to provide a high-performance shooting experience.*

BLE-PM2



BLE-002-SB

- Length/Retractable: 265 mm
- Inner Barrel: 88.5 mm
- Capacity: 13 Rds
- Weight: 830 g
- Caliber: 6 mm

AC-03

A 14mm CCW muzzle end and a Shadow Extension Tube are included out of the box to assemble with ease.





TAIWAN
EXCELLENCE
2019

BLE-XFG




EFFICIENT
GAS
RELEASE



QUANTITATIVE
GAS INJECTION
VALVE



6.03 PRECISION INNER BARREL



BLE-005-SH

- Length/Retractable: 184 mm
- Inner Barrel: 93 mm
- Capacity: 17 Rds
- Weight: 642 g
- Caliber: 6 mm



BLE-005-SB

- Length/Retractable: 184 mm
- Inner Barrel: 93 mm
- Capacity: 17 Rds
- Weight: 642 g
- Caliber: 6 mm



BLE-005-ST

- Length/Retractable: 184 mm
- Inner Barrel: 93 mm
- Capacity: 17 Rds
- Weight: 642 g
- Caliber: 6 mm



BLE-005-SDI

- Length/Retractable: 184 mm
- Inner Barrel: 93 mm
- Capacity: 17 Rds
- Weight: 642 g
- Caliber: 6 mm



BLE-005-SD2

- Length/Retractable: 184 mm
- Inner Barrel: 93 mm
- Capacity: 17 Rds
- Weight: 642 g
- Caliber: 6 mm





TAIWAN
EXCELLENCE
2018



BLE-XAE




EFFICIENT
GAS
RELEASE



QUANTITATIVE
GAS INJECTION
VALVE



6.03 PRECISION INNER BARREL



BLE-006-SD4

- Length/Retractable: 184.5 mm
- Inner Barrel: 85.5 mm
- Capacity: 24 Rds
- Weight: 670 g
- Caliber: 6 mm

BLE-006-SB

- Length/Retractable: 184.5 mm
- Inner Barrel: 85.5 mm
- Capacity: 24 Rds
- Weight: 670 g
- Caliber: 6 mm



BLE-006-ST

- Length/Retractable: 184.5 mm
- Inner Barrel: 85.5 mm
- Capacity: 24 Rds
- Weight: 670 g
- Caliber: 6 mm



BLE-006-SD3

- Length/Retractable: 184.5 mm
- Inner Barrel: 85.5 mm
- Capacity: 24 Rds
- Weight: 670 g
- Caliber: 6 mm



HERA ARMS CQR

THE FUTURE IS NEAR




HERA ARMS CQR

CQR (Close Quarter Rifle) is a model featured with both performance and reliability, authorized by HERA ARMS, Germany under the joint partnership project by ActionSportGames and ICS Airsoft, and perfectly manufactured by ICS based on the CXP EBB series and applied with Original HERA Arms featured parts.

This outstanding model is also equipped with ICS's latest 2nd Generation SSS E-trigger system, which applied the pre-cocking function that could reduce the piston travel distance, and improve both accuracy and trigger responding time. The iconic ICS split gearbox and QD spring guide designs provide the capability for players to adjust and meet the limitation per different field and games.

HERA ARMS CQR FEATURE INTRODUCTION





ICS BE A GAME CHANGER
ICS AIRSOFT

Joint venture with



HERA ARMS
HIGHGRADE EUROPEAN RESEARCH FOR SMALL ARMS

ASG
Action Sport Games

HERA ARMS CQR

CQR FIXED

PROLINE



ICS-390

ICS-390S3

- Length/Retractable: 706 mm
- Inner Barrel: 215 mm
- Capacity: 300 Rds
- Weight: 3190 g
- Caliber: 6 mm



IMD-390-I

IMD-390S3-I

- Length/Retractable: 706 mm
- Inner Barrel: 215 mm
- Capacity: 300 Rds
- Weight: 3190 g
- Caliber: 6 mm



LIGHTWAY-SERIES


PELEADOR 2.0 / PELEADOR



ABOUT LIGHTWAY

The lightway series is a belief that ICS could deliver the best performing AEG platform with the most cost effective pricing to both beginners and veterans. The specially designed AEG frame adopted all the great design DNAs originated from ICS; which is most ideal for players who are looking for a light weight package, that performs like a charm.

PELEADOR 2.0 FEATURE INTRODUCTION



LIGHT, THE WAY



Now ICS has been officially authorized by Magpul to use M-LOK standard, allowing us to provide more reliable products for the future of the airsoft industry.

The Lightway Peleador 2.0 is the new solution to performance speeding games. It is constructed from super high strength nylon fiber polymer, and is equipped with ICS's outstanding SSS electronic trigger system. The FRP piston unit and short stroked trigger makes this light weight AEG a real performer on the Airsoft field. By combining light weight construction and high performing internals, this is certainly the choice of gun for any players out there.

PELEADOR 2.0



ICS-442S3

- Length/Retractable: 817-894 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2369 g
- Caliber: 6 mm



ICS-443S3

- Length/Retractable: 717-794 mm
- Inner Barrel: 303 mm
- Capacity: 300 Rds
- Weight: 2333 g
- Caliber: 6 mm



IPT-442S3-I

- Length/Retractable: 817-894 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2369 g
- Caliber: 6 mm



IPT-443S3-I

- Length/Retractable: 717-794 mm
- Inner Barrel: 303 mm
- Capacity: 300 Rds
- Weight: 2333 g
- Caliber: 6 mm



Now ICS has been officially authorized by Magpul to use M-LOK standard, allowing us to provide more reliable products for the future of the airsoft industry.

PELEADOR

MTR

AEG

6

H-UP

7

N

M-LOK

FET



ICS-440

- Length/Retractable: 817-894 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2369 g
- Caliber: 6 mm



ICS-44I

- Length/Retractable: 717-794 mm
- Inner Barrel: 303 mm
- Capacity: 300 Rds
- Weight: 2333 g
- Caliber: 6 mm



IPT-440-I

- Length/Retractable: 817-894 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2369 g
- Caliber: 6 mm



IPT-44H

- Length/Retractable: 717-794 mm
- Inner Barrel: 303 mm
- Capacity: 300 Rds
- Weight: 2333 g
- Caliber: 6 mm

CXP-SERIES

ARK / MARS PDW9 /
MMR / YAK / MARS /
APE / UKI / HOG / I6 /
I5 / 08




ICSCXP

ABOUT CXP

The CXP series is a brand new AEG combat platform developed and designed based on the existing SALW(Small Arms and Lightway Weapons) in the world today, which not only combined ergonomic and designs, but also applied with years of experiences gained by operating AEGs.

CXP-ARK FEATURE INTRODUCTION





FUSION OF THE LEGENDS

47

CXP-ARK

SFI PROLINE



NEW
2020



ICS-131

ICS-131S3

- Length/Retractable: 638-884 mm
- Inner Barrel: 375 mm
- Capacity: 540 Rds
- Weight: 3365 g
- Caliber: 6 mm

IMD-131


IMD-131S3-I

- Length/Retractable: 638-884 mm
- Inner Barrel: 375 mm
- Capacity: 540 Rds
- Weight: 3365 g
- Caliber: 6 mm

ARK combines the two legends in the world of guns, taking the robust from the AK and integrating the precise from the M4. This fusion beast comes with ICS's newest V3 gearbox technology, featuring quick spring change and spring pressure release; but most importantly the SSS V3 Electronic Trigger System is now available in V3 Gearbox platform. We now can proudly announce, this is the product that can take the beating and shoot precisely in the field of airsoft.

48

CXP-MARS PDW9 FEATURE INTRODUCTION



SMALLER ROUND BIGGER PUNCH



The PDW9 is the newest member to the CX-MARS family, and it is packed with ICS's most advanced SSS.II Electronic Trigger System, making this PCC AR an outstanding performer in the airsoft field. After 3 years of refining the design, ICS has finally completed the CXP-MARS PDW9. Behind every modification, there are stories of us making the PDW9 the better product. With CXP-MARS PDW9, you will become one of the game changers in the airsoft field.

CXP-MARS PDW9

PDW **PROLINE**



ICS-420

ICS-420S3

- Length/Retractable: 619-690 mm
- Inner Barrel: 160 mm
- Capacity: 330 Rds
- Weight: 2692 g
- Caliber: 6 mm




IMG-420-I

IMG-420S3-I

- Length/Retractable: 619-690 mm
- Inner Barrel: 160 mm
- Capacity: 330 Rds
- Weight: 2692 g
- Caliber: 6 mm

CXP-MMR FEATURE INTRODUCTION





M
M-LOK

Now ICS has been officially authorized by Magpul to use
M-LOK standard, allowing us to provide more reliable
products for the future of the airsoft industry.

CXP-MMR DMR

UKSR

PROLINE



ICS-400

- Length/Retractable: 975-1005 mm
- Inner Barrel: 458 mm
- Capacity: 300 Rds
- Weight: 3393 g
- Caliber: 6 mm



IMT-400-I

- Length/Retractable: 975-1005 mm
- Inner Barrel: 458 mm
- Capacity: 300 Rds
- Weight: 3393 g
- Caliber: 6 mm

CXP-MMR CARBINE

MTR SI PROLINE EBB M 7 6 ADJUSTABLE H-UP M-LOK FET



ICS-401

- Length/Retractable: 835-930 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2886 g
- Caliber: 6 mm

CXP-MMR SBR

MTR PROLINE EBB M 7 6 ADJUSTABLE H-UP M-LOK FET



ICS-402

- Length/Retractable: 728-800 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2678 g
- Caliber: 6 mm



IMT-401-I


- Length/Retractable: 835-930 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2886 g
- Caliber: 6 mm



IMT-402-I

- Length/Retractable: 728-800 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2678 g
- Caliber: 6 mm

CXP-YAK FEATURE INTRODUCTION





CXP-YAK SBR

MTR SI PROLINE EBB M 7 6 ADJUSTABLE H-UP KEYMOD FET



ICS-410

- Length/Retractable: 733-825 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 3067 g
- Caliber: 6 mm



IMT-410-I

- Length/Retractable: 733-825 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 3067 g
- Caliber: 6 mm

CXP-YAK CARBINE

MTR SI PROLINE EBB M 7 6 ADJUSTABLE H-UP KEYMOD FET



ICS-4II

- Length/Retractable: 835-930 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3145 g
- Caliber: 6 mm




IMT-4II-I

- Length/Retractable: 835-930 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3145 g
- Caliber: 6 mm

CXP-YAK DMR

UKSR

PROLINE



ICS-412

- Length/Retractable: 947-977 mm
- Inner Barrel: 420 mm
- Capacity: 300 Rds
- Weight: 3617 g
- Caliber: 6 mm




IMT-412-I

- Length/Retractable: 947-977 mm
- Inner Barrel: 420 mm
- Capacity: 300 Rds
- Weight: 3617 g
- Caliber: 6 mm

CXP-YAK CQB

MTR SI

PROLINE



ICS-413

- Length/Retractable: 743-838 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 3145 g
- Caliber: 6 mm




IMT-413-I

- Length/Retractable: 743-838 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 3145 g
- Caliber: 6 mm



CXP-MARS FEATURE INTRODUCTION



ONE SYSTEM
ALL SITUATION



CXP-MARS KOMODO

MTR SI PROLINE EBB M 7 6 H-UP FET SSS AMBI

ICS-300

ICS-300S3

- Length/Retractable: 840-935 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3160 g
- Caliber: 6 mm



IMT-300-I

IMT-300S3-I

- Length/Retractable: 840-935 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3160 g
- Caliber: 6 mm



IMD-300-I

IMD-300S3-I

- Length/Retractable: 840-935 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3160 g
- Caliber: 6 mm

CXP-MARS SBR



ICS-301

ICS-301S3

- Length/Retractable: 705-800 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2940 g
- Caliber: 6 mm

CXP-MARS CARBINE



ICS-302

ICS-302S3

- Length/Retractable: 810-905 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3040 g
- Caliber: 6 mm



IMT-301-I

IMT-301S3-I

- Length/Retractable: 705-800 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2940 g
- Caliber: 6 mm



IMD-301-I

IMD-301S3-I

- Length/Retractable: 705-800 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2940 g
- Caliber: 6 mm



IMT-302-I

IMT-302S3-I

- Length/Retractable: 810-905 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3040 g
- Caliber: 6 mm



IMD-302-I

IMD-302S3-I

- Length/Retractable: 810-905 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3040 g
- Caliber: 6 mm

CXP-MARS DMR

UKSR

PROLINE



ICS-303



ICS-303S3

- Length/Retractable: 980-1010 mm
- Inner Barrel: 458 mm
- Capacity: 300 Rds
- Weight: 3610 g
- Caliber: 6 mm

IMT-303-I
IMT-303S3-I

- Length/Retractable: 980-1010 mm
- Inner Barrel: 458 mm
- Capacity: 300 Rds
- Weight: 3610 g
- Caliber: 6 mm



IMD-303-I

IMD-303S3-I


- Length/Retractable: 980-1010 mm
- Inner Barrel: 458 mm
- Capacity: 300 Rds
- Weight: 3610 g
- Caliber: 6 mm



TAIWAN
EXCELLENCE
2018



CXP-APE FEATURE INTRODUCTION







CXP-APE

SFI

PROLINE



ICS-230

- Length/Retractable: 716-784 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2900 g
- Caliber: 6 mm



IMD-230-I

- Length/Retractable: 716-784 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2900 g
- Caliber: 6 mm

CXP-APE RIFLE

SFI

PROLINE



ICS-23I

- Length/Retractable: 827-895 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3000 g
- Caliber: 6 mm




IMD-23I-I

- Length/Retractable: 827-895 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3000 g
- Caliber: 6 mm



CXP-UKI FEATURE INTRODUCTION






CXP-UKI CAPTAIN

MTR

PROLINE



ICS-262

- Length/Retractable: 617-693 mm
- Inner Barrel: 186 mm
- Capacity: 300 Rds
- Weight: 2840 g
- Caliber: 6 mm



IMT-262-I

- Length/Retractable: 617-693 mm
- Inner Barrel: 186 mm
- Capacity: 300 Rds
- Weight: 2840 g
- Caliber: 6 mm

CXP-UKI CARBINE

MTR

PROLINE



TAIWAN
EXCELLENCE

2017



ICS-264

- Length/Retractable: 700-795 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2700 g
- Caliber: 6 mm



IMT-264-I

- Length/Retractable: 700-795 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2700 g
- Caliber: 6 mm

CXP-UKI RIFLE

MTR

PROLINE



ICS-265

- Length/Retractable: 811-906 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2920 g
- Caliber: 6 mm




IMT-265-I

- Length/Retractable: 811-906 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2920 g
- Caliber: 6 mm



CXP-HOG

FEATURE INTRODUCTION





CXP-HOG TUBULAR SD

PROLINE



ICS-380

- Length/Retractable: 800-880 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2860 g
- Caliber: 6 mm



ICS-382

- Length/Retractable: 880-910 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3300 g
- Caliber: 6 mm



ICS-381

- Length/Retractable: 810-900 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 2920 g
- Caliber: 6 mm



ICS-383

- Length/Retractable: 720-800 mm
- Inner Barrel: 303 mm
- Capacity: 300 Rds
- Weight: 2690 g
- Caliber: 6 mm

CXP-HOG TUBULAR L


PROLINE



ICS-275

- Length/Retractable: 895-925 mm
- Inner Barrel: 375 mm
- Capacity: 300 Rds
- Weight: 3300 g
- Caliber: 6 mm

CXP-I6 FEATURE INTRODUCTION





CXP-16 L

CRANE


PROLINE



ICS-238

- Length/Retractable: 885-980 mm
- Inner Barrel: 303 mm
- Capacity: 300 Rds
- Weight: 3300 g
- Caliber: 6 mm

CXP-15 FEATURE INTRODUCTION





CXP-15 K

SPORTLINE



ICS-I72

- Length/Retractable: 472 mm
- Inner Barrel: 200 mm
- Capacity: 300 Rds
- Weight: 1600 g
- Caliber: 6 mm

PSL

CXP-15

SPORTLINE



ICS-I70

- Length/Retractable: 642-732 mm
- Inner Barrel: 200 mm
- Capacity: 300 Rds
- Weight: 1800 g
- Caliber: 6 mm

RETRACTABLE




ICS-I74

- Length/Retractable: 648-743 mm
- Inner Barrel: 200 mm
- Capacity: 300 Rds
- Weight: 1900 g
- Caliber: 6 mm

CRANE

CXP-08

FEATURE INTRODUCTION






CXP-08 CONCEPT

ORS

PROLINE




ICS-324

- Length/Retractable: 595-695 mm
- Inner Barrel: 200 mm
- Capacity: 300 Rds
- Weight: 2900 g
- Caliber: 6 mm

CXP-08

ORS


SPORTLINE



ICS-160

- Length/Retractable: 595-695 mm
- Inner Barrel: 200 mm
- Capacity: 300 Rds
- Weight: 2150 g
- Caliber: 6 mm

CES-P FEATURE INTRODUCTION



LEGEND NEVER DIES



103

The MP5 is the legend that lasted from 1960. To pay respect, ICS produces the CES-P frame as the real steel version, using the strongest steel and follows the real steel production method. The ICS CES-P is packed with the most advanced ICS SSS V2 Electronic Trigger System, this makes it the undefeatable AEG in the airsoft market. If you are looking for the most realistic MP5 that is equipped with the outstanding internals, then don't miss the ICS CES-P.

CES-P

PROLINE

ICS-21253

- Length/Retractable: 490-760 mm
- Inner Barrel: 230 mm
- Capacity: 230 Rds
- Weight: 2800 g
- Caliber: 6 mm

ICS-21153

- Length/Retractable: 500-650 mm
- Inner Barrel: 230 mm
- Capacity: 230 Rds
- Weight: 2600 g
- Caliber: 6 mm

**NEW
2020**

104

CES SERIES FEATURE INTRODUCTION





CES SERIES SD5

FIXED PROLINE AEG M 7 6 H-UP GUN AMBI

ICS-01

- Length/Retractable: 780 mm
- Inner Barrel: 230 mm
- Capacity: 230 Rds
- Weight: 2240 g
- Caliber: 6 mm



CES SERIES SD6

RETRACTABLE PROLINE AEG M 7 6 H-UP GUN AMBI

ICS-02

- Length/Retractable: 600-741 mm
- Inner Barrel: 230 mm
- Capacity: 230 Rds
- Weight: 2300 g
- Caliber: 6 mm



CES SERIES A4

FIXED PROLINE AEG M 7 6 H-UP AMBI

ICS-03

- Length/Retractable: 680 mm
- Inner Barrel: 230 mm
- Capacity: 230 Rds
- Weight: 2300 g
- Caliber: 6 mm



CES SERIES A5


RETRACTABLE PROLINE AEG M 7 6 H-UP AMBI

ICS-04

- Length/Retractable: 500-640 mm
- Inner Barrel: 230 mm
- Capacity: 230 Rds
- Weight: 2000 g
- Caliber: 6 mm



CS4 SERIES FEATURE INTRODUCTION





CS4 SERIES

PROLINE



CARBINE

ICS-20

- Length/Retractable: 778-873 mm
- Inner Barrel: 375 mm
- Capacity: 450 Rds
- Weight: 3000 g
- Caliber: 6 mm



RETRACTABLE

RIS

ICS-321

- Length/Retractable: 730-815 mm
- Inner Barrel: 263 mm
- Capacity: 450 Rds
- Weight: 3250 g
- Caliber: 6 mm



CRANE

TUBULAR RAS


ICS-323

- Length/Retractable: 778-873 mm
- Inner Barrel: 375 mm
- Capacity: 450 Rds
- Weight: 2950 g
- Caliber: 6 mm



MTR

AAR SERIES FEATURE INTRODUCTION





AAR SERIES

SFS

PROLINE

AEG

N

7

6

H-UP

AMBI

M

ICS-233

- Length/Retractable: 515-795 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2550 g
- Caliber: 6 mm



ICS-235

- Length/Retractable: 515-795 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2550 g
- Caliber: 6 mm



AAR SERIES F

FOLDING

PROLINE

AEG

N

7

6

H-UP

AMBI

M



ICS-333

- Length/Retractable: 515-740 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2400 g
- Caliber: 6 mm




IMD-333-I

- Length/Retractable: 515-740 mm
- Inner Barrel: 263 mm
- Capacity: 300 Rds
- Weight: 2400 g
- Caliber: 6 mm



MAR SERIES FEATURE INTRODUCTION





MAR SERIES

PROLINE



74

ICS-36

- Length/Retractable: 960 mm
- Inner Barrel: 458 mm
- Capacity: 550 Rds
- Weight: 3314 g
- Caliber: 6 mm



FIXED

RAS

ICS-32

- Length/Retractable: 965 mm
- Inner Barrel: 458 mm
- Capacity: 550 Rds
- Weight: 3200 g
- Caliber: 6 mm



SU

ICS-34


- Length/Retractable: 510-745 mm
- Inner Barrel: 263 mm
- Capacity: 550 Rds
- Weight: 2700 g
- Caliber: 6 mm

FIXED



FOLDING

TOD SERIES FEATURE INTRODUCTION





TOD SERIES

FOLDING

PROLINE



ARM

ICS-91

- Length/Retractable: 750-980 mm
- Inner Barrel: 515 mm
- Capacity: 400 Rds
- Weight: 3500 g
- Caliber: 6 mm




MR5

ICS-92

- Length/Retractable: 750-980 mm
- Inner Barrel: 515 mm
- Capacity: 400 Rds
- Weight: 3000 g
- Caliber: 6 mm



MI GARAND FEATURE INTRODUCTION





MI GARAND

PROLINE



8MM LIMITED

ICS-201L

- Length/Retractable: 1100 mm
- Inner Barrel: 610 mm
- Capacity: 25 Rds
- Weight: 3600 g
- Caliber: 8 mm




6MM

ICS-202

- Length/Retractable: 1100 mm
- Inner Barrel: 610 mm
- Capacity: 42 Rds
- Weight: 3600 g
- Caliber: 6 mm



M3 GREASER FEATURE INTRODUCTION





M3 GREASER


PROLINE



ICS-200

- Length/Retractable: 587-763 mm
- Inner Barrel: 230 mm
- Capacity: 430 Rds
- Weight: 2045 g
- Caliber: 6 mm

L85 L86 SERIES FEATURE INTRODUCTION





L85 L86 SERIES

PROLINE



L85 A2 CARBINE ICS-87

- Length/Retractable: 740 mm
- Inner Barrel: 420 mm
- Capacity: 450 Rds
- Weight: 3090 g
- Caliber: 6 mm



L85 A2 ICS-85

- Length/Retractable: 787 mm
- Inner Barrel: 480 mm
- Capacity: 450 Rds
- Weight: 3652 g
- Caliber: 6 mm




L85 A2 LSW ICS-86

- Length/Retractable: 913 mm
- Inner Barrel: 610 mm
- Capacity: 450 Rds
- Weight: 4411 g
- Caliber: 6 mm



MGL SERIES FEATURE INTRODUCTION





MILKOR



Milkor, (PTY) Ltd., South Africa, and the milkor logo are registered trademarks of Milkor (PTY) Ltd., South Africa - www.milkor.co.za - and are used for airsoft replicas under license from ActionSportGames A/S, Denmark - wwwactionsportgames.com.



MGL SERIES



ICS-190

- Length/Retractable: 630-725 mm
- Inner Barrel: 200 mm
- Capacity: Depending on grenade
- Weight: 2200 g



ICS-191

- Length/Retractable: 675-780 mm
- Inner Barrel: 200 mm
- Capacity: Depending on grenade
- Weight: 2200 g



SPECIFICATIONS

Series	Item	Model	Type	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
HERA ARMS CQR	ICS-390	HERA Arms CQR (BK)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
	IMD-390-1	HERA Arms CQR (TwoTone)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
HERA ARMS CQR SSS	ICS-390S3	HERA Arms CQR S3 (BK)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
	IMD-390S3-1	HERA Arms CQR S3 (TwoTone)	EBB	Metal	706	3,190	215	6.04	ICS Split EBB Gearbox 7mm Bushing	Fixed Stock	300
LIGHTWAY PELEADOR 2.0	ICS-442S3	Lightway-Peleador S3 (BK)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	IPT-442S3-1	Lightway-Peleador S3 (TAN)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	ICS-443S3	Lightway-Peleador S3 (BK)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	IPT-443S3-1	Lightway-Peleador S3 (TAN)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
LIGHTWAY PELEADOR	ICS-440	Lightway-Peleador (BK)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	IPT-440-1	Lightway-Peleador (TAN)	AEG	Nylon Fiber	817-894	2369	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	ICS-441	Lightway-Peleador (BK)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
	IPT-441-1	Lightway-Peleador (TAN)	AEG	Nylon Fiber	717-794	2333	303	6.04	ICS CS4 Split Gearbox 7mm Bushing	MTR Stock	300
CXP-ARK	ICS-131	CXP-ARK (BK)	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
	IMD-131-1	CXP-ARK (Two Tone)	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
CXP-ARK SSS	ICS-131S3	CXP-ARK S3	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
	IMD-131S3-1	CXP-ARK S3 (Two Tone)	AEG	Metal	638-884	3365	375	6.04	ICS Ver.3 Gearbox 8mm Bushing	SF1 Stock	540
CXP-MARS PDW9	ICS-420	CXP-MARS PDW9 (BK)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
	IMG-420-1	CXP-MARS PDW9 (Urban Grey)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
CXP-MARS PDW9 SSS	ICS-420S3	CXP-MARS PDW9 S3 (BK)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
	IMG-420S3-1	CXP-MARS PDW9 S3 (Urban Grey)	EBB	Metal	619-690	2692	160	6.04	ICS Split EBB Gearbox 8mm Bushing	PDW Stock	330
CXP-MMR	ICS-400	CXP-MMR DMR (BK)	EBB	Metal	975-1,005	3,393	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	IMT-400-1	CXP-MMR DMR (TAN)	EBB	Metal	975-1,005	3,393	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	ICS-401	CXP-MMR Carbine (BK)	EBB	Metal	835-930	2,886	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-401-1	CXP-MMR Carbine (TAN)	EBB	Metal	835-930	2,886	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-402	CXP-MMR SBR (BK)	EBB	Metal	725-800	2,678	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-402-1	CXP-MMR SBR (TAN)	EBB	Metal	725-800	2,678	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
CXP-YAK	ICS-410	CXP-YAK SBR (BK)	EBB	Metal	733-825	3,067	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-410-1	CXP-YAK SBR (TAN)	EBB	Metal	733-825	3,067	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-411	CXP-YAK Carbine (BK)	EBB	Metal	835-930	3,145	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-411-1	CXP-YAK Carbine (TAN)	EBB	Metal	835-930	3,145	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-412	CXP-YAK DMR (BK)	EBB	Metal	947-977	3,617	420	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	IMT-412-1	CXP-YAK DMR (TAN)	EBB	Metal	947-977	3,617	420	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	ICS-413	CXP-YAK CQB (BK)	EBB	Metal	743-838	3,145	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-413-1	CXP-YAK CQB (TAN)	EBB	Metal	743-838	3,145	263	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
CXP-MARS	ICS-300	CXP-MARS Komodo (BK)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-300-1	CXP-MARS Komodo (TAN)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMD-300-1	CXP-MARS Komodo (TwoTone)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-301	CXP-MARS SBR (BK)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-301-1	CXP-MARS SBR (TAN)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300

SPECIFICATIONS

Series	Item	Model	Type	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
CXP-MARS	IMD-301-1	CXP-MARS SBR (TwoTone)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	ICS-302	CXP-MARS Carbine (BK)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-302-1	CXP-MARS Carbine (TAN)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMD-302-1	CXP-MARS Carbine (TwoTone)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	ICS-303	CXP-MARS DMR (BK)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	IMT-303-1	CXP-MARS DMR (TAN)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
	IMD-303-1	CXP-MARS DMR (TwoTone)	EBB	Metal	980-1,010	3,610	458	6.04	ICS Split EBB Gearbox 7mm Bushing	UKSR Stock	300
CXP-MARS SSS	ICS-300S3	CXP-MARS Komodo S3 (BK)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMT-300S3-1	CXP-MARS Komodo S3 (TAN)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	IMD-300S3-1	CXP-MARS Komodo S3 (TwoTone)	EBB	Metal	840-935	3,160	375	6.04	ICS Split EBB Gearbox 7mm Bushing	S1 Stock	300
	ICS-301S3	CXP-MARS SBR S3 (BK)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMT-301S3-1	CXP-MARS SBR S3 (TAN)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMD-301S3-1	CXP-MARS SBR S3 (TwoTone)	EBB	Metal	705-800	2,940	263	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	ICS-302S3	CXP-MARS Carbine S3 (BK)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
CXP-APE	IMT-302S3-1	CXP-MARS Carbine S3 (TAN)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300
	IMD-302S3-1	CXP-MARS Carbine S3 (TwoTone)	EBB	Metal	810-905	3,040	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	300

SPECIFICATIONS

Series	Item	Model	Type	Receiver Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Gearbox Version	Stock Type	Magazine Capacity (rounds)
CXP-08	ICS-324	CXP-08 QRS Stock EBB	EBB	Metal	595-695	2,900	200	6.04	ICS Split EBB Gearbox 7mm Bushing	QRS Stock	300
CES-P	ICS-21153	CES-P A5 S3 SFS Stock	AEG	Metal	500-650	2,600	230	6.04	ICS Ver. 2 Gearbox 8mm Bushing	Retractable Stock	230
	ICS-212S3	CES-P MS1 S3 SFS Stock	AEG	Metal	490-760	2,800	230	6.04	ICS Ver. 2 Gearbox 8mm Bushing	SFS Stock	230
CES	ICS-01	CES SD5	AEG	Metal	780	2,240	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Fixed Stock	230
	ICS-02	CES SD6	AEG	Metal	600-741	2,300	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Retractable Stock	230
	ICS-03	CES A4	AEG	Metal	680	2,300	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Fixed Stock	230
	ICS-04	CES A5	AEG	Metal	500-640	2,000	230	6.04	ICS Ver. 2 Gearbox 7mm Bushing	Retractable Stock	230
CS4	ICS-20	CS4A1	AEG	Metal	778-873	3,000	375	6.04	ICS CS4 Split Gearbox 7mm Bushing	Retractable Stock	450
	ICS-321	CS4 RIS EBB	EBB	Metal	730-815	3,250	263	6.04	ICS Split EBB Gearbox 7mm Bushing	Crane Stock	450
	ICS-323	CS4A1 Tubular RAS S EBB	EBB	Metal	778-873	2,950	375	6.04	ICS Split EBB Gearbox 7mm Bushing	MTR Stock	450
AAR	ICS-233	AAR (BK)	AEG	Nylon Fiber	515-795	2,550	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	SFS Stock	300
	ICS-235	AAR (TwoTone)	AEG	Nylon Fiber	515-795	2,550	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	SFS Stock	300
	ICS-333	AARF (BK)	AEG	Nylon Fiber	515-740	2,400	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	300
	IMD-333-1	AARF (TwoTone)	AEG	Nylon Fiber	515-740	2,400	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	300
MAR	ICS-32	MAR RAS	AEG	Metal	965	3,200	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Fixed Stock	550
	ICS-34	MAR SU	AEG	Metal	510-745	2,700	263	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	550
	ICS-36	MAR (Wooden)	AEG	Metal	960	3,314	458	6.04	ICS Ver.3 Gearbox 7mm Bushing	Fixed Stock	550
TOD	ICS-91	TOD ARM	AEG	Metal	750-980	3,500	515	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	400
	ICS-92	TOD AR	AEG	Metal	750-980	3,000	515	6.04	ICS Ver.3 Gearbox 7mm Bushing	Folding Stock	400
WWII	ICS-200	M3 Greaser	AEG	Metal	587-763	2,045	230	6.04	ICS M3 Gearbox 8mm Bushing	Retractable Stock	430
	ICS-201L	M1 Garand 8mm Limited	AEG	Wood	1,100	3,600	610	8.04	ICS M1 Gearbox 8mm Bushing	Fixed Stock	25
	ICS-202	M1 Garand 6mm	AEG	Wood	1,100	3,600	610	6.04	ICS M1 Gearbox 8mm Bushing	Fixed Stock	42
L85/86	ICS-85	L85 A2 Assault Rifle	AEG	Metal	787	3,652	480	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
	ICS-86	L86 A2 LSW	AEG	Metal	913	4,411	610	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
	ICS-87	L85 A2 Carbine	AEG	Metal	740	3,090	420	6.04	ICS L85 Gearbox 7mm Bushing	Fixed Stock	450
MGL	ICS-190	MGL (BK)	Multiple Grenade Launcher	Nylon Fiber	630-725	2,200	N/A	40	N/A	Retractable Stock	Depending on Grenade
	ICS-191	MGL (TAN)		Nylon Fiber	675-780	2,200	N/A	40	N/A	Crane Stock	

Series	Item	Model	Type	Receiver Material	Slide Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Magazine Capacity (rounds)
SAR9	BLE-009 (SB)	SARSILMAZ SAR 9	GBB	Nylon Fiber	Aluminum	195	750	104	6	22
PRS	BLE-008-SB	Korth PRS 4" (BK)	GBB	Aluminum	Aluminum	195	770	85	6	15
BM9	BLE-050-SB	BM9 (BK)	GBB	Aluminum	Aluminum	216	1000	110	6	20
	BLE-050-ST	BM9 (TAN)	GBB	Aluminum	Aluminum	216	1000	110	6	20
PM2	BLE-002-SB	PM2 (BK)	CO ²	Zinc Alloy	N/A	265	830	88.5	6	13
XFG	BLE-005-SH	XFG (Hairline)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
	BLE-005-SB	XFG (BK)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
	BLE-005-ST	XFG (TAN)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17

SPECIFICATIONS

Series	Item	Model	Type	Receiver Material	Slide Material	Length (mm)	Weight (g)	Inner Barrel Length (mm)	Inner Barrel Bore Diameter (mm)	Magazine Capacity (rounds)
XFG	BLE-005-SD1	XFG (Two Tone BKTN)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
	BLE-005-SD2	XFG (Two Tone TNBK)	GBB	Nylon Fiber	Aluminum	184	642	93	6	17
XAE	BLE-006-SB	XAE (BK)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24
	BLE-006-ST	XAE (TAN)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24
BLE	BLE-006-SD3	XAE (Two Tone BKTN)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24
	BLE-006-SD4	XAE (Two Tone TNBK)	GBB	Nylon Fiber	Aluminum	184.5	670	85	6	24

NOTE:

1. The product specification is for reference ONLY and may be subject to change.

2. Battery, charger and BB's are not included.

3. For AEG above 360 FPS, it is available to use 11.1V Li-Po or 9.6V Ni-Mh batteries; For AEG below 350 FPS, it is recommended to use only 7.4V Li-Po or 8.4V Ni-Mh batteries.

4. Muzzle velocity is measured by 0.20g BB's, and is adjusted to comply with market regulation /requirements

for specific countries as shown below:

Below 106 m/s (350 FPS): Belgium, France, Netherlands, Portugal, Spain, UK

Below 100 m/s (328 FPS): Italy

Below 95 m/s (312 FPS): Japan

Below 45 m/s (148 FPS): Korea

FIND ICS



Global website:

<https://www.icsbb.com>



Youtube:

ICS AIRSOFT



Instagram:

icsbairsoft



Facebook (Global):

ICSAirsoft



Facebook (Taiwan):

ICSAirsoft.tw



Facebook (Japan):

ICSAirsoft.jp



Twitter (Global):

icsbairsoft



Twitter (Japan):







ICSAirsoft_JP



Weibo:

ICS_airsoftbb

ICON GUIDE

 CO2 System	 8 mm Bushing Box	 40 mm Grenade	 KEYMOD Handguard	 Ambidextrous Fire Selector
 AEG System	 7 mm Bushing Box	 ICS Split Gearbox	 M-LOK Handguard	 Luminous Aiming Dot
 GBB System	 Quick Detach Spring	 ICS Ver.3 Gearbox	 Nylon Fiber Receiver	 Double Safety Function
 EBB System	 L85 QD Spring Guide	 ICS M3 Gearbox	 Metal Receiver	 Ambidextrous Magazine Catch
 MOSFET System	 6 mm BB Pellet	 ICS M1 Gearbox	 Wood Receiver	 Ambidextrous Slide Catch
 Smart Trigger	 8 mm BB Pellet	 ICS L85 Gearbox	 H-UP Adjustable	 Tactical Rail
 SSS System	 SSS.II System	 SSS V2 System	 SSS V3 System	 SHORT STROKE TRIGGER
 V3 BOX QD Spring Guide				

REVO SERIES



EFFICIENT
GAS
RELEASE



QUANTITATIVE
GAS INJECTION
VALVE

PHOTO CREDIT & SPECIAL THANKS

cover index page	
P15	Alpha Photography / Fehim Prosic
P19	Natthaphum S Phokhin & NSP Hobby Thailand
P25	Natthaphum S Phokhin & NSP Hobby Thailand
P27	Brendon Terry
P29	Champion Clément
P35	Airsoft Obsessed / Dave Baks
P35	Natthaphum S Phokhin & NSP Hobby Thailand
P41	Brendon Terry
P43	WMASG.com
P43	WMASG.com
P55	Takami Nakamoto & pics_n_co / Corentin Henry
P61	Björn Klockar
P64	Björn Klockar
P67	Alpha Photography / Fehim Prosic
P72	Alpha Photography / Fehim Prosic
P75	Natthaphum S Phokhin & NSP Hobby Thailand
P78	Brendon Terry
P81	Travis Botha
P84	Turgay Dansik
P87	野猪先锋
P91	INS4NEsmiles
P95	Elvio Lupi
P107	Brendon Terry
P110	Travis Botha & James Jambo Rugani
P117	David McCunnie & Steven Allan McAllister
P127	Natthaphum S Phokhin & NSP Hobby Thailand
P131	WMASG.com
P139	Farheng Ameen & Victor Karlund
P143	Farheng Ameen & Victor Karlund
P150	Farheng Ameen & Victor Karlund





BE A GAME CHANGER
ICS AIRSOFT



I CHIH SHIVAN ENTERPRISE CO., LTD
Web: www.icsbb.com / Mail: info@icsbb.com / Tel: +886-4-25256461
No.67, Lane 79, Dongzhou Rd., Shengang Township,
Taichung County 429, Taiwan