

# kershaw®

2 0 2 0





# RISE TO THE NEXT LEVEL

They might ask us who we are. And we could say we're familiar, that we're just like everyone else—but we're the next generation.

We're here to inspire. To be fearless. To think out loud and blaze ahead into the great unknown.

When someone says jump, we fly. We don't hold on; we let go. Let our imaginations freefall.

We're here to take adventure to the next level. To push it further. One more catch, one more peak, one more hurdle.

There's no keeping us from overcoming the next challenge, creating a new evolution in superior craftsmanship and dominating the cutting edge of innovation.

Because we're here to make our mark, to break the mold and never back down.

We're here to take life to the next level.





"I've been carrying a pocket knife since I was 12, and there isn't a day you will find me without my Kershaw."

—Taylor Robert, X Games Gold Medalist, 2019 ISDE Champion



**NEXT LEVEL  
KERSHAW ORIGINALS  
MANUFACTURING**

**INSIDE FRONT**  
4  
6

**NEW**

**NEW PRODUCTS**

8



**AUTOMATIC**

10



**STARTER**

14



**EVERYDAY CARRY - SPEEDSAFE**

18



**EVERYDAY CARRY - MANUAL**

42



**MULTI-FUNCTION**

56



**FIXED BLADE**

62



**OUTDOOR**

64



**FISHING**

66



**GEAR**

70

**BLADE STYLES, FINISHES, STEELS** 76

**OPENING, LOCKS, HANDLES, POCKETCLIPS** 78

**KNIFE SIZES** 80

**INDEX** 82



**WARRANTY** **INSIDE BACK**

## KERSHAW ORIGINALS

Kershaw's in-house designs are award-winning, fan-winning, customer-winning originals. From the freshest new industry-leading designs to modern versions of classics, Kershaw Originals bring you a full range of choices. For style, innovative technology, quality materials, and plenty of value, we deliver. Whether it's your first venture into a quality pocketknife or it's time for a top-of-the-line Made in the USA automatic, you can count on Kershaw Originals to bring you the best.



Look for this icon designating KERSHAW ORIGINALS.





## MANUFACTURING

### PRECISION AND CRAFTSMANSHIP

Every Kershaw knife starts with American innovation, American design, and American engineering.

It comes to life with precision manufacturing and meticulous quality control—either in our Tualatin, Oregon factory, located in one of the USA's greatest centers of knife manufacturing, or in our overseas manufacturing facilities. Manufacturing depth like this enables us to build products for every budget and to meet demand throughout the US and worldwide.

While a knife may look simple, it's actually a complex piece of machinery. And when it comes to production brands like Kershaw—building a million knives each year—the complexity only gets amplified. From CNC machines, precision grinders, lasers, and a factory-full of specialized equipment to hand-assembly and sharpening by hundreds of skilled workers, what it takes to get that knife into your hands is nothing short of amazing.



For knives proudly made in our Oregon USA factory, look for this badge.

All other knives are proudly designed and engineered in the USA, and manufactured in China.



# SPECIAL FEATURES

Look for these icons on products with special features and materials:



Premium blade steel



KVT ball-bearing opening



G10 handle scales



Carbon fiber handle scales



Sub-Frame lock



Emerson Wave Shaped Feature®



Sheath included



Composite blade



**DESCHUTES** • 1075 • P.65



**CAMP 5** • 1083 • P.63



**HUB** • 1180 • P.43



**SKEETER III** • 1216 • P.72



**DIODE** • 1230 • P.57



**CAMSHAFT** • 1370 • P.15



**VALVE** • 1375 • P.15



**HUSKER** • 1380 • P.15



**AIRLOCK** • 1385 • P.15



**LEEK - COPPER** • 1660CU • P.26



**LINK - CPM20CV** • 17760LSW • P.20



**DIVIDEND - COMPOSITE** • 18120LCB • P.19



**PARSEC** • 2035 • P.48



**COMEBACK** • 2055 • P.43



**GRAVEL** • 2065 • P.30



**BELIEVER** • 2070 • P.30



**PAYOUT** • 2075 • P.30



**STATIC** • 3445 • P.43



**TUMBLER • 4038 • P.43**



**NATRIX - COPPER M • 7007CU • P.46**



**GADSDEN • 4381 • P.44**



**NATRIX - COPPER XL • 7008CU • P.46**



**BRANDYWINE • 4382 • P.44**



**HIGHBALL • 7010 • P.48**



**CULPEPPER • 4383 • P.44**



**LAUNCH 12 • 7125 • P.11**



**LUCHA • 5150 • P.44**



**LAUNCH 11 • 7550 • P.11**



**NORAD • 5510 • P.44**



**BAREKNUCKLE - OLBW • 7777OLBW • P.48**



**CQC-6K D2 • 6034D2 • P.54**



**MANICURE SET • KMCURE • P.72**



**CQC-4KXL D2 • 6055D2 • P.54**



**CQC-11K D2 • 6031D2 • P.54**

Look for more Kershaw releases  
throughout 2020  
**kershawknives.com**



# AUTOMATIC



The Kershaw Launch series is a collection of sleek, fast, instant-open knives. A pushbutton lock holds the blade in place under pressure from a coil spring. Pushing the button releases the lock and the blade springs open, ready for use.

**NEW**  
**LAUNCH 11™**

7550  
a KERSHAW ORIGINALS design



**STEEL** CPM 154, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 2.75 in. (7 cm)  
**CLOSED** 3.8 in. (9.9 cm)  
**OVERALL** 6.75 in. (16.6 cm)  
**WEIGHT** 2.1 oz. (60 g)  
**BOX** 087171058771  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Bronze anodized titanium trim ring, integrated backspacer with lanyard tie-off, weight-relieving handle window



**NEW**  
**LAUNCH 12™**

7125  
a MATT DISKIN design



**STEEL** CPM 154, stonewashed finish  
**HANDLE** 6061-T6 aluminum, black anodized, carbon fiber insert front  
**BLADE** 2.5 in. (6.4 cm)  
**CLOSED** 3.7 in. (9.5 cm)  
**OVERALL** 6.2 in. (15.8 cm)  
**WEIGHT** 1.9 oz. (54 g)  
**BOX** 087171058634  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Integrated finger guards



**LAUNCH 1**

7100BW  
a KERSHAW ORIGINALS design



**STEEL** CPM 154, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 8 in. (20.3 cm)  
**WEIGHT** 4 oz. (114 g)  
**BOX** 087171039534  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Integrated backspacer, lanyard tie-off



**LAUNCH 6**

7800BLK  
a KERSHAW ORIGINALS design



**STEEL** CPM 154, black DLC coating  
**HANDLE** 6061-T6 aluminum, black anodized  
**BLADE** 3.75 in. (9.5 cm)  
**CLOSED** 4.9 in. (12.4 cm)  
**OVERALL** 8.7 in. (22.1 cm)  
**WEIGHT** 3.8 oz. (107.7 g)  
**BOX** 087171044484  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Integrated backspacer, lanyard hole



**LAUNCH 7**

7900GRYBLK  
a TIM GALYEAN design



**STEEL** CPM 154, DLC coating  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 3.75 in. (9.5 cm)  
**CLOSED** 5 in. (12.7 cm)  
**OVERALL** 8.6 in. (21.8 cm)  
**WEIGHT** 3.2 oz. (91 g)  
**BOX** 087171048574  
**CLAM** -

**OPENING** Push-button open  
**LOCK** Push-button lock release  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Integrated backspacer



## LAUNCH 8

7150  
a MATT DISKIN design



|                |  |
|----------------|--|
| <b>STEEL</b>   | CPM 154, stonewashed finish                                |
| <b>HANDLE</b>  | 6061-T6 aluminum, gray anodized, carbon fiber insert front |
| <b>BLADE</b>   | 3.5 in. (9 cm)   |
| <b>CLOSED</b>  | 4.75 in. (12.2 cm)   |
| <b>OVERALL</b> | 8.25 in. (21 cm)   |
| <b>WEIGHT</b>  | 2.3 oz. (68 g)   |
| <b>BOX</b>     | 087171055008   |
| <b>CLAM</b>    | -  |

|                   |                                 |
|-------------------|---------------------------------|
| <b>OPENING</b>    | Push-button open                |
| <b>LOCK</b>       | Push-button lock release        |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up) |
| <b>FEATURES</b>   | Integrated finger guards        |



## LAUNCH 9

7250  
a KERSHAW ORIGINALS design



|                |                                  |
|----------------|----------------------------------|
| <b>STEEL</b>   | CPM 154, working finish          |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized |
| <b>BLADE</b>   | 1.8 in. (4.6 cm)                 |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                |
| <b>OVERALL</b> | 5 in. (12.7 cm)                  |
| <b>WEIGHT</b>  | 1.6 oz. (46 g)                   |
| <b>BOX</b>     | 087171055237                     |
| <b>CLAM</b>    | -                                |

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | Push-button open                            |
| <b>LOCK</b>       | Push-button lock release                    |
| <b>POCKETCLIP</b> | Deep-carry, reversible (right/left, tip-up) |
| <b>FEATURES</b>   | Integrated backspacer with lanyard hole     |



## LAUNCH 10

7350  
a KERSHAW ORIGINALS design



|                |                                 |
|----------------|---------------------------------|
| <b>STEEL</b>   | CPM 154, stonewashed finish     |
| <b>HANDLE</b>  | 6061-T6 aluminum, gray anodized |
| <b>BLADE</b>   | 1.9 in. (4.8 cm)                |
| <b>CLOSED</b>  | 3.2 in. (8.1 cm)                |
| <b>OVERALL</b> | 5.2 in. (13.2 cm)               |
| <b>WEIGHT</b>  | 1.8 oz. (52 g)                  |
| <b>BOX</b>     | 087171055220                    |
| <b>CLAM</b>    | -                               |

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | Push-button open                            |
| <b>LOCK</b>       | Push-button lock release                    |
| <b>POCKETCLIP</b> | Deep-carry, reversible (right/left, tip-up) |
| <b>FEATURES</b>   | Integrated backspacer with lanyard hole     |



## LAUNCH 4

7500BLK  
a KERSHAW ORIGINALS design



|                |                                  |
|----------------|----------------------------------|
| <b>STEEL</b>   | CPM 154, black DLC coating       |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized |
| <b>BLADE</b>   | 1.9 in. (4.8 cm)                 |
| <b>CLOSED</b>  | 3.2 in. (8.1 cm)                 |
| <b>OVERALL</b> | 5.1 in. (13 cm)                  |
| <b>WEIGHT</b>  | 1.8 oz. (51 g)                   |
| <b>BOX</b>     | 087171041100                     |
| <b>CLAM</b>    | -                                |

|                   |                                 |
|-------------------|---------------------------------|
| <b>OPENING</b>    | Push-button open                |
| <b>LOCK</b>       | Push-button lock release        |
| <b>POCKETCLIP</b> | Single-position (right, tip-up) |
| <b>FEATURES</b>   | Integrated backspacer           |





"I love my Launch 10! It's easy to take anywhere, stays razor sharp, and is fun to open."

—Cheyenne Dalton, 2x Limited Lady Rimfire World Champion, Multi-time state Ladies Rimfire Champion

# STARTER



This collection is sure to get your blade obsession off to a great start. You get top Kershaw technology, quality, and plenty of style in this series of pocketknives that won't break the budget.

## NEW CAMSHAFT

1370  
a KERSHAW ORIGINALS design

|                |                           |
|----------------|---------------------------|
| <b>STEEL</b>   | 4Cr14, stonewashed finish |
| <b>HANDLE</b>  | Glass-filled nylon        |
| <b>BLADE</b>   | 3 in. (7.6 cm)            |
| <b>CLOSED</b>  | 4.25 in. (10.8 cm)        |
| <b>OVERALL</b> | 7.25 in. (18.4 cm)        |
| <b>WEIGHT</b>  | 3.1 oz. (90 g)            |
| <b>BOX</b>     | 087171057637              |
| <b>CLAM</b>    | -                         |

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper              |
| <b>LOCK</b>       | Liner lock  |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up)            |
| <b>FEATURES</b>   | Lanyard hole, decorative pivot cap, custom backspacer |

## NEW VALVE

1375  
a KERSHAW ORIGINALS design

|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 4Cr14, stonewashed finish            |
| <b>HANDLE</b>  | Stainless steel, bead-blasted finish |
| <b>BLADE</b>   | 2.25 in. (5.7 cm)                    |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                    |
| <b>OVERALL</b> | 5.5 in. (14 cm)                      |
| <b>WEIGHT</b>  | 3 oz. (85 g)                         |
| <b>BOX</b>     | 087171057910                         |
| <b>CLAM</b>    | -                                    |

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper  |
| <b>LOCK</b>       | Frame lock  |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-up)  |
| <b>FEATURES</b>   | Black-oxide pivot cap, bead-blasted steel pocketclip, glass-filled nylon backspacer |

## NEW HUSKER

1380  
a KERSHAW ORIGINALS design

|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, stonewashed finish        |
| <b>HANDLE</b>  | Stainless steel, stonewashed finish |
| <b>BLADE</b>   | 3 in. (7.6 cm)                      |
| <b>CLOSED</b>  | 3.8 in. (9.9 cm)                    |
| <b>OVERALL</b> | 6.9 in. (17.6 cm)                   |
| <b>WEIGHT</b>  | 3.3 oz. (96 g)                      |
| <b>BOX</b>     | 087171058221                        |
| <b>CLAM</b>    | -                                   |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper                             |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                      |
| <b>FEATURES</b>   | Decorative pivot cap, bead-blasted steel pocketclip and tube spacers |

## NEW AIRLOCK

1385  
a KERSHAW ORIGINALS design

|                |                            |
|----------------|----------------------------|
| <b>STEEL</b>   | 4Cr14, bead-blasted finish |
| <b>HANDLE</b>  | Glass-filled nylon         |
| <b>BLADE</b>   | 3 in. (7.6 cm)             |
| <b>CLOSED</b>  | 4.25 in. (10.8 cm)         |
| <b>OVERALL</b> | 7.25 in. (18.5 cm)         |
| <b>WEIGHT</b>  | 2.9 oz. (84 g)             |
| <b>BOX</b>     | 087171058405               |
| <b>CLAM</b>    | -                          |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper                           |
| <b>LOCK</b>       | Inset liner lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                    |
| <b>FEATURES</b>   | Lanyard hole, weight-relieving handle window, decorative pivot cap |

## MISDIRECT

1385  
a KERSHAW ORIGINALS design

|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 4Cr14, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Stainless steel, bead-blasted finish |
| <b>BLADE</b>   | 2.9 in. (7.6 cm)                     |
| <b>CLOSED</b>  | 4 in. (10.1 cm)                      |
| <b>OVERALL</b> | 6.8 in. (17.5 cm)                    |
| <b>WEIGHT</b>  | 3.2 oz. (93 g)                       |
| <b>BOX</b>     | 087171055169                         |
| <b>CLAM</b>    | 087171055688                         |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper         |
| <b>LOCK</b>       | Frame lock                                       |
| <b>POCKETCLIP</b> | 3-position (right/left, tip up; right, tip-down) |
| <b>FEATURES</b>   | Lanyard hole                                     |

## STARTER

1301BW

a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 4Cr14, black-oxide BlackWash™ finish           |
| <b>HANDLE</b>  | Stainless steel, black-oxide BlackWash™ finish |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                               |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                              |
| <b>OVERALL</b> | 7.9 in. (20.1 cm)                              |
| <b>WEIGHT</b>  | 6.4 oz. (183 g)                                |
| <b>BOX</b>     | 087171037646                                   |
| <b>CLAM</b>    | 087171037653                                   |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper or thumb stud |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-down)           |
| <b>FEATURES</b>   | Lanyard hole   |



## LIFTER

1302BW

a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 4Cr14, black-oxide BlackWash™ finish           |
| <b>HANDLE</b>  | Stainless steel, black-oxide BlackWash™ finish |
| <b>BLADE</b>   | 3.5 in. (8.9 cm)                               |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                              |
| <b>OVERALL</b> | 7.9 in. (20.1 cm)                              |
| <b>WEIGHT</b>  | 5.8 oz. (167 g)                                |
| <b>BOX</b>     | 087171037660                                   |
| <b>CLAM</b>    | 087171037677                                   |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper or thumb stud |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-down)           |
| <b>FEATURES</b>   | Lanyard hole   |



## MANIFOLD

1303BW

a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 4Cr14, black-oxide BlackWash™ finish           |
| <b>HANDLE</b>  | Stainless steel, black-oxide BlackWash™ finish |
| <b>BLADE</b>   | 3.5 in. (8.9 cm)                               |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                              |
| <b>OVERALL</b> | 8.1 in. (20.6 cm)                              |
| <b>WEIGHT</b>  | 5.6 oz. (158.8 g)                              |
| <b>BOX</b>     | 087171037684                                   |
| <b>CLAM</b>    | 087171037691                                   |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper or thumb stud |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-down)           |
| <b>FEATURES</b>   | Lanyard hole   |



## FILTER

1306BW

a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 4Cr14, black-oxide BlackWash™ finish           |
| <b>HANDLE</b>  | Stainless steel, black-oxide BlackWash™ finish |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)                              |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                              |
| <b>OVERALL</b> | 7.75 in. (19.7 cm)                             |
| <b>WEIGHT</b>  | 5 oz. (143 g)                                  |
| <b>BOX</b>     | 087171039213                                   |
| <b>CLAM</b>    | 087171039220                                   |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper or thumb stud |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-down)           |




## SPOKE

1313BLK

a KERSHAW ORIGINALS design

|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 4Cr14, black-oxide coating           |
| <b>HANDLE</b>  | Stainless steel, black-oxide coating |
| <b>BLADE</b>   | 2 in. (5.1 cm)                       |
| <b>CLOSED</b>  | 2.8 in. (7.1 cm)                     |
| <b>OVERALL</b> | 4.75 in. (12.1 cm)                   |
| <b>WEIGHT</b>  | 3.1 oz. (87.9 g)                     |
| <b>BOX</b>     | 087171044446                         |
| <b>CLAM</b>    | -                                    |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper   |
| <b>LOCK</b>       | Liner lock                                 |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up) |



## GRINDER

1319  
a KERSHAW ORIGINALS design

|                |                            |
|----------------|----------------------------|
| <b>STEEL</b>   | 4Cr14, bead-blasted finish |
| <b>HANDLE</b>  | Glass-filled nylon         |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)          |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)          |
| <b>OVERALL</b> | 7.75 in. (19.7 cm)         |
| <b>WEIGHT</b>  | 4.5 oz. (127.6 g)          |
| <b>BOX</b>     | 087171044736               |
| <b>CLAM</b>    | 087171045771               |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper     |
| <b>LOCK</b>       | Liner lock                                   |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-down) |



## CATHODE

1324  
a KERSHAW ORIGINALS design

|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 4Cr14, stonewashed finish            |
| <b>HANDLE</b>  | Stainless steel, hot-stamped texture |
| <b>BLADE</b>   | 2.25 in. (5.7 cm)                    |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                    |
| <b>OVERALL</b> | 5.5 in. (14 cm)                      |
| <b>WEIGHT</b>  | 2.7 oz. (76.5 g)                     |
| <b>BOX</b>     | 087171044903                         |
| <b>CLAM</b>    | 087171044910                         |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Frame lock                               |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)          |



## PORTAL

8600  
a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 4Cr14, stonewashed finish               |
| <b>HANDLE</b>  | Glass-filled nylon with extreme texture |
| <b>BLADE</b>   | 3.3 in. (8.4 cm)                        |
| <b>CLOSED</b>  | 4.3 in. (10.9 cm)                       |
| <b>OVERALL</b> | 7.6 in. (19.3 cm)                       |
| <b>WEIGHT</b>  | 4.3 oz. (121.9 g)                       |
| <b>BOX</b>     | 087171044934                            |
| <b>CLAM</b>    | 087171045795                            |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Liner lock                               |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)          |





# EDC-SPEEDSAFE



Kershaw launched a revolution with SpeedSafe® assisted opening knives. When closed, a torsion bar in the handle creates a bias toward the closed position. To open the knife, apply manual pressure to the thumb stud or flipper to overcome the torsion bar's resistance and open the knife.

## NEW DIVIDEND - COMPOSITE

1812OLCB

a KERSHAW ORIGINALS design



**STEEL** CPM D2, N690, bead-blasted finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.5 cm)  
**WEIGHT** 2.8 oz. (82 g)  
**BOX** 087171058481  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position deep-carry (right/left; tip-up/down)  
**FEATURES** Lanyard hole



## DIVIDEND

1812

a KERSHAW ORIGINALS design



**STEEL** 420HC, stonewashed finish  
**HANDLE** Glass filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.5 cm)  
**WEIGHT** 2.8 oz. (80 g)  
**BOX** 087171045986  
**CLAM** 087171048666

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## DIVIDEND - GRAY

1812GRY

a KERSHAW ORIGINALS design



**STEEL** 420HC, stonewashed finish  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.5 cm)  
**WEIGHT** 2.9 oz. (83 g)  
**BOX** 087171047768  
**CLAM** 087171048383

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position (right/left, tip-up/down)  
**FEATURES** Lanyard hole



## KNOCKOUT - OLIVE/BLACK

18700LBLK

a KERSHAW ORIGINALS design



**STEEL** Sandvik 14C28N, DLC coating  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 7.9 in. (20 cm)  
**WEIGHT** 3.4 oz. (96.4 g)  
**BOX** 087171036939  
**CLAM** 087171037639

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Patented steel Sub-Frame Lock  
**POCKETCLIP** 3-position deep-carry (right/left, tip-up; right, tip-down)  
**FEATURES** Lanyard hole



## LINK 1776

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole

a KERSHAW ORIGINALS design



**NEW**

## LINK - OLIVE SW CPM20CV

1776OLSW



**STEEL** CPM 20CV, stonewashed finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3.25 in. (8.4 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 4.7 oz. (134 g)  
**BOX** 087171058474  
**CLAM** -



## LINK

1776



**STEEL** 420HC, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.25 in. (8.4 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 4 oz. (113.4 g)  
**BOX** 087171039022  
**CLAM** 087171039039



## LINK - GRAY ALUM BLACKWASH

1776GRYBW



**STEEL** 420HC, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 3.25 in. (8.4 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 4.8 oz. (136.1 g)  
**BOX** 087171039510  
**CLAM** -



## LINK - TANTO ALUM BLACKWASH™

1776TGRYBW



**STEEL** 420HC, black-oxide BlackWash™ finish  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 3.25 in. (8.4 cm)  
**CLOSED** 4.4 in. (11.2 cm)  
**OVERALL** 7.6 in. (19.3 cm)  
**WEIGHT** 4.8 oz. (136.1 g)  
**BOX** 087171039626  
**CLAM** 087171039770



## LINK - NAVY BLUE BLACKWASH

1776NBBW



|         |                                      |
|---------|--------------------------------------|
| STEEL   | 420HC, black-oxide BlackWash™ finish |
| HANDLE  | 6061-T6 aluminum, blue anodized      |
| BLADE   | 3.25 in. (8.4 cm)                    |
| CLOSED  | 4.4 in. (11.2 cm)                    |
| OVERALL | 7.6 in. (19.3 cm)                    |
| WEIGHT  | 4.8 oz. (136.1 g)                    |
| BOX     | 087171048567                         |
| CLAM    | -                                    |



EDC - SPEEDSAFE

Kershaw

2020 CATALOG

KERSHAWKNIVES.COM

## BLUR 1670

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | SpeedSafe® assisted opening with thumb stud |
| <b>LOCK</b>       | Inset liner lock                            |
| <b>POCKETCLIP</b> | Reversible (right, tip-up/down)             |
| <b>FEATURES</b>   | Lanyard hole                                |

a KEN ONION design



## BLUR - BLACK


1670BLKST • 1670BLK



|                |  |
|----------------|--|
| <b>STEEL</b>   | Sandvik 14C28N, DLC coating                        |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                   |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                  |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                    |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                  |
| <b>BOX</b>     | 087171167107 serrated • 087171167008 plain         |
| <b>CLAM</b>    | 087171167114 serrated                              |

1670BLKST

1670BLK



## BLUR - BLACKWASH™

1670BW



|                |  |
|----------------|--|
| <b>STEEL</b>   | Sandvik 14C28N, black-oxide BlackWash™ coating     |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                   |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                  |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                    |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                  |
| <b>BOX</b>     | 087171036335                                       |
| <b>CLAM</b>    | -  |




## BLUR - GLASS BREAKER

1670GBBLKST



|                |  |
|----------------|--|
| <b>STEEL</b>   | Sandvik 14C28N, DLC coating                        |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                   |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                  |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                    |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                  |
| <b>BOX</b>     | 087171033761                                       |
| <b>CLAM</b>    | -  |

**FEATURES** Carbide glassbreaker tip




## BLUR - CAMO

1670CAMO



|                |   |
|----------------|---|
| <b>STEEL</b>   | Sandvik 14C28N, DLC coating                       |
| <b>HANDLE</b>  | 6061-T6 aluminum, camo anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                  |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                 |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                   |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                 |
| <b>BOX</b>     | 087171046426                                      |
| <b>CLAM</b>    | -   |



## BLUR - TANTO BLACK

1670TBLKST



|                |  |
|----------------|--|
| <b>STEEL</b>   | Sandvik 14C28N, DLC coating                        |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                   |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                  |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                    |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                  |
| <b>BOX</b>     | 087171167602                                       |
| <b>CLAM</b>    | 087171167336                                       |



## BLUR - OLIVE/BLACK

1670OLBLK



|                |  |
|----------------|--|
| <b>STEEL</b>   | Sandvik 14C28N, DLC coating                        |
| <b>HANDLE</b>  | 6061-T6 aluminum, olive anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                   |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                  |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                    |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                  |
| <b>BOX</b>     | 087171031644                                       |
| <b>CLAM</b>    | -  |



## BLUR - S30V STONEWASH

1670S30V



|                |  |
|----------------|--|
| <b>STEEL</b>   | CPM S30V, stonewashed finish                       |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                   |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                  |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                    |
| <b>WEIGHT</b>  | 4.0 oz. (113.4 g)                                  |
| <b>BOX</b>     | 087171167275                                       |
| <b>CLAM</b>    | -  |



## BLUR - BLUE STONEWASH

1670NBSW



|                |   |
|----------------|---|
| <b>STEEL</b>   | Sandvik 14C28N, stonewashed finish                |
| <b>HANDLE</b>  | 6061-T6 aluminum, blue anodized, Trac-Tec inserts |
| <b>BLADE</b>   | 3.4 in. (8.6 cm)                                  |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)                                 |
| <b>OVERALL</b> | 7.9 in. (20 cm)                                   |
| <b>WEIGHT</b>  | 3.9 oz. (110.5 g)                                 |
| <b>BOX</b>     | 087171039473                                      |
| <b>CLAM</b>    | -   |



## SCALLION 1620

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Liner lock with Tip-Lock Slider          |
| <b>POCKETCLIP</b> | Single-position (right, tip-down)        |
| <b>FEATURES</b>   | Lanyard hole                             |

a KEN ONION design



## SCALLION


1620ST • 1620

|                |  |
|----------------|--|
| <b>STEEL</b>   | 420HC, bead-blasted finish                 |
| <b>HANDLE</b>  | Glass-filled nylon                         |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                           |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                           |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                         |
| <b>WEIGHT</b>  | 2.3 oz. (65.2 g)                           |
| <b>BOX</b>     | 087171162102 serrated • 087171162003 plain |
| <b>CLAM</b>    | 087171162010 plain                         |



1620ST

1620



## SCALLION - FRAME LOCK

1620FL

|                |  |
|----------------|--|
| <b>STEEL</b>   | 420HC, bead-blasted finish               |
| <b>HANDLE</b>  | 410 stainless steel, bead-blasted finish |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                         |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                         |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                       |
| <b>WEIGHT</b>  | 2.9 oz. (82.2 g)                         |
| <b>BOX</b>     | 087171162201                             |
| <b>CLAM</b>    | 087171162225                             |



LOCK

Frame lock with Tip-Lock Slider



## SCALLION - BLACK

1620SWBLK


|                |                                  |
|----------------|----------------------------------|
| <b>STEEL</b>   | 420HC, stonewashed finish        |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                 |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                 |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)               |
| <b>WEIGHT</b>  | 2.5 oz. (70.9 g)                 |
| <b>BOX</b>     | 087171041179                     |
| <b>CLAM</b>    | -                                |



## SCALLION - CAMO

1620C

|                |                                 |
|----------------|---------------------------------|
| <b>STEEL</b>   | 420HC, bead-blasted finish      |
| <b>HANDLE</b>  | 6061-T6 aluminum, camo anodized |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)              |
| <b>WEIGHT</b>  | 2.5 oz. (70.9 g)                |
| <b>BOX</b>     | 087171162331                    |
| <b>CLAM</b>    | -                               |



## SCALLION - PURPLE

1620PUR



|                |                                   |
|----------------|-----------------------------------|
| <b>STEEL</b>   | 420HC, bead-blasted finish        |
| <b>HANDLE</b>  | 6061-T6 aluminum, purple anodized |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                  |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                  |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                |
| <b>WEIGHT</b>  | 2.5 oz. (70.9 g)                  |
| <b>BOX</b>     | 087171035154                      |
| <b>CLAM</b>    | 087171035161                      |



## SCALLION - OLIVE DRAB

1620OL



|                |                                  |
|----------------|----------------------------------|
| <b>STEEL</b>   | 420HC, bead-blasted finish       |
| <b>HANDLE</b>  | 6061-T6 aluminum, olive anodized |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                 |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                 |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)               |
| <b>WEIGHT</b>  | 2.5 oz. (70.9 g)                 |
| <b>BOX</b>     | 087171035192                     |
| <b>CLAM</b>    | 087171035208                     |



## SCALLION - NAVY BLUE

1620NB



|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 420HC, bead-blasted finish           |
| <b>HANDLE</b>  | 6061-T6 aluminum, navy blue anodized |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                     |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                     |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                   |
| <b>WEIGHT</b>  | 2.5 oz. (70.9 g)                     |
| <b>BOX</b>     | 087171035178                         |
| <b>CLAM</b>    | 087171035185                         |



## LEEK 1660

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock or liner lock with Tip-Lock Slider  
**POCKETCLIP** Reversible (right, tip-up/tip-down)  
**FEATURES** Lanyard hole

a KEN ONION design



## NEW LEEK - COPPER 1660CU



**STEEL** CPM 154, stonewashed finish  
**HANDLE** Copper, brushed satin finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 4 oz. (115 g)  
**BOX** 087171058078  
**CLAM** -

**FEATURES** Liner lock with Tip-Lock Slider



## LEEK 1660ST • 1660



**STEEL** Sandvik 14C28N, bead-blasted finish  
**HANDLE** 410 steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171166100 serrated • 087171166001 plain  
**CLAM** 087171166117 serrated • 087171166018 plain

1660ST

1660

**FEATURES** Frame lock with Tip-Lock Slider



## LEEK 1660CKTST • 1660CKT



**STEEL** Sandvik 14C28N, black DLC coating  
**HANDLE** 410 steel, DLC coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171166148 serrated • 087171166049 plain  
**CLAM** 087171166216 plain

1660CKTST

1660CKT

**FEATURES** Frame lock with Tip-Lock Slider



## LEEK - BLACKWASH™ 1660BLKW



**STEEL** Sandvik 14C28N, black-oxide BlackWash™ finish  
**HANDLE** 410 steel, black-oxide BlackWash™ finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.9 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171038049  
**CLAM** 087171166490

**FEATURES** Frame lock with Tip-Lock Slider



## LEEK - CARBON FIBER

1660CF



|                |                             |
|----------------|-----------------------------|
| <b>STEEL</b>   | CPM 154, stonewashed finish |
| <b>HANDLE</b>  | Carbon fiber                |
| <b>BLADE</b>   | 3 in. (7.6 cm)              |
| <b>CLOSED</b>  | 4 in. (10.2 cm)             |
| <b>OVERALL</b> | 7 in. (17.9 cm)             |
| <b>WEIGHT</b>  | 2.4 oz. (69 g)              |
| <b>BOX</b>     | 087171048550                |
| <b>CLAM</b>    | 087171050324                |

**FEATURES** Liner lock with Tip-Lock Slider



## LEEK - COMPOSITE BLACKWASH

1660CBBW



|                |  |
|----------------|--|
| <b>STEEL</b>   | D2/Sandvik 14C28N composite, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | 410 steel, black-oxide BlackWash™ finish                   |
| <b>BLADE</b>   | 3 in. (7.6 cm)   |
| <b>CLOSED</b>  | 4 in. (10.2 cm)  |
| <b>OVERALL</b> | 7 in. (17.9 cm)  |
| <b>WEIGHT</b>  | 3.1 oz. (87.9 g)   |
| <b>BOX</b>     | 087171038254   |
| <b>CLAM</b>    | -  |

**FEATURES** Frame lock with Tip-Lock Slider




## LEEK - COMPOSITE

1660CB



|                |  |
|----------------|--|
| <b>STEEL</b>   | D2/Sandvik 14C28N composite, bead-blasted finish |
| <b>HANDLE</b>  | 410 steel, bead-blasted finish                   |
| <b>BLADE</b>   | 3 in. (7.6 cm)                                   |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                                  |
| <b>OVERALL</b> | 7 in. (17.9 cm)                                  |
| <b>WEIGHT</b>  | 3.1 oz. (87.9 g)                                 |
| <b>BOX</b>     | 087171166155                                     |
| <b>CLAM</b>    | -  |

**FEATURES** Frame lock with Tip-Lock Slider




## LEEK - CAMO

1660CAMO



|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | Sandvik 14C28N, bead-blasted finish |
| <b>HANDLE</b>  | 6061-T6 aluminum, camo anodized     |
| <b>BLADE</b>   | 3 in. (7.6 cm)                      |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                     |
| <b>OVERALL</b> | 7 in. (17.9 cm)                     |
| <b>WEIGHT</b>  | 2.4 oz. (68 g)                      |
| <b>BOX</b>     | 087171046310                        |
| <b>CLAM</b>    | 087171049106                        |

**FEATURES** Liner lock with Tip-Lock Slider




## LEEK - BLACK STONEWASHED

1660SWBLK



|                |                                    |
|----------------|------------------------------------|
| <b>STEEL</b>   | Sandvik 14C28N, stonewashed finish |
| <b>HANDLE</b>  | 6061-T6 aluminum, black anodized   |
| <b>BLADE</b>   | 3 in. (7.6 cm)                     |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                    |
| <b>OVERALL</b> | 7 in. (17.9 cm)                    |
| <b>WEIGHT</b>  | 2.4 oz. (68 g)                     |
| <b>BOX</b>     | 087171035079                       |
| <b>CLAM</b>    | -                                  |

**FEATURES** Liner lock with Tip-Lock Slider



## LEEK - ORANGE

1660OR



|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | Sandvik 14C28N, bead-blasted finish |
| <b>HANDLE</b>  | 6061-T6 aluminum, orange anodized   |
| <b>BLADE</b>   | 3 in. (7.6 cm)                      |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                     |
| <b>OVERALL</b> | 7 in. (17.9 cm)                     |
| <b>WEIGHT</b>  | 2.4 oz. (68 g)                      |
| <b>BOX</b>     | 087171035130                        |
| <b>CLAM</b>    | 087171035147                        |

**FEATURES** Liner lock with Tip-Lock Slider



## LEEK - OLIVE

1660OL



|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | Sandvik 14C28N, bead-blasted finish |
| <b>HANDLE</b>  | 6061-T6 aluminum, olive anodized    |
| <b>BLADE</b>   | 3 in. (7.6 cm)                      |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                     |
| <b>OVERALL</b> | 7 in. (17.9 cm)                     |
| <b>WEIGHT</b>  | 2.4 oz. (68 g)                      |
| <b>BOX</b>     | 087171035116                        |
| <b>CLAM</b>    | 087171035123                        |

**FEATURES** Liner lock with Tip-Lock Slider



## LEEK - PURPLE

1660PUR



|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | Sandvik 14C28N, bead-blasted finish |
| <b>HANDLE</b>  | 6061-T6 aluminum, purple anodized   |
| <b>BLADE</b>   | 3 in. (7.6 cm)                      |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                     |
| <b>OVERALL</b> | 7 in. (17.9 cm)                     |
| <b>WEIGHT</b>  | 2.4 oz. (68 g)                      |
| <b>BOX</b>     | 087171035093                        |
| <b>CLAM</b>    | -                                   |

**FEATURES** Liner lock with Tip-Lock Slider



## LEEK - TEAL

1660TEAL



|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | Sandvik 14C28N, bead-blasted finish |
| <b>HANDLE</b>  | 6061-T6 aluminum, teal anodized     |
| <b>BLADE</b>   | 3 in. (7.6 cm)                      |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                     |
| <b>OVERALL</b> | 7 in. (17.9 cm)                     |
| <b>WEIGHT</b>  | 2.4 oz. (68 g)                      |
| <b>BOX</b>     | 087171037561                        |
| <b>CLAM</b>    | -                                   |

**FEATURES** Liner lock with Tip-Lock Slider



**NEW****CHIVE - NAVY BLUE SW**

1600NBSW



|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 420HC, stonewashed finish            |
| <b>HANDLE</b>  | 6061-T6 aluminum, navy blue anodized |
| <b>BLADE</b>   | 1.9 in. (4.8 cm)                     |
| <b>CLOSED</b>  | 2.9 in. (7.4 cm)                     |
| <b>OVERALL</b> | 4.8 in. (12.2 cm)                    |
| <b>WEIGHT</b>  | 1.5 oz. (42.5 g)                     |
| <b>BOX</b>     | 087171550992                         |
| <b>CLAM</b>    | -                                    |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Liner lock with Tip-Lock Slider          |
| <b>POCKETCLIP</b> | Single-position (right, tip-down)        |
| <b>FEATURES</b>   | Lanyard hole                             |

**CHIVE**

1600



|                |                                |
|----------------|--------------------------------|
| <b>STEEL</b>   | 420HC, bead-blasted finish     |
| <b>HANDLE</b>  | 410 steel, bead-blasted finish |
| <b>BLADE</b>   | 1.9 in. (4.8 cm)               |
| <b>CLOSED</b>  | 2.9 in. (7.4 cm)               |
| <b>OVERALL</b> | 4.8 in. (12.2 cm)              |
| <b>WEIGHT</b>  | 1.7 oz. (48.2 g)               |
| <b>BOX</b>     | 087171160009                   |
| <b>CLAM</b>    | 087171160016                   |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Frame lock with Tip-Lock Slider          |
| <b>POCKETCLIP</b> | Single-position (right, tip-down)        |
| <b>FEATURES</b>   | Lanyard hole                             |


**CHIVE - PINK**

1600PINK



|                |                                 |
|----------------|---------------------------------|
| <b>STEEL</b>   | 420HC, bead-blasted finish      |
| <b>HANDLE</b>  | 6061-T6 aluminum, pink anodized |
| <b>BLADE</b>   | 1.9 in. (4.8 cm)                |
| <b>CLOSED</b>  | 2.9 in. (7.4 cm)                |
| <b>OVERALL</b> | 4.8 in. (12.2 cm)               |
| <b>WEIGHT</b>  | 1.5 oz. (42.5 g)                |
| <b>BOX</b>     | 087171160276                    |
| <b>CLAM</b>    | -                               |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Liner lock with Tip-Lock Slider          |
| <b>POCKETCLIP</b> | Single-position (right, tip-down)        |
| <b>FEATURES</b>   | Lanyard hole                             |



EDC - SPEEDSAFE

**Kershaw**

2020 CATALOG

KERSHAWKNIVES.COM

NEW

## GRAVEL

2065

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel, black-oxide BlackWash™ finish  
**BLADE** 2.5 in. (6.4 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 5.9 in. (15.2 cm)  
**WEIGHT** 2.7 oz. (78 g)  
**BOX** 087171056487  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)



NEW

## BELIEVER

2070

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, gray PVD coating  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.2 in. (10.7 cm)  
**OVERALL** 7.3 in. (18.6 cm)  
**WEIGHT** 3.8 oz. (107.7 g)  
**BOX** 087171057620  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bronze anodized pivot ring



NEW

## PAYOUT

2075

a KERSHAW ORIGINALS design



**STEEL** D2, stonewashed finish  
**HANDLE** G10 front, stainless steel back  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.9 in. (12.6 cm)  
**OVERALL** 8.3 in. (21.3 cm)  
**WEIGHT** 5.3 oz. (150.3 g)  
**BOX** 087171058085  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Bronze anodized pivot ring, lanyard hole



## BOILERMAKER

3475

a LES GEORGE design

**STEEL** 8Cr13MoV, brown PVD coating, stonewashed finish  
**HANDLE** Stainless steel, brown PVD coating, stonewashed finish  
**BLADE** 3.3 in. (8.5 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.6 in. (19.2 cm)  
**WEIGHT** 4.4 oz. (127 g)  
**BOX** 087171054797  
**CLAM** 087171055961

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry pocketclip (right, tip-up)  
**FEATURES** Decorative pivot cap and backspacer, logo window, blade window



## EMBER

3560

a RICK HINDERER design

**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 2 in. (5.1 cm)  
**CLOSED** 2.8 in. (7.1 cm)  
**OVERALL** 4.75 in. (12.1 cm)  
**WEIGHT** 2.2 oz. (62.4 g)  
**BOX** 087171036908  
**CLAM** 087171036892

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** 3-position deep-carry (right/left, tip-up; right, tip-down)





## OBLIVION

3860  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, bead-blasted & stonewashed finish  
**HANDLE** Stainless steel, bead-blasted & stonewashed finish, glass-filled nylon inserts  
**BLADE** 3.5 in. (9 cm)  
**CLOSED** 4.6 in. (11.8 cm)  
**OVERALL** 8.1 in. (20.6 cm)  
**WEIGHT** 5.1 oz. (146 g)  
**BOX** 087171054841  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock, with over-travel stop  
**POCKETCLIP** Reversible deep-carry pocketclip (right/left, tip-up)  
**FEATURES** Decorative pivot cap, lanyard hole



## BARSTOW

3960  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.1 cm)  
**OVERALL** 7 in. (17.7 cm)  
**WEIGHT** 4.3 oz. (123 g)  
**BOX** 087171048628  
**CLAM** 087171050454

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Anodized aluminum accents  
Single-edge sharpened



## DECIMUS

1559  
a RICK HINDERER design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** Stainless steel with stonewashed finish, glass-filled nylon overlay  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.5 in. (19.1 cm)  
**WEIGHT** 4.3 oz. (123 g)  
**BOX** 087171052380  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Single-edge sharpened



## FLITCH

3930  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.6 in. (11.7 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.7 oz. (133.2 g)  
**BOX** 087171048505  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)




## FLOURISH

3935  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide BlackWash™ with satin flats  
**HANDLE** G10 with carbon fiber overlay  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 5 in. (12.7 cm)  
**OVERALL** 8.5 in. (21.6 cm)  
**WEIGHT** 5.3 oz. (150.3 g)  
**BOX** 087171048512  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## DUOJET

8300  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating, dual carbon fiber inlays front  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.8 oz. (138 g)  
**BOX** 087171051956  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole



## FRINGE

8310  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating, carbon fiber inlay front  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 3.5 oz. (101 g)  
**BOX** 087171052281  
**CLAM** 087171052786

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)  
**FEATURES** Lanyard hole




## OUTRIGHT

8320  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, blue PVD coating  
**HANDLE** Stainless steel, blue PVD coating, G10 overlay front  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.4 in. (11.1 cm)  
**OVERALL** 7.1 in. (18.1 cm)  
**WEIGHT** 4 oz. (114 g)  
**BOX** 087171052298  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Single-position deep-carry (right, tip-down)



## SEGUIN

3490  
a LES GEORGE design

|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, gray PVD coating           |
| <b>HANDLE</b>  | Stainless steel, bead-blasted finish |
| <b>BLADE</b>   | 3.1 in. (8 cm)                       |
| <b>CLOSED</b>  | 4.25 in. (10.8 cm)                   |
| <b>OVERALL</b> | 7.25 in. (18.3 cm)                   |
| <b>WEIGHT</b>  | 4.8 oz. (138 g)                      |
| <b>BOX</b>     | 087171054162                         |
| <b>CLAM</b>    | 087171055664                         |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper                   |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Single-position deep-carry pocketclip (right, tip-up)      |
| <b>FEATURES</b>   | Decorative pivot cap and backspacer, custom handle texture |



## AMPLITUDE 2.5

3870  
a TODD REXFORD design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, satin finish                          |
| <b>HANDLE</b>  | Stainless steel, titanium carbo-nitride coating |
| <b>BLADE</b>   | 2.5 in. (6.4 cm)                                |
| <b>CLOSED</b>  | 3.5 in. (8.9 cm)                                |
| <b>OVERALL</b> | 6 in. (15.2 cm)                                 |
| <b>WEIGHT</b>  | 2.6 oz. (73.7 g)                                |
| <b>BOX</b>     | 087171036816                                    |
| <b>CLAM</b>    | 087171036823                                    |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper   |
| <b>LOCK</b>       | Frame lock                                 |
| <b>POCKETCLIP</b> | Reversible pocketclip (right/left, tip-up) |



## RJ TACTICAL 3.0

1987  
an RJ MARTIN design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating |
| <b>HANDLE</b>  | Glass-filled nylon            |
| <b>BLADE</b>   | 3 in. (7.6 cm)                |
| <b>CLOSED</b>  | 4 in. (10.2 cm)               |
| <b>OVERALL</b> | 6.9 in. (17.5 cm)             |
| <b>WEIGHT</b>  | 2.8 oz. (79.4 g)              |
| <b>BOX</b>     | 087171039336                  |
| <b>CLAM</b>    | 087171039794                  |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper         |
| <b>LOCK</b>       | Liner lock                                       |
| <b>POCKETCLIP</b> | 3-position (right/left, tip-up; right, tip-down) |
| <b>FEATURES</b>   | Lanyard hole                                     |





## ERIS

1881  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish with satin flats  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.2 in. (18.1 cm)  
**WEIGHT** 4.7 oz. (133.2 g)  
**BOX** 087171047737  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Lanyard hole



## BRAWLER

1990  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.9 oz. (110.6 g)  
**BOX** 087171033044  
**CLAM** 087171033075

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position (right/left, tip-up/down)



## OSO SWEET

1830  
a KEN UNION design

**STEEL** 8Cr13MoV, satin finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 2.8 oz. (82 g)  
**BOX** 087171183008  
**CLAM** 087171183015

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right, tip-up/tip-down)  
**FEATURES** Lanyard hole



## FATBACK

1935  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 3.6 oz. (102.1 g)  
**BOX** 087171046105  
**CLAM** 087171045740

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 4-position deep-carry (right/left, tip-up/down)



## FERRITE

1557T1  
a RICK HINDERER design

**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 3.3 in. (8.4 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.5 in. (19.1 cm)  
**WEIGHT** 4.2 oz. (119.1 g)  
**BOX** 087171044781  
**CLAM** 087171045610

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Frame lock, lockbar stabilizer  
**POCKETCLIP** Reversible (right/left, tip-up), after-market filler tabs available  
**FEATURES** Lanyard hole



## FREEFALL

3840  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.5 in. (19 cm)  
**WEIGHT** 4.1 oz. (116.2 g)  
**BOX** 087171034942  
**CLAM** 087171034959

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole



## SWERVE

3850  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Glass-filled nylon, K-Texture™ grip  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 4.8 oz. (136.1 g)  
**BOX** 087171034966  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)



## KURO

1835TBLKST  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.1 in. (7.9 cm)  
**CLOSED** 4.1 in. (10.5 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 3.2 oz. (90.7 g)  
**BOX** 087171033747  
**CLAM** -

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** 3-position (right/left, tip-up; right, tip-down)  
**FEATURES** Lanyard hole



## CRYO 1555

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper or thumb stud |
| <b>LOCK</b>       | Frame lock with lockbar stabilizer                     |
| <b>POCKETCLIP</b> | 4-position deep-carry (right/left, tip-up/down)        |
| <b>FEATURES</b>   | Lanyard hole   |

a RICK HINDERER design



## CRYO 1555T1

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, titanium carbo-nitride coating            |
| <b>HANDLE</b>  | 410 stainless steel, titanium carbo-nitride coating |
| <b>BLADE</b>   | 2.75 in. (7 cm)                                     |
| <b>CLOSED</b>  | 3.75 in. (9.5 cm)                                   |
| <b>OVERALL</b> | 6.5 in. (16.5 cm)                                   |
| <b>WEIGHT</b>  | 4.1 oz. (116.2 g)                                   |
| <b>BOX</b>     | 087171033686  |
| <b>CLAM</b>    | 087171033693  |



## CRYO - BLACKWASH™ 1555BW

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish            |
| <b>HANDLE</b>  | 410 stainless steel, black-oxide BlackWash™ finish |
| <b>BLADE</b>   | 2.75 in. (7 cm)                                    |
| <b>CLOSED</b>  | 3.75 in. (9.5 cm)                                  |
| <b>OVERALL</b> | 6.5 in. (16.5 cm)                                  |
| <b>WEIGHT</b>  | 4.1 oz. (116.2 g)                                  |
| <b>BOX</b>     | 087171037530                                       |
| <b>CLAM</b>    | 087171036830                                       |



## CRYO - G10 1555G10

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, stonewashed finish                        |
| <b>HANDLE</b>  | G10 front, stainless steel back, stonewashed finish |
| <b>BLADE</b>   | 2.75 in. (7 cm)                                     |
| <b>CLOSED</b>  | 3.75 in. (9.5 cm)                                   |
| <b>OVERALL</b> | 6.5 in. (16.5 cm)                                   |
| <b>WEIGHT</b>  | 3.7 oz. (104.9 g)                                   |
| <b>BOX</b>     | 087171036731  |
| <b>CLAM</b>    | 087171036748  |



## CRYO II 1556

|                            |  |
|----------------------------|--|
| <b>OPENING LOCK</b>        | SpeedSafe® assisted opening with flipper or thumb stud |
| <b>POCKETCLIP FEATURES</b> | Frame lock with lockbar stabilizer                     |
|                            | 4-position deep-carry (right/left, tip-up/down)        |
|                            | Lanyard hole   |

a RICK HINDERER design



## CRYO II

1556T1

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, titanium carbo-nitride coating            |
| <b>HANDLE</b>  | 410 stainless steel, titanium carbo-nitride coating |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)                                   |
| <b>CLOSED</b>  | 4.4 in. (11.2 cm)                                   |
| <b>OVERALL</b> | 7.75 in. (19.7 cm)                                  |
| <b>WEIGHT</b>  | 5.5 oz. (155.9 g)                                   |
| <b>BOX</b>     | 087171034706  |
| <b>CLAM</b>    | 087171034713  |



## CRYO II - BLACKWASH™

1556BW

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish            |
| <b>HANDLE</b>  | 410 stainless steel, black-oxide BlackWash™ finish |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)                                  |
| <b>CLOSED</b>  | 4.4 in. (11.2 cm)                                  |
| <b>OVERALL</b> | 7.75 in. (19.7 cm)                                 |
| <b>WEIGHT</b>  | 5.5 oz. (155.9 g)                                  |
| <b>BOX</b>     | 087171036236                                       |
| <b>CLAM</b>    | -  |



## VOLT II

3650ST • 3650  
an RJ Martin design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 3.9 in. (9.8 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.3 oz. (93.6 g)  
**BOX** 087171031088 serrated • 087171031071 plain  
**CLAM** 087171031385 serrated • 087171031361 plain

3650ST

3650

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole



## VOLT II - BLACK, SERRATED

3650CKTST  
an RJ MARTIN design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 3.9 in. (9.8 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.3 oz. (93.6 g)  
**BOX** 087171031477  
**CLAM** 087171031620

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right, tip-up/down)  
**FEATURES** Lanyard hole




## VOLT SS

3655  
an RJ MARTIN design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.75 in. (19.7 cm)  
**WEIGHT** 4.3 oz. (122 g)  
**BOX** 087171033785  
**CLAM** 087171033792

**OPENING** SpeedSafe® assisted opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** 3-position (right/left, tip-up; right, tip-down)  
**FEATURES** Lanyard hole



## ZING SS

1730SS  
an RJ MARTIN design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** 410 stainless steel, bead-blasted finish  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 3.9 in. (9.8 cm)  
**OVERALL** 6.9 in. (17.5 cm)  
**WEIGHT** 3.3 oz. (93.6 g)  
**BOX** 087171033518  
**CLAM** 087171033525

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** 3-position (right/left, tip-up; right, tip-down)  
**FEATURES** Lanyard hole



## GRID

2200  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Stainless steel, titanium carbo-nitride coating  
**BLADE** 3.7 in. (9.4 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 8.4 in. (21.3 cm)  
**WEIGHT** 5.3 oz. (150.3 g)  
**BOX** 087171040912  
**CLAM** 087171045597

**OPENING** SpeedSafe® assisted opening with flipper or thumb stud  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)



## CLASH

1605ST • 1605

a KEN ONION design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr13MoV, bead-blasted finish              |
| <b>HANDLE</b>  | Glass-filled nylon                         |
| <b>BLADE</b>   | 3.1 in. (7.9 cm)                           |
| <b>CLOSED</b>  | 4.25 in. (10.7 cm)                         |
| <b>OVERALL</b> | 7.4 in. (18.7 cm)                          |
| <b>WEIGHT</b>  | 4.3 oz. (121.9 g)                          |
| <b>BOX</b>     | 087171031132 serrated • 087171031125 plain |
| <b>CLAM</b>    | 087171031378 serrated • 087171031309 plain |

1605ST



1605



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Liner lock                               |
| <b>POCKETCLIP</b> | Reversible (right, tip-up/down)          |

## CLASH - BLACK, SERRATED

1605CKTST

a KEN ONION design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating |
| <b>HANDLE</b>  | Glass-filled nylon            |
| <b>BLADE</b>   | 3.1 in. (7.9 cm)              |
| <b>CLOSED</b>  | 4.25 in. (10.7 cm)            |
| <b>OVERALL</b> | 7.4 in. (18.7 cm)             |
| <b>WEIGHT</b>  | 4.3 oz. (121.9 g)             |
| <b>BOX</b>     | 087171031491                  |
| <b>CLAM</b>    | -                             |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper |
| <b>LOCK</b>       | Liner lock                               |
| <b>POCKETCLIP</b> | Reversible (right, tip-up/down)          |



## SHOWTIME


1955

a TODD REXFORD design

|                |                                       |
|----------------|---------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, satin & black-oxide coating |
| <b>HANDLE</b>  | Stainless steel, black-oxide coating  |
| <b>BLADE</b>   | 3 in. (7.6 cm)                        |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                       |
| <b>OVERALL</b> | 6.75 in. (17.1 cm)                    |
| <b>WEIGHT</b>  | 3.7 oz. (104.9 g)                     |
| <b>BOX</b>     | 087171044774                          |
| <b>CLAM</b>    | 087171044927                          |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper   |
| <b>LOCK</b>       | Frame lock                                 |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up) |





# EDC-MANUAL

Manual-opening knives can be opened with a thumb stud, flipper, or hollow in the blade. Some also feature our KVT ball-bearing opening that enables the blade to move out of the handle smoothly when you pull back on a flipper. KVT makes opening manual knives as easy as assisted.



## NEW HUB

1180  
a JENS ANSØ design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, bead-blasted finish |
| <b>HANDLE</b>  | Glass-filled nylon            |
| <b>BLADE</b>   | 1.7 in. (4.4 cm)              |
| <b>CLOSED</b>  | 3 in. (7.6 cm)                |
| <b>OVERALL</b> | 4.75 in. (12.1 cm)            |
| <b>WEIGHT</b>  | 2.1 oz. (60 g)                |
| <b>BOX</b>     | 087171058269                  |
| <b>CLAM</b>    | -                             |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual on washers opening with thumb stud  |
| <b>LOCK</b>       | Inset liner lock                           |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-up) |
| <b>FEATURES</b>   | Extra large lanyard/keychain hole          |



## NEW COMEBACK

2055  
a KERSHAW ORIGINALS design

|                |                                      |
|----------------|--------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, stonewashed finish         |
| <b>HANDLE</b>  | Stainless steel, bead-blasted finish |
| <b>BLADE</b>   | 3 in. (7.6 cm)                       |
| <b>CLOSED</b>  | 4.25 in. (10.8 cm)                   |
| <b>OVERALL</b> | 7.5 in. (19.1 cm)                    |
| <b>WEIGHT</b>  | 4.5 oz. (127.6 g)                    |
| <b>BOX</b>     | 087171055787                         |
| <b>CLAM</b>    | -                                    |

|                   |                                       |
|-------------------|---------------------------------------|
| <b>OPENING</b>    | KVT ball-bearing opening with flipper |
| <b>LOCK</b>       | Frame lock                            |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)       |
| <b>FEATURES</b>   | Decorative pivot cap, Kershaw inset   |



## NEW TUMBLER

4038  
a Dmitry Sinkovitch design

|                |                         |
|----------------|-------------------------|
| <b>STEEL</b>   | D2, stonewashed finish  |
| <b>HANDLE</b>  | G10, carbon fiber inlay |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)       |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)       |
| <b>OVERALL</b> | 7.4 in. (18.7 cm)       |
| <b>WEIGHT</b>  | 2.6 oz. (75 g)          |
| <b>BOX</b>     | 087171057613            |
| <b>CLAM</b>    | -                       |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | KVT ball-bearing opening with flipper      |
| <b>LOCK</b>       | Sub-Frame lock                             |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up) |
| <b>FEATURES</b>   | Lanyard hole, decorative pivot cap         |



## NEW STATIC

3445  
a KERSHAW ORIGINALS design

|                |                                   |
|----------------|-----------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, satin finish            |
| <b>HANDLE</b>  | Stainless steel, gray PVD coating |
| <b>BLADE</b>   | 2.9 in. (7.4 cm)                  |
| <b>CLOSED</b>  | 3.9 in. (9.8 cm)                  |
| <b>OVERALL</b> | 6.75 in. (17.1 cm)                |
| <b>WEIGHT</b>  | 4 oz. (113.4 g)                   |
| <b>BOX</b>     | 087171055749                      |
| <b>CLAM</b>    | -                                 |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | KVT ball-bearing opening with flipper      |
| <b>LOCK</b>       | Frame lock                                 |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up) |
| <b>FEATURES</b>   | Weight-relieving handle window             |



## NEW GADSDEN

4381  
a KERSHAW ORIGINALS design

**STEEL** 7Cr17MoV, satin finish  
**HANDLE** G10, polished  
**BLADE** 2.75 in. (7 cm) • 2.75 in. (7 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 6.25 in. (16 cm)  
**WEIGHT** 2.7 oz. (76.5 g)  
**BOX** 087171058214  
**CLAM** -



**OPENING** Manual on washers opening with nail nick  
**LOCK** Slipjoint  
**POCKETCLIP** -  
**FEATURES** Two blades



## NEW BRANDYWINE

4382  
a KERSHAW ORIGINALS design

**STEEL** 7Cr17MoV, satin finish  
**HANDLE** G10, polished  
**BLADE** 2.6 in. (6.6 cm) • 1.8 in. (4.7 cm) • 1.9 in. (5 cm)  
**CLOSED** 3.5 in. (8.9 cm)  
**OVERALL** 6.2 in. (15.8 cm)  
**WEIGHT** 2.3 oz. (65.2 g)  
**BOX** 087171058207  
**CLAM** -



**OPENING** Manual on washers opening with nail nick  
**LOCK** Slipjoint  
**POCKETCLIP** -  
**FEATURES** Three blades



## NEW CULPEPPER

4383  
a KERSHAW ORIGINALS design

**STEEL** 7Cr17MoV, satin finish  
**HANDLE** G10, polished  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.125 in. (10.6 cm)  
**OVERALL** 7.4 in. (18.7 cm)  
**WEIGHT** 3 oz. (85 g)  
**BOX** 087171058283  
**CLAM** -



**OPENING** Manual on washers opening with nail nick  
**LOCK** Slipjoint  
**POCKETCLIP** -  
**FEATURES** Lanyard hold, brass pins



## NEW NORAD

5510  
a KERSHAW ORIGINALS design

**STEEL** D2, gray PVD coating with satin grind  
**HANDLE** Stainless steel with carbon fiber inserts, bead-blasted finish  
**BLADE** 3.3 in. (8.7 cm)  
**CLOSED** 4.5 in. (11.4 cm)  
**OVERALL** 7.9 in. (20.2 cm)  
**WEIGHT** 5.2 oz. (150 g)  
**BOX** 087171058887  
**CLAM** -



**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Decorative pivot cap, flipper hides in open position, finger landing



## NEW LUCHA

5150  
a KERSHAW ORIGINALS design

**STEEL** Sandvik 14C28N, stonewashed finish  
**HANDLE** Stainless steel, bead-blasted finish  
**BLADE** 4.6 in. (11.7 cm)  
**CLOSED** 5.8 in. (15 cm)  
**OVERALL** 10.25 in. (26 cm)  
**WEIGHT** 5.9 oz. (168 g)  
**BOX** 087171058412  
**CLAM** -



**OPENING** Dual KVT ball-bearing opening  
**LOCK** Latch  
**POCKETCLIP** -  
**FEATURES** Anti-stick latch with rounded head profile, steel internal stop pins





## NATRIX 7007

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | KVT ball-bearing opening with flipper      |
| <b>LOCK</b>       | Sub-Frame Lock                             |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up) |
| <b>FEATURES</b>   | Decorative pivot                           |

a KERSHAW ORIGINALS design



## NATRIX - COPPER

7006CU



|                |                             |
|----------------|-----------------------------|
| <b>STEEL</b>   | D2, stonewashed finish      |
| <b>HANDLE</b>  | Copper, bead-blasted finish |
| <b>BLADE</b>   | 2.75 in. (7 cm)             |
| <b>CLOSED</b>  | 3.6 in. (9.3 cm)            |
| <b>OVERALL</b> | 6.4 in. (16.2 cm)           |
| <b>WEIGHT</b>  | 3.2 oz. (92 g)              |
| <b>BOX</b>     | 087171052472                |
| <b>CLAM</b>    | -                           |



## NEW NATRIX - COPPER M

7007 CU



|                |                             |
|----------------|-----------------------------|
| <b>STEEL</b>   | D2, stonewashed finish      |
| <b>HANDLE</b>  | Copper, bead-blasted finish |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)           |
| <b>CLOSED</b>  | 4.3 in. (11.2 cm)           |
| <b>OVERALL</b> | 7.5 in. (19.1 cm)           |
| <b>WEIGHT</b>  | 4.9 oz. (141 g)             |
| <b>BOX</b>     | 087171056654                |
| <b>CLAM</b>    | -                           |



## NEW NATRIX - COPPER XL

7008CU



|                |                             |
|----------------|-----------------------------|
| <b>STEEL</b>   | D2, stonewashed finish      |
| <b>HANDLE</b>  | Copper, bead-blasted finish |
| <b>BLADE</b>   | 3.7 in. (9.4 cm)            |
| <b>CLOSED</b>  | 5 in. (12.7 cm)             |
| <b>OVERALL</b> | 8.75 in. (22.2 cm)          |
| <b>WEIGHT</b>  | 8.6 oz. (244 g)             |
| <b>BOX</b>     | 087171056661                |
| <b>CLAM</b>    | -                           |



## NATRIX

7007



|                |                              |
|----------------|------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, stonewashed finish |
| <b>HANDLE</b>  | G10                          |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)            |
| <b>CLOSED</b>  | 4.25 in. (10.8 cm)           |
| <b>OVERALL</b> | 7.5 in. (19.1 cm)            |
| <b>WEIGHT</b>  | 2.9 oz. (82.2 g)             |
| <b>BOX</b>     | 087171049076                 |
| <b>CLAM</b>    | -                            |



## NATRIX - BLACK

7007BLK

|         |                               |
|---------|-------------------------------|
| STEEL   | 8Cr13MoV, black-oxide coating |
| HANDLE  | G10                           |
| BLADE   | 3.25 in. (8.3 cm)             |
| CLOSED  | 4.25 in. (10.8 cm)            |
| OVERALL | 7.5 in. (19.1 cm)             |
| WEIGHT  | 2.9 oz. (82.2 g)              |
| BOX     | 087171051758                  |
| CLAM    | -                             |



## NATRIX - CARBON FIBER

7007CF

|         |  |
|---------|--|
| STEEL   | 8Cr13MoV, titanium carbo-nitride coating |
| HANDLE  | G10, carbon fiber overlay                |
| BLADE   | 3.25 in. (8.3 cm)                        |
| CLOSED  | 4.25 in. (10.8 cm)                       |
| OVERALL | 7.5 in. (19.1 cm)                        |
| WEIGHT  | 2.9 oz. (82.2 g)                         |
| BOX     | 087171051949                             |
| CLAM    | 087171055756                             |



## NATRIX - XL

70080LBLK

|         |                               |
|---------|-------------------------------|
| STEEL   | 8Cr13MoV, black-oxide coating |
| HANDLE  | G10                           |
| BLADE   | 3.75 in. (9.5 cm)             |
| CLOSED  | 5 in. (12.7 cm)               |
| OVERALL | 8.75 in. (22.2 cm)            |
| WEIGHT  | 4.1 oz. (118 g)               |
| BOX     | 087171053356                  |
| CLAM    | -                             |



## NEW HIGHBALL

7010

a KERSHAW ORIGINALS design



**STEEL** D2, gray PVD coating with satin grind  
**HANDLE** Stainless steel, gray PVD coating  
**BLADE** 2.8 in. (7.1 cm)  
**CLOSED** 3.8 in. (9.9 cm)  
**OVERALL** 6.75 in. (17.1 cm)  
**WEIGHT** 2.9 oz. (84 g)  
**BOX** 087171057606  
**CLAM** -

**OPENING** KVT ball-bearing opening with nail nick  
**LOCK** Frame lock  
**POCKETCLIP** Single-position (right, tip-up)  
**FEATURES** Blue anodized pivot ring



## NEW BAREKNUCKLE - OLIVE BW

7777OLBW

a KERSHAW ORIGINALS design



**STEEL** 14C28N, black-oxide BlackWash finish  
**HANDLE** 6061-T6 aluminum, olive anodized  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.7 in. (11.8 cm)  
**OVERALL** 8.2 in. (20.7 cm)  
**WEIGHT** 3.4 oz. (96.4 g)  
**BOX** 087171053707  
**CLAM** -

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Sub-Frame Lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)



## BAREKNUCKLE

7777

a KERSHAW ORIGINALS design



**STEEL** 14C28N, stonewashed finish  
**HANDLE** 6061-T6 aluminum, gray anodized  
**BLADE** 3.5 in. (8.9 cm)  
**CLOSED** 4.7 in. (11.8 cm)  
**OVERALL** 8.2 in. (20.7 cm)  
**WEIGHT** 3.4 oz. (96.4 g)  
**BOX** 087171053363  
**CLAM** -

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Sub-Frame Lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)



## NEW PARSEC

2035

a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, stonewashed brown PVD coating  
**HANDLE** Stainless steel, stonewashed brown PVD coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.1 in. (10.4 cm)  
**OVERALL** 7.1 in. (18 cm)  
**WEIGHT** 3.5 oz. (99.2 g)  
**BOX** 087171055763  
**CLAM** -

**OPENING** Manual KVT ball bearings with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible (right/left, tip-up)  
**FEATURES** Blue anodized pivot cap, weight-relieving handle window



## EPISTLE

2131


a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Aluminum, clear-anodized finish  
**BLADE** 3 in. (7.7 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 2.1 oz. (61 g)  
**BOX** 087171054308  
**CLAM** 087171055930

**OPENING** Manual opening with thumb stud  
**LOCK** Inset liner lock  
**POCKETCLIP** Single-position (right, tip-up)  
**FEATURES** Decorative pivot cap





## REVERB XL

1225

a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, titanium carbo-nitride coating              |
| <b>HANDLE</b>  | G10, carbon fiber overlay front, stainless steel back |
| <b>BLADE</b>   | 3 in. (7.6 cm)  |
| <b>CLOSED</b>  | 4.25 in. (10.9 cm)                                    |
| <b>OVERALL</b> | 7.4 in. (18.7 cm)                                     |
| <b>WEIGHT</b>  | 2.2 oz. (63 g)  |
| <b>BOX</b>     | 087171054759  |
| <b>CLAM</b>    | 087171055923  |

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | Manual opening                                    |
| <b>LOCK</b>       | Frame lock  |
| <b>POCKETCLIP</b> | Single-position extra-deep-carry, (right, tip-up) |
| <b>FEATURES</b>   | Carabiner clip                                    |




## REVERB

1220

a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, titanium carbo-nitride coating, satin flats |
| <b>HANDLE</b>  | G10, carbon fiber overlay front, stainless steel back |
| <b>BLADE</b>   | 2.5 in. (6.4 cm)                                      |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                                     |
| <b>OVERALL</b> | 6.1 in. (15.6 cm)                                     |
| <b>WEIGHT</b>  | 1.6 oz. (45.4 g)                                      |
| <b>BOX</b>     | 087171048642  |
| <b>CLAM</b>    | 087171048765  |

|                   |   |
|-------------------|---|
| <b>OPENING</b>    | Manual opening                                    |
| <b>LOCK</b>       | Frame lock  |
| <b>POCKETCLIP</b> | Single-position extra-deep-carry, (right, tip-up) |
| <b>FEATURES</b>   | Carabiner clip                                    |



## FRAXION

1160

a JENS ANSØ design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | G10, carbon fiber overlay               |
| <b>BLADE</b>   | 2.75 in. (7 cm)                         |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                         |
| <b>OVERALL</b> | 6.75 in. (17.1 cm)                      |
| <b>WEIGHT</b>  | 1.9 oz. (53.9 g)                        |
| <b>BOX</b>     | 087171048499                            |
| <b>CLAM</b>    | 087171048611                            |

|                   |                                       |
|-------------------|---------------------------------------|
| <b>OPENING</b>    | KVT ball-bearing opening with flipper |
| <b>LOCK</b>       | Inset liner lock                      |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)       |



## FRAXION - TAN

1160TANBW

a JENS ANSØ design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | G10, carbon fiber overlay               |
| <b>BLADE</b>   | 2.75 in. (7 cm)                         |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                         |
| <b>OVERALL</b> | 6.75 in. (17.1 cm)                      |
| <b>WEIGHT</b>  | 1.9 oz. (53.9 g)                        |
| <b>BOX</b>     | 087171051765                            |
| <b>CLAM</b>    | -                                       |

|                   |                                       |
|-------------------|---------------------------------------|
| <b>OPENING</b>    | KVT ball-bearing opening with flipper |
| <b>LOCK</b>       | Inset liner lock                      |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)       |



## CHILL

3410

an RJ MARTIN design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, bead-blasted finish |
| <b>HANDLE</b>  | G10                           |
| <b>BLADE</b>   | 3.1 in. (7.9 cm)              |
| <b>CLOSED</b>  | 3.9 in. (9.8 cm)              |
| <b>OVERALL</b> | 7 in. (17.8 cm)               |
| <b>WEIGHT</b>  | 2 oz. (56.7 g)                |
| <b>BOX</b>     | 087171030432                  |
| <b>CLAM</b>    | 087171030456                  |

|                   |                                 |
|-------------------|---------------------------------|
| <b>OPENING</b>    | Manual opening with flipper     |
| <b>LOCK</b>       | Liner lock                      |
| <b>POCKETCLIP</b> | Reversible (right, tip-up/down) |
| <b>FEATURES</b>   | Lanyard hole                    |



## XCOM

3425

a LES GEORGE design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating |
| <b>HANDLE</b>  | Glass-filled nylon            |
| <b>BLADE</b>   | 3.6 in. (9.2 cm)              |
| <b>CLOSED</b>  | 4.4 in. (11.2 cm)             |
| <b>OVERALL</b> | 8 in. (20.2 cm)               |
| <b>WEIGHT</b>  | 4.1 oz. (117 g)               |
| <b>BOX</b>     | 087171054834                  |
| <b>CLAM</b>    | 087171055947                  |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk             |
| <b>LOCK</b>       | Inset liner lock                           |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up) |
| <b>FEATURES</b>   | Lanyard hole                               |



## INNUENDO


3440

a LES GEORGE design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr13MoV, titanium carbo-nitride coating |
| <b>HANDLE</b>  | Stainless steel, bead-blasted finish     |
| <b>BLADE</b>   | 3.3 in. (8.5 cm)                         |
| <b>CLOSED</b>  | 4.25 in. (10.8 cm)                       |
| <b>OVERALL</b> | 7.6 in. (19.3 cm)                        |
| <b>WEIGHT</b>  | 4.4 oz. (127 g)                          |
| <b>BOX</b>     | 087171054179                             |
| <b>CLAM</b>    | 087171055954                             |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk                       |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up)           |
| <b>FEATURES</b>   | Decorative pivot cap, weight-relieving handle window |



## MIXTAPE

2050

a KERSHAW ORIGINALS design



|                |                              |
|----------------|------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, stonewashed finish |
| <b>HANDLE</b>  | Glass-filled nylon           |
| <b>BLADE</b>   | 3.1 in. (7.9 cm)             |
| <b>CLOSED</b>  | 4.1 in. (10.5 cm)            |
| <b>OVERALL</b> | 7.25 in. (18.4 cm)           |
| <b>WEIGHT</b>  | 2.6 oz. (75 g)               |
| <b>BOX</b>     | 087171055176                 |
| <b>CLAM</b>    | -                            |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk                       |
| <b>LOCK</b>       | Inset liner lock                                     |
| <b>POCKETCLIP</b> | Single-position (right, tip-up)                      |
| <b>FEATURES</b>   | Decorative pivot cap, weight-relieving handle window |



## DECIBEL

2045

a KERSHAW ORIGINALS design



|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, titanium carbo-nitride coating        |
| <b>HANDLE</b>  | Stainless steel, titanium carbo-nitride coating |
| <b>BLADE</b>   | 3 in. (7.6 cm)                                  |
| <b>CLOSED</b>  | 3.75 in. (9.6 cm)                               |
| <b>OVERALL</b> | 6.6 in. (16.8 cm)                               |
| <b>WEIGHT</b>  | 2.9 oz. (83 g)                                  |
| <b>BOX</b>     | 087171055152                                    |
| <b>CLAM</b>    | -   |



|                   |   |
|-------------------|---|
| <b>OPENING</b>    | Manual opening with thumb stud                                |
| <b>LOCK</b>       | Frame lock  |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                               |
| <b>FEATURES</b>   | Decorative pivot cap & collar, weight-relieving handle window |



## METHOD

1170  
a JENS ANSØ design



**STEEL** 8Cr13MoV, black-oxide BlackWash™ finish  
**HANDLE** G10  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 2.2 oz. (63 g)  
**BOX** 087171052229  
**CLAM** -

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Inset liner lock  
**POCKETCLIP** Single-position (right, tip-up)  
**FEATURES** Lanyard hole



## FLYTHROUGH

1988  
an RJ MARTIN design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Stainless steel, black-oxide coating  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 3.9 in. (10.1 cm)  
**OVERALL** 6.9 in. (17.5 cm)  
**WEIGHT** 3.7 oz. (105 g)  
**BOX** 087171052397  
**CLAM** -

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Frame lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Adjust pivot with STP Pivot Tool (p.71)



## ATMOS

4037  
a DMITRY SINKEVICH design



**STEEL** 8Cr13MoV, satin finish with satin sanded flats  
**HANDLE** G10, carbon fiber overlay  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 6.9 in. (17.5 cm)  
**WEIGHT** 1.9 oz. (53.9 g)  
**BOX** 087171052236  
**CLAM** 087171052793

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Inset liner lock  
**POCKETCLIP** Reversible deep-carry (right/left, tip-up)  
**FEATURES** Lanyard hole



## CONCERGE

4020  
a DMITRY SINKEVICH design



**STEEL** 8Cr13MoV, titanium carbo-nitride coating  
**HANDLE** G10  
**BLADE** 3.25 in. (8.3 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.25 in. (18.4 cm)  
**WEIGHT** 4 oz. (113.4 g)  
**BOX** 087171052274  
**CLAM** 087171053547

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Liner lock  
**POCKETCLIP** Recessed single-position (right, tip-up)  
**FEATURES** Lanyard hole



## FAULTLINE

8760  
a KERSHAW ORIGINALS design



**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Glass-filled nylon, rubber insert  
**BLADE** 3 in. (7.6 cm)  
**CLOSED** 4 in. (10.2 cm)  
**OVERALL** 7 in. (17.8 cm)  
**WEIGHT** 3.4 oz. (99 g)  
**BOX** 087171052762  
**CLAM** 087171053516

**OPENING** KVT ball-bearing opening with flipper  
**LOCK** Inset liner lock  
**POCKETCLIP** Single-position deep-carry (right, tip-up)





NEW

## CQC-6K D2

6034D2

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | D2, stonewashed & satin finish                           |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, bead-blasted finish |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)  |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)  |
| <b>OVERALL</b> | 7.75 in. (19.7 cm)                                       |
| <b>WEIGHT</b>  | 5.1 oz. (144.6 g)  |
| <b>BOX</b>     | 087171056166   |
| <b>CLAM</b>    | -  |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Lanyard hole   |



NEW

## CQC-4KXL D2


6055D2

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | D2, stonewashed & satin finish                           |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, bead-blasted finish |
| <b>BLADE</b>   | 3.9 in. (9.9 cm)   |
| <b>CLOSED</b>  | 5 in. (12.7 cm)  |
| <b>OVERALL</b> | 9 in. (22.9 cm)  |
| <b>WEIGHT</b>  | 6.1 oz. (175 g)  |
| <b>BOX</b>     | 087171056159   |
| <b>CLAM</b>    | -  |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Lanyard hole   |




NEW

## CQC-11K D2


6031D2

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | D2, stonewashed finish                                   |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, bead-blasted finish |
| <b>BLADE</b>   | 3.5 in. (9 cm)   |
| <b>CLOSED</b>  | 4.75 in. (12.1 cm)                                       |
| <b>OVERALL</b> | 8.5 in. (21.6 cm)  |
| <b>WEIGHT</b>  | 5.8 oz. (166 g)  |
| <b>BOX</b>     | 087171056173   |
| <b>CLAM</b>    | -  |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Big-bellied skinning blade, lanyard hole                       |



## CQC-4K

6054BRNBLK

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr14MoV, black-oxide coating                            |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, black-oxide coating |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)  |
| <b>CLOSED</b>  | 4.2 in. (10.7 cm)  |
| <b>OVERALL</b> | 7.4 in. (18.8 cm)  |
| <b>WEIGHT</b>  | 4.1 oz. (116.2 g)  |
| <b>BOX</b>     | 087171037592   |
| <b>CLAM</b>    | -  |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Lanyard hole   |



## CQC-5K

60740LBLK

an ERNEST EMERSON design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr14MoV, black-oxide coating |
| <b>HANDLE</b>  | G10                           |
| <b>BLADE</b>   | 3 in. (7.6 cm)                |
| <b>CLOSED</b>  | 4 in. (10.2 cm)               |
| <b>OVERALL</b> | 7.1 in. (18 cm)               |
| <b>WEIGHT</b>  | 3.7 oz. (104.9 g)             |
| <b>BOX</b>     | 087171037615                  |
| <b>CLAM</b>    | -                             |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Lanyard hole   |




## CQC-7K

6034T

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr14MoV, stonewashed & satin finish                     |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, bead-blasted finish |
| <b>BLADE</b>   | 3.25 in. (8.3 cm)  |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)  |
| <b>OVERALL</b> | 7.75 in. (19.7 cm)                                       |
| <b>WEIGHT</b>  | 5 oz. (141.7 g)  |
| <b>BOX</b>     | 087171037295   |
| <b>CLAM</b>    | -  |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Lanyard hole   |



## CQC-8K

6044TBLK

an ERNEST EMERSON design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr14MoV, black-oxide coating |
| <b>HANDLE</b>  | G10                           |
| <b>BLADE</b>   | 3.5 in. (8.9 cm)              |
| <b>CLOSED</b>  | 4.6 in. (11.7 cm)             |
| <b>OVERALL</b> | 8.1 in. (20.6 cm)             |
| <b>WEIGHT</b>  | 5.3 oz. (152 g)               |
| <b>BOX</b>     | 087171037318                  |
| <b>CLAM</b>    | -                             |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Lanyard hole   |



## CQC-9K

6045BLK

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr14MoV, black-oxide coating                            |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, black-oxide coating |
| <b>BLADE</b>   | 3.6 in. (9.1 cm)   |
| <b>CLOSED</b>  | 5.25 in. (13.3 cm)                                       |
| <b>OVERALL</b> | 8.8 in. (22.4 cm)  |
| <b>WEIGHT</b>  | 6.4 oz. (181.4 g)  |
| <b>BOX</b>     | 087171044767   |
| <b>CLAM</b>    | -  |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Hidden wave shaped feature, lanyard hole                       |



## E-TRAIN

6034TRAINER

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 3Cr13, stonewashed finish                                |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, bead-blasted finish |
| <b>BLADE</b>   | 3.2 in. (8.1 cm) unsharpened                             |
| <b>CLOSED</b>  | 4.5 in. (11.4 cm)  |
| <b>OVERALL</b> | 7.7 in. (19.6 cm)  |
| <b>WEIGHT</b>  | 5.1 oz. (146 g)  |
| <b>BOX</b>     | 08717039664  |
| <b>CLAM</b>    | -  |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Unsharpened blade, rounded tip, lanyard hole                   |



## CQC-10K

6030

an ERNEST EMERSON design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 8Cr14MoV, stonewashed finish                             |
| <b>HANDLE</b>  | G10 front; 410 stainless steel back, bead-blasted finish |
| <b>BLADE</b>   | 3.5 in. (9 cm)   |
| <b>CLOSED</b>  | 4.75 in. (12.1 cm)                                       |
| <b>OVERALL</b> | 8.5 in. (21.6 cm)  |
| <b>WEIGHT</b>  | 5.1 oz. (146 g)  |
| <b>BOX</b>     | 087171049380   |
| <b>CLAM</b>    | -  |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb disk or Emerson wave shaped feature® |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-up)                                |
| <b>FEATURES</b>   | Bowie blade ideal for hunting, lanyard hole                    |



# ✂ MULTI-FUNCTION



When you're looking for a knife that does more, look to our multifunction pocketknives. They incorporate additional handy features like screwdrivers or bottle openers and just add to the convenience of carrying a knife.

## NEW DIODE

1230  
a KERSHAW ORIGINALS design



**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 1.6 in. (4.1 cm)  
**CLOSED** 2.9 in. (7.5 cm)  
**OVERALL** 4.5 in. (11.5 cm)  
**WEIGHT** 1.1 oz. (33 g)  
**BOX** -  
**CLAM** 087171058627

**OPENING** Manual on washers opening with nail nick  
**LOCK** Liner lock  
**POCKETCLIP** -  
**FEATURES** Flat head screwdriver/pry bar



## PUB - BLACK

4036BLK  
a DMITRY SIENKEVICH design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Aluminum front, black anodized; stainless steel back, stonewashed finish  
**BLADE** 1.6 in. (4.1 cm)  
**CLOSED** 3.1 in. (7.9 cm)  
**OVERALL** 4.5 in. (11.4 cm)  
**WEIGHT** 1.9 oz. (53.9 g)  
**BOX** -  
**CLAM** 087171048437

**OPENING** Manual opening  
**LOCK** Friction folder with detent  
**FEATURES** Bottle opener, flat head screwdriver/pry bar, key chain attachment



## PUB - BLUE

4036BLU  
a DMITRY SIENKEVICH design

**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Aluminum front, blue anodized; stainless steel back, stonewashed finish  
**BLADE** 1.6 in. (4.1 cm)  
**CLOSED** 3.1 in. (7.9 cm)  
**OVERALL** 4.5 in. (11.4 cm)  
**WEIGHT** 1.9 oz. (53.9 g)  
**BOX** -  
**CLAM** 087171048956

**OPENING** Manual opening  
**LOCK** Friction folder with detent  
**FEATURES** Bottle opener, flat head screwdriver/pry bar, key chain attachment




## PUB - CARBON FIBER

4036CF  
a DMITRY SIENKEVICH design



**STEEL** 8Cr13MoV, stonewashed finish  
**HANDLE** Carbon fiber front; stainless steel back, stonewashed finish  
**BLADE** 1.6 in. (4.1 cm)  
**CLOSED** 3.1 in. (7.9 cm)  
**OVERALL** 4.5 in. (11.4 cm)  
**WEIGHT** 1.8 oz. (53 g)  
**BOX** -  
**CLAM** 087171048963

**OPENING** Manual opening  
**LOCK** Friction folder with detent  
**FEATURES** Bottle opener, flat head screwdriver/pry bar, key chain attachment



## SELECT FIRE

1920  
a GRANT & GAVIN HAWK design

**STEEL** 8Cr13MoV, bead-blasted finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.4 in. (8.6 cm)  
**CLOSED** 4.25 in. (10.8 cm)  
**OVERALL** 7.6 in. (19.4 cm)  
**WEIGHT** 5 oz. (141.7 g)  
**BOX** 087171030319  
**CLAM** 087171030333

**OPENING** Manual opening with thumb stud  
**LOCK** Liner lock  
**POCKETCLIP** Reversible (right/left, tip-down)  
**FEATURES** .25 in. hex drive, 2 flat head, 2 Phillips bits, ruler



MULTI-FUNCTION

Kershaw

2020 CATALOG

KERSHAWKNIVES.COM

## SHUFFLE 8700 • SHUFFLE II 8750

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb stud                     |
| <b>LOCK</b>       | Inset liner lock                                   |
| <b>POCKETCLIP</b> | Reversible deep-carry (right/left, tip-up)         |
| <b>FEATURES</b>   | Bottle opener, flat head screwdriver, lanyard hole |

a KERSHAW ORIGINALS design



### SHUFFLE

8700

|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, bead-blasted finish       |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ grip |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                    |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                   |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                  |
| <b>WEIGHT</b>  | 2.8 oz. (79.4 g)                    |
| <b>BOX</b>     | 087171035468                        |
| <b>CLAM</b>    | 087171035475                        |



### SHUFFLE - BLACK

8700BLK

|                |                                     |
|----------------|-------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating       |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ grip |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                    |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                   |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                  |
| <b>WEIGHT</b>  | 2.8 oz. (79.4 g)                    |
| <b>BOX</b>     | 087171037134                        |
| <b>CLAM</b>    | 087171037127                        |



### SHUFFLE - LIME

8700LIMEBW

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ grip     |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                        |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                       |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                      |
| <b>WEIGHT</b>  | 2.8 oz. (79.4 g)                        |
| <b>BOX</b>     | 087171038681                            |
| <b>CLAM</b>    | 087171038698                            |



### SHUFFLE - PURPLE

8700PURBW

|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ grip     |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                        |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                       |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                      |
| <b>WEIGHT</b>  | 2.8 oz. (79.4 g)                        |
| <b>BOX</b>     | 087171039107                            |
| <b>CLAM</b>    | 087171039114                            |



## SHUFFLE - TEAL

8700TEALBW



|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ grip     |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)                        |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)                       |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)                      |
| <b>WEIGHT</b>  | 2.8 oz. (79.4 g)                        |
| <b>BOX</b>     | 087171038728                            |
| <b>CLAM</b>    | 087171038735                            |



## SHUFFLE II - OLIVE

8750TOLBW



|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Glass-filled nylon                      |
| <b>BLADE</b>   | 2.6 in. (6.6 cm)                        |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                         |
| <b>OVERALL</b> | 6.3 in. (16 cm)                         |
| <b>WEIGHT</b>  | 3 oz. (86 g)                            |
| <b>BOX</b>     | 087171048345                            |
| <b>CLAM</b>    | 087171046204                            |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb stud                     |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-down)                  |
| <b>FEATURES</b>   | Bottle opener, flat head screwdriver, lanyard hole |



## SHUFFLE II - BLACK

8750TBLKBW



|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Glass-filled nylon                      |
| <b>BLADE</b>   | 2.6 in. (6.6 cm)                        |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                         |
| <b>OVERALL</b> | 6.3 in. (16 cm)                         |
| <b>WEIGHT</b>  | 3 oz. (86 g)                            |
| <b>BOX</b>     | 087171039367                            |
| <b>CLAM</b>    | 087171039374                            |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb stud                     |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-down)                  |
| <b>FEATURES</b>   | Bottle opener, flat head screwdriver, lanyard hole |



## SHUFFLE II - TAN

8750TTANBW



|                |   |
|----------------|---|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide BlackWash™ finish |
| <b>HANDLE</b>  | Glass-filled nylon                      |
| <b>BLADE</b>   | 2.6 in. (6.6 cm)                        |
| <b>CLOSED</b>  | 4 in. (10.2 cm)                         |
| <b>OVERALL</b> | 6.3 in. (16 cm)                         |
| <b>WEIGHT</b>  | 3 oz. (86 g)                            |
| <b>BOX</b>     | 087171039343                            |
| <b>CLAM</b>    | 087171039350                            |

|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb stud                     |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Reversible (right/left, tip-down)                  |
| <b>FEATURES</b>   | Bottle opener, flat head screwdriver, lanyard hole |





## SHUFFLE DIY

8720

a KERSHAW ORIGINALS design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating |
| <b>HANDLE</b>  | Glass-filled nylon            |
| <b>BLADE</b>   | 2.4 in. (6.1 cm)              |
| <b>CLOSED</b>  | 3.25 in. (8.3 cm)             |
| <b>OVERALL</b> | 5.75 in. (14.6 cm)            |
| <b>WEIGHT</b>  | 3.5 oz. (100 g)               |
| <b>BOX</b>     | 087171048932                  |
| <b>CLAM</b>    | 087171048949                  |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb stud   |
| <b>LOCK</b>       | Inset liner lock   |
| <b>POCKETCLIP</b> | Single-position (right, tip-down)  |
| <b>FEATURES</b>   | Bottle opener, bit driver with flat head and Phillips screwdriver bits, keychain ring hole |



## ANTIC

8710

a KERSHAW ORIGINALS design

|                |                                   |
|----------------|-----------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, bead-blasted finish     |
| <b>HANDLE</b>  | Stainless steel, blue PVD coating |
| <b>BLADE</b>   | 1.7 in. (4.4 cm)                  |
| <b>CLOSED</b>  | 3.8 in. (9.7 cm)                  |
| <b>OVERALL</b> | 5.5 in. (14 cm)                   |
| <b>WEIGHT</b>  | 3.1 oz. (88 g)                    |
| <b>BOX</b>     | 087171054063                      |
| <b>CLAM</b>    | 087171055671                      |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | Manual opening with thumb stud   |
| <b>LOCK</b>       | Frame lock   |
| <b>POCKETCLIP</b> | Single-position (right, tip-down)  |
| <b>FEATURES</b>   | Bottle opener, screwdriver/pry tip, oversized lanyard attachment/keyring |



## BARRICADE

8650

a KERSHAW ORIGINALS design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating |
| <b>HANDLE</b>  | Glass-filled nylon            |
| <b>BLADE</b>   | 3.5 in. (8.9 cm)              |
| <b>CLOSED</b>  | 5 in. (12.7 cm)               |
| <b>OVERALL</b> | 8.5 in. (21.6 cm)             |
| <b>WEIGHT</b>  | 4.5 oz. (128 g)               |
| <b>BOX</b>     | 087171048529                  |
| <b>CLAM</b>    | 087171050362                  |



|                   |   |
|-------------------|---|
| <b>OPENING</b>    | SpeedSafe® assisted opening with flipper or thumb stud  |
| <b>LOCK</b>       | Liner lock  |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-down)            |
| <b>FEATURES</b>   | Carbide glassbreaker tip, built-in cord/seatbelt cutter |



## CINDER - COPPER

1025CU

a RICK HINDERER design

|                |                           |
|----------------|---------------------------|
| <b>STEEL</b>   | 3Cr13, stonewashed finish |
| <b>HANDLE</b>  | Copper                    |
| <b>BLADE</b>   | 1.4 in. (3.6 cm)          |
| <b>CLOSED</b>  | 2.6 in. (6.6 cm)          |
| <b>OVERALL</b> | 4 in. (10.2 cm)           |
| <b>WEIGHT</b>  | 1.5 oz. (43 g)            |
| <b>BOX</b>     | -                         |
| <b>CLAM</b>    | 087171051963              |

|                 |                                |
|-----------------|--------------------------------|
| <b>OPENING</b>  | Manual opening with thumb stud |
| <b>LOCK</b>     | Liner lock                     |
| <b>FEATURES</b> | Bottle opener, lanyard hole    |




## CINDER

1025

a RICK HINDERER design

|                |                           |
|----------------|---------------------------|
| <b>STEEL</b>   | 3Cr13, stonewashed finish |
| <b>HANDLE</b>  | Glass-filled nylon        |
| <b>BLADE</b>   | 1.4 in. (3.6 cm)          |
| <b>CLOSED</b>  | 2.6 in. (6.6 cm)          |
| <b>OVERALL</b> | 4 in. (10.2 cm)           |
| <b>WEIGHT</b>  | 0.9 oz. (25.5 g)          |
| <b>BOX</b>     | -                         |
| <b>CLAM</b>    | 087171044514              |

|                 |                                |
|-----------------|--------------------------------|
| <b>OPENING</b>  | Manual opening with thumb stud |
| <b>LOCK</b>     | Liner lock                     |
| <b>FEATURES</b> | Bottle opener, lanyard hole    |



## FUNXION EMT

8100  
a KERSHAW ORIGINALS design



|                |                                       |
|----------------|---------------------------------------|
| <b>STEEL</b>   | 8Cr13MoV, black-oxide coating         |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ insert |
| <b>BLADE</b>   | 3 in. (7.6 cm)                        |
| <b>CLOSED</b>  | 4.25 in. (10.7 cm)                    |
| <b>OVERALL</b> | 7.25 in. (18.4 cm)                    |
| <b>WEIGHT</b>  | 4.8 oz. (137 g)                       |
| <b>BOX</b>     | 087171033853                          |
| <b>CLAM</b>    | -                                     |



|                   |  |
|-------------------|--|
| <b>OPENING</b>    | SpeedSafe® assisted opening, with flipper or thumb stud                          |
| <b>LOCK</b>       | Liner lock   |
| <b>POCKETCLIP</b> | Single-position deep-carry (right, tip-down)                                     |
| <b>FEATURES</b>   | Carabiner clip, cord cutter, flat head screwdriver, hex wrench, glassbreaker tip |



MULTI-FUNCTION

Kershaw

2020 CATALOG

KERSHAWKNIVES.COM

# FIXED BLADE



Since they don't fold closed, fixed blade knives are generally stored in a sheath or blade protector. Kershaw offers fixed blades in everything from camp tools to fishing blades.

**NEW**

## CAMP 5™

1083  
a KERSHAW ORIGINALS design

**STEEL** D2, stonewashed finish  
**HANDLE** Glass-filled nylon  
**BLADE** 4.75 in. (12.2 cm)  
**CLOSED** -  
**OVERALL** 9.125 in. (23.3 cm)  
**WEIGHT** 5.7 oz. (162 g)  
7.5 oz. (213 g) with sheath  
**BOX** 087171056965  
**CLAM** -




**OPENING** Full-tang construction  
**LOCK** -  
**POCKETCLIP** -  
**FEATURES** Glass-filled nylon sheath with lock, snap-down strap, belt loop, webbing slots, and tie holes



## ION - 3-KNIFE SET

1747BW  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**HANDLE** Full-tang, paracord wrapped  
**BLADE** 4.5 in. (11.4 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 3.9 oz. (113 g)  
14.4 oz. (409 g) 3 knives with sheath  
**BOX** -  
**CLAM** 087171039084



**OPENING** Full-tang construction  
**FEATURES** Spear point, lanyard hole, three-knife set, includes sheath




## DUNE

4008  
a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide coating  
**HANDLE** Glass-filled nylon  
**BLADE** 3.8 in. (9.7 cm)  
**OVERALL** 7.7 in. (19.6 cm)  
**WEIGHT** 2.2 oz. (65 g)  
2.7 oz. (79 g) with sheath  
**BOX** -  
**CLAM** 087171039459



**OPENING** Full-tang construction  
**FEATURES** Tanto point, lanyard hole, injection-molded neck sheath with adjustable cord



## SECRET AGENT

4007  
a KERSHAW ORIGINALS design

**STEEL** 8Cr13MoV, black-oxide coating  
**HANDLE** Rubberized co-molded  
**BLADE** 4.4 in. (11.2 cm)  
**OVERALL** 8.7 in. (22.1 cm)  
**WEIGHT** 3.1 oz. (90 g)  
4.7 oz. (136 g) with sheath  
**BOX** 087171036977  
**CLAM** 087171037165



**OPENING** Full-tang construction  
**FEATURES** Single-edged spear point, lanyard hole, molded dual-carry sheath



FIXED BLADE

Kershaw

2020 CATALOG

KERSHAWKNIVES.COM



# OUTDOOR

We love it out there. If you do, too, you know how handy a pocketknife is for everything from cutting rope to building a campfire. Kershaw also has a range of other outdoor cutting and chopping tools to make your outdoor life even better.

## NEW DESCHUTES

1075  
a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 3Cr13, black-oxide-coating                            |
| <b>HANDLE</b>  | Glass-filled nylon, with rubber grip                  |
| <b>BLADE</b>   | 3.5 in. (8.9 cm)                                      |
| <b>CLOSED</b>  | -   |
| <b>OVERALL</b> | 14 in. (35.6 cm)                                      |
| <b>WEIGHT</b>  | 1 lb. 9 oz. (711 g), with sheath 1 lb. 12 oz. (803 g) |
| <b>BOX</b>     | 087171057439  |
| <b>CLAM</b>    | -   |

### OPENING LOCK POCKETCLIP FEATURES

- Glass-filled nylon sheath with shoulder strap
- Includes sheath and removable shoulder strap, weight-relieving blade window



## CAMP 10

1077  
a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 65Mn, powdercoat   |
| <b>HANDLE</b>  | Rubber overmold  |
| <b>BLADE</b>   | 10 in. (25.4 cm)   |
| <b>OVERALL</b> | 16 in. (40.6 cm)   |
| <b>WEIGHT</b>  | 1 lb. 2.3 oz. (521 g)<br>1 lb. 8 oz. (681 g) with sheath |
| <b>BOX</b>     | 087171033594   |
| <b>CLAM</b>    | 087171034065   |

### FEATURES

- Full-tang construction
- Textured, rubberized grip
- Includes glass-filled nylon sheath with gear straps and belt loop
- Dual lanyard holes



## CAMP 10 - TAN

1077TAN  
a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 65Mn, powdercoat   |
| <b>HANDLE</b>  | Rubber overmold  |
| <b>BLADE</b>   | 10 in. (25.4 cm)   |
| <b>OVERALL</b> | 16 in. (40.6 cm)   |
| <b>WEIGHT</b>  | 1 lb. 2.3 oz. (521 g)<br>1 lb. 8 oz. (681 g) with sheath |
| <b>BOX</b>     | 087171052748   |
| <b>CLAM</b>    | -  |

### FEATURES

- Full-tang construction
- Textured, rubberized grip
- Includes glass-filled nylon sheath with gear straps and belt loop
- Dual lanyard holes



## LONEROCK RBK

1890  
a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | Surgical stainless steel, blade type #60A |
| <b>HANDLE</b>  | Glass-filled nylon, K-Texture™ grip       |
| <b>BLADE</b>   | 2.8 in. (7.1 cm)                          |
| <b>CLOSED</b>  | 4.4 in. (11.2 cm)                         |
| <b>OVERALL</b> | 7.2 in. (18.3 cm)                         |
| <b>WEIGHT</b>  | 1.4 oz. (39.7 g)                          |
| <b>CLAM</b>    | 087171039640                              |
| <b>1890RB</b>  | 14 replacement blades<br>087171040721     |

### FEATURES

- Caping tool
- Exchangeable blades
- Lanyard hole
- Includes extra handle and 15 blades





# FISHING

What size is your catch? From a pan-sized bluegill to a monster Chinook, Kershaw has the right fillet and processing knife to turn your catch into the fish dinner of your dreams.

## 7-IN. BONING WITH SPOON

1243SH

a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 420J2, satin finish                                    |
| <b>HANDLE</b>  | Glass-filled nylon, rubber overmold<br>K-Texture™ grip |
| <b>BLADE</b>   | 7 in. (17.8 cm)  |
| <b>OVERALL</b> | 14.5 in. (36.8 cm)                                     |
| <b>WEIGHT</b>  | 3.6 oz. (104 g)  |
|                | 4.3 oz. (123 g) with blade protector                   |
| <b>BOX</b>     | -  |
| <b>CLAM</b>    | 087171037042   |

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 7.5-IN. FILLET

1247

a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 420J2, satin finish                                     |
| <b>HANDLE</b>  | Glass-filled nylon, rubber overmold,<br>K-Texture™ grip |
| <b>BLADE</b>   | 7.5 in. (19.1 cm)                                       |
| <b>OVERALL</b> | 12.7 in. (32.3 cm)                                      |
| <b>WEIGHT</b>  | 2.9 oz. (84 g)  |
|                | 3.7 oz. (105 g) with blade protector                    |
| <b>BOX</b>     | -   |
| <b>CLAM</b>    | 087171037059  |

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector




## 9.5-IN. FILLET

1249

a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 420J2, satin finish                                     |
| <b>HANDLE</b>  | Glass-filled nylon, rubber overmold,<br>K-Texture™ grip |
| <b>BLADE</b>   | 9.5 in. (24.1 cm)                                       |
| <b>OVERALL</b> | 14.8 in. (37.6 cm)                                      |
| <b>WEIGHT</b>  | 3.3 oz. (94 g)  |
|                | 4.1 oz. (119 g) with blade protector                    |
| <b>BOX</b>     | 087171037066  |
| <b>CLAM</b>    | -   |

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 12-IN. CURVED

1241

a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 420J2, satin finish                                     |
| <b>HANDLE</b>  | Glass-filled nylon, rubber overmold,<br>K-Texture™ grip |
| <b>BLADE</b>   | 12 in. (30.5 cm)  |
| <b>OVERALL</b> | 17.7 in. (45 cm)  |
| <b>WEIGHT</b>  | 8.6 oz. (244 g)   |
|                | 10.6 oz. (301 g) with protector                         |
| <b>BOX</b>     | -   |
| <b>CLAM</b>    | 087171037028  |

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## 9-IN. CURVED

1242GE

a KERSHAW ORIGINALS design

|                |   |
|----------------|---|
| <b>STEEL</b>   | 420J2, satin finish                                     |
| <b>HANDLE</b>  | Glass-filled nylon, rubber overmold,<br>K-Texture™ grip |
| <b>BLADE</b>   | 9 in. (22.9 cm)   |
| <b>OVERALL</b> | 14.7 in. (37.3 cm)                                      |
| <b>WEIGHT</b>  | 5.2 oz. (149 g)   |
|                | 6.4 oz. (182 g) with blade protector                    |
| <b>BOX</b>     | -   |
| <b>CLAM</b>    | 087171037035  |

**FEATURES** Handle ensures grip in marine conditions  
Flexible blade  
Includes blade protector



## FOLDING FILLET

1258

a KERSHAW ORIGINALS design

|                |  |
|----------------|--|
| <b>STEEL</b>   | 420J2, satin finish                                      |
| <b>HANDLE</b>  | Glass-filled nylon, rubber overmold with K-Texture™ grip |
| <b>BLADE</b>   | 6.25 in. (15.9 cm)                                       |
| <b>CLOSED</b>  | 7.5 in. (19.1 cm)  |
| <b>OVERALL</b> | 13.75 in. (34.9 cm)                                      |
| <b>WEIGHT</b>  | 4.9 oz. (138.9 g)  |
| <b>BOX</b>     | -  |
| <b>CLAM</b>    | 087171037073   |

|                 |  |
|-----------------|--|
| <b>OPENING</b>  | Manual opening   |
| <b>LOCK</b>     | Mid-lock   |
| <b>FEATURES</b> | Handle ensures grip in marine conditions<br>Flexible blade<br>Lanyard hole |



## 7-IN. FILLET

1257

a KERSHAW ORIGINALS design

|                |                             |
|----------------|-----------------------------|
| <b>STEEL</b>   | 420J2, satin finish         |
| <b>HANDLE</b>  | Co-polymer                  |
| <b>BLADE</b>   | 7 in. (17.8 cm)             |
| <b>OVERALL</b> | 12.25 in. (31.1 cm)         |
| <b>WEIGHT</b>  | 3.3 oz. (96 g)              |
|                | 4.7 oz. (135 g) with sheath |
| <b>BOX</b>     | -                           |
| <b>CLAM</b>    | 087171125701                |

|                 |   |
|-----------------|---|
| <b>FEATURES</b> | Neon accents for improved visibility<br>Includes molded sheath with belt loop |
|-----------------|---|



## 9-IN. FILLET


1259

a KERSHAW ORIGINALS design

|                |                               |
|----------------|-------------------------------|
| <b>STEEL</b>   | 420J2, satin finish           |
| <b>HANDLE</b>  | Co-polymer                    |
| <b>BLADE</b>   | 9 in. (22.9 cm)               |
| <b>OVERALL</b> | 14.25 in. (36.2 cm)           |
| <b>WEIGHT</b>  | 3.6 oz. (104 g)               |
|                | 5.2 oz. (147.4 g) with sheath |
| <b>BOX</b>     | -                             |
| <b>CLAM</b>    | 087171125909                  |

|                 |   |
|-----------------|---|
| <b>FEATURES</b> | Neon accents for improved visibility<br>Includes molded sheath with belt loop |
|-----------------|---|







# GEAR



From handy ways to display and store your Kershaw collection to attractive and practical ways to show your spirit, you'll find it here.



## KICKFLIP

SK8TOOL a KERSHAW ORIGINALS design

**STEEL** 3Cr13, stonewashed & black-oxide BlackWash™ finish  
**OVERALL** 3.25 in. (8.3 cm)  
**WEIGHT** 3.8 oz. (110 g)  
**CLAM** 087171054070  
 Kingpin pipe wrench • Axle nuts pipe wrench • Small nuts pipe wrench • Hex key wrench • Phillips screwdriver



## PT-1

8800 a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™  
**OVERALL** 2.75 in. (7 cm)  
**WEIGHT** 0.8 oz. (24 g)  
**CLAM** 087171048659  
 Bottle opener • Flat head screwdriver • Pry bar • Lanyard hole



## PT-2

8810 a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
**HANDLE** Glass-filled nylon, K-Texture™  
**OVERALL** 3.25 in. (8.2 cm)  
**WEIGHT** 0.8 oz. (24 g)  
**CLAM** 087171048536  
 Bottle/can opener • Flat head & Phillips screwdrivers • 3 sizes of Hex drives • Wire scraper • Pry bar • Lanyard hole



## FIRE STARTER

1019 a KERSHAW ORIGINALS design

**STEEL** Magnesium firesteel  
**HANDLE** Molded plastic  
**OVERALL** 3.1 in. (7.9 cm)  
**WEIGHT** 1.1 oz. (31.2 g)  
**CLAM** 087171101910



## K-TOOL

KT00L a KERSHAW ORIGINALS design

**STEEL** 3Cr13, black-oxide BlackWash™ finish  
**OVERALL** 2 in. (5.1 cm)  
**WEIGHT** 0.7 oz. (22 g)  
**BOX** 087171039657  
 • Bottle opener • Flat head screwdriver • Box cutter



## ULTRA-TEK SHARPENER

2535 a KERSHAW ORIGINALS design

**STEEL** 600-grit, diamond-coated oval shaft  
**HANDLE** 6061-T6 anodized aluminum  
**SHAFT** 4 in. (10.2 cm)  
**OVERALL** 9 in. (22.9 cm)  
**WEIGHT** 1.7 oz. (51 g)  
**CLAM** 087171253503



## TX-TOOL

TXTOOL a KERSHAW ORIGINALS design

**HANDLE** Aluminum  
**OVERALL** 4.8 in. (12.2 cm)  
**WEIGHT** 1.1 oz. (32 g)  
**BOX** 087171044989  
 For most Kershaw pivots, pocketclip, and handle screws • Torx bits T6, T8, T10, #2 Phillips and flat head screwdriver bits



## STP PIVOT TOOL

STPTOOL a KERSHAW ORIGINALS design

**HANDLE** Stainless steel, titanium carbo-nitride coating  
**OVERALL** 2.75 in. (7 cm)  
**WEIGHT** 2.1 oz. (62 g)  
**BOX** 087171052755  
 For use with Flythrough 1988 see-through ring pivot, P.52



**NEW**  
**SKEETER III™**

1216 a KERSHAW ORIGINALS design

**STEEL** 3Cr13, satin finish  
**HANDLE** Polypropylene  
**BLADE** 1.25 in. (3.2 cm)  
**OVERALL** 4.25 in. (10.8 cm)  
**WEIGHT** 0.7 oz. (22 g)  
**BOX** -  
**CLAM** 087171056630



**NEW**  
**TASKMASTER SHEARS™**

1121 a KERSHAW ORIGINALS design

**STEEL** Stainless steel, satin finish  
**HANDLE** Glass-filled nylon  
**BLADE** 3.5 in. (8.9 cm)  
**OVERALL** 8.9 in. (22.5 cm)  
**WEIGHT** 5.1 oz. (144.6 g)  
**BOX** -  
**CLAM** 087171057514

**FEATURES** Nutcracker • Cap lifter • Flat head screwdriver tips • Blades separate for easy cleaning



**RATION - XL**

1145 • 1145GRN a KERSHAW ORIGINALS design

**STEEL** 3Cr13, bead-blasted finish  
3Cr13, food-safe coating  
**OVERALL** 7.3 in. (18.6 cm)  
**WEIGHT** 2.1 oz. (60 g)  
**CLAM** 087171052465  
087171052458 • GRN  
• Fork • Spoon • Bottle opener • Carabiner gate



**RATION**

11140 • 1400R • 1140TEAL • 1140GRN

**STEEL** 3Cr13, bead-blasted finish  
3Cr13, food-safe coating  
**OVERALL** 4.6 in. (11.7 cm)  
**WEIGHT** 1.3 oz. (36 g)  
**CLAM** 087171046389  
087171052434 • OR  
087171052441 • TEAL  
087171052427 • GRN  
• Fork • Spoon • Bottle opener • Carabiner gate



**NEW**  
**MANICURE SET**

KMCURE

**STEEL** Stainless steel, satin finish  
**OVERALL** 4.25 in. (10.8 cm)  
**WEIGHT** 3.9 oz. (113 g)  
**BOX** 087171056609  
• Nail clippers • Cuticle scissors • Nail file • Tweezers • Carrying case



**KNIFE LANYARD**  
LANYARDKER18

UPC 087171052731



**KNIFE OIL**  
KEROIL

0.4 fl oz (12 mL) • Allows for smoother operation • Works to prevent corrosion • SMT (Sub-Micron Technology) absorbs into pores of metals, for an even conditioning • Non-migrating, non-toxic formula  
UPC 087171054087



## WATER BOTTLE - BLACK

BOTTLEKERBLK

20 fl. oz. (591.5 mL), double-wall insulated stainless steel, BPA-free insulated lid

UPC 087171052700



## FLASK

FLASKKER

6 fl. oz. (177 mL), stainless steel body & lid

UPC 087171052717



## SHOTGLASS

SHOTGLASSKER

1 fl. oz. (29.6 mL), stainless steel

UPC 087171052724



## NEW COFFEE MUG

MUGNL

15 fl. oz. (443.6 mL), microwaveable, lead-free

UPC 087171059303



## NEW COFFEE MUG

MUGNX

15 fl. oz. (443.6 mL), microwaveable, lead-free

UPC 087171059297



## COFFEE MUG

MUGKERLOGO

15 fl. oz. (443.6 mL), microwaveable

UPC 087171039923



BACK



## CAP 1 - MESH

CAPKER181

Velcro® size adjustable, unstructured cotton twill front, mesh back

UPC 087171052663



BACK



## NEW CAP - NATRIX

CAPNX

Flat-bill, 5-panel hat

SIZE CAPNX 087171059310



## NEW CAP - NEXT LEVEL

CAPNL

Flat-bill, 5-panel hat

UPC 087171059327



## CAP 3 - 3D

CAPKER183

Snap-tab size adjustable, structured cotton twill, rubber applique logo patch

UPC 087171052687



INSIDE

## BEANIE

BEANIEKER18

Reversible black/red, acrylic knit with knit-in logo

UPC 087171052694



**NEW**  
**T-SHIRT - NEXT LEVEL**  
SHIRTNL

Gildan SoftStyle, 100% ring spun cotton

|            |                            |
|------------|----------------------------|
| <b>S</b>   | SHIRTNLS<br>087171059235   |
| <b>M</b>   | SHIRTNLM<br>087171059242   |
| <b>L</b>   | SHIRTNLL<br>087171059259   |
| <b>XL</b>  | SHIRTNLXL<br>087171059266  |
| <b>XXL</b> | SHIRTNLXXL<br>087171059273 |



**NEW**  
**T-SHIRT - NATRIX**  
SHIRTNX

Gildan SoftStyle, 100% ring spun cotton

|            |                           |
|------------|---------------------------|
| <b>S</b>   | SHIRTNXS<br>087171059181  |
| <b>M</b>   | SHIRTNXM<br>087171059198  |
| <b>L</b>   | SHIRTNXL<br>087171059204  |
| <b>XL</b>  | SHIRTNXXL<br>087171059211 |
| <b>XXL</b> | SHIRTNXXL<br>087171059228 |



**T-SHIRT - RED**  
SHIRTKER182

100% pre-shrunk cotton

|            |                                |
|------------|--------------------------------|
| <b>S</b>   | SHIRTKER182S<br>087171052625   |
| <b>M</b>   | SHIRTKER182M<br>087171052847   |
| <b>L</b>   | SHIRTKER182L<br>087171052854   |
| <b>XL</b>  | SHIRTKER182XL<br>087171052861  |
| <b>XXL</b> | SHIRTKER182XXL<br>087171052878 |



**T-SHIRT - SHARP**  
SHIRTKER183

100% pre-shrunk cotton

|            |                                |
|------------|--------------------------------|
| <b>S</b>   | SHIRTKER183S<br>087171052632   |
| <b>M</b>   | SHIRTKER183M<br>087171052885   |
| <b>L</b>   | SHIRTKER183L<br>087171052892   |
| <b>XL</b>  | SHIRTKER183XL<br>087171052908  |
| <b>XXL</b> | SHIRTKER183XXL<br>087171052915 |



**HOODIE - PULLOVER**  
HOODIEKER18

80% cotton, 20% polyester, pre-shrunk

|            |                                |
|------------|--------------------------------|
| <b>S</b>   | HOODIEKER18S<br>087171052656   |
| <b>M</b>   | HOODIEKER18M<br>087171052960   |
| <b>L</b>   | HOODIEKER18L<br>087171052977   |
| <b>XL</b>  | HOODIEKER18XL<br>087171052984  |
| <b>XXL</b> | HOODIEKER18XXL<br>087171052991 |



**PVC PATCH**  
KERPATCH17

3.25 in. x 1.5 in., PVC patch, Velcro® back  
**UPC** 087171049120



## KNIFE STORAGE BAG

Z997

Accommodates up to 18 folding knives, with 8-pocket removable center section, and zipper closure. Nylon siding & straps • Overall 13 x 7.5 in. (33 x 19 cm) • Weight 12 oz. (340.2 g)

**UPC** 087171045634



**NEW**

## SINGLE-KNIFE POUCH

POUCHKER

Cordura exterior, zipper closure, soft interior

**UPC** 087171059334



**NEW**

## COUNTER MAT

MATKER20

Foam-backed, acrylic front 10x15 in.

**UPC** 087171059280

## KNIFE STANDS

DISPLAYKER



DISPLAYKERB14  
Single-knife blade stand

**UPC** 087171046808



DISPLAYKER114  
Single-knife stand

**UPC** 087171046785



DISPLAYKER314  
Triple-knife stand

**UPC** 087171046792

## BANNER

KERBANNER

Durable vinyl banner with grommets

**SM 2x4 FT. KERBANNER2X4**

087171046686



## WINDOW CLING

KERCLING17

**M 6x2 IN.** 087171049144



GEAR

**Kershaw**

2020 CATALOG

KERSHAWKNIVES.COM

## BLADE STYLES


### AMERICAN TANTO

Angles upward to meet the spine. The angled edge can be straight or curved. The American tanto offers a strong, durable tip while the straight edge makes it ideal for push cuts.



### CLEAVER

The cleaver blade shape is a high-utility style defined by a slightly curved belly and down-turned tip. The shape makes a good EDC or utility knife and is ideal for slicing and chopping tasks.



### CLIP POINT

The tip of the clip point is lower than its spine. The top part of the blade has been "clipped" off so that the blade goes straight from spine to tip. The clip point can also have a concave curve to the tip. Clip points are great for everyday carrying but are also favored for hunting knives.



### DROP POINT

The blade's point drops down below the blade's spine. Usually has good "belly," a curved cutting edge. It is one of today's most widespread blade shapes because it's a great all-purpose blade.



### HAWKBILL

A hawkbill blade is hook-like with a concave belly. It offers ease in cutting ropes, fabrics, and even trimming shrubbery.




### RECURVE

Instead of having a fully convex belly, a recurve blade will also have a gentle concave curve along part of the cutting edge. This gives the edge something of an "S" shape. The recurve blade provides good belly for slicing and a concave curve for easy draw or pull cuts.




### REVERSE TANTO

Instead of the edge angling up to meet the spine, a reverse tanto's tip angles down to meet the edge. Like the American tanto, the reverse tanto offers a strong tip for piercing and, generally, a straight edge, ideal for good slicing.



### SHEEPSFOOT

A sheepsfot blade is similar to the Wharncliffe, but it has a steeper slope from spine to edge and a less-pointy tip. They are often favored by emergency responders due to the relative safety of the rounded tip. The straight edge works well for slicing push cuts and general-purpose cutting.



### SPEAR POINT

In a spear-point blade, the top and bottom of the blade are symmetrical, and the tip is in line with the center of the blade. It may have one or both edges sharpened. It offers tactical style as well as excellent piercing.



### TRAILING POINT

A trailing-point blade has a tip that ends above the spine of the knife. Many trailing point knives also have a deep belly curve for superior slicing, including skinning and hunting use.



### WHARNCLIFFE

A Wharncliffe blade has a completely straight cutting edge. The spine of the blade gradually slopes down to meet the edge, forming a tip. The straight edge makes a great blade for slicing push cuts, for wood carving, general cutting, and utility work.



## BLADE FINISHES & COATINGS

### BEAD-BLASTED FINISH

The knife blade is "blasted" or sprayed with a mixture of fine media, including glass and aluminum-oxide beads, under high speed and pressure. This smooths the blade surface and creates a soft, non-reflective, matte look. Depending on the media, this finish can produce a darker or a lighter blade color.



### BLACK-OXIDE COATING

A chemical bath converts the surface of the steel to magnetite; it enhances appearance and adds some corrosion resistance.



### BLACKWASH™ FINISH

Our BlackWash™ finish produces a vintage look like that of a well-used tool or favorite, broken-in pair of jeans. Kershaw products may have DLC BlackWash™ or black-oxide BlackWash™ finishes.



### CERAKOTE

Cerakote is a high-performing, durable polymer-ceramic composite coating that can be applied in a variety of colors. The coating enhances abrasion/wear resistance, corrosion resistance, chemical resistance, impact strength, and hardness.



### DLC COATING

Diamond-Like Carbon (DLC) coating displays properties similar to those of natural diamond, including hardness, wear resistance, and reduced friction.



### POWDERCOAT

The coating is applied as a fine powder and cured under heat. This creates a smooth, even, and tough coating.



### PVD COATING

PVD stands for Physical Vapor Deposition. Specialized materials are vaporized via a vacuum process. Then the vaporized material is deposited as a thin layer on selected objects. In our case, it enables us to finish our blades and/or handles with a thin coating that adds color and offers excellent wear and corrosion resistance.



### SATIN FINISH

A Kershaw satin finish will typically show a faint pattern of vertical lines across the blade. It is a shinier finish than bead blasting and somewhat lighter in color.



### STONEWASHED FINISH

Blades are tumbled with ceramic "stones," which gives the blade surface a desirable roughened or scuffed look. The look can be pronounced or subtle. The finish helps hide scratches and fingerprints.



### TITANIUM CARBO-NITRIDE

Kershaw also uses titanium carbo-nitride to produce an attractive black or gray blade coating that increases the blade's hardness, helps maintain the edge, and increases the lifetime of the blade.



### TWO-TONE FINISH

Sometimes Kershaw will combine two different blade finishes on a single blade, for example, satin finish on the blade flats and stonewash on the blade grinds.




# BLADE STEELS

## CPM 20CV

HRC: 59-61

This Crucible powdered metallurgy tool steel has a high volume of vanadium carbides for exceptional wear resistance and edge retention. The highest level of chromium of any high-vanadium steel gives it excellent corrosion resistance.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲



## 8CR14MOV

HRC: 58-59

The formula for this steel has additional chromium for added stain resistance. It also benefits from Kershaw's expertise in precision heat treatment.

## 7CR17MOV

HRC: 57-59


Similar to 440A stainless steel, but with a formula that has added molybdenum and vanadium to improve hardness and wear resistance.

## 420HC

HRC: 58

This modified 420 steel has higher amounts of carbon and chromium to boost hardenability and corrosion resistance. It is an excellent everyday steel: tough, corrosion resistant, easy to sharpen, and takes a good edge.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲




## CPM S30V

HRC: 59.5-61

Large carbides in this all-around premium knife steel make it take and hold an edge extremely well; it is also very tough and wear resistant.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲




## CPM 154

HRC: 58-60

This powdered metallurgy steel has a more uniform distribution of carbides, so it takes and holds an excellent edge. Also offers good corrosion resistance, wear resistance, and toughness.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲




## 420J

HRC: 56-58

Highly stain resistant, but ductile, this steel is excellent for use where "flex" is desirable, for example, in fillet knives.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲




## D2

HRC: 59-60

This "semi-stainless" tool steel is known for excellent edge retention, wear resistance, and good toughness.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲




## SANDVIK 14C28N

HRC: 58-60

This high-performance steel was developed in a partnership between Kershaw and Sandvik Steel. Offers excellent corrosion resistance.

TOUGHNESS: ▲▲▲▲▲▲▲▲▲▲  
EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲



## 65MN

HRC: 56

A tough, durable carbon steel designed for hard-use tools such as Kershaw's Camp Series machetes.

## 3CR13

HRC: 54-56

A value-priced high-chromium stainless steel.

## 4CR14

HRC: 55-57


A value-priced steel; very highly stain resistant.

## 8CR13MOV

HRC: 57-59

Kershaw precision heat-treats 8Cr13MoV steel to bring out its very best high-performance characteristics: the ability to take and hold an edge, strength, and hardness.

EDGE RETENTION: ▲▲▲▲▲▲▲▲▲▲  
CORROSION RESISTANCE: ▲▲▲▲▲▲▲▲▲▲  
SHARPENING EASE: ▲▲▲▲▲▲▲▲▲▲



| ELEMENT ▸<br>STEEL ▾ | CARBON<br>(C) | CHROMIUM<br>(Cr) | MOLYBDE-<br>NIUM<br>(Mo) | VANADIUM<br>(V) | TUNGSTEN<br>(W) | Cobalt<br>(Co) | NICKEL<br>(Ni) | MANGA-<br>NESE<br>(Mn) | SILICON<br>(Si) | SULPHUR<br>(S) | PHOSPHO-<br>RUS<br>(P) | COPPER<br>(Cu) | NIOBIUM<br>(Nb) | NITROGEN<br>(N) |
|----------------------|---------------|------------------|--------------------------|-----------------|-----------------|----------------|----------------|------------------------|-----------------|----------------|------------------------|----------------|-----------------|-----------------|
| CPM 20CV             | 1.9%          | 20%              | 1%                       | 4%              | 0.6%            | -              | -              | 0.3%                   | 0.3%            | -              | -                      | -              | -               | -               |
| CPM S30V             | 1.45%         | 14%              | 2%                       | 4%              | -               | -              | -              | -                      | -               | -              | -                      | -              | -               | 0.2%            |
| CPM 154              | 1.05%         | 14%              | 4.00%                    | -               | -               | -              | -              | -                      | -               | -              | -                      | -              | -               | -               |
| 14C28N               | 0.62%         | 14%              | 0.55%                    | -               | -               | -              | -              | -                      | 0.25            | 0.015          | 0.03                   | -              | -               | 0.08%           |
| 8Cr13MoV             | 0.8%          | 13%              | 0.15%                    | 0.1%            | -               | -              | 0.2%           | 0.4%                   | 0.5%            | 0.01%          | 0.02%                  | -              | -               | -               |
| 8Cr14MoV             | 0.75-0.8%     | 13.5-14%         | 0.20-0.25%               | 0.10-0.15%      | -               | -              | -              | 0.3-0.6%               | 0.3-0.6%        | 0.03%          | 0.035%                 | -              | -               | -               |
| 7Cr17MoV             | 0.6-0.75%     | 16-18%           | 0.75%                    | -               | -               | -              | 0.6%           | 1%                     | 1%              | 0.03%          | 0.04%                  | -              | -               | -               |
| 420HC                | 0.46%         | 13%              | -                        | 0.3%            | -               | -              | -              | 0.40%                  | 0.4%            | -              | -                      | -              | -               | -               |
| 420J                 | 0.4-0.5%      | 12-14%           | 0.6%                     | 0.18%           | -               | -              | -              | 0.8%                   | 1%              | 0.02%          | 0.05%                  | -              | -               | -               |
| D2                   | 1.4-1.6%      | 11-13%           | 0.7-1.2%                 | 1.1%            | -               | -              | 0.3%           | 0.6%                   | 0.6%            | -              | -                      | -              | -               | -               |
| 65Mn                 | 0.57-0.70%    | -                | -                        | -               | -               | -              | -              | 0.6-0.9%               | -               | 0.05%          | 0.04%                  | -              | -               | -               |
| 3Cr13                | 0.35%         | 13.5%            | 0.6%                     | -               | -               | -              | 0.5%           | 0.5%                   | 0.8%            | -              | -                      | -              | -               | -               |
| 4Cr14                | 0.38%         | 13.94%           | 0.12%                    | 0.08%           | -               | -              | 0.14%          | 0.41                   | 0.41%           | 0.003%         | 0.02%                  | -              | -               | -               |

## OPENING SYSTEMS

### ASSISTED OPENING - SPEEDSAFE®

When closed, a torsion bar in the handle creates a bias toward the closed position. When opening, the torsion bar adds to the pressure from your finger, and pushes the blade open.

### AUTOMATIC

A push-button lock holds the blade in place, but under pressure from a torsion spring. When the button is pressed, the released pressure opens the blade. The Kershaw Launch series features a selection of these sleek, instant-open knives.

### MANUAL

No springs or torsion bars, these folders rely on washers for a simple, smooth pivot open. Washers are made of various materials: usually plastic or bronze.

### MANUAL KVT BALL-BEARINGS

Relies on a ring of "caged" ball bearings that surround the knife's pivot and enable the blade to move out of the handle smoothly. KVT makes opening manual knives as smooth, easy, and often as fast as assisted opening.

### SLIPJOINT

These folders usually have a detent system (a tension rod or ball and groove) that biases the blade toward open or closed. To open the blade, simply overcome the detent manually.

## OPENS WITH

### FLIPPER

The flipper is a metal extension found at the back of the blade near the pivot. It can be found on both assisted and manual folders.

### NAIL NICK

The nail nick is a groove in the top of the blade, usually halfway down the length of the blade. It is found on manual folders.

### PUSH BUTTON

The push button is found in the handle of the folder near the pivot. It is often used in automatic folders.

### THUMB STUD


The thumb stud is a small stud at the top of the blade near the pivot. It may be on one or both sides of the blade.

### THUMB DISK

The thumb disk is a small disk found at the top of the blade.

### EMERSON WAVE SHAPED FEATURE

This is a wave-shaped hook built into the back end of the blade, similar to the flipper.



## LOCKS

### FRAME LOCK

In a frame lock knife, the knife handle—its "frame"—consists of two plates of material on either side of the blade. When the knife is opened, one side of the frame butts up against the back end of the blade and prevents the blade from closing until released. The thickness of the frame material blocking the blade open makes the frame lock extremely sturdy.



### LINER LOCK

The most common of today's blade-locking systems. The handle consists of two metal plates (the "liner") on either side of the blade. When the knife is opened, one side of the liner butts up against the back end of the blade and prevents the blade from closing until released. A secure and convenient way to make using a Kershaw folding knife even safer.



### INSET LINER LOCK

The inset liner lock is a Kershaw variation on the liner lock. Kershaw insets a sturdy steel plate on the inside of the knife's handle. It is riveted into place in a custom-machined cutout on the interior of the handle. This enables us to make a knife with a slimmer profile that won't weigh your pocket down, while still providing the strength and security of a locking liner.



### MID-LOCK

The oldest of the popular blade-locking systems, yet the principle is the same as with the others. Once the knife is opened, a steel bar locks into place behind the blade and prevents the knife from closing until released by the knife user.



### PUSH-BUTTON LOCK

Like Kershaw's other locking systems, once the blade is open, a mechanism blocks the butt end of the blade and prevents it from closing accidentally. In this case, a spring-loaded lock is built into one side of the handle, and it must be depressed in order to unlock the blade.



### SLIPJOINT

A slipjoint knife has no lock. Usually there is a detent system to ensure safe use. Using a tension rod or ball and groove, the blade is biased toward the open or closed position. To close the blade, simply overcome the detent manually.



### SUB-FRAME LOCK

The patented Kershaw Sub-Frame Lock is a variation on the traditional frame lock. In this case, a piece of a lighter weight frame, like G10, is machined out, and a piece of steel is screwed into its place. This steel acts like a standard frame lock. It enables us to make a knife with a slimmer profile, while still providing the strength and security of a frame lock. (The Kershaw Sub-Frame Lock is covered under US Patent 9,120,234.)



### TIP-LOCK

The Tip-Lock can be found on all Leek, Scallion, and Chive SpeedSafe® knives. It's a simple slider that, when engaged, ensures the blade will not accidentally open. It's especially helpful in cases where the knife might be juggled in a briefcase, backpack, or purse.



# HANDLE MATERIALS

## ANODIZED ALUMINUM

Anodizing makes aluminum stronger and enables Kershaw to add scratch and fade resistant color to knife handles.



## CARBON FIBER

Carbon fiber atoms are bonded together in crystals aligned in long strands, then woven together like fibers. Combined with resin to make the fibers rigid, carbon fiber makes a knife handle material that is extremely strong and extremely lightweight.




## COPPER

Denser and heavier than iron, this natural metal starts out reddish-orange in color, but over time will gain a patina, like a copper penny. The patina is a result of oxidation, and the colors it turns will change with time as well. Copper makes an interesting knife handle material due to the changing patina. Depending on how you handle and use it, the knife will look different throughout its life.



## CO-POLYMER PLASTIC

A co-polymer is a compound of two or more different molecules, chosen for specific characteristics. The co-polymers Kershaw uses for knife handles generally have a slightly rubbery texture to improve grip security.



## G10

An epoxy-filled woven glass fiber; it is extremely stable, unaffected by temperature changes, and makes excellent handles and handle scales for knives.



## GLASS-FILLED NYLON

Nylon synthetic polymer is reinforced with glass threads for increased strength, stiffness, and dimensional stability, combined with excellent wear resistance.



## K-TEXTURE™ GRIP

An exclusive texture and pattern used on the handles of certain Kershaw knives. K-Texture™ enhances a secure grip.



## STAINLESS STEEL

An alloy of iron and carbon, most steel also has additional elements alloyed in it to enhance specific characteristics. As a handle material, stainless steel is strong and attractive.



## TRAC-TEC INSERTS

A rough-surfaced rubber insert that provides additional friction for a non-slip grip.



# POCKETCLIPS

## SINGLE-POSITION

The pocketclip is mounted in a single, fixed position on the knife handle.



## REVERSIBLE

Right-handed, tip-up or tip-down  
OR  
Right- or left-handed, tip-up



## 3-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up



## 4-POSITION

Right-handed, tip-up or tip-down  
AND  
Left-handed, tip-up or tip-down




## DEEP-CARRY

This specially designed pocketclip is positioned at the very end of the handle so that the knife can be carried deeper inside the pocket.



KNIFE SIZES

ALPHABETICAL BY PRODUCT NAME





\*AVERAGE HUMAN HAND SIZE (ACCORDING TO NASA)

|        | LENGTH  | BREADTH | CIRCUMFERENCE |
|--------|---------|---------|---------------|
| MALE   | 7.6 IN. | 3.5 IN. | 8.6 IN.       |
| FEMALE | 6.8 IN. | 3.1 IN. | 7.0 IN.       |

\*AVERAGE POCKET SIZE, FROM A 2018 STUDY OF 80 STYLES FROM 20 POPULAR BLUE JEAN BRANDS:

|        | WIDTH   | HEIGHT  |
|--------|---------|---------|
| MALE   | 6.4 IN. | 9.1 IN. |
| FEMALE | 6 IN.   | 5.6 IN. |
| BACK   | 5.3 IN. | 6.1 IN. |

Series representative, not all variants shown
























































## OUTDOOR































# INDEX




























## NUMERICAL BY PRODUCT NUMBER




























| MODEL                     | NAME                    | PHOTO   | P. |
|---------------------------|-------------------------|---|----|
| <b>1075</b><br><b>NEW</b> | DESCHUTES               |    | 65 |
| <b>1083</b><br><b>NEW</b> | CAMP 5™                 |    | 63 |
| <b>1019</b>               | FIRE STARTER            |    | 71 |
| <b>1025</b>               | CINDER                  |    | 60 |
| <b>1025</b>               | CINDER - COPPER         |    | 60 |
| <b>1077</b>               | CAMP 10                 |    | 65 |
| <b>1077TAN</b>            | CAMP 10 - TAN           |    | 65 |
| <b>1121</b>               | TASKMASTER SHEARS™      |    | 72 |
| <b>1140</b>               | RATION                  |    | 72 |
| <b>1140GRN</b>            | RATION - GREEN          |    | 72 |
| <b>1140OR</b>             | RATION - ORANGE         |    | 72 |
| <b>1140TEAL</b>           | RATION - TEAL           |   | 72 |
| <b>1145</b>               | RATION - XL             |  | 72 |
| <b>1145GRN</b>            | RATION XL - GREEN       |  | 72 |
| <b>1160</b>               | FRACTION                |  | 50 |
| <b>1160TANBW</b>          | FRACTION - TAN          |  | 50 |
| <b>1170</b>               | METHOD                  |  | 52 |
| <b>1180</b><br><b>NEW</b> | HUB                     |  | 43 |
| <b>1216</b><br><b>NEW</b> | SKEETER III™            |  | 72 |
| <b>1220</b>               | REVERB                  |  | 50 |
| <b>1225</b>               | REVERB XL               |  | 50 |
| <b>1230</b><br><b>NEW</b> | DIODE                   |  | 57 |
| <b>1241</b>               | 12-IN. CURVED           |  | 67 |
| <b>1242GE</b>             | 9-IN. CURVED            |  | 67 |
| <b>1243SH</b>             | 7-IN. BONING WITH SPOON |  | 67 |
| <b>1247</b>               | 7.5-IN. FILLET          |  | 67 |















|                               |                                |  |    |
|-------------------------------|--------------------------------|--|----|
| <b>1249</b>                   | 9.5-IN. FILLET                 |    | 67 |
| <b>1257</b>                   | 7-IN. FILLET                   |    | 68 |
| <b>1258</b>                   | FOLDING FILLET                 |    | 68 |
| <b>1259</b>                   | 9-IN. FILLET                   |    | 68 |
| <b>1301BW</b>                 | STARTER                        |    | 16 |
| <b>1302BW</b>                 | LIFTER                         |    | 16 |
| <b>1303BW</b>                 | MANIFOLD                       |    | 16 |
| <b>1306BW</b>                 | FILTER                         |    | 16 |
| <b>1313BLK</b>                | SPOKE                          |    | 16 |
| <b>1319</b>                   | GRINDER                        |    | 17 |
| <b>1324</b>                   | CATHODE                        |    | 17 |
| <b>1365</b>                   | MISDIRECT                      |   | 15 |
| <b>1370</b><br><b>NEW</b>     | CAMSHAFT                       |  | 15 |
| <b>1375</b><br><b>NEW</b>     | VALVE                          |  | 15 |
| <b>1380</b><br><b>NEW</b>     | HUSKER                         |  | 15 |
| <b>1385</b><br><b>NEW</b>     | AIRLOCK                        |  | 15 |
| <b>1555TI</b>                 | CRYO                           |  | 38 |
| <b>1555BW</b>                 | CRYO - BLACKWASH™              |  | 38 |
| <b>1555G10</b>                | CRYO G10                       |  | 38 |
| <b>1556TI</b>                 | CRYO II                        |  | 39 |
| <b>1556BW</b>                 | CRYO II - BLACKWASH™           |  | 39 |
| <b>1557TI</b>                 | FERRITE                        |  | 36 |
| <b>1559</b>                   | DECIMUS                        |  | 32 |
| <b>1600</b>                   | CHIVE                          |  | 29 |
| <b>1600NBSW</b><br><b>NEW</b> | CHIVE - NAVY BLUE, STONEWASHED |  | 29 |
| <b>1600PINK</b>               | CHIVE - PINK                   |  | 29 |
| <b>1605</b>                   | CLASH                          |  | 41 |








|                             |                                   |   |    |
|-----------------------------|-----------------------------------|---|----|
| <b>1605ST</b>               | CLASH - SERRATED                  |    | 41 |
| <b>1605CKTST</b>            | CLASH - BLACK, SERRATED           |    | 41 |
| <b>1620</b>                 | SCALLION                          |    | 24 |
| <b>1620ST</b>               | SCALLION - SERRATED               |    | 24 |
| <b>1620NB</b>               | SCALLION - NAVY BLUE              |    | 25 |
| <b>1620OL</b>               | SCALLION - OLIVE DRAB             |    | 25 |
| <b>1620PUR</b>              | SCALLION - PURPLE                 |    | 25 |
| <b>1620C</b>                | SCALLION - CAMO                   |    | 24 |
| <b>1620SWBLK</b>            | SCALLION - BLACK                  |    | 24 |
| <b>1660</b>                 | LEEK                              |    | 26 |
| <b>1660CAMO</b>             | LEEK - CAMO                       |    | 27 |
| <b>1660ST</b>               | LEEK - SERRATED                   |   | 26 |
| <b>1660BLKW</b>             | LEEK - BLACKWASH™                 |  | 26 |
| <b>1660CB</b>               | LEEK - COMPOSITE BLADE            |  | 27 |
| <b>1660CBBW</b>             | LEEK - COMPOSITE BLADE BLACKWASH™ |  | 27 |
| <b>1660CF</b>               | LEEK - CARBON FIBER               |  | 27 |
| <b>1660CKT</b>              | LEEK - BLACK                      |  | 26 |
| <b>1660CKTST</b>            | LEEK - BLACK, SERRATED            |  | 26 |
| <b>1660CU</b><br><b>NEW</b> | LEEK - COPPER                     |  | 26 |
| <b>1660OL</b>               | LEEK - OLIVE DRAB                 |  | 28 |
| <b>1660OR</b>               | LEEK - ORANGE                     |  | 28 |
| <b>1660PUR</b>              | LEEK - PURPLE                     |  | 28 |
| <b>1660SWBLK</b>            | LEEK - BLACK, STONEWASH           |  | 28 |
| <b>1660TEAL</b>             | LEEK - TEAL                       |  | 28 |
| <b>1670BLK</b>              | BLUR - BLACK                      |  | 22 |
| <b>1670BLKST</b>            | BLUR - BLACK, SERRATED            |  | 22 |
| <b>1670BW</b>               | BLUR - BLACKWASH™                 |  | 22 |













|                 |                                       |   |    |
|-----------------|---------------------------------------|---|----|
| 1670CAMO        | BLUR - CAMO                           |    | 22 |
| 1670GBBLKST     | BLUR - GLASS BREAKER                  |    | 22 |
| 1670NBSW        | BLUR - NAVY BLUE STONEWASH            |    | 23 |
| 1670OLBLK       | BLUR - OLIVE/BLACK                    |    | 23 |
| 1670S30V        | BLUR - S30V STONEWASH                 |    | 23 |
| 1670TBLKST      | BLUR - TANTO BLADE, BLACK             |    | 23 |
| 1730SS          | ZING - STAINLESS STEEL                |    | 40 |
| 1747BW          | ION                                   |    | 63 |
| 1776            | LINK                                  |    | 20 |
| 1776GRYBW       | LINK - GRAY ALUMINUM BLACKWASH™       |    | 20 |
| 1776TGRYBW      | LINK - TANTO GRAY ALUMINUM BLACKWASH™ |    | 20 |
| 1776NBLK        | LINK - NAVY BLUE BLACKWASH™           |    | 21 |
| 1776OLSW<br>NEW | LINK - OLIVE STONEWASHED, CPM20CV     |    | 20 |
| 1812            | DIVIDEND                              |   | 19 |
| 1812GRY         | DIVIDEND - GRAY ALUMINUM              |  | 19 |
| 1812OLCB<br>NEW | DIVIDEND - OLIVE COMPOSITE            |  | 19 |
| 1830            | OSO SWEET                             |  | 36 |
| 1835TBLKST      | KURO - SERRATED                       |  | 37 |
| 1870OLBLK       | KNOCKOUT - OLIVE/BLACK                |  | 19 |
| 1881            | ERIS                                  |  | 36 |
| 1890            | LONEROCK RBK                          |  | 65 |
| 1890RB          | LONEROCK RBK BLADES                   |  | 65 |
| 1920            | SELECT FIRE                           |  | 57 |
| 1935            | FATBACK                               |  | 36 |
| 1955            | SHOWTIME                              |  | 41 |
| 1987            | RJ TACTICAL 3.0                       |  | 34 |
| 1988            | FLYTHROUGH                            |  | 52 |

|             |                     |   |    |
|-------------|---------------------|---|----|
| 1990        | BRAWLER             |    | 36 |
| 2035<br>NEW | PARSEC              |    | 48 |
| 2045        | DECIBEL             |    | 51 |
| 2050        | MIXTAPE             |    | 51 |
| 2055<br>NEW | COMEBACK            |    | 43 |
| 2065<br>NEW | GRAVEL              |    | 30 |
| 2070<br>NEW | BELIEVER            |    | 30 |
| 2075<br>NEW | PAYOUT              |    | 30 |
| 2131        | EPISTLE             |    | 48 |
| 2200        | GRID                |    | 40 |
| 2535        | ULTRA-TEK SHARPENER |    | 71 |
| 3410        | CHILL               |    | 50 |
| 3425        | XCOM                |    | 51 |
| 3440        | INNUENDO            |   | 51 |
| 3445<br>NEW | STATIC              |  | 43 |
| 3475        | BOILERMAKER         |  | 30 |
| 3490        | SEGUIN              |  | 34 |
| 3560        | EMBER               |  | 30 |
| 3650        | VOLT II             |  | 38 |
| 3650ST      | VOLT II - SERRATED  |  | 40 |
| 3650CKTST   | VOLT II - BLACK     |  | 40 |
| 3655        | VOLT II SS          |  | 40 |
| 3840        | FREEFALL            |  | 37 |
| 3850        | SWERVE              |  | 37 |
| 3860        | OBLIVION            |  | 32 |
| 3870        | AMPLITUDE 2.5       |  | 34 |
| 3930        | FLITCH              |  | 32 |

|               |                    |   |    |
|---------------|--------------------|---|----|
| 3935          | FLOURISH           |    | 32 |
| 3960          | BARSTOW            |    | 32 |
| 4007          | SECRET AGENT       |    | 63 |
| 4008          | DUNE               |    | 63 |
| 4020          | CONCIERGE          |    | 52 |
| 4036BLK       | PUB - BLACK        |    | 57 |
| 4036BLU       | PUB - BLUE         |    | 57 |
| 4036CF        | PUB - CARBON FIBER |    | 57 |
| 4037          | ATMOS              |    | 52 |
| 4038<br>NEW   | TUMBLER            |    | 43 |
| 4381<br>NEW   | GADSDEN            |    | 44 |
| 4382<br>NEW   | BRANDYWINE         |    | 44 |
| 4383<br>NEW   | CULPEPPER          |    | 44 |
| 5150<br>NEW   | LUCHA              |   | 44 |
| 5510<br>NEW   | NORAD              |  | 44 |
| 6030          | CQC-10K            |  | 55 |
| 6031D2<br>NEW | CQC-11K D2         |  | 55 |
| 6034D2<br>NEW | CQC-6K D2          |  | 54 |
| 6034T         | CQC-7K             |  | 55 |
| 6034TRAINER   | E-TRAIN            |  | 55 |
| 6044TBLK      | CQC-8K             |  | 54 |
| 6045BLK       | CQC-9K             |  | 55 |
| 6054BRNBLK    | CQC-4K             |  | 54 |
| 6055D2<br>NEW | CQC-4KXL D2        |  | 54 |
| 6074OLBLK     | CQC-5K             |  | 54 |
| 7006CU        | NATRIX - COPPER    |  | 46 |
| 7007          | NATRIX             |  | 46 |

|               |                       |   |    |
|---------------|-----------------------|---|----|
| 7007BLK       | NATRIX - BLACK        |    | 47 |
| 7007CF        | NATRIX - CARBON FIBER |    | 47 |
| 7007CU<br>NEW | NATRIX - COPPER M     |    | 46 |
| 7008CU<br>NEW | NATRIX - COPPER XL    |    | 46 |
| 70080LBLK     | NATRIX - XL           |    | 47 |
| 7010<br>NEW   | HIGHBALL              |    | 48 |
| 7100BW        | LAUNCH 1              |    | 11 |
| 7150          | LAUNCH 8              |    | 12 |
| 7125<br>NEW   | LAUNCH 12™            |    | 11 |
| 7250          | LAUNCH 9              |    | 12 |
| 7350          | LAUNCH 10             |    | 12 |
| 7500BLK       | LAUNCH 4              |    | 12 |
| 7550<br>NEW   | LAUNCH 11™            |    | 11 |
| 7800BLK       | LAUNCH 6              |   | 11 |
| 7777          | BAREKNUCKLE           |  | 48 |

|             |                                 |  |    |
|-------------|---------------------------------|--|----|
| 7777<br>NEW | BAREKNUCKLE - OLIVE, BLACKWASH™ |    | 48 |
| 7900GRYBLK  | LAUNCH 7                        |    | 11 |
| 8100        | FUNXION EMT                     |    | 61 |
| 8300        | DUOJET                          |    | 33 |
| 8310        | FRINGE                          |    | 33 |
| 8320        | OUTRIGHT                        |    | 33 |
| 8600        | PORTAL                          |    | 17 |
| 8650        | BARRICADE                       |    | 60 |
| 8700        | SHUFFLE                         |    | 58 |
| 8700BLK     | SHUFFLE - BLACK                 |    | 58 |
| 8700LIME    | SHUFFLE - LIME                  |    | 58 |
| 8700PUR     | SHUFFLE - PURPLE                |    | 58 |
| 8700TEAL    | SHUFFLE - TEAL                  |    | 58 |
| 8710        | ANTIC                           |   | 60 |
| 8720        | SHUFFLE - DIY                   |  | 51 |

|               |                    |   |    |
|---------------|--------------------|---|----|
| 8750TLKBW     | SHUFFLE II - BLACK |  | 59 |
| 8750TTANBW    | SHUFFLE II - TAN   |  | 59 |
| 8750TOLBW     | SHUFFLE II - OLIVE |  | 59 |
| 8760          | FAULTLINE          |  | 52 |
| 8800          | PT-1               |  | 70 |
| 8810          | PT-2               |  | 70 |
| KEROIL        | KERSHAW KNIFE OIL  |  | 72 |
| KMCURE<br>NEW | MANICURE SET       |  | 72 |
| KT00L         | K-TOOL             |  | 71 |
| STPT00L       | STP PIVOT TOOL     |  | 71 |
| SK8T00L       | KICKFLIP           |  | 71 |
| TXT00L        | TX-TOOL            |  | 71 |



Kai USA, Ltd., founded as Kershaw Knives in 1974, began with one mission: to design and manufacture tools that knife users would be proud to own, carry, and use. Today, premium materials, state-of-the-art manufacturing, extremely tight tolerances, and meticulous craftsmanship ensure that each Kershaw knife or tool provides a lifetime of performance and pride of ownership. The Kershaw brand is especially known for innovative technologies and materials, resulting in numerous industry awards. We manufacture many of our products in our 55,000 sq. ft. facility located south of Portland Oregon, in the city of Tualatin. Our campus houses a state-of-the-art manufacturing facility, our design, engineering, and manufacturing teams, as well as the customer service experts who sell and support our Kershaw brand knives and tools. Kershaw products are backed with a Limited Lifetime Warranty.



### AUTHORIZED DEALERS

Want to be sure the Kershaw you're carrying is the real thing? Buy from our Authorized Dealers. Specially selected by Kershaw for their ability to professionally represent and sell our products, Authorized Dealers carry genuine Kershaw quality products and service. You can be sure your purchase is fully covered under our Limited Lifetime Warranty. Find an Authorized Dealer in your area at our website: [kershawknives.com](http://kershawknives.com)

Front Cover photo: Lucha 5150, page 44

Back Cover photo: Highball 7010, page 48

### LIMITED LIFETIME WARRANTY



Kershaw knives from Kai USA Ltd. carry a limited warranty for the lifetime of the original owner, except when stated otherwise. We guarantee our knives against manufacturing defects in material and construction and to perform as advertised when properly used and maintained. The Limited

Lifetime Warranty is non-transferable and does not extend to normal signs of wear, rust, damage, or breakage due to improper use, improper maintenance, accidents, loss, or theft. This warranty is void on products that have been modified in any way. Any product we determine to be defective will be repaired or replaced solely at our discretion. To receive warranty repair or replacement, the owner must send the product to be evaluated by Kai USA Warranty Services in our Tualatin, Oregon headquarters. In addition to the provisions of this warranty, the owner may also have other rights that can vary by state. The Limited Lifetime Warranty does not apply to the TX Tool, Fire Starter, or Kershaw Knife Oil. No other warranties are implied or expressed other than what is specifically stated here. Kai USA Ltd. reserves the right to determine what constitutes normal wear, improper use/maintenance, and modification.

We reserve the right to make changes to this warranty at our discretion and without notice.

For warranty information, shipping tips, and the Warranty/Repair Form required for warranty service, please visit our website: [kershawknives.com](http://kershawknives.com)

### BLADE REPLACEMENT

If you accidentally break your Kershaw folder's blade, we can replace it for just \$10. Blades that break due to a manufacturing defect will still be replaced under warranty, free of charge. For a replacement blade, knives must be shipping to Kai USA. Please see our website for shipping and warranty service information.

### REPLACEMENT PARTS

Some replacement parts can be shipped to you. Please see our website for an updated list of what we will ship for free.

### VOUCHERS

There may be cases when a Kershaw knife has been evaluated and is eligible for warranty service, but may not be able to be repaired or replaced. This can be true with discontinued models for which we may no longer have parts or stock. In such cases, at our discretion, we will issue a voucher for the original Manufacturer's Suggested

Retail Price. The voucher value can then be applied to the purchase of a current-model Kershaw—directly from us. If you also wish to have your original knife returned, please call our warranty team toll-free: 1-800-325-2891. We will retain the knife for 30 days from the date the voucher is issued. If it is not reclaimed by then, the knife will be recycled.

### LIABILITY DISCLAIMER

Kershaw knives are intended and sold for legitimate everyday carry and/or sporting purposes only. The purchase, use, and ownership of knives are subject to a wide variety of federal, state, and local laws and regulations. Always comply with all laws and regulations in effect in your area. Due to the complexity and constantly changing nature of these laws and regulations, it is the responsibility of the buyer to investigate and comply with the laws and regulations that apply in his or her specific area. You, and not Kai USA Ltd., are solely responsible for any claims resulting from violation of these laws and/or regulations.

### WARNING!


Knives are extremely sharp tools and should only be used or handled with the utmost care and caution. Any use other than cutting (such as prying or twisting) is considered misuse and abuse—and will void your warranty. Kershaw/Kai USA Ltd. is not responsible for any injuries resulting from misuse or abuse of the product.

Do not use any Kershaw knife as a throwing knife (other than the Ion 1747BW or Aethon 1748 throwing knives) or a stabbing device. Throwing knives and knives developed for stabbing have a distinctly different design and function. Kershaw knives are not intended for throwing or stabbing; they are designed for cutting purposes only.

We reserve the right to change shipping terms, specifications, materials, or discontinue products at any time, without notice.

Kershaw Products are covered by one or more pending and issued U.S. patents: 4,715,121; 4,741,106; 5,802,722; 5,815,927; 6,006,385; 6,397,476; 6,388,431; 6,412,130; 6,145,202; 6,223,372; 6,338,431; 6,378,214; 6,397,476; 6,427,334; 6,591,504; 7,086,158; 7,370,421; 7,395,599; 9,120,234; D303,748; D316,802; D317,390; D321,818; D329,185; D348,818; D351,328; D365,725; D366,605; D375,243; D392,131; D410,833; D437,197; D438,085; D450,228; D454,043; D454,768; D455,062; D467,783; D474,669; D479,104; D479,114; D484,770; D488,045; D565,918; D566,222; D569,212; D570,180; D572,542; D572,562; D575,614; D576,466.

KERSHAWKNIVES.COM



#NEXTLEVEL



**kershaw**

▲▲ kai U.S.A. Ltd.

18600 SW Teton Avenue  
Tualatin, OR 97062  
USA  
800.325.2891

KERLITCAT2020  
Printed in USA