



2019 **LANCER**

WHAT WE DO

NEW FOR 2019

L30 AIR Rifle	3
Colt Upgrade Kit	4
Lancer Modular Handguard	4
L5AWM Safety Magazines	5

ADVANCED WARFIGHTER MAGAZINES™

L7AWM	7
L5AWM	11
.300BLK	10

MAGAZINE ACCESSORIES

General Accessories	14
MPX Cinch	18

CARBON FIBER HANDGUARDS

5.56mm AR Handguards	20
.308cal AR Handguards	22
OEM Replacement Handguards	23

Handguard Accessories	23
Shotgun Extension Tubes	24
L15 Receivers	26
L15 Modern Sporting Rifles	30
L30 Modern Sporting Rifles	33
Rifle Accessories	33

WHO WE ARE

Performance Perfected by Design

At Lancer, design is paramount. Our engineers and materials experts strive to perfect performance by minimizing weight, maximizing reliability and optimizing functionality.

Applying Lancer's expertise in state-of-the-art polymers, composites and hybrid component design, we've created a product offering of advanced weapons and components that are used by professionals and recreational shooters alike. It is our unique ability to integrate these specialties along with a sincere passion for shooting that allows us to continue to advance weapon and component designs.

Lancer products are proudly designed, tooled, and manufactured in the USA.

AS9100 Certified (Based on & including ISO 9001:2015)

NEW PRODUCTS FOR 2019



L30 AIR (Aerial Interdiction Rifle)

Lancer's new ultra lightweight L30 AIR (Aerial Interdiction Rifle) was designed to meet the unique demands of engaging targets from an aerial platform. Chambered in .308 Win or 6.5 Creedmoor and weighing less than 8 pounds, the L30 AIR is equipped with a 14.1" barrel for an optimal combination of ballistics, weight, and maneuverability within the tight confines of a helicopter. The L30 AIR's upper receiver has been specially designed to eliminate all excess weight and is compatible with most rail-mounted brass catchers.

PART NUMBER	L30-RFL-AIR
CALIBER	.308 Win / 6.5 Creedmoor
BARREL	14.1" BA Gov't Profile
TWIST	1:8
CHAMBER	.308 Win / 6.5 Creedmoor
GAS SYSTEM	Carbine Length
CARRIER	RCA Titanium Bolt Carrier Group

CHARGING HANDLE	Raptor Radian
COMPENSATOR	Lancer Nitrous; pinned & welded
HANDGUARD	Lancer Carbon Fiber w/ 2" Front Rail
TRIGGER	Geissele Hi-Speed National Match
STOCK	B5 SOPMOD
GRIP	BCM Gunfighter
WEIGHT	7.9 lbs

NEW PRODUCTS FOR 2019



Colt Upgrade Kit

Update your existing Colt patrol rifle to modern standards with Lancer's M-LOK® compatible Carbon Fiber Handguard, enhanced Adaptive Magwell, and two smoke L5 Advanced Warfighter Magazines™. This upgrade kit provides increased performance, quicker more reliable magazine changes, and easy attachment of M-LOK® accessories.

Lancer Modular Handguard

The Lancer Modular Handguard provides groundbreaking versatility for suppressed short-barrel rifle platforms by offering a 2-pc modular system with a quick-detach suppressor cover and extended handguard section. The suppressor cover allows for a more comfortable grip while protecting the user's hand from the heat of the suppressor during high rates of fire. Remove the front section entirely to easily install or uninstall the suppressor, or to deploy or store the rifle in its shortest possible configuration.



NEW PRODUCTS FOR 2019



L5AWM™ Safety Magazines

Lancer's new L5 Safety/Training Magazines are specifically optimized for use with non-lethal ammunition and marker rounds. Their unique design prevents standard live ammunition from being loaded into the magazine, reducing accidental injury and providing a safer training environment.



NEW PRODUCTS

ADVANCED WARFIGHTER MAGAZINES™

Applying our expertise in advanced polymers and lightweight component design, we have created our Advanced Warfighter Magazines (AWM™). We've combined hardened steel feed lips with a high strength polymer body to yield a hybrid design, maximizing strength and reliability while minimizing weight. Our hybrid design is strong enough to allow the use of unfilled polymers, enabling Lancer to produce a robust translucent magazine unlike any other on the market.

Translucent Magazines — Advantages for Professionals:

IMPROVED COMBAT READINESS

- Pre-combat inspections and checks
- Post-contact checks
- Speeds ammunition consolidation

TACTICAL MAGAZINE CHANGES

- The aggressive body texture improves gripping
- Drops free from lower receivers
- Designed to resist damage from rough handling

VEHICLE STORAGE

- Can be stored loaded in unconditioned environments; -40F to +180F

AMMUNITION IDENTIFICATION


- Distinguish ammunition types

SHARED RESOURCES — EXPEDITES SHIFT CHANGE

- Visually confirm round count
- Translucency allows range or shift personnel to see if their magazine is serviceable

TRAINING SAFETY

- Visual inspection lets everyone know how many rounds are on the firing line
- Quickly distinguish between what's loaded; live rounds, blanks or marker rounds



IMPORTANT: Check state and local ordinances to ensure these magazines are legal to own. Municipal laws exist throughout the country that restrict ownership of high capacity rifle magazines, the definition of a high capacity magazine may vary by municipality and must be consulted prior to purchase of these magazines.



L7AWM™

The L7AWM is an advanced hybrid magazine which combines the strength of steel with the toughness of polymer to form the most advanced 7.62X51mm magazine on the market. The L7AWM's dual stainless steel, patent pending design wraps around the magazine, maximizing stiffness and feeding reliability while minimizing wear and dimpling on the front face of the magazine. A switchable drain on the floor plate lock in conjunction with drain channels in the floor plate, allows the user to configure the magazine between waterborne and extreme dust conditions. The L7AWM is designed to work in multiple weapon systems: SR25, SIG716, DPMS 308, LMT and others.

FEATURES

- Insert molded stainless steel front guard provides a wear- and dimple-resistant surface for high volume shooting
- Stainless steel rear feed lip provides a durable, stable platform for feeding
- Impact resistant polymer body
- Available with translucent or opaque body
- Straight internal geometry with a controlled tilt follower
- Stainless steel spring
- Slide-on baseplate for easy disassembly
- Aggressive texture improves grip during reloads
- Switchable drain in floor plate lock
- Translucent bodies have round count markers

OPTIONS

- Capacities:
 - » Body lengths / capacity: 10, 20 and 25 rounds
 - » 5-round capacity is available in a blocked 10-round body
- Body Colors:
 - » Translucent colors: Clear, Smoke and Dark Earth
 - » Opaque colors: Black and Flat Dark Earth



L7 ADVANCED WARFIGHTER MAGAZINE™ 25-Round



Translucent Clear



Translucent Smoke



Translucent Dark Earth



Opaque Black



Opaque Flat Dark Earth

SPECIFICATIONS

CALIBER	7.62X51mm NATO / .308 win
WEAPON SYSTEMS	SR25, SIG716, DPMS 308, LM308, Others*
CAPACITY	25 ROUNDS
WEIGHT (UNLOADED)	8.22 oz
TOTAL HEIGHT	8.20"

* Not compatible with ArmaLite B Series, Rock River and SCAR17 Heavy



»Lancer Switchable Drain

25-Round Magazines

PART NUMBER	DESCRIPTION
L7-25-CLR	L7AWM, 25-Round Translucent Clear
L7-25-SMK	L7AWM, 25-Round Translucent Smoke
L7-25-TDE	L7AWM, 25-Round Translucent Dark Earth
L7-25-BLK	L7AWM, 25-Round Opaque Black
L7-25-FDE	L7AWM, 25-Round Opaque Flat Dark Earth



L7 ADVANCED WARFIGHTER MAGAZINE™ 20-Round



Translucent Clear



Translucent Smoke



Translucent Dark Earth



Opaque Black



Opaque Flat Dark Earth

SPECIFICATIONS

CALIBER	7.62X51mm NATO / .308 win
WEAPON SYSTEMS	SR25, SIG716, DPMS 308, LM308, Others*
CAPACITY	20 ROUNDS
WEIGHT (UNLOADED)	6.84 oz
TOTAL HEIGHT	6.40"

* Not compatible with ArmaLite B Series, Rock River and SCAR17 Heavy

20-Round Magazines

PART NUMBER	DESCRIPTION
L7-20-CLR	L7AWM, 20-Round Translucent Clear
L7-20-SMK	L7AWM, 20-Round Translucent Smoke
L7-20-TDE	L7AWM, 20-Round Translucent Dark Earth
L7-20-BLK	L7AWM, 20-Round Opaque Black
L7-20-FDE	L7AWM, 20-Round Opaque Flat Dark Earth



» Lancer Switchable Drain

MAGAZINES

L7 ADVANCED WARFIGHTER MAGAZINE™ 5 & 10-Round



Translucent Clear



Translucent Smoke



Translucent Dark Earth



Opaque Black



Opaque Flat Dark Earth

SPECIFICATIONS

CALIBER	7.62X51mm NATO / .308 win
WEAPON SYSTEMS	SR25, SIG716, DPMS 308, LM308, Others*
CAPACITY	5 & 10 ROUNDS
WEIGHT 5RND/10RND (UNLOADED)	5.62/5.55 oz
TOTAL HEIGHT	4.25"

* Not compatible with ArmaLite B Series, Rock River and SCAR17 Heavy



10-Round Magazines

PART NUMBER	DESCRIPTION
L7-10-CLR	L7AWM, 10-Round Translucent Clear
L7-10-SMK	L7AWM, 10-Round Translucent Smoke
L7-10-TDE	L7AWM, 10-Round Translucent Dark Earth
L7-10-BLK	L7AWM, 10-Round Opaque Black
L7-10-FDE	L7AWM, 10-Round Opaque Flat Dark Earth

5-Round Magazines

PART NUMBER	DESCRIPTION
L7-05-CLR	L7 AWM, 5-Round, 10-Round Body, Translucent Clear
L7-05-SMK	L7 AWM, 5-Round, 10-Round Body, Translucent Smoke
L7-05-TDE	L7 AWM, 5-Round, 10-Round Body, Translucent Dark Earth
L7-05-BLK	L7 AWM, 5-Round, 10-Round Body, Opaque Black
L7-05-FDE	L7 AWM, 5-Round, 10-Round Body, Opaque Flat Dark Earth

10-Round Body with
5-Round Stop





The L5AWM fills the gap between current metal magazine and polymer magazine designs, combining the best features into a unique hybrid magazine. The L5AWM has the reliability of a steel magazine, the durability of a polymer magazine and the weight of an aluminum magazine making it tough enough for professional use.

It has a one piece wrap-around hardened steel feed lip assembly that is permanently attached to an impact resistant polymer body. The hardened steel feed lips won't bend, break or deform due to rough handling or long term storage. An aggressive surface texture has been applied to the polymer body to improve grip during reloads, even in the harshest of environments.

The L5AWM's constant curvature and non-tilt follower have been optimized to feed the 5.56mm NATO round. The feed lips are made from a single piece of precision formed steel which is hardened and then coated for corrosion resistance. The body and component materials are corrosion and chemical resistant exceeding all military chemical testing, including exposure to DEET.

Compatible with modern weapon systems; M4/M16/AR, HK416, SCAR16, ARX160, MCX, Tavor, and others.

FEATURES

- Hardened steel feed lips
- Impact resistant polymer body
- Steel magazine catch
- Non-tilt follower
- Stainless steel spring
- Aggressive texture to improve grip during reloads
- Slide-on baseplate for easy disassembly
- Translucent bodies have round count markers
- Dedicated .300BLK models now available!

OPTIONS

- Capacities:
 - » Body lengths / capacity: 10, 20 and 30 rounds
 - » 5-round capacity is available in a blocked 10-round body
 - » Other state-compliant capacities available
- Body Colors:
 - » Translucent: Clear, Smoke, and Dark Earth
 - » Opaque: Black and Flat Dark Earth

L5AWM™

L5 ADVANCED WARFIGHTER MAGAZINE™ 30-Round



Translucent Clear



Translucent Smoke



Translucent Dark Earth



Opaque Black



Opaque Flat Dark Earth

SPECIFICATIONS

CALIBER	5.56X45mm NATO / .223 rem
WEAPON SYSTEMS	M4/M16/AR15, HK416, ARX160, SCAR16, SIG556, MCX, Tavor, Others
CAPACITY	30 ROUNDS
WEIGHT TRANS/OPAQUE (UNLOADED)	3.85/4.45 oz

30-Round Magazines

PART NUMBER	DESCRIPTION
999-000-2320-31	L5AWM, 30-Round Translucent Clear
999-000-2320-01	L5AWM, 30-Round Translucent Smoke
999-000-2320-13	L5AWM, 30-Round Translucent Dark Earth
999-000-2320-03	L5AWM, 30-Round Opaque Black
999-000-2320-07	L5AWM, 30-Round Opaque Flat Dark Earth



L5 ADVANCED WARFIGHTER MAGAZINE™ .300BLK 10, 20, 30-Round



*Also available in Translucent Smoke

The L5 AWM .300BLK maintains the features and benefits of the .223/5.56 L5 AWM and has been further optimized for use with higher weight (200+ grain) bullets . The magazine features increased rib clearance for improved reliability. Large inlaid caliber marking and a contrasting floor plate provide tactile and visual differentiators to ensure easy identification.

FEATURES & OPTIONS

- Designed for all bullet weights, including 200+ grains
- Increased rib clearance for improved reliability
- 300 BLACKOUT marking and Flat Dark Earth floor plate for easy identification, both inside and outside of pouches

SPECIFICATIONS

CALIBER	.300BLK / 7.62X35mm
WEAPON SYSTEMS	M4/M16/AR15, HK416, SCAR16, MCX, Others
CAPACITY	10, 20, 30 ROUNDS
WEIGHT (UNLOADED)	3.83 oz (30-Round)

.300BLK 10, 20, 30-Round Magazines

PART NUMBER	DESCRIPTION
999-000-4280-01	L5AWM .300BLK, 30-Round Translucent Smoke
999-000-4280-02	L5AWM .300BLK, 20-Round Translucent Smoke
999-000-4280-03	L5AWM .300BLK, 10-Round Translucent Smoke
999-000-4280-04	L5AWM .300BLK, 30-Round Opaque Black
999-000-4280-05	L5AWM .300BLK, 20-Round Opaque Black
999-000-4280-06	L5AWM .300BLK, 10-Round Opaque Black

L5 ADVANCED WARFIGHTER MAGAZINE™ 15 & 20-Round



Translucent Clear



Translucent Smoke



Translucent Dark Earth



Opaque Black



Opaque Flat Dark Earth

SPECIFICATIONS

CALIBER	5.56X45mm NATO / .223 rem
WEAPON SYSTEMS	M4/M16/AR15, HK416, ARX160, SCAR16, SIG556, MCX, Tavor, Others
CAPACITY	15 or 20 ROUNDS
WEIGHT TRANS/OPAQUE (UNLOADED)	3.10/3.52 oz

15 & 20-Round Magazines

PART NUMBER	DESCRIPTION
999-000-3300-01	L5AWM, 15-Round, 20-Round Body, Opaque Black*
999-000-2320-32	L5AWM, 20-Round Translucent Clear
999-000-2320-02	L5AWM, 20-Round Translucent Smoke
999-000-2320-14	L5AWM, 20-Round Translucent Dark Earth
999-000-2320-04	L5AWM, 20-Round Opaque Black
999-000-2320-08	L5AWM, 20-Round Opaque Flat Dark Earth

*Magazine permanently bonded.



L5 ADVANCED WARFIGHTER MAGAZINE™ 5 & 10-Round



Translucent Clear



Translucent Smoke



Opaque Black

SPECIFICATIONS

CALIBER	5.56X45mm NATO / .223 rem
WEAPON SYSTEMS	M4/M16/AR15, HK416, ARX160, SCAR16, SIG556, MCX, Tavor, Others
CAPACITY	5 or 10 ROUNDS
WEIGHT TRANS/OPAQUE (UNLOADED)	2.37/2.61 oz



10-Round Body with
5-Round Stop

10-Round Magazines

PART NUMBER	DESCRIPTION
999-000-2320-22	L5AWM, 10-Round Translucent Clear
999-000-2320-21	L5AWM, 10-Round Translucent Smoke
999-000-2320-23	L5AWM, 10-Round Opaque Black

5-Round Magazines

PART NUMBER	DESCRIPTION
999-000-2820-02	L5AWM, 5-Round, 10-Round Body, Translucent Clear
999-000-2820-10	L5AWM, 5-Round, 10-Round Body, Translucent Smoke
999-000-2820-04	L5AWM, 5-Round, 10-Round Body, Opaque Black

MAGAZINES

L5 ADVANCED WARFIGHTER MAGAZINE™ 5/30 & 10/30 Round

The L5 AWM 5/30 and 10/30 are a standard L5 AWM 30-round body with a steel rivet that limits capacity to five and ten rounds, respectively. The 30-round body remains ideal for use with plate carriers and magazine pouches even when capacity is limited to five or ten rounds.

IMPORTANT: Check state and local ordinances to ensure these magazines are legal to own. Municipal laws exist throughout the country that restrict ownership of high capacity rifle magazines. The definition of a high capacity magazine may vary by municipality and must be reviewed prior to purchase of these magazines. The rivet used to restrict capacity may not be considered an adequate means of restricting capacity.

SPECIFICATIONS

CALIBER	5.56X45mm NATO / .223 rem
WEAPON SYSTEMS	M4/M16/AR15, HK416, ARX160, SCAR16, SIG556, OTHERS
CAPACITY	5 or 10 ROUNDS
WEIGHT TRANS/OPAQUE (UNLOADED)	3.85/4.45 oz

10/30 Magazines

PART NUMBER	DESCRIPTION
999-000-2800-01	L5AWM, 10-Round, 30-Round Body Translucent Clear
999-000-2800-02	L5AWM, 10-Round, 30-Round Body Translucent Smoke
999-000-2800-03	L5AWM, 10-Round, 30-Round Body Opaque Black

5/30 Magazines

PART NUMBER	DESCRIPTION
999-000-2800-07	L5AWM, 5-Round, 30-Round Body Translucent Clear
999-000-2800-16	L5AWM, 5-Round, 30-Round Body Translucent Smoke
999-000-2800-09	L5AWM, 5-Round, 30-Round Body Opaque Black



MAGAZINE ACCESSORIES



L5AWM™ REPLACEMENT FLOOR PLATES

Replacement floor kits include three floor plates of the same color and are available with or without water drain holes. The floor plates with water drain holes allow water to rapidly drain from the magazine.

PART NUMBER	DESCRIPTION
999-000-2830-01	Floor Plate Kit, 3 Replacement Floor Plates, Black
999-000-2830-02	Floor Plate Kit, 3 Replacement Floor Plates, With Drain Hole, Black
999-000-2830-05	Floor Plate Kit, 3 Replacement Floor Plates, Flat Dark Earth
999-000-2830-06	Floor Plate Kit, 3 Replacement Floor Plates, With Drain Hole, Flat Dark Earth



L5AWM™ 5-ROUND STOP

The L5AWM 5-Round stop can be used in any L5AWM to reduce the capacity by five rounds.

PART NUMBER	DESCRIPTION
999-000-2820-01	5-Round Floor Plate Stop/Lock Assembly



MAGAZINE CINCH

The Lancer Magazine Cinch was developed for the L5, L5A and L5AWM™ magazines. The cinch was designed to match the unique contours of the polymer body and align with the molded ribs, ensuring the magazines are aligned and held securely without obscuring the view of the rounds. The Lancer magazine cinch can also be used with USGI aluminum and steel magazines.

PART NUMBER	DESCRIPTION
999-000-1350	Magazine Cinch for L5AWM, L5, L5A and USGI Magazines

MAGAZINE ACCESSORIES



SIG MPX X-CINCH

In addition to our L5AWM™ cinch, we've developed a specialized X-Cinch for the Sig Sauer MPX which shortens reload times and increases capacity, while ensuring OEM reliability. Engineered to engage with locking ribs for increased stability and adjustability with a toolless, thumbscrew installation method. Made from durable reinforced nylon.

FEATURES & OPTIONS

- Toolless, thumbscrew assembly
- Locking ribs designed to mate with magazine texture to provide secure fit

PART NUMBER	DESCRIPTION
MPX-CINCH	MPX Magazine Cinch



CARBON FIBER HANDGUARDS

ADVANCED DESIGN

CARBON FIBER HANDGUARD TUBE

We've selected our carbon fiber layup and resin combination to resist the heat associated with high volumes of fire while remaining rigid enough for heavy use. Cooling slots are provided to help manage barrel temperature, and for rail installation. An aluminum end cap is securely bonded on the end of the tube to protect from rough handling damage.

A SECURE CONNECTION

An upper receiver extension machined from 7075-T6 aluminum is provided to attach the carbon tube to the threads of the upper receiver. This, along with a QPQ nitrocarburized barrel nut, makes the free floating handguard an integral part of the rifle.

FEATURES & OPTIONS

- The LCH5 and LCH7 models are M-LOK® compatible*
- Free float design ensures the barrel is not affected by pressure from the handguard, eliminating point of impact deviations
- Low profile carbon fiber tube is as rigid and impact resistant as lightweight aluminum free float tube designs
- Available with or without:
 - » Picatinny rail at 12 o'clock (LCH5)
- Slots at 6 o'clock for an accessory rail and holes for sling swivel stud allowing a bi-pod to be attached
- The LCH5 and LCR5 models fit standard 5.56mm / .223rem A3 upper receivers and are available in five basic lengths; Carbine, Midlength, Rifle Length, Rifle Length PLUS and Extra Long
- The LCH7 models fit DPMS LR-308 AR and Armalite / Rock River AR-10 .308 Cal AR rifles and are available in five basic lengths; Carbine, Midlength, Rifle Length, Rifle Length PLUS and Extra Long

* Lancer LCR round handguards are not M-LOK® compatible.



HANDGUARDS

CARBON FIBER HANDGUARDS 5.56mm AR Octagon



5.56mm AR - OCTAGON

PART NUMBER	DESCRIPTION	INSIDE/OUTSIDE DIMENSIONS	LENGTH	WEIGHT	SIGHT RAIL
LCH5-06-ML-ST	LCH5 M-LOK® Carbine Handguard	1.80" / 2.00"	7.20"	8.37 oz	NO / Accepts 2" M-LOK® Sight Rail
LCH5-08-ML-ST	LCH5 M-LOK® Midlength Handguard	1.80" / 2.00"	9.25"	9.00 oz	NO / Accepts 2" M-LOK® Sight Rail
LCH5-12-ML-ST	LCH5 M-LOK® Rifle Handguard	1.80" / 2.00"	12.50"	10.31 oz	NO / Accepts 2" M-LOK® Sight Rail
LCH5-13-ML-ST	LCH5 M-LOK® Rifle PLUS Handguard	1.80" / 2.00"	14.60"	10.93 oz	NO / Accepts 2" M-LOK® Sight Rail
LCH5-15-ML-ST	LCH5 M-LOK® Extra Long Handguard	1.80" / 2.00"	16.25"	11.41 oz	NO / Accepts 2" M-LOK® Sight Rail
LCH5-06-ML-FR	LCH5 M-LOK® Carbine Handguard	1.80" / 2.00"	7.20"	9.65 oz	Full Length
LCH5-08-ML-FR	LCH5 M-LOK® Midlength Handguard	1.80" / 2.00"	9.50"	10.61 oz	Full Length
LCH5-12-ML-FR	LCH5 M-LOK® Rifle Handguard	1.80" / 2.00"	12.50"	13.17 oz	Full Length
LCH5-13-ML-FR	LCH5 M-LOK® Rifle PLUS Handguard	1.80" / 2.00"	14.60"	13.49 oz	Full Length
LCH5-15-ML-FR	LCH5 M-LOK® Extra Long Handguard	1.80" / 2.00"	16.25"	14.29 oz	Full Length



CARBON FIBER HANDGUARDS 5.56mm AR Round



5.56mm AR - ROUND

PART NUMBER	DESCRIPTION	INSIDE/OUTSIDE DIMENSIONS	LENGTH	WEIGHT	SIGHT RAIL
LCR5-06-V-0-NR	Carbine Handguard, Standard Slots	1.69" / 2.00"	7.20"	8.00 oz	NO
LCR5-08-V-0-NR	Midlength Handguard, Standard Slots	1.69" / 2.00"	9.25"	8.60 oz	NO
LCR5-12-V-0-NR	Rifle Handguard, Standard Slots	1.69" / 2.00"	12.50"	9.60 oz	NO
LCR5-13-V-0-NR	Rifle PLUS Handguard, Standard Slots	1.69" / 2.00"	14.60"	10.10 oz	NO
LCR5-15-V-0-NR	Extra Long Handguard, Standard Slots	1.69" / 2.00"	16.25"	10.70 oz	NO
LCR5-12-PV-0-NR	Rifle Handguard, Premium Slots	1.69" / 2.00"	12.50"	9.40 oz	NO
LCR5-13-PV-0-NR	Rifle PLUS Handguard, Premium Slots	1.69" / 2.00"	14.60"	9.90 oz	NO
LCR5-15-PV-0-NR	Extra Long Handguard, Premium Slots	1.69" / 2.00"	16.25"	10.20 oz	NO

NOTE: Lancer LCR round handguards are not M-LOK® compatible.



CARBON FIBER HANDGUARDS .308cal AR

.308cal AR - DPMS 16TPI UPPER - OCTAGON

PART NUMBER	DESCRIPTION	INSIDE/OUTSIDE DIMENSIONS	LENGTH	WEIGHT	SIGHT RAIL
LCH7-06-ML-ST-16	M-LOK® Carbine Length, Cooling Slots, 16 TPI	2.00" / 2.20"	7.20"	12.88 oz	NO
LCH7-08-ML-ST-16	M-LOK® Midlength Length, Cooling Slots, 16 TPI	2.00" / 2.20"	9.25"	13.33 oz	NO
LCH7-12-ML-ST-16	M-LOK® Rifle Length, Cooling Slots, 16 TPI	2.00" / 2.20"	12.50"	14.10 oz	NO
LCH7-13-ML-ST-16	M-LOK® Rifle Length Plus, Cooling Slots, 16 TPI	2.00" / 2.20"	14.60"	14.55 oz	NO
LCH7-15-ML-ST-16	M-LOK® Extra-Long, Cooling Slots, 16 TPI	2.00" / 2.20"	16.25"	15.80 oz	NO

.308cal AR - ARMALITE 18TPI UPPER - OCTAGON

PART NUMBER	DESCRIPTION	INSIDE/OUTSIDE DIMENSIONS	LENGTH	WEIGHT	SIGHT RAIL
LCH7-06-ML-ST-18	M-LOK® Carbine Length, Cooling Slots, 18 TPI	2.00" / 2.20"	7.20"	13.05 oz	NO
LCH7-08-ML-ST-18	M-LOK® Midlength Length, Cooling Slots, 18 TPI	2.00" / 2.20"	9.25"	13.51 oz	NO
LCH7-12-ML-ST-18	M-LOK® Rifle Length, Cooling Slots, 18 TPI	2.00" / 2.20"	12.50"	14.28 oz	NO
LCH7-13-ML-ST-18	M-LOK® Rifle Length Plus, Cooling Slots, 18 TPI	2.00" / 2.20"	14.60"	15.09 oz	NO
LCH7-15-ML-ST-18	M-LOK® Extra-Long, Cooling Slots, 18 TPI	2.00" / 2.20"	16.25"	15.98 oz	NO



CARBON FIBER HANDGUARDS

Designed to fit popular rifles with piston operating systems, the Lancer piston rifle carbon fiber handguards will replace the OEM handguard and offer a substantial weight savings without sacrificing performance.

FEATURES & OPTIONS

- M-LOK® compatible slots
- Free float design
- Available in multiple lengths
- Octagon carbon fiber tube
- Aluminum receiver extension with built-in Picatinny rail
- Clearance to access gas block
- Dimensions:
 - » Outside Diameter — 2"
 - » Inside Diameter — 1.7"
- SIG 516/716 extended handguards have a cut-out exposing the gas block top rail and access to gas adjustment. The Picatinny rail does not extend beyond the gas block



»LCH516-C-L



»LCH716-C-L



»LCH516-CX-L



»LCH716-CX-L

OEM REPLACEMENT - SIG

PART NUMBER	DESCRIPTION	TOTAL LENGTH	WEIGHT
LCH516-C-L	Handguard for SIG 516, Carbine Length with Top Rail	7.25"	7.90 oz
LCH516-CX-L	Handguard for SIG 516, Extended Length with Top Rail	13.10"	9.80 oz
LCH716-C-L	Handguard for SIG 716, Carbine Length with Top Rail	7.40"	8.30 oz
LCH716-CX-L	Handguard for SIG 716, Extended Length with Top Rail (Applicable with Gen 1 only)	13.10"	10.30 oz

OEM REPLACEMENT - HK416

PART NUMBER	DESCRIPTION	TOTAL LENGTH	WEIGHT
LCH416-S	Handguard for HK416, Carbine Length with Top Rail	9.00"	10.80 oz
LCH416-L	Handguard for HK416, Extended Length with Top Rail	13.80"	14.40 oz



»LCH416-S



»LCH416-L

CARBON FIBER HANDGUARDS

MPX HANDGUARDS

Our MPX carbon fiber handguards are M-LOK® compatible and easy to install - fitting the same as an OEM handguard, all while being up to 55% lighter. These handguards are suppressor compatible, and have much lower rate of thermal conductivity than our only competitor.



PART NUMBER	DESCRIPTION	TOTAL LENGTH	WEIGHT
LCH-MPX-4.5	Handguard for MPX, 4.5" *	4.75"	1.92 oz
LCH-MPX-6.5	Handguard for MPX, 6.5"	6.11"	2.45 oz
LCH-MPX-8	Handguard for MPX, 8"	7.70"	3.07 oz
LCH-MPX-10	Handguard for MPX, 10"	10.06"	4.03 oz
LCH-MPX-14	Handguard for MPX, 14"	13.99"	5.12 oz

* Does not accept a sight rail at 12 O'Clock

FEATURES & OPTIONS

- M-LOK® compatible slots at 12, 3, 6, and 9 O'Clock, as well as bottom 45° faces
- Turn-key replacement for OEM handguard (no additional tools or parts needed)
- Around 50% lighter than the OEM handguard
- 1.6" ID allows for over-suppressor use



CARBON FIBER HANDGUARDS

MCX HANDGUARDS

Like our MPX handguards, the MCX handguards* are M-LOK® compatible, install easily - fitting the same as an OEM handguard, while being around 40% lighter. These handguards are also suppressor compatible, and have a much lower rate of thermal conductivity than our only competitor.



PART NUMBER	DESCRIPTION	TOTAL LENGTH	WEIGHT
LCH-MCX-10.5	Handguard for MCX, 10.5"	10.33"	5.40 oz
LCH-MCX-12	Handguard for MCX, 12"	11.91"	6.20 oz
LCH-MCX-18	Handguard for MCX, 18"	18.00"	8.90 oz

* Not compatible with MCX Virtus

FEATURES & OPTIONS

- M-LOK® compatible slots at 12, 3, 6, and 9 O'Clock, as well as bottom 45° faces
- Turn-key replacement for OEM handguard (no additional tools or parts needed)
- Around 40% lighter than the OEM handguard
- 1.8" ID allows for over-suppressor use
- 1.5" top rail included, with an upgrade to 3" (all), or 4.5" (12" & 18") is available

HANDGUARDS

HANDGUARD ACCESSORIES

Lancer's LCH and LCR carbon fiber handguards have cooling slots that will accept accessory rails. We offer our accessory rails in three different lengths; 2", 4", and 5". Each accessory rail comes with a backing plate and necessary fasteners.

We also offer a sling swivel stud and threaded backer that can be mounted in holes provided at the 6 o'clock position in order to attach a bi-pod.

ACCESSORY RAILS

PART NUMBER	DESCRIPTION	USABLE LENGTH	WEIGHT
SIGHT-RAIL-2-IN	2" Sight Rail for top of LCH5 Series to co-witness with upper rail	1.39"	0.42 oz
M-LOK-RAIL-2-IN	2" M-LOK® Accessory Rail with backing hardware	1.39"	0.43 oz
M-LOK-RAIL-4-IN	4" M-LOK® Accessory Rail with backing hardware †	3.36"	1.27 oz
M-LOK-RAIL-5-IN	5" M-LOK® Accessory Rail with backing hardware	4.54"	1.66 oz
LCR5-2-RAIL	2" Accessory Rail for round handguard with backing hardware*	1.78"	0.70 oz
LCR5-4-RAIL	4" Accessory Rail for round handguard with backing hardware* †	2.96"	1.10 oz
LCR5-5-RAIL	5" Base Rail for round handguard with backing hardware*	4.15"	1.40 oz

*Not compatible with M-LOK® slots.

† 4" rail will not mount at 6 O'Clock position.



SWIVEL STUD

PART NUMBER	DESCRIPTION
LCH5-STUD	Swivel Stud



QUICK DETACH SLING MOUNT

PART NUMBER	DESCRIPTION	WEIGHT
LCR5-QD	Quick Detach Sling Mount for accessory slot, round handguard w/backing hardware	0.50 oz
M-LOK-QD	M-LOK® Compatible Quick Detach Sling Mount	0.63 oz



SHOTGUN EXTENSION TUBES

Applying our experience in carbon fiber product design and lightweight component development, Lancer has created the Lancer Carbon Fiber Shotgun Extension Tubes (LSX). Each LSX is designed to attach to existing shotgun magazine tubes to provide added capacity to the shotgun. We've combined precision machined aluminum components with carbon fiber tube to yield a lightweight, durable extension to your shotgun.

Lancer has developed a unique Shotgun Extension Clamp for use with the LSX. We've combined precision aluminum clamping pieces with a high temperature silicone foam to ensure a slip free connection with the carbon-fiber tube and shotgun barrel.



FEATURES & OPTIONS

- Available for select 12 GA shotguns
- Precision machined aluminum mounting nut and end cap are anodized and bonded to carbon fiber tube
- Each tube is tested to ensure the bond joints meet specifications
- Adds two to eight extra rounds to your shotgun's magazine tube
- An extra-long spring is provided which will need to be cut to length

SHOTGUN EXTENSION CLAMP

- Made from high strength anodized aluminum
- High temperature silicone foam gripping pads are provided to ensure the clamp stays in place
- Available with or without Picatinny rail. The rail can be used for accessories or mounting a sling attachment.
- Designed for the LSX carbon fiber tube
- Extension clamps are recommended for extension tubes that extend beyond the end of the barrel. They are also recommended for Remington applications due to the shallow threading on the Remington magazine tubes.

SELECTING THE LSX

- There are two basic methods for selecting your LSX:
 - » **Total Length** — If you want to increase the capacity of your shotgun but don't want the extension tube to extend beyond the muzzle. Measure from the front of the shotgun's handguard to the end of the muzzle. This will give you the maximum length of the extension tube. Use the table to select the appropriate part number.
 - » **Total Capacity** — The table provided has the optimal capacity, though capacity could vary due to final spring length.



BENELLI

PART NUMBER	APPLICATION	ADDED CAPACITY	LENGTH
LSX-1X-B	M1, M2, SBE, SBE2	Plus 1	3.60"
LSX-2X-B	M1, M2, SBE, SBE2	Plus 2	6.90"
LSX-3X-B	M1, M2, SBE, SBE2	Plus 3	9.40"
LSX-4X-B	M1, M2, SBE, SBE2	Plus 4	10.50"
LSX-5X-B	M1, M2, SBE, SBE2	Plus 5	12.00"
LSX-6X-B	M1, M2, SBE, SBE2	Plus 6	14.70"
LSX-7X-B	M1, M2, SBE, SBE2	Plus 7	17.90"
LSX-8X-B	M1, M2, SBE, SBE2	Plus 8	20.50"

MOSSBERG

PART NUMBER	APPLICATION	ADDED CAPACITY	LENGTH
LSX-1X-M	590 / 930	Plus 1	3.90"
LSX-2X-M	590 / 930	Plus 2	6.70"
LSX-3X-M	590 / 930	Plus 3	9.20"
LSX-4X-M	590 / 930	Plus 4	10.30"
LSX-5X-M	590 / 930	Plus 5	12.60"
LSX-6X-M	590 / 930	Plus 6	14.50"
LSX-7X-M	590 / 930	Plus 7	17.70"
LSX-8X-M	590 / 930	Plus 8	18.30"

BERETTA

PART NUMBER	APPLICATION	ADDED CAPACITY	LENGTH
LSX-1X-BR	1301 Competition	Plus 1	3.60"
LSX-2X-BR	1301 Competition	Plus 2	6.10"
LSX-3X-BR	1301 Competition	Plus 3	8.20"
LSX-4X-BR	1301 Competition	Plus 4	10.60"
LSX-5X-BR	1301 Competition	Plus 5	13.40"
LSX-6X-BR	1301 Competition	Plus 6	16.00"
LSX-7X-BR	1301 Competition	Plus 7	18.30"
LSX-8X-BR	1301 Competition	Plus 8	20.80"

REMINGTON

PART NUMBER	APPLICATION	ADDED CAPACITY	LENGTH
LSX-1X-R	870, 1100, 11-87, VersaMax	Plus 1	3.70"
LSX-2X-R	870, 1100, 11-87, VersaMax	Plus 2	7.80"
LSX-3X-R	870, 1100, 11-87, VersaMax	Plus 3	8.80"
LSX-4X-R	870, 1100, 11-87, VersaMax	Plus 4	12.10"
LSX-5X-R	870, 1100, 11-87, VersaMax	Plus 5	14.10"
LSX-6X-R	870, 1100, 11-87, VersaMax	Plus 6	16.40"
LSX-7X-R	870, 1100, 11-87, VersaMax	Plus 7	17.70"
LSX-8X-R	870, 1100, 11-87, VersaMax	Plus 8	20.40"

NOTE: Use on later model Remington 870, 1100 and 11-87 shotguns will require minor modification to the shotgun's magazine tube. The Remington magazine tube has two indents / tabs that must be removed for proper operation.

SHOTGUN EXTENSION CLAMP

PART NUMBER	APPLICATION
LSX-CP-NR	Shotgun Extension Clamp, No Picatinny Rail
LSX-CP-1R	Shotgun Extension Clamp, Picatinny Rail One Side
LSX-CP-2R	Shotgun Extension Clamp, Picatinny Rail Both Sides



L15 RECEIVERS

The L15's changeable magazine well extensions (Magwells) make it one of the most versatile AR receivers available today. With three Magwell configurations to choose from, the L15 lower can be rapidly customized for a specific mission. The Tactical and Competition Magwells have a large, smooth, funnel-like internal surface to facilitate rapid magazine changes. The Standard Magwell emulates the size of a typical AR lower and also has a large beveled opening.

Stripped L15 receivers are supplied with a choice of magazine well extensions, an oversized magazine release button, ambidextrous bolt release lever, ambidextrous bolt release buffer and associated roll pins. The parts are supplied unassembled with instructions. The Lancer supplied hardware will work with other lower parts kits.

L15 assembled receivers come with all hardware installed and your choice of stock, grip and trigger.

PART NUMBER	APPLICATION
999-000-2720-05	L15 Lower, Complete, F93 stock, Std trigger and Std Magwell
999-000-2720-06	L15 Lower, Complete, F93 stock, Std trigger and Tact Magwell
999-000-2720-07	L15 Lower, Complete, F93 stock, Std trigger and Comp Magwell
999-000-2720-08	L15 Lower, Complete, Lancer LCS stock, CMC trigger and Std Magwell
999-000-2720-09	L15 Lower, Complete, Lancer LCS stock, CMC trigger and Tact Magwell
999-000-2720-10	L15 Lower, Complete, Lancer LCS stock, CMC trigger and Comp Magwell
999-000-2720-81	L15 Lower, Complete, Lancer LCS stock, Geissele SD3G and Std Magwell
999-000-2720-82	L15 Lower, Complete, Lancer LCS stock, Geissele SD3G and Tact Magwell
999-000-2720-83	L15 Lower, Complete, Lancer LCS stock, Geissele SD3G and Comp Magwell

MAGAZINE WELL EXTENSIONS

PART NUMBER	APPLICATION
999-000-2100-29	L15 Standard Magwell
999-000-2100-30	L15 Tactical Magwell
999-000-2100-31	L15 Competition Magwell

* Interchangeable magwells only work with Lancer receivers.

FEATURES & OPTIONS

- Changeable magazine well extensions
- Three magazine well extension sizes: **Standard, Tactical, Competition**
- Receiver machined from 7075 Aluminum forging with broached magazine well
- Magazine well extensions machined from billet aluminum
- Oversized magazine release button
- Ambidextrous bolt release
- Coating - MIL-A-8625, TYPE III CLASS 2
- Designed, Tooled, Manufactured & Assembled in USA

PART NUMBER	APPLICATION
999-000-2720-02	L15 Stripped Lower with Standard Magwell
999-000-2720-03	L15 Stripped Lower with Tactical Magwell
999-000-2720-04	L15 Stripped Lower with Competition Magwell



>>999-000-2720-06



>>999-000-2720-10



>>999-000-2720-83



>> L15 Standard, Tactical & Competition Magwells



L15 RIFLE

L15 Modern Sporting Rifles are built around our patented **L15 receiver** and lightweight **carbon fiber handguard**, providing a custom high quality rifle that offers the performance required for a variety of modern sporting applications.

The L15 forged receiver offers the best balance of **speed** and **versatility** with its patented magazine well extension, ambidextrous bolt release and oversized magazine release button. The lightweight carbon fiber handguard is free floating. It utilizes a precision machined 7075-T6 extension nut, handguard end cap and vented carbon fiber handguard tube, made to provide a handguard that is lightweight and modular, yet still robust enough for the heavy use of modern sporting and high volume fire. Quality components from Geissele, CMC Triggers, Bartlein, Ergo Grip, and B5 Systems are used to configure the rifles into lightweight modern sporting rifles.

FEATURES

- Mission configurable lower receiver, manufactured from 7075 Aluminum
- Changeable magazine well extensions machined from billet aluminum
- Three magazine well extension sizes:
 - » Standard
 - » Tactical
 - » Competition
- LCH5 Lancer carbon fiber handguards are M-LOK® compatible
- Oversized magazine release button
- Ambidextrous bolt release
- Coating - MIL-A-8625, Type III Class 2



L15 MODERN SPORTING RIFLES

L15 COMPETITION

Ships with three 30-round and two 20-round magazines

PART NUMBER	L15-RFL-COMP	COMPENSATOR	Lancer Nitrous
CALIBER	.223rem / 5.56mmX45	HANDGUARD	Lancer LCH5 Octagon 15"
BARREL	White Oak - 18" Mid-Weight profile	TRIGGER	CMC Curved
TWIST	1:8	STOCK	LCS-A1-R Lancer Fixed Stock
CHAMBER	.223 Wylde	GRIP	Ergo
GAS SYSTEM	Rifle Length	WEIGHT	7.70 lbs



L15 OUTLAW

Ships with three 30-round and two 20-round magazines

PART NUMBER	L15-RFL-OUTLAW	COMPENSATOR	Lancer Nitrous
CALIBER	.223rem / 5.56mmX45	HANDGUARD	Lancer LCR5 Round 15"
BARREL	Bartlein SS - 17" Mid-Weight Profile	TRIGGER	Geissele Super Dynamic 3 Gun
TWIST	1:7.7	STOCK	LCS-A1-R Fixed Stock
CHAMBER	.223 Wylde	OTHER	Raptor charging handle
GAS SYSTEM	Rifle Length, Adjustable Gas Block	GRIP	Ergo
CARRIER SYSTEM	Lightweight	WEIGHT	6.75 lbs



L15 DMR

Ships with three 30-round and two 20-round magazines

PART NUMBER	L15-RFL-DMR	THREAD PROTECTOR	1/2 X 28
CALIBER	.223rem / 5.56mmX45	HANDGUARD	Lancer LCH5 Octagon 15"
BARREL	White Oak - 18" w/ Thread Protector	TRIGGER	Geissele Hi-Speed Nat'l Match 2 Stage
TWIST	1:8	STOCK	B5 Sopmod Bravo
CHAMBER	.223 Wylde	GRIP	Ergo Grip
GAS SYSTEM	Rifle Length	WEIGHT	7.30 lbs



L15 MODERN SPORTING RIFLES

L15 SPORTER

Ships with two 30-round magazines

PART NUMBER	L15-RFL-SPORT	COMPENSATOR	A2 Flash Hider
CALIBER	.223rem / 5.56mmX45	HANDGUARD	Lancer LCH5 12" with 2" sight rail
BARREL	16" Mid-Weight CHF Chrome lined	TRIGGER	Milspec
TWIST	1:7	STOCK	F93 Pro Stock
CHAMBER	5.56mmX45 NATO	GRIP	Ergo
GAS SYSTEM	Mid Length	WEIGHT	7.40 lbs



L15 PATROL

Ships with two 30-round magazines

PART NUMBER	L15-RFL-PAT	COMPENSATOR	Battle Comp
CALIBER	.223rem / 5.56mmX45	HANDGUARD	Lancer LCH5 12" with 2" Sight Rail - coated
BARREL	16" Mid-Weight CHF Chrome lined	TRIGGER	Milspec
TWIST	1:7	STOCK	B5 Bravo
CHAMBER	5.56mmX45 NATO	GRIP	BCM Gunfighter
GAS SYSTEM	Mid Length	WEIGHT	6.50 lbs



L15 PATROL PROFESSIONAL

Ships with two 30-round magazines

PART NUMBER	L15-RFL-PP	COMPENSATOR	Smith's Vortex - Pinned and Welded
CALIBER	.223rem / 5.56mmX45	HANDGUARD	Lancer LCH5 12" with 2" Sight Rail - coated
BARREL	14.5" midweight CHF Chrome lined	TRIGGER	Milspec
TWIST	1:7	STOCK	B5 Bravo
CHAMBER	5.56mmX45 NATO	GRIP	Ergo
GAS SYSTEM	Mid Length	WEIGHT	6.50 lbs



L30 RIFLE

Lancer's line of L30 rifles was developed to introduce a lightweight, and precise AR10-style rifle to the market. From the billet 7075 Aluminum upper and lower, to the carbon fiber handguard, no detail was overlooked. The new, sleek sided upper has an integral handguard extension, providing superior weapon control between the handguard and rifle. The L30 lower receiver takes its inspiration from the patented and proven L15 lower receiver's interchangeable magazine well system.

For even more adaptability, the L30 rifle's top rail can be configured with a 0 MOA front sight or a 20 MOA full rail, all of which flow seamlessly into the Lancer carbon fiber handguard. Each rifle is furnished with Lancer's Nitrous compensator or Viper brake allowing for remarkably fast and accurate follow-up shots. To complete the L30 package, all rifles ship with a Lancer L7 Advanced Warfighter Magazines to ensure unmatched reliability.

FEATURES

- Lower receiver with tactical magazine well extension
- Lancer's L30 carbon fiber handguards are M-LOK® compatible
- Upper and lower receivers are machined from 7075-T6 aluminum billet
- Upper receiver has integral carbon fiber handguard with options for picatinny sight rails
 - » 20 MOA picatinny full rail is available
- Oversized magazine release button
- Ambidextrous bolt release
- Coating - MIL-A-8625, Type III Class 2



L30 MODERN SPORTING RIFLES



L30 LTR

Ships with one 20-round and one 10-round magazine

PART NUMBER	L30-RFL-LTR-308 or L30-RFL-LTR-6.5
CALIBER	7.62 X 51 (.308) or 6.5 Creedmoor
BARREL	Bartlein 24" - Stainless Steel
TWIST	1:11.25 - 7.62 X 51 (.308) or 1:8 - 6.5 Creedmoor
CHAMBER	.308 Win Match or 6.5 Creedmoor
BOLT / GAS SYSTEM	RCA High Pressure / Rifle Length - Adjustable Gas Block

COMPENSATOR	Lancer Viper Brake
HANDGUARD	Lancer Carbon Fiber
TRIGGER	Geissele Hi-speed National Match
STOCK	KFS TacMod
GRIP	Ergo Tactical Deluxe
WEIGHT	12.50 lbs



L30 HEAVY METAL

Ships with one 20-round and one 10-round magazine

PART NUMBER	L30-RFL-HM
CALIBER	7.62 X 51 (.308)
BARREL	White Oak 18" - Stainless Steel
TWIST	1:10
CHAMBER	.308 Obermeyer
BOLT / GAS SYSTEM	RCA High Pressure / Rifle Length - Adjustable Glass Block

COMPENSATOR	Lancer Nitrous
HANDGUARD	Lancer Carbon Fiber
TRIGGER	Geissele SD3G
STOCK	Lancer LCS
GRIP	Ergo Tactical Deluxe
WEIGHT	9.50 lbs



L30 MBR

Ships with one 20-round and one 10-round magazine

PART NUMBER	L30-RFL-MBR
CALIBER	7.62 X 51 (.308)
BARREL	16" - Black Nitride
TWIST	1:10
CHAMBER	.308 Win
GAS SYSTEM	Rifle Length

COMPENSATOR	Lancer Nitrous
HANDGUARD	Lancer Carbon Fiber
TRIGGER	Milspec
STOCK	B5 SOPMOD
GRIP	Ergo
WEIGHT	9.00 lbs



L30 KITS

L30 kits are available in three configurations: Long-range Tactical Rifle (LTR), Heavy Metal and Modern Battle Rifle (MBR). The LTR includes a 19-inch carbon fiber handguard and a full length 20 MOA rail. The Heavy Metal comes equipped with a 17-inch carbon fiber handguard, 10-inch 0 MOA rail at the upper receiver, and a two inch sight rail at the front of the handguard. The MBR includes a 15-inch carbon fiber handguard, 10-inch 0 MOA rail at the upper receiver, and a two inch sight rail at the front of the handguard.

L30 LTR KIT



L30 HEAVY METAL KIT



L30 MBR KIT



FEATURES & OPTIONS

- L30 lower receiver
- L30 upper receiver
- L30 tactical magwell
- Pivot pin, installed
- Takedown pin, installed
- Oversized magazine release button and catch, installed
- Ambi-bolt release, installed
- Bolt catch, installed
- Barrel nut
- Handguard mounting hardware
- Top rail mounting hardware

RIFLE ACCESSORIES

NITROUS COMPENSATOR

The Lancer NITROUS compensator is a “tunable” compensator designed for serious competitive shooters. Engineered with a blast chamber and tunable jets, the NITROUS compensator will effectively reduce muzzle climb making for faster follow-up shots. In addition, angled blast baffles are incorporated to reduce recoil and further stabilize the rifle.

It is available in 416 stainless steel or 4142 steel that has been Ferritic Nitrocarburized (BLACKNITRIDE™) and threaded in 1/2X28 for 5.56mm AR's and 5/8X24 for 7.62mm rifles.

PART NUMBER	DESCRIPTION
LNC-223-SS	Nitrous Compensator .223/5.56mm Stainless, 1/2X28
LNC-223-BK	Nitrous Compensator .223/5.56mm BLACKNITRIDE™, 1/2X28
LNC-308-SS	Nitrous Compensator .308/7.62mm Stainless, 5/8X24
LNC-308-BK	Nitrous Compensator .308/7.62mm BLACKNITRIDE™, 5/8X24

VIPER BRAKE

The Lancer Viper Brake is a “tunable” brake/compensator designed for precision shooters. Engineered with a blast chamber and four tunable jets, the Viper Brake effectively reduces barrel movement making for faster follow-up shots. In addition, angled blast baffles are incorporated to reduce recoil and further stabilize the rifle. Lancer's engineers have incorporated four jet locations on the top of the brake, redirecting gas pressure from the blast chamber and creating a downward force on the muzzle of the rifle. Different size jets are supplied so the operator can tune the downward force. Tuning is a simple manner of changing the combination of jets until the desired effect is achieved.

PART NUMBER	DESCRIPTION
LVB-308-SS	Viper Brake .308/7.62mm Stainless, 5/8X24
LVB-308-BK	Viper Brake .308/7.62mm BLACKNITRIDE™, 5/8X24
LVB-65-SS	Viper Brake 6.5 Stainless, 5/8X24
LVB-65-BK	Viper Brake 6.5 BLACKNITRIDE™, 5/8X24



FEATURES

- Includes two each of the following for tuning:
 - » Solid set screws
 - » Orifice jets
- The solid set screw can be used to completely block off the hole or can be drilled to a custom size
- Supplied with a crush washer
- Dimensions:
 - » Length - 2.88"
 - » Diameter - .99"



FEATURES

- Includes a jam nut and twelve tuning jets
- Available for 6.5mm and .308/7.62mm rifles with 5/8x24 threading
- Available in stainless steel or 4142 that has been Ferric Nitrocarburized (BLACKNITRIDE)
- Dimensions:
 - » Width - 3.75"
 - » Height - 3.625"
 - » Depth - 1.25"



CARBON FIBER STOCK

The Lancer Carbon Fiber Stock (LCS) is a lightweight fixed stock for 5.56mm and 7.62mm AR style rifles that use a fixed rifle length buffer tube (not included). The carbon fiber tube has a custom profile that provides strength and a comfortable cheek weld. The butt plate and front collar are injection molded from an impact resistant polymer.

PART NUMBER	DESCRIPTION	LENGTH	WEIGHT
LCS-A1-R	Carbon Fixed Stock - A1 Length	10.25"	9.40 oz
LCS-A2-R	Carbon Fixed Stock - A2 Length	10.80"	10.40 oz

FEATURES

- Carbon fiber tube has a layup designed to be strong enough for hard use
- Injection molded polymer butt plate and collar are tough enough to take abuse
- Butt plate has a metal, quick-disconnect insert
- Buffer tube is not included
- A2 length includes spacer



RIFLE ACCESSORIES

ADAPTIVE MAGWELL

The Lancer Adaptive Magwell is designed to fit Mil-Spec 5.56 AR style rifles. It is installed by opening the winter trigger guard and attaching the lower half to the trigger, then engaging the lower component to the trigger guard attachment on the rifle. The upper component is then slid on from the front and attached with two allen screws. This will increase the diameter of the magwell, increasing the speed at which the rifle can be reloaded.

PART NUMBER	DESCRIPTION	WEIGHT
LAM-STD	Adaptive Magwell	2.68 oz



FEATURES

- Machined from 6061 T6 aluminum

ONE PIECE ADAPTIVE MAGWELL

Lancer's one piece Adaptive Magwell is a simple, easy-to-install component engineered to significantly reduce reload times for law enforcement officers, soldiers and competitive shooters. With its funnel-like design, the one piece adaptive magwell increases the diameter of the magwell and trigger guard area. The component is designed to fit Mil Spec 5.56 AR style rifles* with winter trigger guards and requires no tools to install.

PART NUMBER	DESCRIPTION	WEIGHT
LAM-QD	Adaptive Magwell - One Piece	2.15 oz

* Not compatible with HK416 and Sig 516 lower receivers.



FEATURES

- Machined from 6061 T6 aluminum





LANCER

2800 Milford Square Pike ■ Quakertown, PA 18951 ■ 610.973.2600
www.lancer-systems.com