



2020 PRODUCT GUIDE





ELEVATING THE ARCHERY EXPERIENCE.

WE BELIEVE IN ARCHERY – THE EFFORT IT REQUIRES, THE SKILL IT DEMANDS, THE PASSION IT IGNITES. IT SERVES AS AN ESCAPE FROM THE RIGORS OF MODERN LIFE AND FULFILLS OUR UNRELENTING QUEST FOR ADVENTURE. THROUGH THE PRODUCTS WE DEVELOP, THE SERVICE WE PROVIDE AND THE STORIES WE TELL, OUR DRIVING FORCE IS TO ENHANCE EVERY ASPECT OF THE ARCHERY EXPERIENCE.

CONTENTS

4

VXR

10

VERTIX / TRAVERSE

11

TX-5 / TACTIC

12

AVAIL / STOKE / SAFARI

14

TRX SERIES / COMPETITION

20

MATHEWS GENUINE

22

SILENT CONNECT SYSTEM

24

QUIVERS

25

ARROW RESTS

26

STABILIZERS / LIMB LEGS

28

GRIPS / VIBRATION DAMPING


30

CUSTOM DAMPING / BOWBUILDER

32

BOW LINE COMPARISON

BETTER THAN OUR BEST.



The extended, six-bridge riser on the **2020 VXR** was designed to cut weight, while adding strength and stability. It holds like a target bow, while maintaining the maneuverability of a compact hunting rig. This new platform increased cam efficiencies and enhanced the effects of 3D damping to create the **most stable, stealthy platform we've ever built.**



Learn more about the driving technologies behind the **VXR** at: mathewsinc.com/vxr

SILENT CONNECT SYSTEM™ COMPATIBLE

A versatile add-on that allows for quick and silent attachment of our new Mathews Genuine bow rope and bow sling.



EXTENDED BRIDGED RISER

This platform cuts weight while maximizing length and rigidity in critical areas.

ENHANCED STABILIZER BUSHING

An enlarged stabilizer bushing increases the stiffness of any attached stabilizer by up to 10%, enhancing accuracy and vibration damping.

3D DAMPING

The new extended position provides added balance at full draw.

CROSSCENTRIC® CAM WITH SWITCHWEIGHT™ MODULES

Proven accurate in the field, this revolutionary cam system allows you to change draw length and peak draw weight in 5 pound increments with the simple change of a mod.

ENGAGE™ GRIP

Designed for consistent hand placement to reduce torque and increase accuracy. Comfortable for all shooters regardless of hand size.



UNDER ARMOUR RIDGE REAPER™

20
NEW
20

VXR[™] 28

IBO RATING

up to 344 FPS

AXLE-TO-AXLE

28"

BRACE HEIGHT

6"

PHYSICAL WEIGHT

4.44 lbs*

LET-OFF

80 or 85%

DRAW WEIGHTS

60, 65, 70, 75 lbs

DRAW LENGTHS

25.5 - 30"

CAM

CROSSCENTRIC

with SWITCHWEIGHT TECHNOLOGY

MSRP

\$1,099

All specifications approximate.

*Physical weights are without Harmonic Damper.

shown in
GREEN AMBUSH
NEW 2020



28" ATA

AVAILABLE FINISHES FOR 28 + 31.5:



NEW GREEN AMBUSH



BLACK



STONE



REALTREE[™] EDGE

20
NEW
20

VXR 31.5

IBO RATING

up to 343 FPS

AXLE-TO-AXLE

31.5"

BRACE HEIGHT

6"

PHYSICAL WEIGHT

4.66 lbs*

LET-OFF

80 or 85%

DRAW WEIGHTS

60, 65, 70, 75 lbs

DRAW LENGTHS

26.5 - 31"

CAM

CROSSCENTRIC

with SWITCHWEIGHT TECHNOLOGY

MSRP

\$1,199

All specifications approximate.

*Physical weights are without Harmonic Damper.

shown in
GREEN AMBUSH
NEW 2020



31.5" ATA



OPTIFADE® ELEVATED II



OPTIFADE SUBALPINE



RIDGE REAPER® BARREN



RIDGE REAPER FOREST

A close-up photograph of a person's hand, wearing a camouflage-patterned sleeve, gently touching the thick, brown fur of a sloth. The person's fingers are visible, and the texture of the sloth's fur is highly detailed. In the upper right corner, a portion of a black GoPro camera is visible, mounted on a strap. The background is blurred, showing more of the sloth's body and the person's leg in similar camouflage gear.

PROVING GROUND

**FIELD TESTED.
GUARANTEED
FOR LIFE.**



4,650+

HOURS OF FIELD TESTING

40

TEAM SHOOTERS

52

TAGS FILLED

—

BY THE TIME YOU SHOOT THE 2020 VXR, WE ALREADY KNOW HOW IT'S GOING TO PERFORM. IT'S BEEN IN THE FIELD FOR MONTHS, BEING PUT THROUGH THE PACES OF HUNTING IN ALL TYPES OF TERRAIN AND WEATHER CONDITIONS. IT'S SHOT THOUSANDS OF ARROWS AND PUNCHED OVER 50 TAGS. WATCH HOW IT ALL UNFOLDED AT [MATHEWSINC.COM](https://www.mathewsinc.com)

VERTIX™

IBO RATING

up to 343 FPS

AXLE-TO-AXLE

30"

BRACE HEIGHT

6"

PHYSICAL WEIGHT

4.67 lbs*

LET-OFF

80 or 85%

DRAW WEIGHTS

60, 65, 70 & 75 lbs

DRAW LENGTHS

26 - 30.5"

CAM

CROSSCENTRIC

WITH SWITCHWEIGHT TECHNOLOGY

MSRP

\$1,099



GORE®
OPTIFADE®
CONCEALMENT

⚡ RIDGE REAPER

The VERTIX is the peak of versatility and performance. Switchweight modules allow you to change peak draw weight in 5 lb. increments. Available in 60, 65, 70 and 75 pound peak weights, each set of mods are programmed for an incredibly smooth draw. While more versatile than ever, silence and efficiency remain king, and the VERTIX delivers an experience that is both unexpected and unforgettable.

FINISH OPTIONS:

Black | Stone | OPTIFADE Elevated II | OPTIFADE Subalpine
RIDGE REAPER Forest | RIDGE REAPER Barren | Realtree EDGE

TRAVERSE™

IBO RATING

up to 338 FPS

AXLE-TO-AXLE

33"

BRACE HEIGHT

6 5/8"

PHYSICAL WEIGHT

4.70 lbs*

LET-OFF

75 or 85%

DRAW WEIGHTS

50, 60 & 70 lbs

DRAW LENGTHS


26.5 - 32.5"

CAM

CROSSCENTRIC

MSRP

\$1,099



GORE®
OPTIFADE®
CONCEALMENT

⚡ RIDGE REAPER

At 33 inches axle-to-axle, the TRAVERSE is built on a highly stable platform and provides draw lengths up to 32 1/2 inches. It's powered by our award-winning Crosscentric Cam technology producing speeds up to 338 fps, while our 3D Damping technology drastically reduces post-shot sound and vibration. The Traverse also features our Engage Grip, which is designed for consistent hand placement to reduce torque and enhance comfort for all shooters regardless of hand size.

FINISH OPTIONS:

Black | Stone | Red | White | Blue | OPTIFADE Elevated II
OPTIFADE Subalpine | RIDGE REAPER Forest | RIDGE REAPER
Barren | Realtree EDGE

TX-5™

IBO RATING

up to 345 FPS @ 29.5"

AXLE-TO-AXLE

28"

BRACE HEIGHT

5"

PHYSICAL WEIGHT

4.58 lbs*

LET-OFF

75 or 85%

DRAW WEIGHTS

50, 60 & 70 lbs

DRAW LENGTHS

23.5 - 29.5"

CAM

CROSSCENTRIC

MSRP

\$1,099



Optimized for high speeds and maximum energy for draw lengths ranging from 23.5 - 29.5". The TX-5 features our award-winning Crosscentric Cam Technology for accurate energy, 3D Damping technology to minimize post shot sound and vibration and our Engage Grip.

FINISH OPTIONS:

Black | Stone | OPTIFADE Elevated II | OPTIFADE Subalpine
RIDGE REAPER Forest | RIDGE REAPER Barren | Realtree EDGE

TACTIC™

IBO RATING

up to 335 FPS

AXLE-TO-AXLE

30 1/2"

BRACE HEIGHT

7"

PHYSICAL WEIGHT

4.24 lbs*

LET-OFF

80%

DRAW WEIGHTS

50, 60 & 70 lbs

DRAW LENGTHS

23 - 30"

CAM

AVS® DYAD™

MSRP

\$849



The Tactic offers outstanding performance for the price. It measures 30.5" ATA with 7" brace and delivers a generous 335 fps. Weighing in at a mere 4.24 pounds this bow is lightweight and ultra maneuverable.

FINISH OPTIONS:

Black | Realtree EDGE

All specifications approximate.
*Physical weights are without Harmonic Damper(s).



AVAIL[®] WOMEN

IBO RATING

up to 320 FPS @ 28"/60 lbs

AXLE-TO-AXLE

30"

BRACE HEIGHT

6"

PHYSICAL WEIGHT

3.96 lbs*

LET-OFF

80%

DRAW WEIGHTS

40, 50 & 60 lbs

DRAW LENGTHS

22 - 28"

CAM

CROSSCENTRIC

MSRP

\$999



GORE[®]
OPTIFADE[®]
CONCEALMENT

RIDGE REAPER

At less than 4 pounds with a 30 inch axle-to-axle and a 6 inch brace height, the AVAIL is compact and provides women truly unmatched performance. Its CROSSCENTRIC cam and AVS technology produce a smooth draw and consistent accuracy while delivering massive downrange energy.

FINISH OPTIONS:

Black | Stone | Lost Camo[®] XD | OPTIFADE Elevated II
OPTIFADE Subalpine | RIDGE REAPER Forest
RIDGE REAPER Barren

STOKE®

YOUTH



IBO RATING

up to **314 FPS @ 27"/60 lbs**

AXLE-TO-AXLE

27 1/4"

BRACE HEIGHT

5 5/8"

PHYSICAL WEIGHT

3.78 lbs*

LET-OFF

80%

DRAW WEIGHTS

40, 50 & 60 lbs

DRAW LENGTHS

21 - 27"

CAM

CROSSCENTRIC

MSRP

\$999

The STOKE is the most advanced youth bow ever created. This compact and lightweight bow offers young archers high performance and top-of-the-line craftsmanship.

FINISH OPTIONS:

Black | Stone | Yellow | Lost Camo XD

SAFARI™



IBO RATING

up to **350 FPS @ 85 lbs**
(with 425g arrow)

AXLE-TO-AXLE

33"

BRACE HEIGHT

6"

PHYSICAL WEIGHT

4.8 lbs

LET-OFF

65 & 80%

DRAW WEIGHTS

70 & 85 lbs

DRAW LENGTHS

25.5 - 31"

CAM

MONSTER® AVS®

MSRP

\$2,100

HONEYCOMB CORE
TECHNOLOGY™

The Honey Comb Core design on the Monster SAFARI was inspired by the hexagonal honeycomb design used in the aerospace industry, due to its high strength-to-weight ratios. Additional features include the powerful AVS cam system, an integral grip and exotic African wood inlays.

FINISH OPTIONS:

Black

All specifications approximate.
*Physical weights are without Harmonic Damper(s).

TEAM MATHEWS 2019 SEASON RECAP

15

ASA TOURNAMENT WINS
NEXT CLOSEST COMPETITOR: 3

IBO TOURNAMENT WINS
NEXT CLOSEST COMPETITOR: 2

9

ASA MEN'S SHOOTER OF THE YEAR
DAN MCCARTHY

ASA WOMEN'S SHOOTER OF THE YEAR
CARA KELLY

ASA MEN'S KNOWN PRO
ROBERT HOUSEHOLDER

ASA ROOKIE OF THE YEAR
CHRIS HAMMOND

IBO MEN'S NATIONAL TRIPLE CROWN
LEVI MORGAN

IBO WOMEN'S NATIONAL TRIPLE CROWN
ERIN McGLADDERY

#1 MEN'S WORLD ARCHERY RANKING
BRADEN GILLENTHIEN



trx[®] SERIES

COMPOUND ARCHERY'S MOST DOMINANT
BOW LINE - REIMAGINED. NOW WITH
OPTIONS IN 36, 38 AND 40 INCH ATA,
THE TRX SERIES IS ENGINEERED FOR
SUPERIOR STABILITY AND FORGIVENESS
ON THE RANGE.

trx

SERIES

KEY 2020 TECHNOLOGIES

CROSSCENTRIC® CAM SYSTEM

High-efficiency cam system that delivers accurate energy with an incredibly smooth draw.

AVS® BEARINGS

Our new ultra strong bearings result in a more stable cam system, which increases accuracy and consistency for the shooter.

BRIDGED RISER

The wider riser adds rigidity through the sight and rest mounting locations, while added cut-outs minimize weight.

TRUE CENTER NOCKING POINT

A true center nocking point ensures straight and level nock travel, further enhancing shot-to-shot accuracy.

STABILIZER BUSHING

New enlarged diameter stabilizer bushing increases stiffness of shooters' stabilizer set up, enhancing accuracy.

3D DAMPING

Reduces post shot vibrations around all 3 axes stemming from the grip and improves balance.

20
NEW
20

36

IBO RATING

up to 334 FPS @ 80%

330 FPS @ 70V

AXLE-TO-AXLE

36"

BRACE HEIGHT

6.5"

PHYSICAL WEIGHT

4.66 lbs*

LET-OFF

70V or 80%

DRAW WEIGHTS

50, 60 & 70 lbs

DRAW LENGTHS

24 - 30.5"

CAM

C3X

MSRP

\$1,849



AVAILABLE TRX SERIES FINISHES:



38



IBO RATING

up to 328 FPS

AXLE-TO-AXLE

38"

BRACE HEIGHT

7.5"

PHYSICAL WEIGHT

4.86 lbs**

LET-OFF

70, 70V or 80%

DRAW WEIGHTS

50, 60 & 70 lbs

DRAW LENGTHS

23.5 - 30"

CAM

CROSSCENTRIC

MSRP

\$1,799

20
NEW
20

40



IBO RATING

up to 329 FPS @ 80%

325 FPS @ 70V

AXLE-TO-AXLE

40"

BRACE HEIGHT

7"

PHYSICAL WEIGHT

4.93 lbs*

LET-OFF

70V or 80%

DRAW WEIGHTS

50, 60 & 70 lbs

DRAW LENGTHS

25.5 - 32"

CAM

C3X

MSRP

\$1,849



All specifications approximate.
*Physical weights are without Enhanced Harmonic Stabilizers.
**Physical weight is without Harmonic Damper.

DECADE OF DOMINANCE



TEAM MATHEWS HAS POSTED MORE ASA AND IBO TOURNAMENT WINS AND TITLES THAN ANY OTHER TEAM, PROVING THE DOMINANT ACCURACY OF OUR BOWS AND OUR SHOOTERS' UNRELENTING COMMITMENT TO EXCELLENCE.



BETTER TOGETHER.

Mathews Genuine Accessories are designed to enhance the performance of your Mathews bow. Complete your set up today at mathewsinc.com/gear/accessories.



20
NEW
20

**SILENT
CONNECT
SYSTEM**

Pg 22

Q-LITE 2 PIECE QUIVER

Pg 24

**CUSTOM COLORED
BOWSTRINGS & CABLES**

Pg 30

**QAD ULTRA REST
INTEGRATE MX**

Pg 25

**ENGAGE
SIDE PLATES**

Pg 28

FLATLINE STABILIZER


Pg 26

ADJUSTABLE V-BAR

Pg 26

**CUSTOM DAMPING
ACCESSORIES**

Pgs 29/30



**THE SILENT CONNECT SYSTEM ALLOWS YOU TO
ATTACH THE MATHEWS GENUINE BOW ROPE OR
SLING QUICKLY AND SILENTLY IN THE FIELD.**

SCS™ KIT



The Silent Connect System (SCS) allows you to attach the Mathews Genuine Bow Rope or Sling quickly and silently in the field. The complete SCS Kit comes with 4 mounting screws, top & bottom SCS brackets and 1 - 30' SCS 550 lb. Paracord Bow Rope.

SCS BOW ROPE



Mathews Genuine Bow Ropes are designed to be attached quickly and quietly to Mathews exclusive Silent Connect System (SCS). Each Bow Rope is 30 ft. in length and made of 550 lb. Paracord. Available in packages of 3.

SCS BOW SLING



Made specifically for use with the Silent Connect System, this Bow Sling is designed with premium materials and allows for quick and silent installation. The SCS Bow Sling features Nylon loops for quick and silent attachment/removal, compact and comfortable pad, non-slip honeycomb grip, shoulder pad, quick length adjustment webbing and velcro and elastic web keepers.



Q-LITE™ QUIVER



Weighing a mere 7 oz, the Q-Lite is one of the lightest quivers on the market. Ultra-stiff carbon fiber rods and precision machine mounting brackets ensure a secure hold while cutting down weight. Left-handed and right-handed specific.

AVAILABLE QUIVER HOOD FINISHES:



AVAILABLE QUIVER INSERT COLORS:



ARROWWEB® HD-SERIES QUIVER



With added Harmonic Damping in both the newly designed body and the HD Spider Claw,* this quiver reduces sound intensity by 55%. It easily converts to right or left-handed mounts and adjusts vertically to accommodate longer arrows.

HD-SPIDER CLAW ASSEMBLY



The Spider Claw Quiver Mount features an integrated Harmonic Damper* that reduces sound and vibration by up to 55%.

AVAILABLE DAMPER COLORS:



QAD® ULTRA REST INTEGRATE MX™



Mathews teamed up with Quality Archery Design (QAD) to introduce the all-new UltraRest Integrate MX. This compact, micro-adjust rest was designed specifically for Mathews bows with a dovetail mounting system for quick and easy setup while providing a secure hold. The streamline housing allows for precision tuning with 1.9 thousandths of an inch adjustment per click, both horizontally and vertically.

QAD ULTRA REST



With total fletching clearance, full arrow containment and Mathews Harmonic Damping to remove excess vibration and noise, the Mathews Ultra-Rest provides the highest level of performance on the market.

AVAILABLE IN:



FLATLINE™ STABILIZER



The Flatline Stabilizer features our exclusive dampening technology in a new EHS Nano configuration for added vibration dampening and enhanced stabilization. Precision machined end cap weights ensure ultimate rigidity, while allowing you to control the amount of added weight.

AVAILABLE FINISHES:



AVAILABLE DAMPER COLORS:



ADJUSTABLE V-BAR



Fully adjustable single sided V-bar with lasered indicator lines and stainless steel hardware. Includes integrated quick disconnect for rear stabilizer.



STATIC SIDEBAR MOUNT



Designed to fit seamlessly on Mathews bows, the Static Sidebar Mount enables the addition of a rear stabilizer for added stability and balance.

AVAILABLE DAMPER COLORS:



1 OZ WEIGHTS



Customize the balance of your hunting or target bow with these 1 oz stainless steel end weights. Compatible with the Mathews Flatline Stabilizer and other 5/16"-24 threads.

LIMB LEGS™



This simple, silent and lightweight bow stand is an efficient way to stand your bow up on the range or in the field. Designed for Mathews wide limb platforms. Go to mathewsinc.com for details on bow compatibility.

ENGAGE™ LIMB LEGS



Simple, silent and easy to use, the new Engage Limb Legs balance the bow without the cam or stabilizer needing to touch the ground. They can also remain on the bow while shooting. Designed for Mathews wide limb platforms. Go to mathewsinc.com for details on bow compatibility.

ENGAGE™ GRIP



The Engage Grip is designed for consistent hand placement, reducing torque. Comfortable for all shooters regardless of hand size. The Engage grip is available with a walnut inlay or a carbon fiber inlay.

Fits all 2019 & 2020 bow models with the exception of the Tactic.



ENGAGE SIDE PLATES



The Mathews Genuine Side Plates are a minimalistic option to create a slim profile on the versatile Engage grip interface.



EHS™



Designed for bows with 3D damping technology, the Enhanced Harmonic Stabilizer (EHS) diminishes all three paths of residual vibration. This standard EHS is made of aluminum for lightweight stabilization.



EHS+



Designed for bows with 3D damping technology, the Enhanced Harmonic Stabilizer + (EHS+) diminishes all three paths of residual vibration. The EHS+ is made of brass which provides slightly more weight to the bottom end of the riser and allows the shooter to adjust the balance of their bow.

EHS NANO



The EHS nano is designed to enhance balance and dampen residual vibration in our Mathews Genuine Flatline Stabilizers.

AVAILABLE DAMPER COLORS FOR ALL:





CUSTOM DAMPING



Custom Damping Accessories allow you to accent your bow with your favorite team colors or create a signature look. They are available for Harmonic Dampers, Mini Harmonic Dampers and Nano Harmonic Dampers and can be added to most Mathews bows and quivers. See color options below, and contact your local authorized retailer or start your custom build.

AVAILABLE COLORS:



MONKEY TAILS®



The do-it-yourself string and cable damping system. No bow press needed and installs in seconds. Four Monkey Tails equates to a minimal speed loss of 1-2 fps total with virtually all string and cable sound and vibration eliminated.

AVAILABLE COLORS:



ZEBRA® BOWSTRINGS & CABLES



Zebra Trophy® utilizes a proprietary blend of BCY® 452X material designed and manufactured to create a top of the line, hassle free bowstring and cable that can be customized to fit any one cam, two-cam, crossbow, or traditional bow you may have. Pre-conditioned to guarantee no serving separation and tested to achieve the highest level of consistency and accuracy.

Made in the U.S.A. and available in nearly 40 colors for virtually every bow make and model.



—
MAKE IT YOURS.

Customize your dream rig exclusively at:

bowbuilder.com

2020 BOW LINE COMPARISON



		VXR™ 28	VXR 31.5	VERTIX™	TRAVERSE™	TX-5™	AVAIL®	STOKE®
IBO Rate (up to)		344	343 @ 80%	343	338	345	320 @ 28/60	314 @ 27/60
Let-Off %		80%, 85%	80%, 85%	80%, 85%	75%, 85%	75%, 85%	80%	80%
Axle-to-Axle		28"	31 1/2"	30"	33"	28"	30"	27 1/4"
Brace Height		6"	6"	6"	6 5/8"	5"	6"	5 5/8"
Finish	Riser	Realtree Edge Black, Stone Green Ambush Barren, Forest Subalpine, Elevated II	Realtree Edge Black, Stone Green Ambush Barren, Forest Subalpine, Elevated II	Realtree Edge Black, Stone Barren, Forest Subalpine Elevated II	Realtree Edge Black, Stone Red, White, Blue Barren, Forest Subalpine, Elevated II	Realtree Edge Black, Stone Barren, Forest Subalpine Elevated II	Lost Camo XD Black, Stone Barren, Forest Subalpine Elevated II	Lost Camo XD Black Stone Yellow
	Limbs	Realtree Edge Black, Stone Green Ambush Barren, Forest Subalpine, Elevated II	Realtree Edge Black, Stone Green Ambush Barren, Forest Subalpine, Elevated II	Realtree Edge Black, Stone Barren, Forest Subalpine Elevated II	Realtree Edge Black, Stone Red, White, Blue Barren, Forest Subalpine, Elevated II	Realtree Edge Black, Stone Barren, Forest Subalpine Elevated II	Lost Camo XD Black, Stone Barren, Forest Subalpine Elevated II	Lost Camo XD Black Stone
Peak Draw Weights		60, 65, 70, 75 lbs.	60, 65, 70, 75 lbs.	60, 65, 70, 75 lbs.	50, 60, 70 lbs.	50, 60, 70 lbs.	40, 50, 60 lbs.	40, 50, 60 lbs.
Draw Lengths		26 - 30"	27 - 31"	26 - 30"	27 - 32"	24 - 29"	22 - 28"	21 - 27"
Draw Length Half Sizes		25.5 - 29.5"	26.5 - 30.5"	26.5 - 30.5"	26.5 - 32.5"	23.5 - 29.5"	22.5 - 27.5"	21.5 - 26.5"
Bow Weight*		4.44 lbs.	4.66 lbs.	4.67 lbs.	4.7 lbs.	4.58 lbs.	3.96 lbs.	3.78 lbs.
Bowstring Length		59 1/2"	63 1/8"	61 5/8"	64 5/8"	59 3/4"	55"	52 3/8"
Cable Length(s)		27" (x2) 12 1/2" (x2)	30 5/8" (x2) 12 1/2" (x2)	29 1/8" (x2) 12 1/2" (x2)	30 7/8" (x2) 13" (x2)	25 3/4" (x2) 13" (x2)	35 5/8" (x2)	32 7/8" (x2)
MSRP		\$1,099	\$1,199	\$1,099	\$1,099	\$1,099	\$999	\$999

FINISHES AVAILABLE:



LOST CAMO® XD



REALTREE EDGE™



OPTIFADE® SUBALPINE



OPTIFADE ELEVATED II



RIDGE REAPER® BARREN



RIDGE REAPER FOREST



BLACK



STONE



WHITE



YELLOW



RED



BLUE



GREEN AMBUSH
NEW 2020



		TACTIC™	TRX® 36	TRX 38	TRX 40	SAFARI™
IBO Rate (up to)		335	334 @ 80%	328	329 @ 80%	350 w/425 gr.
Let-Off %		80%	70V, 80%	70%, 70V, 80%	70V, 80%	65%, 80%
Axle-to-Axle		30 1/2"	36"	38"	40"	33"
Brace Height		7"	6 1/2"	7 1/2"	7"	6"
Finish	Riser	Realtree Edge Black	Black Blue Red Stone White	Black Blue Red Stone White	Black Blue Red Stone White	Black
	Limbs	Realtree Edge Black	Black White	Black White	Black White	Black
Peak Draw Weights		50, 60, 70 lbs.	50, 60, 70 lbs.	50, 60, 70 lbs.	50, 60, 70 lbs.	70, 85 lbs.
Draw Lengths		23 - 30"	24 - 30"	23 - 30"	26 - 32"	26 - 31"
Draw Length Half Sizes		23.5 - 29.5"	24.5 - 30.5"	23.5 - 29.5"	25.5 - 31.5"	25.5" - 30.5"
Bow Weight*		4.24 lbs.	4.66 lbs.	4.86 lbs.	4.93 lbs.	4.8 lbs.
Bowstring Length		60 3/4"	62 5/8"	62 5/8"	66 5/8"	62 3/4"
Cable Length(s)		28 1/8" (x2) 12" (x2)	42 7/8" (2)	44" (2)	46 7/8" (2)	30 3/8" (x2) 12" (x2)
MSRP		\$849	\$1,849	\$1,799	\$1,849	\$2,100

All specifications approximate. *Physical weights are without Harmonic Dampers and/or Enhanced Harmonic Stabilizers.





GET CONNECTED

**SIGN UP TO GET PRODUCT
INFORMATION, STORIES
FROM THE FIELD, AND
EXCLUSIVE OFFERS AT
[MATHEWSINC.COM](https://mathewsinc.com)**



ELEVATING THE ARCHERY EXPERIENCE

MATHEWS ARCHERY INC.

919 River Road | Sparta, WI 54656 | (608) 269-2728