




2007

Launched the first Modular Gear Set in the market that shorted the time to install a gearbox from half an hour to sub-1 minute.





### The right gun makes a player a sharpshooter



#### WATCH PARTS MAKER WOWS AIRSOFT GUN INDUSTRY

Some 60 years ago Mr. Sun, a tinkerer, made the first watch hand in Taiwan to be labeled a pioneer in his days. With the technology passed through the third generation, Modify uses watchmaking expertise to develop high-end airsoft guns and parts to have started its era as the top-gun in the field.

#### MAKER KNOWN FOR BOUTIQUE-GRADE PARTS

Obsessed with making precision parts and able to turn sketch on paper into metallic products, we're obsessed, detail-minded technicians who demand at least stable quality.

Modify adopts watchmaking know-how to design airsoft guns and upgraded parts, which have become precision must-haves among players.



#### **WIDELY REPUTED NO. 1**

Known for expertise, Modify embodies the technician to turnout airsoft guns and parts that are user-friendly with high firing accuracy to impress many players and gunsmiths. A leading Japanese gunsmith, after trying the Modify XTC-G1 AEG, could not stop praising the gun and offered to be promoter for free. And a renowned, foreign airsoft sniper, after analyzing the MOD24 bolt-action rifle, was totally awe-struck by its design to have become a loyal user.

#### Specialist media praise Modify's hottest airsoft guns

Overseas media: Taiwan's watch-parts maker builds realistic, accurate airsoft guns! Modify's enterprising spirit achieves awesome success. Modular Gear Set revolutionizes installation time for AEG upgrade. MOD24 Sniper Rifle with pioneering LED magazine has steady BB trajectory for super accuracy. XTC launches 45-degree quick-throw Ambi-Safety selector for instant setting and slick operation.

With watchmaking the ultimate form of mechanical engineering, Modify crossed over from watch-parts making to airsoft guns to have become an enviable upstart in airsoft games. As a seasoned technician, Modify continues to help build Taiwan into an airsoft capital, while standing behind the made-in-Taiwan quality guarantee.



2008

Introduced the Quantum Gear Set to double AEG rate of fire from 15 RPS to 30-plus rounds with a standard motor and 8.4v battery.

2010

Successfully showcased the 3-Jaw Universal Vise at the Africa Aerospace & Defense Expo. 2015

Successfully showcased the XTC-G1 at the IWA OutdoorClassics Nuremberg.



2009

The first in Taiwan to introduce a patented recoil system Tremors for AEGs.

2013

Introduced the industry's first upgrades MOD24 airsoft sniper rifle.

#### OEM/ODM SERVICE



We make parts from your 2D drawings or 3D models by CNC machining, molding, casting, plastic/metal injection, magnesium/zinc/aluminum forging, powder metallurgy and 3D printing.

#### A FULLY TRUSTWORTHY PARTNER

We know exactly what you demand, which is parts made right the first time, delivered on-time at reasonable price. Always keeping your interest at heart, we suggest ways to lower cost. Modify stands behind its word to always offer excellent value as the best service.





#### EXPERTISE WITH GUARANTEED QUALITY

Modify continues to improve its production capability to satisfy customer needs. Besides offering toy parts, watch parts, precision mechanical parts and tools, photoelectric & fiber optics part etc., we provide free advice. Able to offer samples as requested, we are backed by experienced engineers to speed new product development.

## Xtreme Tactical Carbine SELIES



Automatic Electric Airsoft Gun

Aerodynamic features life-like detailing beyond comparison. OE caliber with upgraded quality to dominate the field.



3-Point Fixed Ring and Double Nuts



45° Ambi-Safety Selector



**Functional Folding Sights** 

Standard 1913 Picatinny rail



⊚ 6-position Adjustable Crane Stock

**®** Quick Change Spring and FPS Adjustable



Captured Lower Receiver Pin

Redesigned functional bolt catch

- - ® Redesigned Easy Dial Adjustment Hop Up System
  - ⊚ 6.1 mm Extreme Straight Precision Inner Barrel



**Enhanced Polymer** 190rds Mid-Cap Magazine

- **®** Billet Style Upper and Lower Receiver
- **™** Front magazine serration for better grip
- Flared magazine well for faster reloading
- Built-in Enhanced Trigger Guard

- **™ CNC machined 14.5"Outer Barrel**
- **™** T6065 H Grade Aluminum Rail KeyMod Handguard

**CNC machined Steel** Flash Suppressor

# PECIFICATIO

Model	XTC-G1	XTC CQB	XTC PDW
Major Color	BLK	BLK	BLK
Inner Barrel Caliber	6.1 mm	6.1 mm	6.1 mm
Weight	2.9 KG	2.3 KG	2.1 KG
Overall	804 mm / 889 mm (when stock is extended)	678 mm / 763 mm (when stock is extended)	565 mm / 640 mm (when stock is extended)
Inner Barrel Length	363 mm	257 mm	185 mm
Pellet	6 mm BB	6mm BB	6 mm BB
Capacity	190 rds	190 rds	190 rds
Muzzle Velocity	Step 1: 278 FPS / Step 2: 315 FPS Step 1: 360 FPS / Step 2: 394 FPS	Step 1: 238 FPS / Step 2: 270 FPS Step 1: 337 FPS / Step 2: 370 FPS	Step 1: 238 FPS / Step 2: 270 FPS Step 1: 337 FPS / Step 2: 370 FPS
Action/ Shooting Mode	Full Auto, Semi Auto and Safety 45° Ambi-Safety Selector	Full Auto, Semi Auto and Safety 45° Ambi-Safety Selector	Full Auto, Semi Auto and Safety 45° Ambi-Safety Selector

Enhanced Upgrade Gearbox Parts

- © CNC machined Steel Gear Set © Aircraft Aluminum Piston Head, Cylinder, Cylinder Head

**Dominate the Field** 

**Upgraded Heart** 

Tough steel cylinder and enhanced metal internal parts for strength



For those who can accept nothing less than perfection, there is no other choiceThe Modify-Tech Airsoft Sniper Rifle MOD24 is built for shot-to-shot consistency and reliability of accuracy.



#### Removable 1913 Picatinny Top Rail


Raised, extended top rail for mounting sighting systems



**Newly-Designed Adjustable Accurate Hop Up System** 



**Extremely Straight** 6.08mm Precision **Inner Barrel** 



#### **Exactingly Built Outer Barrel**

It fits the receiver perfectly

**Modular LED** 

**Illuminated Magazine** for Tracer BBs with



**Ergonomic** Pad Design



**Enlarged** 

**Trigger Guard** 

**Wider Textured Adjustable Steel Trigger** 

It's trigger pull adjustable and trigger travel adjustable



Model	MOD24	MOD24 USR150	MOD24 Bull Barrel	MOD24 USR150 Bull Barrel	
Major Color	BLK/ O.D./ TAN	BLK/ O.D./ TAN	BLK/ O.D./ TAN	BLK/ O.D./ TAN	
Inner Barrel Caliber	6.08 mm	6.08 mm	6.08 mm	6.08 mm	
Weight	2.9 KG	2.9 KG	2.9 KG	2.9 KG	
Overall	1,100mm (when stock adjusted to the minmum length)	1,100mm (when stock adjusted to the minmum length)	1,100mm (when stock adjusted to the minmum length)	1,100mm (when stock adjusted to the minmum length	
Inner Barrel Length	485 mm	485 mm	485 mm	485 mm	
Pellet	6 mm BB	6mm BB	6 mm BB	6 mm BB	
Capacity	30 rds	30 rds	30 rds	30 rds	
Muzzle Velocity	426 / 315 FPS	492 FPS	426 / 315 FPS	492 FPS	
Action / Shooting Mode	Bolt Action / Adjustable Trigger System	Bolt Action / Adjustable Trigger System	Bolt Action / Adjustable Trigger System	Bolt Action / Adjustable Trigger System	

## **MOD24 Upgrade Parts**

- **®** Barrel Spacer for MOD24
- ๖ MOD24 Barrel Extension Adapter
- © CNC machined Aluminum Pressure Plate
- Reinforced Spring Guide Stopper for MOD24
- ๖ Stainless Spring Guide w/ Bearing for APS-2 Series (9mm)



**Dominate the Field** 

# Airsoft Upgrade Parts

**New Products** 

## AOE Cylinder Head & Piston (w/10 Metal Teeth)



- © CNC machined aluminum AOE cylinder head
- ₱ 10-wear resisting steel teeth AOE piston
- Dengthened cylinder head for correctly setting AOE in most AEGs



The exacting AOE cylinder head is designed to increase piston durability by correcting angle of engagement (AOE).





#### Shown after 6,000 shots.

The AOE Piston lasts significantly longer when mated with the AOE Cylinder Head (Hulk green), helping to make your AEG much more reliable.

The AOE Cylinder Head & Piston work independently and together to form a functioning Angle of Engagement.



The AOE Cylinder Head works with a piston whose 2nd tooth is removed.



# Stainless Steel 6.03mm Precision Inner Barrel for Gas Blowback Pistol / GBB

- © CNC machined 304 Stainless steel
- © Extremely Straight with High Rigidity and Accuracy

	-	
66305101	74 mm	for MARUI G26/KJ G27 Gas Blowback Pistol
66305102	85 mm	for KJW G19/G23 Gas Blowback Pistol
66305103	91 mm	for Marui M&P9/ PX4 Gas Blowback Pistol
66305104	97 mm	for Marui G17/G18C/P226/Hi-Capa 4.3 Gas Blowback Pistol
66305105	100 mm	for Marui XDM/FN57 Gas Blowback Pistol
66305106	100 mm	for Marui HK45 Gas Blowback Pistol
66305107	113 mm	for Marui Hi-Capa 5.1/MEU/M1911 Gas Blowback Pistol
66305108	115 mm	for Marui M9A1 Gas Blowback Pistol
66305109	133 mm	for Marui SOCOM Mk23 Gas Blowback Pistol
66305110	136 mm	for Marui Desert Eagle .50E Gas Blowback Pistol
66305111	138 mm	for Marui Hi-Capa 5.1-6 inch Gas Blowback Pistol
66305112	146 mm	for Marui MP7A1 GBB



## MPI 22T Torque Motor - Long Shaft (Neodymium Magnets)

#### Low-speed, high-torque Motor

- Neodymium magnets design ensures consistency, high performance
- Minimum Power Intake design extends durability
- Torque type motor designed for high tension spring
- Steel motor pinion gear





No load and rated voltage test by 8.4V DC and 11.1V DC

8.4V	11.1V
18500 rpm	25000 rpm
<=2.4A	<=2.8A


# Airsuft ade Parts

**Feature** 

## **modular Gear Set**

#### **Bushing Type**

- ७ Torque 22.2:1
- **™** Torque 21.6:1





#### SMOOTH Modular Gear Sel

#### **Bearing Type**

- ७ Torque 22.2:1







Hybrid 6.03 / 6.01 mm

1st Class Stainless Steel & Aircraft Aluminum Alloy

Comes with 2-Ring Hop Up Bucking and O-rings

HP-03-01/31	141 mm	for MP5K-PDW
HP-03-02/32	229 mm	for MP5
HP-03-03/33	247 mm	for CAR15, P90, G36C, SIG552
HP-03-04/34	285 mm	for M4 CQB-R, MC51
HP-03-05/35	300 mm	for Next Generation G36K, M1A1, M733, MC51+
HP-03-06/36	363 mm	for M4A1 New & Old Types/R.I.S./SR16, XMXM177E2, SIG551)
HP-03-07/37	407 mm	for M4A1/R.I.S/SR16, SIG551 (ALL+)
HP-03-09/39	455 mm	for AK47/AK47S
HP-03-10/40	469 mm	for G3-A3/A4/SG1
HP-03-11/41	500 mm	for TM M14
HP-03-12/42	509 mm	for M16A1/ A2/ VN, AUG, M249
HP-03-13/43	550 mm	for M16A1/ A2/ VN, AUG (ALL+)
HP-03-14/44	590 mm	for PSG-1
HP-03-15/45	650 mm	for PSG-1+
HP-03-18	315 mm	

#### **Quantum Gear Set**

" Twin-Sector " design allows double-cycle two-shots per sector gear cycle.



## **Tremors 2 Recoil System**

#### For M4 Carbine Upgrades

- The separate hammer and hammer guide make recoil impact more realistic.
- ® Recommended for 22 BPS and under.
- The hole for the stock screw on the gearbox needs to be bigger to allow installation of new parts.







## **Complete Upgrade Gearbox**

#### for ver.2 / ver.3

High performance complete gearbox with all Modify upgrade internal parts and rear/ front wiring.



### **8mm Ceramic Ball Bearings**

Revolutionary design for improved effectiveness and durability.



## Safety Anti-Reversal Latch


More than an Anti-Reversal Part



## **AEG Wellock Bracer for Ver. 2 Gearbox**

#### **Fixed-Angle Design**

- Unilateral brace-post design for effective support without loosening
- Surface against gearbox has U-channel for enhanced stability and closer contact
- Special external design to offer extra room for wiring to minimize interference



# Airsoft Upgrade Parts

**Best-seller** 

## **Hop Up Bucking**



Accurate Hop Up Bucking for VSR-10, TM Hi-CAPA, M1911A1, SIG P226, SOCOM MK23, GLOCK 26 Series

High-grade Aircraft Rubber



Flat Hop Up Bucking for 0.25g or above heavy BBs

BATON RYUSKU Hop Up Bucking Set



Flat Hop Up Bucking - Soft Type for 0.2g BBs

BATON RYUSKU Hop Up Bucking Set



### **Hop Up Chamber**



Accurate Metal Hop Up Chamber for M16 / M4 Series

Gears for better accuracy and easier operation



## Accurate Metal Hop Up Chamber for AK47 / AK47S Series


Redesigned Pressure Plate makes accurate adjustment easier



## **DMND Cylinder**



Gap design to avoid BB feeding problem





## TokyoMarui A.E.G. Irregular-Pitch Spring

#### **TEST REPORT**

by Rookie Sun, Modify Co. © 2006

These MODIFY parts were tested on a Tokyo Marui M4A1 using the following equipment, upgrades and conditions:

BB: TM 0.2g

Piston: Modify Polycarbonate Piston

Piston Head : Modify red Aluminum Piston Head w/ Bearing

Cylinder Head : Modify v2 Stainless Cylinder Head

Nozzel: Modify GB-08-11
Spring Guide: Modify v2 w/ Bearing

Bush: Modify Stainless Bush (double oil reservoir)

Battary: Sanyo SCE 9.6v 1800mAh
Chronograph: Shooting Chrony SPEEDER-2000

Shooting Times: 20 Average Temperature: 20°C

All springs tested were in brand new condition first and then re-tested after shooting 30,000 pcs of BBs. Your results will vary from these published results. Different upgrades will provide different results. The data contained in this chart should only be used as a reference.

Velocity (fps)

Modify	ave. Velocity (fps) (springs tested were in brand new condition)	ave. Velocity (fps) (springs tested after shooting 30000 pcs of BBs)		
S100+	369.49	369.00		
S110+	410.82	405.90		
S120+	444.41	443.75		
S130+	469.86	466.74		
S140+	518.52	540.21		
S150+	542.09	540.21		

#### **Ultra Plug (T-Shape Connector) new**

**Gold-plated T-shape Connector** 



## **Piston**

#### **High Power / High Speed Ultra Piston**

For high power application, with 7 Metal Teeth



#### **Quantum Piston**

Titanium Coating Full Metal Teeth



#### **High Speed / High Power Ultra Piston**

For high speed application, with 7 Metal Teeth



## **Motor Connector Plug Set**

Fast, easy replacement for worn out motor wire plugs



# Selected Products

upgrade Parts for AEGS

Please visit our website to get more information about the airsoft upgrade parts.





## **Bore-Up Cylinder Head Cylinder Head**





**Assemble with Modify** Silver-Plated Cord

**™**Ultra Plug



## **Bore-Up Piston Head Piston Head**





Bushings



Bore-Up Nozzel Nozzel



Bearings



## Switch Assembly Set



Shims













**Recoil Spring Guide** 



Enhanced Firing Pin







Stainless Steel **Spring Guide** 



Cylinder Head

# Accessories

## Magazines for M16/M4 AEGS




## oil Series

		AEG/ GBB	AEG/ GBB .	
GB-11-01	Pure Silicone Oil 50cps. (60ml)	50 <sub>0</sub> ,	1000	Medify George
GB-11-02	Pure Silicone Oil 1000cps. (60ml)	Anny or some	Telly .	(S)
GB-11-11	Synthetic Lubricant with PTFE (20cc)			
GB-11-12	Synthetic Lubricant with PTFE (3cc)			
GB-11-13	Synthetic Lubricant with PTFE - Gear	Grease (	20ml)	
GB-11-14	White Gear Grease			

BBS / Bio BBS









Dealar

A NO.21, Ln.384, Yongfeng Rd. Bade Dist, Taoyuan City 33466, Taiwan