



LEUPOLD

WY000371

ARMY



COLLECTIVE  
JAN 2020 | Issue 002





BACKCOUNTRY

ACCUMARK

CARBONMARK

WEATHERMARK

CAMILLA

DELUXE

SEE ALL AT  
[WEATHERBY.COM](http://WEATHERBY.COM)

MARK V



## AT THE FOREFRONT OF INNOVATION

Written by Adam Weatherby

*I love backcountry hunting. I enjoy the challenge, the solitude and the reward that comes with hiking into remote areas in pursuit of game. That is why there are some products that are fun to develop and then some that I get personally excited and passionate about. The Mark V Backcountry Ti and 6.5 WBY RPM projects came out of that passion.*

We set out with a goal to design and produce the "lightest" and "fastest" rifle available at a production price. There are light rifles out there and there are fast rifles out there. The goal with this project was to achieve both of these things without compromising the other. I wanted hunters to have confidence that their lightweight rifle could perform and endure no matter the conditions.

We started with the Mark V 6 lug action, which is honestly one of our best kept secrets. With the receiver machined from Titanium, the Backcountry Ti boasts a new carbon fiber stock, patent pending 3D Hex Recoil Reducer, new muzzle brake and a slim fluted barrel. Achieving this 4.9 pound rifle was just the first step. The team then developed a new cartridge that would not only fit in that great little action, but maximize the performance of it. Cartridge development has always been one of our strengths. When we started into the RPM (Rebated Precision Magnum) project it began with no rules or strings attached. The goal was simple and the result was Weatherby's first ever "non rounded shoulder" rebated rim cartridge. When paired with the Backcountry Ti, this cartridge is capable of delivering 2,000 ft lbs of energy at 400 yards out of a sub 5 pound rifle at a production price, the results of which are truly unmatched.

I had the privilege of testing this new lightweight package on a backcountry bear hunt in a Montana wilderness area prior to its launch. Covering 35 miles in 4 days on foot brought about a great first field experience for this new rifle. From



steep and rocky climbs to hiking across snowy peaks, the Mark V Backcountry Ti in 6.5 WBY RPM not only held up to the elements, but also performed well on a spring black bear I shot at 420 yards. Like my father and grandfather before me, I had the opportunity to validate a product and cartridge in the field before its official launch.

When we made our move to Wyoming many people were waiting and watching to see what our new team would do in our new facility. I am proud to say that it didn't take long. The innovation found in the above mentioned rifle and cartridge combination is just one great example of the many new things to come from our multi-generation family business in the years to come. Be sure

to check our website from time to time as we are working on many more exciting things that will be launched down the road.

In closing, if you find yourself in Northern Wyoming please drop by and see our showroom and Visitor Center. We are proud to be a part of the Sheridan, WY community and would love for you to see it first hand.

Good shooting,

A handwritten signature in black ink, appearing to read "Adam Weatherby".

Adam Weatherby  
CEO, Weatherby Inc







BACKCOUNTRY



BACKCOUNTRY TI



**BACKCOUNTRY**

\$2499


This rifle provides the craftsmanship and quality expected from a Mark V rifle only surpassed by the stunning color combination and true rugged dependability that embodies its name, Backcountry. Developed in conjunction with the Backcountry Ti, this model carries many of the same innovative technologies including a carbon fiber stock, 3D HEX recoil reducer, TriggerTech Trigger, and Accubrake ST. Implementing the new 6.5 WBY RPM, the Backcountry weighs in at a mere 5.3 pounds built on a 6-Lug receiver. Carry the Mark V® Backcountry on your next adventure, and guarantee confidence in performance and dependability.

*Fluted Barrel / Trigger Guard / Receiver*  
- McMillan Tan Cerakote

*Bolt / Bolt Knob / Safety*  
- Graphite Black Cerakote

*Stock - Visible Carbon fiber with green and tan sponge pattern accents*

*Weight: 5.3 lbs / 6.3 lbs*



**BACKCOUNTRY TITANIUM**


\$3349

We set out to produce the best backcountry rifle and cartridge combination ever. At our core, we pride ourselves in ballistic superiority. So, the goal was not to simply achieve the production of a 5-pound rifle. Instead, our team was able to break the 5-pound mark while delivering magnum performance in a firearm that doesn't demand custom rifle pricing. Additionally, the combination of the stock design, brand new muzzle brake, and proprietary patent-pending 3D HEX recoil reducer make it enjoyable to shoot. After years of innovation and development, the Mark V® Backcountry Ti and 6.5 WBY RPM combination achieves the weight savings, ballistic performance, and price that cannot be found in a production rifle anywhere else.


*Fluted Barrel / Trigger Guard / Bolt / Bolt Knob / Safety* - Graphite Black Cerakote

*Stock - Visible carbon fiber with gray sponge pattern accent gel coat and spiderweb accents*

*Weight: 4.9 lbs / 5.9 lbs*








ACCURATE  
ST



CERAKOTE



SUB-MOA



CARBON FIBER STOCK



TITANIUM ACTION



SPIRAL FLUTED BOLT



TRIGGERTECH



54° BOLT

AN UNACHIEVED COMBINATION... UNTIL NOW

# LIGHTEST

4 lbs 15oz.

# FASTEST

1500 foot lbs energy at 500 yards

THE BACKCOUNTRY SERIES IMPLEMENTS NEW TECHNOLOGIES TO LEAD THE INDUSTRY IN LIGHTWEIGHT RIFLES HARNESSING MAGNUM PERFORMANCE. NOW AVAILABLE IN WEATHERBY'S NEWEST CARTRIDGE

**6.5 WBX RPM**





ACCUMARK



ACCUMARK PRO



ACCUMARK ELITE



**ACCUMARK**

\$1999

If you are looking for a quality Weatherby Mark V® and want new features for rugged durability and long-range accuracy look no further than the Mark V® Accumark. The Accumark features a fluted #3 contour barrel, and hand-laid fiberglass stock with aluminum bedding blocks. Built on both 6-Lug, 9-Lug, and left-handed Mark V® receivers, the Accumark is one of the most customizable models in the Weatherby line. Ready to put holes through dimes at distance and knock large animals down fast, the most versatile performance hunting rifle on the market.

*2-Toned Fluted Barrel*  
 – Spun Stainless w/  
 Graphite Black Cerakote

*Receiver / Bolt / Bolt Knob / Safety*  
 – Graphite Black Cerakote

*Hand-laid, raised Monte Carlo fiberglass stock with matte gel coat and spiderweb accents*

*Weight: 7.3 lbs / 8.3 lbs*





**ACCUMARK PRO**

\$2499

The AccuMark Pro now carries all the legendary performance of the AccuMark, plus custom features driving it to the next level of performance. A carbon fiber stock provides excellent stiffness and lightweight attributes for the shooter looking for magnum range, but wanting to cut ounces. A perfect combination of accuracy, weight, and aesthetics with Cerakote® finish on all metal work guaranteeing a life of rugged dependability.

*Fluted Barrel / Trigger Guard / Receiver*  
– Tungsten Cerakote

*Bolt / Bolt Knob / Safety*  
– Graphite Black Cerakote

*Stock* – Visible Carbon fiber with gray sponge pattern accents

*Weight:* 7.1 lbs / 7.9 lbs



**ACCUMARK ELITE**

\$2799

The tried and true AccuMark just became even more versatile. The AccuMark Elite gives the marksman everything they need in a rifle to put that round on target at distance. With an adjustable carbon stock and the Elite Cerakote® coating, this rifle will provide a comprehensive fit and ruggedness to perform in the harshest of environments and situations when reliability is a must.

*Fluted Barrel / Trigger Guard / Receiver*  
– Coyote Tan Elite Cerakote

*Bolt / Bolt Knob / Safety*  
– Graphite Black Cerakote

*Stock* – Visible Carbon fiber with brown sponge pattern accents

*Weight:* 7.6 lbs / 8.4 lbs





CARBONMARK



CARBONMARK PRO



CARBONMARK ELITE



**CARBONMARK**

\$2499

Receiver / Brake / Trigger Guard  
– Coyote Tan Cerakote

Bolt / Bolt Knob / Safety  
– Graphite Black Cerakote

Black Hand-Laid, raised Monte Carlo  
fiberglass stock with Gray and Tan  
Sponge pattern

5/8x24 Thread Pitch

Weight: 7.0 lbs / 8.0 lbs



USING CARBON THE RIGHT WAY



BSF Barrels have been meticulously engineered to produce the lightest, stiffest, and most accurate carbon barrels available. The barrel starts as a heavy #4 contour 416 Stainless Steel barrel and then it is turned down and then fluted for even greater heat dissipation and weight reduction. Then, instead of replacing all of the steel with a carbon fiber wrapping method, we jacket the barrel using carbon fiber with our proprietary patented process to specifically tension the rifling. By compressing the carbon fiber and tensioning the barrel, the end result is a very stiff and lightweight barrel that can only get straighter as it heats up which translates to extremely consistent downrange accuracy. This #4 contour carbon jacketed barrel is the weight of a #2 contour steel barrel, super stiff, and consistently accurate!



**CARBONMARK PRO**

\$2999

The Mark V® CarbonMark Pro is a custom built, stunningly-precise rifle ready for any adventure. This carbon barrel is lightweight, accurate, and fast-cooling. Using a 416 stainless steel match barrel roll-wrapped with a carbon fiber sleeve loaded under tension to create strength and reduce overall weight. 95% of the carbon fiber does not touch the barrel allowing air to foil around the steel and rapidly cool the barrel, adding rigidity and reducing overall weight. This creates an incredibly strong barrel that dissipates heat very well and provides consistent accuracy with high shot counts.

*Receiver / Brake / Trigger Guard  
– Tungsten Cerakote*

*Bolt / Bolt Knob / Safety – Graphite Black Cerakote*

*Charcoal Finish Carbon Fiber Stock*

*Dual Swivel Stud Attachments*

*5/8x24 Thread Pitch*

*Weight: 6.7 lbs / 7.5 lbs*



**CARBONMARK ELITE**

\$3299

The Mark V® CarbonMark Elite builds upon the CarbonMark Pro and adds top of the line features. Including an adjustable carbon fiber stock to dial in the perfect shooting position and a flat-faced TriggerTech® for the ultimate in trigger control and feel. Additionally we use Elite Series Cerakote® for the best in corrosion and abrasion resistance.

*Receiver / Brake / Trigger Guard  
– Coyote Tan Elite Cerakote*

*Bolt / Bolt Knob / Safety – Graphite Black Cerakote*

*Visible carbon fiber stock with brown sponge pattern*

*Adjustable Stock*

*Flat-Faced Trigger*

*Dual Swivel Stud Attachments*

*5/8x24 Thread Pitch*

*Weight: 7.2 lbs / 8.4 lbs*





WEATHERMARK LT



WEATHERMARK



WEATHERMARK BRONZE



**WEATHERMARK LT**

\$1899

Weighing a mere 5.9 pounds (6-lug Action), SUB-MOA accuracy, and durable performance finish, this rifle is home in any backcountry situation. The #2 contour fluted barrel cuts precious pounds for backpack trips. The hand-laid fiberglass Monte Carlo stock with aluminum bedding blocks gives this rifle a strong foundation to make the cross-canyon shots when the opportunity presents itself. The spiral fluted bolt body aids in the reduction of weight, and the Cerakote® finish on all metalwork guarantees a life of rugged dependability.

*Fluted Barrel / Receiver / Trigger Guard  
– FDE Cerakote*

*Bolt / Bolt Knob / Safety  
– Graphite Black Cerakote*

*Green Hand-Laid, raised comb Monte Carlo fiberglass stock with FDE speckle pattern.*

*Weight: 5.9 lbs / 7.2 lbs*





**WEATHERMARK**

\$1499

The Weathermark historically represents the first Mark V® to feature a Cerakote® finish ready for the nastiest weather conditions. The #2 contour barrel provides accuracy combined with the hand-laid fiberglass Monte Carlo stock with aluminum bedding blocks. Spiral fluted bolt body in contrasting Graphite Black Cerakote® gives full weather protection and adds aesthetics. If you are looking for the best value Mark V® rifle for any adventure, you found it in the WeatherMark.

*Barrel / Receiver / Trigger Guard*  
– Tac Gray Cerakote

*Bolt / Bolt Knob / Safety*  
– Graphite Black Cerakote

*#1 & #2 Contour 1/2×28 Thread Protector*

*#3 Contour 5/8×24 Thread Protector*

*Hand-Laid, raised comb Monte Carlo fiberglass stock with matte gel coat finish and spiderweb accents.*

*Accubrake ST Installed on .30-378 / .338-378*

*Weight: 6.1 lbs / 7.75 lbs*



**WEATHERMARK BRONZE**

\$1499

*Barrel / Receiver / Trigger Guard*  
– Burnt Bronze Cerakote

*Bolt / Bolt Knob / Safety*  
– Graphite Black Cerakote

*#1 & #2 Contour 1/2×28 Thread Protector*

*#3 Contour 5/8×24 Thread Protector*

*Black Hand-Laid, raised comb Monte Carlo fiberglass stock with matte gel coat finish and Burnt Bronze spiderweb accents.*

*Accubrake ST Installed on .30-378 / .338-378*

*Weight: 6.1 lbs / 7.75 lbs*






CAMILLA DELUXE



CAMILLA ULTRA LIGHTWEIGHT

Camilla



**CAMILLA ULTRA LIGHTWEIGHT** \$1999

The Mark V Camilla Ultra Lightweight was designed by women, for women. It features a shortened 13" length of pull, slender forearm, a slimmer grip with a gentle palm swell, and a higher comb for optimal scope-eye alignment. The recoil pad is fitted with an ergonomic cant to nest into the way a woman's shoulder is built. This rifle features a composite stock with aluminum bedding blocks to provide long distance accuracy.

2-Toned Fluted Barrel –  
Spun Stainless w/ Graphite Black Cerakote

Receiver / Bolt / Bolt Knob / Trigger Guard / Safety –  
Graphite Black Cerakote

Hand-laid, raised Monte Carlo fiberglass stock with  
matte gel coat and spiderweb accents

Accubrake ST Installed

Weight: 5.8 lbs



**CAMILLA DELUXE** \$2399

Classic Weatherby Mark V® 6-Lug action combined with a gorgeous AA-grade Claro Walnut stock and hand-lapped barrel create the Mark V® Camilla Deluxe. Named aptly after Camilla Weatherby, the graceful lines are befitting of the way the stock fits female shooters. It features a shortened 13" length of pull, slender forearm, a slimmer grip with a gentle palm swell, and a higher comb for optimal scope-eye alignment. The recoil pad is fitted with an ergonomic cant to nest into the way a woman's shoulder is built.

Barrel / Receiver / Trigger Guard  
– Black High Gloss

Gloss AA Walnut Stock

Accubrake ST Installed

Weight: 6.5 lbs







DELUXE



DELUXE



DELUXE

\$2349

Before composite stocks, brushed stainless steel barrels, and Cerakote® finishes every Weatherby Mark V that fell into the hands of lucky hunters was rich walnut and blue steel. The Deluxe pays homage to those days of traditional craftsmanship for hunters who still marvel at classic styling. Complete with regal diamond-point checkering, a rosewood forend and grip cap, maple spacers and a Pachmayr Decelerator recoil pad.

*Barrel / Trigger Guard / Receiver / Bolt Knob – Black High Gloss*

*Gloss AA Walnut Stock*

*Fineline, diamond point checkering, rosewood forend and grip cap with maplewood spacers*

*Accubrake ST Installed on .30-378 / .338-378 / .340 / .378 / .416 / .460*

*Pachmayr Decelerator recoil pad*

*Weight: 7.1 lbs / 8.2 lbs*







WEATHERGUARD BRONZE  
MULTICAM®  
LAMINATE SPORTER  
CAMILLA WILDERNESS

SEE ALL AT  
[WEATHERBY.COM](http://WEATHERBY.COM)

VANGUARD



WEATHERGUARD BRONZE



MULTICAM®



**WEATHERGUARD BRONZE**

\$699

The Weatherguard Bronze is a burnt bronze cerakoted barreled action paired with a unique hand sprayed polymer stock. Each rifle is hand fitted for exact alignment and stability making the Weatherguard Bronze a hunters dream. Combining the quality and looks of a high end hunting platform at an entry level price point the Weatherguard Bronze delivers exceptional reliability and aesthetics at an affordable price.

#2 Contour Barrel

Black base Stock with Bronze Webbing

Burnt Bronze Cerakote® finish for exceptional weather and corrosion resistance.

Fluted Bolt Body

Weight: 7.25 lbs / 7.5 lbs



**MULTICAM®**

\$849

The Vanguard MultiCam® is a classic tactical camouflage pattern popular for its large scale break up pattern effective in almost any terrain and conditions. MultiCam® was developed to provide the armed forces with a groundbreaking concealment solution that effectively limits the visual and near IR signature of a person operating across a wide range of environments. This Vanguard features an FDE Cerakote® on all metalwork and threaded barrel for easy brake or suppressor implementation. This combination creates a one-stop-shop for a top-performing rifle in any condition.

#2 Contour Barrel

MultiCam® Camo Polymer Stock

FDE Cerakote® finish for exceptional weather and corrosion resistance.

Fluted Bolt Body

Weight: 7.25 lbs / 7.5 lbs



LAMINATE SPORTER



CAMILLA WILDERNESS



**LAMINATE SPORTER**

\$749

The Laminator Sporter builds on the classic platform of the sporter package with the addition of a high quality Boyds® laminate stock finished in beautiful nutmeg. Every Boyds® gunstock is constructed of top-grade laminated hardwood that's dried to exact specifications to ensure rigidity and stability. Sealed with chemical-resistant finishes for long-lasting durability in all weather conditions.

*#2 Contour Barrel*

*Boyds® Nutmeg Laminate Stock*

*Matte Blued Cold Hammer Forged Barrel*

*Fluted Bolt Body*

*Weight: 7.7 lbs / 7.95 lbs*



**CAMILLA WILDERNESS**

\$799

The Vanguard Camilla Wilderness incorporates a high comb, along with a number of other features that make this rifle superbly comfortable to shoot. The buttstock is angled away from the body, which is a better fit for the female anatomy and nestles easily into the shoulder. The slim pistol grip has a shorter grip-to-trigger reach, ideal for slightly smaller hands, and the 13" length of pull (LOP) and slender fore-end reduce overall weight and length without compromising feel and balance

*20" barrel / #1 Contour*

*Hand-Laid Fiberglass Stock*

*Skeletonized Aluminum Bedding Block*

*Fluted Bolt Body*

*Weight: 7.0 lbs*



Mark V Standard  
**6-LUG**

Steel: 1.55 lbs    Titanium: 1.125 lbs

224 WBY MAG  
not chambering / ammunition available



240 WBY MAG



6.5 WBY RPM



Mark V Magnum  
**9-LUG**

Steel: 2.18 lbs    Titanium: 1.61 lbs

257 WBY MAG



270 WBY MAG



7MM WBY MAG



6.5-300 WBY MAG



**ADDITIONAL CHAMBERING:**

6MM CREEDMOOR  
243 WIN  
6.5 CREEDMOOR  
270 WIN  
280 ACKLEY IMPROVED

300 WBY MAG



340 WBY MAG



375 WBY MAG

not chambering / ammunition available



30-378 WBY MAG



338-378 WBY MAG



378 WBY MAG



416 WBY MAG



460 WBY MAG



**ADDITIONAL CHAMBERING:**

300 WIN MAG  
338 LAPUA MAG  
375 H&H

224 - 240

257

6.5 RPM

6.5-300

270

7MM

300 - 30-378

340 - 338-378

378 - 416


460

WEATHERBY AMMUNITION

# .224

## .224 WEATHERBY MAGNUM

BULLET DIAMETER	<b>.224" (5.7mm)</b>
COMMON REFERENCE	<b>22 Caliber</b>
PRODUCED	<b>1963</b>
MAX CASE LENGTH	<b>1.925"</b>



This is the only commonly available varmint cartridge with a belted case design – a design usually reserved for larger cartridges. Currently not chambered in Weatherby rifles, but ammunition is available.



### 224 WBY MAGNUM 55 Grain SP BC: 0.255

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3650	1627
100	2.8	3192	1244
200	3.7	2780	944
300	0	2403	705
400	-9.8	2056	516
500	-27.9	1741	370



### 223 - 55 GRAIN Remington Jacketed Soft Point BC: 0.222

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3240	1282
100	4	2800	957
200	5.1	2400	703
300	0	2035	505
400	-13.6	1705	355
500	-39.6	1420	246



### 22-250 - 55 GRAIN Remington Pointed Soft Point BC: 0.197

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3680	1654
100	3	3137	1199
200	4	2656	858
300	0	2222	600
400	-11.2	1832	406
500	-33.4	1490	270

### 22 NOSLER - 55 GRAIN Nosler E-Tip BC: 0.305

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3300	1339
100	3.29	2976	1082
200	4.12	2665	867
300	0.01	2374	688
400	-10.3	2103	540
500	-28.4	1849	418



### 224 VALKRYE - 60 GRAIN Hornady V-MAX BC: 0.265

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3300	1451
100	3.5	2924	1139
200	4.4	2578	885
300	0	2258	679
400	-11.2	1961	512
500	-31.9	1690	380





# .240

.240 WEATHERBY MAGNUM

**243 WIN - 95 GRAIN**  
Nosler Ballistic Tip  
BC: 0.379

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3025	1930
100	3.8	2774	1623
200	4.6	2536	1356
300	0	2310	1126
400	-11.2	2096	927
500	-30.1	1893	756



**243 WSSM - 95 GRAIN**  
Ballistic Silvertip  
BC: 0.400

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3150	2091
100	3.4	2906	1780
200	4.2	2675	1508
300	0	2455	1270
400	-9.8	2246	1063
500	-26.6	2048	884



**240 WBY MAGNUM**  
100 Grain - Nosler Partition  
BC: 0.384

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3406	2576
100	2.8	3136	2183
200	3.5	2882	1844
300	0	2642	1550
400	-8.4	2415	1294
500	-22.9	2199	1073



**6MM REM - 100 GRAIN**  
Nosler Partition  
BC: 0.384

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3100	2134
100	3.6	2848	1801
200	4.3	2610	1513
300	0	2382	1262
400	-10.5	2170	1045
500	-28.4	1966	858



**6MM CREEDMOOR - 100 GRAIN**  
Core-Lokt Pointed Soft Point  
BC: 0.356


DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3100	2133
100	3.6	2829	1776
200	4.4	2573	1469
300	0	2332	1206
400	-10.9	2104	981
500	-29.7	1889	791

**.243" (6.2mm)** BULLET DIAMETER

**6mm Caliber** COMMON REFERENCE

**1968** PRODUCED

**2.5"** MAX CASE LENGTH




The .240 Weatherby still retains its status as the worlds fastest commercially available 6mm. A powerful, fast killing cartridge, the .240 is a belted .30-06 parent case necked down to 6mm (.243") with a double radius improved shoulder.

# .257

.257 WEATHERBY MAGNUM

BULLET DIAMETER	.257" (6.35mm)
COMMON REFERENCE	25 Caliber
DEVELOPED	1943
PRODUCED	1945
MAX CASE LENGTH	2.549"



The .257 Weatherby was one of Roy Weatherby's earliest creations and quickly became his favorite. As far as Weatherby's philosophy of fast killing through high velocity the .257 achieved this goal in spades.

ACTUAL SIZE



2.549"

**.257 - 110 GRAIN**  
Nosler Accubond  
BC: 0.418

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3460	2925
100	2.7	3207	2513
200	3.3	2969	2154
300	0	2744	1839
400	-7.9	2529	1563
500	-21.2	2325	1320

**257 ROBERTS +P - 110 GRAIN**  
Nosler Accubond  
BC: 0.418

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3000	2198
100	3.8	2772	1876
200	4.5	2557	1597
300	0	2351	1350
400	-10.8	2154	1133
500	-29.2	1967	945



**25-06 - 110 GRAIN**  
Nosler Accubond  
BC: 0.418

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3100	2346
100	3.49	2867	2008
200	4.23	2647	1711
300	0	2436	1450
400	-10.1	2236	1221
500	-27.2	2045	1021






# 6.5 RPM

6.5 WBYP RPM (REBATED PRECISION MAGNUM)

BULLET DIAMETER	.264" (6.5mm)
COMMON REFERENCE	6.5mm Caliber
PRODUCED	2019
MAX CASE LENGTH	2.57"



The 6.5 WBYP RPM is based on a lengthened version of the existing .284 Winchester. The large body diameter, low body taper, and 35-degree shoulder mean that case capacity is greatly increased, leading to higher velocities. 1,500 foot pounds of energy at 500 yards capable of ethically taking big game animals across the globe.



**6.5 RPM WBYP - 140 Nosler AccuBond**  
BC: 0.509

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3075	2939
100	3.2	2885	2587
200	4	2703	2272
300	0	2529	1988
400	-9.4	2361	1733
500	-25.1	2199	1504



**260 REM - 140 GRAIN**  
Nosler AccuBond  
BC: 0.509

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2655	2191
100	4.9	2481	1913
200	5.7	2314	1664
300	0	2153	1441
400	-13.2	1999	1242
500	-35.2	1852	1066



**6.5 PRC - 143 GRAIN**  
Hornady ELD-X  
BC: 0.625

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2960	2782
100	3.6	2808	2503
200	4.27	2661	2248
300	0	2519	2014
400	-9.71	2381	1800
500	-25.5	2248	1604



**6.5 CREEDMOOR - 143 GRAIN**  
ELD-X  
BC: 0.625

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2700	2314
100	4.5	2556	2074
200	5.2	2418	1856
300	0	2283	1655
400	-11.9	2153	1472
500	-31.3	2027	1304

# 6.5-300

6.5-300 WEATHERBY MAGNUM

**.264" (6.5mm)** BULLET DIAMETER

**6.5mm Caliber** COMMON REFERENCE

**2016** PRODUCED

**2.825"** MAX CASE LENGTH

### 6.5-284 NORMA – 140 GRAIN

Nosler AccuBond  
BC: 0.509

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2750	2350
100	4.5	2573	2058
200	5.3	2403	1794
300	0	2239	1558
400	-12.2	2082	1347
500	-32.5	1932	1347



### 264 WIN MAGNUM – 140 GRAIN

Nosler AccuBond  
BC: 0.509

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2929	2666
100	3.8	2744	2340
200	4.5	2567	2048
300	0	2397	1786
400	-10.6	2233	2550
500	-28.2	2076	1340



### 26 NOSLER – 140 GRAIN

Nosler AccuBond  
BC: 0.509


DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3300	3119
100	2.8	3118	2784
200	3.5	2943	2481
300	0	2775	2205
400	-8.2	2613	1955
500	21.9	2457	1729



### 6.5-300 – 140 GRAIN

Berger VLD Hunting  
BC: 0.600

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3315	3416
100	2.7	3141	3067
200	3.3	2973	2748
300	0	2812	2458
400	-7.7	2657	2195
500	-20.3	2507	1954



The first cartridge developed under the third-generation leadership of Adam Weatherby. The rising popularity in the extremely accurate 6.5mm caliber bullet led to the creation of the 6.5-300 Weatherby Magnum which is the fastest production 6.5mm there is.



# .270

.270 WEATHERBY MAGNUM

- .277" (7mm)** BULLET DIAMETER
- 270 Caliber** COMMON REFERENCE
- 1943** DEVELOPED
- 1945** PRODUCED
- 2.549"** MAX CASE LENGTH

**270 WIN - 130 GRAIN**  
Nosler Partition  
BC: 0.416

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3060	2703
100	3.6	2829	2310
200	4.3	2610	1966
300	0	2401	1664
400	-10.5	2202	1399
500	-28	2012	1168




**270 WSM - 130 GRAIN**  
Extreme Point  
BC: 0.450

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3275	3093
100	3	3050	2683
200	3.7	2837	2321
300	0	2634	2001
400	-8.6	2439	1716
500	-23.1	2253	1464



**270 WBY - 130 GRAIN**  
Barnes TTSX  
BC: 0.431

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3400	3338
100	2.6	3176	2912
200	3.3	2963	2536
300	0	2761	2201
400	-7.9	2567	1903
500	-21	2382	1638




ACTUAL SIZE

The .270 Weatherby Magnum cartridge was developed by Roy Weatherby in 1943 and was the first belted magnum to be offered to the public when he opened his business in 1945. The .270 is one of a family of Weatherby Magnums which share a 2.549" length case. These include the .257, .270 and 7mm Weatherby Magnum cartridges.

# 7MM

7MM WEATHERBY MAGNUM

BULLET DIAMETER	.284" (7.2mm)
COMMON REFERENCE	7mm Caliber
DEVELOPED	1944
PRODUCED	1947
MAX CASE LENGTH	2.549"



Introduced nearly 20 years before the popular 7mm Remington Magnum, the Weatherby version gives non-handloaders handloaded 7mm magnum performance.

ACTUAL SIZE



2.549"

### 7MM WB - 160 GRAIN

Nosler Partition  
BC: 0.475

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3200	3638
100	3.1	2991	3177
200	3.8	2791	2767
300	0	2600	2401
400	-8.9	2417	2075
500	-23.8	2241	1784

### 7MM REM ULTRA MAG - 160 GRAIN

Nosler Partition  
BC: 0.475

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3261	3777
100	2.9	3048	3300
200	3.6	2845	2875
300	0	2651	2496
400	-8.5	2466	2160
500	-22.8	2288	1860



### 7MM-08 REMINGTON - 140 GRAIN

Nosler Partition  
BC: 0.435

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2800	2347
100	4.5	2591	2088
200	5.3	2392	1779
300	0	2202	1507
400	-12.4	2020	1269
500	-33.2	1847	1061



### 7MM REM MAG - 160 GRAIN

Nosler Partition  
BC: 0.475

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2950	3091
100	3.8	2752	2691
200	4.5	2563	2333
300	0	2381	2014
400	-10.8	2207	1730
500	-28.6	2040	1479





# 7MM

7MM WEATHERBY MAGNUM

**7MM STW - 160 GRAIN**  
Nosler Partition  
BC: 0.475

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3075	3358
100	3.4	2871	2927
200	4.1	2676	2543
300	0	2489	2201
400	-9.7	2310	1896
500	-26.1	2138	1624

**7MM WSM - 160 GRAIN**  
Nosler Partition  
BC: 0.475


DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2920	3092
100	3.8	2723	2634
200	4.6	2534	2281
300	0	2353	1967
400	-10.7	2180	1688
500	-28.5	2014	1441

**28 NOSLER - 160 GRAIN**  
Nosler Partition  
BC: 0.475

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3290	3945
100	2.8	3075	3359
200	3.5	2817	2928
300	0	2676	2544
400	-8.4	2490	2202
500	-22.4	2311	2080

**280 ACKLEY IMPROVED - 160 GRAIN**  
Nosler Partition  
BC: 0.475


DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2950	3091
100	3.8	2751	2688
200	4.6	2562	2332
300	0	2380	2012
400	-10.7	2205	1727
500	-28.5	2038	1475



# .300

.300 WEATHERBY MAGNUM

BULLET DIAMETER	.308" (7.8mm)
COMMON REFERENCE	30 Caliber
DEVELOPED	1944
PRODUCED	1945
MAX CASE LENGTH	2.825"



The .300 Weatherby remains popular as a medium game hunting cartridge but has come into its own as a long range hunting cartridge, utilized in both factory and custom rifles. One could say that in this regard, the .300 Weatherby was 50 years ahead of its time.

ACTUAL SIZE



2.825"

### 300 WBY- 180 GRAIN

Nosler AccuBond  
BC: 0.507

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3250	4223
100	2.9	3051	3721
200	3.6	2861	3271
300	0	2678	2868
400	-8.4	2503	2505
500	-22.4	2335	2179

### 300 WIN - 180 GRAIN

Nosler AccuBond  
BC: 0.507

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2950	3478
100	3.7	2764	3053
200	4.5	2585	2670
300	0	2414	2329
400	-10.4	2248	2019
500	-27.8	2090	1746



### .308 WIN - 180 GRAIN

Nosler Partition  
BC: 0.474

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2570	2640
100	5.5	2388	2278
200	6.3	2213	1957
300	0	2045	1672
400	-14.4	1885	1420
500	-39	1734	1202



### 30-06 SPRINGFIELD - 180 GRAIN

Nosler AccuBond  
BC: 0.507

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2700	2913
100	4.7	2524	2547
200	5.6	2355	2217
300	0	2193	1922
400	-12.7	2037	1658
500	-33.6	1887	1423



# .30-378

.30-378 WEATHERBY MAGNUM

- .308" (7.8mm)** BULLET DIAMETER
- 30 Caliber** COMMON REFERENCE
- 1996** PRODUCED
- 2.913"** MAX CASE LENGTH

**300 REM ULTRA MAG - 180 GRAIN**  
Nosler AccuBond  
BC: 0.507

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3250	4220
100	2.9	3050	3719
200	3.6	2860	3269
300	0	2678	2866
400	-8.4	2502	2503
500	-22.4	2334	2177



**300 PRC - 212 GRAIN**  
Hornady ELD-X  
BC: 0.673

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2860	3850
100	3.8	2723	3489
200	4.5	2589	3156
300	0	2460	2849
400	-10.3	2334	2565
500	-27	2212	2304




**30 NOSLER - 180 GRAIN**  
Nosler AccuBond  
BC: 0.507

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3200	4092
100	3	3004	3606
200	3.7	2815	3168
300	0	2635	2774
400	-8.7	2462	2422
500	-23.2	2295	2105



**30-378 WBV - 180 GRAIN**  
Nosler AccuBond  
BC: 0.507

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3420	4676
100	3.7	3213	4126
200	4.5	3015	3634
300	0	2826	3193
400	-10.5	2645	2797
500	-28.2	2471	2441




ACTUAL SIZE

Known as the fastest production .30 caliber available. The .30-378 is truly a potent magnum cartridge, with its greatest strength found at ranges exceeding 1000 yards. For those who are willing to learn, the .30-378 has a lot of reach with an effective fast killing range of around 1400 yards.

# .340

.340 WEATHERBY MAGNUM

BULLET DIAMETER	.338" (8.6mm)
COMMON REFERENCE	338 Caliber
PRODUCED	1963
MAX CASE LENGTH	2.825"



The .340 WBV is optimal for driving large caliber bullets at high velocities, ensuring deep bone smashing penetration. Designed for large game taken at long distances.

ACTUAL SIZE



2.825"

**340 WBV - 250 GRAIN**  
Nosler Partition  
BC: 0.473

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2941	4801
100	3.9	2743	4176
200	4.6	2553	3618
300	0	2371	3120
400	-10.9	2197	2678
500	-28.9	2029	2286

**338 LAPUA - 250 GRAIN**  
Jacketed Soft Point  
BC: 0.555



DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2875	4588
100	3.9	2708	4070
200	4.6	2547	3601
300	0	2392	3175
400	-10.8	2242	2789
500	-28.6	2097	2442

**338 WIN MAG - 250 GRAIN**  
Nosler Partition  
BC: 0.473



DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2660	3927
100	4.7	2474	3396
200	5.6	2295	2923
300	0	2124	2503
400	-12.7	1960	2131
500	-33.6	1803	1805

# .338-378

.338-378 WEATHERBY MAGNUM



- .338" (8.6mm)** BULLET DIAMETER
- 338 Caliber** COMMON REFERENCE
- 1998** PRODUCED
- 2.913"** MAX CASE LENGTH


**338 REM ULTRA MAG – 250 GRAIN**  
Nosler Partition  
BC: 0.473

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2990	4962
100	3.7	2789	4317
200	4.4	2597	3743
300	0	2413	3232
400	-10.4	2236	2775
500	-27.8	2066	2396



**338-378 WBY – 250 GRAIN**  
Nosler Partition  
BC: 0.473


DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3060	5197
100	3.5	2856	4528
200	4.2	2662	3933
300	0	2475	3401
400	-9.8	2297	2927
500	-26.4	2125	2507



With regards to killing potential, the .338-378 certainly has prowess for hunting large bodied game. Sharing cases with the .378 WBY and .30-378 WBY.

ACTUAL SIZE

BULLET DIAMETER	<b>.375" (9.5mm)</b>
COMMON REFERENCE	<b>375 Caliber</b>
DEVELOPED	<b>1953</b>
PRODUCED	<b>1955</b>
MAX CASE LENGTH	<b>2.913"</b>



After developing the .375 Weatherby Magnum in 1944, Roy Weatherby eventually formed the opinion that his .375 was underpowered. Weatherby then set about designing a .375 caliber cartridge of extreme power. Federal designed the No.215 Magnum primer specifically for the .378 Weatherby magnum.



**378 WBY - 270 GRAIN**  
Soft Point  
BC: 0.380

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	3180	6062
100	1.3	2921	5115
200	0	2677	4295
300	-6.1	2445	3538
400	-18.1	2225	2968
500	-37.1	2017	2438



**375 H&H - 270 GRAIN**  
Soft Point  
BC: 0.323

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2690	4338
100	2.2	2418	3505
200	0	2162	2803
300	-9.7	1922	2214
400	-28.9	1700	1793
500	-60.2	1500	1348



**375 RUGER - 260 GRAIN**  
Nosler Partition  
BC: 0.314

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2885	4804
100	1.8	2592	3878
200	0	2318	3101
300	-8.3	2060	2449
400	-24.9	1821	1914
500	-52	1601	1480

**375 REM ULTRA MAG - 260 GRAIN**  
Nosler Partition  
BC: 0.314

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2950	5023
100	1.7	2653	4063
200	0	2375	3256
300	-7.9	2114	2580
400	-23.6	1870	2018
500	-49.4	1646	1564



# .416

.416 WEATHERBY MAGNUM

**416 RUGER – 400 GRAIN**  
Swift A-Frame  
BC: 0.367

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2279	4612
100	3.3	2072	3765
200	0	1877	3049
300	-13.5	1694	2450
400	-39.7	1526	1964
500	-81.6	1375	1576



**416 REM MAG – 400 GRAIN**  
Swift A-Frame  
BC: 0.367

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2400	5115
100	2.9	2175	4202
200	0	1962	3419
300	-12	1763	2760
400	-35.2	1580	2216
500	-72.6	1413	1774



**416 RIGBY – 400 GRAIN**  
Swift A-Frame  
BC: 0.367

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2350	4905
100	3.1	2128	4021
200	0	1917	3264
300	-12.5	1722	2633
400	-37	1542	2111
500	-76.1	1381	1693



**.416" (10.6mm)**

BULLET DIAMETER

**416 Caliber**


COMMON REFERENCE

**1989**

PRODUCED

**2.913"**

MAX CASE LENGTH



**416 WB – 400 GRAIN**  
RN-EX  
BC: 0.311

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2700	6474
100	2.3	2417	5189
200	0	2152	4113
300	-9.7	1903	3216
400	-29.3	1676	2493
500	-61.2	1470	1918




Unlike earlier Weatherby cartridges which were designed by Roy Weatherby, this cartridge was designed by his son Ed Weatherby. It is a dangerous-game cartridge intended for the hunting of heavy dangerous game such as elephant and African cape buffalo.

# .460

.460 WEATHERBY MAGNUM

BULLET DIAMETER	.458" (11.6mm)
COMMON REFERENCE	458 Caliber
DEVELOPED	1957
PRODUCED	1959
MAX CASE LENGTH	2.913"



Roy Weatherby believed that it was necessary to provide hunters a Weatherby cartridge that could be used to hunt African dangerous game in the countries which had legislated against hunting with sub-.40 caliber rifles. The wide, deep wounding of the .460 ensures clean killing within the shortest possible time.

ACTUAL SIZE



**460 WBV - 500 GRAIN RN-EX**  
BC: 0.287

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2600	7504
100	2.6	2301	5917
200	0	2022	5877
300	-11.1	1764	4539
400	-33.5	1533	3456
500	-71.1	1333	2608

**458 LOTT - 500 GRAIN**  
Hornady DGS  
BC: 0.295

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2300	5873
100	3.5	2028	4567
200	0	1755	3506
300	-14.6	1548	2665
400	-43.8	1349	2020
500	-92.2	1188	1567

**458 WIN MAG - 500 GRAIN**  
Trophy Bonded Bear Claw  
BC: 0.282


DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2090	4849
100	4.5	1822	3684
200	0	1580	2773
300	-18.5	1369	2080
400	-55.8	1198	1594
500	-117.5	1076	1285

**450 NITRO EXPRESS - 480 GRAIN**  
Hornady DGS  
BC: 0.285

DISTANCE	DROP IN INCHES	VELOCITY	ENERGY FOOT LBS
0	-	2150	4926
100	4.2	1879	3762
200	0	1633	2842
300	-17.3	1415	2134
400	-52.1	1234	1623
500	-109.7	1101	1292









WEATHERBY



DELUXE  
SYNTHETIC  
WATERFOWLER

SEE ALL AT  
[WEATHERBY.COM](http://WEATHERBY.COM)

18i SHOTGUN



DELUXE



SYNTEHTIC



WATERFOWLER

**18i DELUXE**

\$1899

The Weatherby 18i series of semi-automatic shotguns are built on the proven inertia system, that provides reliable cycling on an evenly-weighted gun. Boasting classic Weatherby appeal and deadly shoot-ability, the nickel metalwork and high-grade walnut features are an excellent combination that delivers in the field and on the range. Designed and built for shooters that require superior reliability with high volume shooting, the single piece receiver is precision machined from billet aluminum for strength and simplicity. The beautiful walnut stock has been designed for a seamless fit to the shooter aggressive texture/checkering in the palm and foregrip. The premium engineering and material composition will provide consistent performance in the harshest of environments. During inevitable poor light conditions, the high luminosity LPA fiber front sight ensures accurate target acquisition. The safety is conveniently located behind the trigger with a positive red ring for visible confirmation when in the "ready to shoot" position. Five choke tubes and a true choke tube wrench are all included and contained in a small plastic case.

*Beautiful matte finish walnut stock and forearm*

*Red ring on safety release button for secure handling*

*Full length ventilated top rib*

*LPA Fiber sights*

*Custom LaserTech engraving on receiver*

*4+1 (2+1 with magazine limiting plug)*

*3" chamber*

*Weight: 6.0 lbs (20 ga) / 7.0 lbs (12 ga)*





### 18i SYNTHETIC

\$1099

The advanced polymer stock has been designed for a seamless fit to the shooter with a soft-touch area on the cheek rest and aggressive texture in the palm and foregrip. The premium engineering and material composition will provide consistent performance in the harshest of environments.

*Matte Finish with Synthetic Stock and Forearm*

*Elastomer stock for reduced felt recoil*

*Red ring safety release button for secure handling*

*Full length ventilated top rib*

*LPA fiber sights*

*4+1 (2+1 with magazine limiting plug)*

*3.5" Chamber*

*Weight: 7.0 lbs (12 ga)*



### 18i WATERFOWLER

\$1199

With multiple camouflage options, the 18i waterfowler blends well in any duck or goose blind. Polymer stock and foregrip guarantee rugged dependability in sunshine, rain, or snow.

*Matte Finish with Synthetic Stock and Forearm*

*Elastomer stock for reduced felt recoil*

*Red ring on safety release button for secure handling*

*Full length ventilated top rib*

*LPA Fiber sights*

*4+1 (2+1 with magazine limiting plug)*

*3.5" chamber*

*Weight: 7.0 lbs (12 ga)*

#### **Available in:**

*Mossy Oak Shadow Grass Blades*

*Realtree® Max-5®*













NO ONE BUILDS

A BETTER RIFLE

THAN BOTH OF US

*Dream it up and we will build a Mark V® with the highest attention to detail and craftsmanship in the industry. Each custom build is handled by a single gunsmith from start to finish. Between the two of us we'll create a rifle that reflects Weatherby's legendary quality and YOUR creativity.*

#### OPTIONS

RIGHT-HANDED OR LEFT-HANDED

CHOOSE CARTRIDGE

PICK THE STOCK - FIT & FINISH

CERAKOTE® FINISH OPTIONS

BLUEPRINTED ACTIONS

HAND HONE BOLTS

TRIGGER STYLE


OPEN SIGHTS

RANGE CERTIFICATION

- **STEP 1:** *Select Base Model*
- **STEP 2:** *Customize Model*
- **STEP 3:** *Receive Rifle*

[WEATHERBY.COM/CUSTOM](https://www.weatherby.com/custom)

CUSTOM SHOP



Subscribe to On Our Mark: <https://www.youtube.com/user/WeatherbyInc>

Stream On Our Mark Podcast:  
Apple Podcast, Google Podcasts, Spotify, Stitcher, and YouTube

Join us on Facebook  Catch us on Instagram  Watch us on YouTube.com 





307.675.7800 | [weatherby.com](http://weatherby.com)  
SHERIDAN, WY